

RESEARCH REPORT SERIES no. 35-2013

FAIRFIELD HOUSE, STOGURSEY, SOMERSET

TREE-RING ANALYSIS OF TIMBERS

SCIENTIFIC DATING REPORT

Alison Arnold and Robert Howard



This report has been prepared for use on the internet and the images within it have been down-sampled to optimise downloading and printing speeds.

Please note that as a result of this down-sampling the images are not of the highest quality and some of the fine detail may be lost. Any person wishing to obtain a high resolution copy of this report should refer to the ordering information on the following page.

Research Report Series 35-2013

FAIRFIELD HOUSE,
STOGURSEY,
SOMERSET

TREE-RING ANALYSIS OF TIMBERS

Alison Arnold and Robert Howard

NGR: ST 1876 4298

© English Heritage

ISSN 2046-9799 (Print)
ISSN 2046-9802 (Online)

The Research Report Series incorporates reports by the expert teams within the Investigation & Analysis Division of the Heritage Protection Department of English Heritage, alongside contributions from other parts of the organisation. It replaces the former Centre for Archaeology Reports Series, the Archaeological Investigation Report Series, the Architectural Investigation Report Series, and the Research Department Report Series.

Many of the Research Reports are of an interim nature and serve to make available the results of specialist investigations in advance of full publication. They are not usually subject to external refereeing, and their conclusions may sometimes have to be modified in the light of information not available at the time of the investigation. Where no final project report is available, readers must consult the author before citing these reports in any publication. Opinions expressed in Research Reports are those of the author(s) and are not necessarily those of English Heritage.

Requests for further hard copies, after the initial print run, can be made by emailing:

Res.reports@english-heritage.org.uk

or by writing to:

English Heritage, Fort Cumberland, Fort Cumberland Road, Eastney, Portsmouth PO4 9LD

Please note that a charge will be made to cover printing and postage.

SUMMARY

Dendrochronological analysis undertaken on timbers from a series of roofs and two newel post caps resulted in the dating of three site sequences with a further five site sequences remaining undated. Site sequence FRFDSQ01 contains eight samples and spans the period AD 1389–1507, FRFDSQ02 contains 18 samples and spans the period AD 1525–1713 and FRFDSQ03 contains seven samples and spans the period AD 1682–1778. The earliest timbers identified felled in AD 1508–28, were from the West range roof making construction of this roof slightly later than previously thought. The East range roof contains timbers felled in AD 1627–52, whilst the Connecting range roof utilises timber of AD 1630 demonstrating that these roofs are broadly contemporary, both dating to the second quarter of the seventeenth century. The East and West range roof hips contain timbers felled in spring AD 1779 and AD 1777–96 respectively, though earlier reused timber was identified within these hips.

CONTRIBUTORS

Alison Arnold and Robert Howard

ACKNOWLEDGEMENTS

The Laboratory would like to thank Lady Gass for allowing sampling to be undertaken and for her hospitality during the process. Bob Croft of Somerset Environment Service facilitated access and provided invaluable on-site advice. Drawings were produced by Alan Graham and funded by Somerset County Council. Thanks are also given to Peter Marshall, Cathy Tyers, and Shahina Farid from the English Heritage Scientific Dating Team for their advice and assistance throughout the production of this report.

ARCHIVE LOCATION

Somerset Historic Environment Record
Somerset Heritage Centre
Brunel Way
Langford Mead
Norton Fitzwarren
Taunton
TA2 6SF

DATE OF INVESTIGATION

2011–13

CONTACT DETAILS

Alison Arnold and Robert Howard
Nottingham Tree-ring Dating Laboratory
20 Hillcrest Grove
Sherwood
Nottingham NG5 1FT
roberthoward@tree-ringdating.co.uk
alisonarnold@tree-ringdating.co.uk

CONTENTS

Introduction	1
West range	1
East range	1
Connecting (or north) range	1
Staircase	1
Sampling	2
Analysis and Results	2
Interpretation	3
West range	3
East range	3
Hip ends	3
Connecting range	4
Discussion.....	4
Bibliography.....	6
Tables	8
Figures	11
Data of Measured Samples	34
Appendix: Tree-Ring Dating.....	44
The Principles of Tree-Ring Dating	44
The Practice of Tree-Ring Dating at the Nottingham Tree-Ring Dating Laboratory	44
1. Inspecting the Building and Sampling the Timbers.....	44
2. Measuring Ring Widths.....	49
3. Cross-Matching and Dating the Samples.....	49
4. Estimating the Felling Date.....	50
5. Estimating the Date of Construction.....	51
6. Master Chronological Sequences.	52
7. Ring-Width Indices.	52
References	56

INTRODUCTION

Fairfield House is a Grade II* listed manor house located just to the west of the village of Stogursey in Somerset (Figs 1 and 2; ST 1876 4298). The house is believed to have had its origins in the medieval period but underwent substantial remodelling in the late-sixteenth century, giving it a classic E-shape plan (Fig 3). This remodelling work is thought to have been started during the ownership of Elizabeth Verney (died AD 1592) and continued by her son Thomas Palmer (died AD 1605) and grandson William (died AD 1652). William Palmer was succeeded by his brother Peregrine (died AD 1684), who in turn was followed by his son Nathaniel Palmer (died AD 1718). Internal modifications, including new staircases within each wing have been attributed to either Nathaniel or his son Thomas (died AD 1734). Later, under the ownership of Sir John Acland, further extensive alterations were undertaken including the reconstruction of some roofs in *c* AD 1780 and *c* AD 1815 (www.british-history.ac.uk).

West range

The roof over this range consists of seven trusses of principal rafters, collars, and the remains of carved and decorated arch-braces. Some windbraces survive and there is a ridge and three sets of moulded purlins to each slope (Fig 4). This range is believed to be the oldest surviving part of the building, with the roof thought to date to the late-fifteenth century. The southern hipped end is a later modification, undertaken some time after the early eighteenth century as paintings of the house from this period still show the original gable end.

East range

The roof over this range is of six trusses consisting of principal rafters and two collars, with ridge and three sets of purlins to each slope (Fig 5). It is thought to date to the sixteenth century. A later modification was made to a hip at the southern end of this roof.

Connecting (or north) range

The roof of this range has nine trusses of principal rafters and single collar, with ridge and three sets of purlins to each slope (Fig 6). It is possible that this roof might be of two phases which is suggested by a division within the lower walls. The date of this range is however, uncertain.

Staircase

The dog-leg with half-landing staircase within this connecting range rises from ground floor to attic level. It has turned balusters, square section newel posts with framed and

planted detailing and ramped handrail rising to merge with the newel caps (Fig 7). It is thought to date to remodelling work carried out in the eighteenth century.

SAMPLING

Sampling was requested by Jenny Chesher, English Heritage Inspector of Historic Buildings and Areas, to complete a programme of investigative work undertaken on the building by Stuart Blaylock. It was hoped that tree-ring dating would enhance the understanding of the chronological development of this building that has been in receipt of English Heritage grant-aid and is part of a long-standing community archaeology project.

A total of 57 timbers was sampled by coring and additionally, two newel caps of the staircase (Fig 7) in the Connecting range were measured *in situ* using a graticule. Each sample was given the code FRF-D (for Fairfield) and numbered 01–59. Nineteen of these were from the East range roof (FRF-D01–19), 18 from the West range roof (FRF-D20–37), 20 from the Connecting range roof (FRF-D38–57), and the two sets of *in situ* measurements from the staircase newel posts (FRF-D58–9). The location of samples was noted at the time of sampling and where possible, is shown on Figures 8–29. Further details relating to the samples can be found in Table 1.

ANALYSIS AND RESULTS

Ten of the samples, five from the East range and five from the Connecting range were found to have too few rings for secure dating and so were discarded prior to analysis. The remaining 47 samples were prepared by sanding and polishing and their growth-ring widths measured; the data of these measurements are given at the end of the report. These samples and the two sets of measurements taken from the staircase newel caps were then compared with each other by the Litton/Zainodin grouping procedure (see Appendix), resulting in 45 samples matching to form eight groups.

Firstly, eight samples from the West range roof matched each other to form FRFDSQ01, a site sequence of 119 rings (Fig 30). This site sequence was compared against a series of relevant reference chronologies where it was found to match consistently and securely at a first-ring date of AD 1389 and a last-measured ring date of AD 1507. The evidence for this dating is given by the *t*-values in Table 2.

Next, 18 samples (eight from the East range, eight from the Connecting range, and one each from the East and West range hips) grouped and were combined at the relevant offset position to form FRFDSQ02, a site sequence of 189 rings (Fig 31). This was found to span the period AD 1525–1713. The evidence for this dating is given by the *t*-values in Table 3.

Seven samples (three from the East and four from the West range hips) matched and were again combined at the relevant offset positions to form FRFDSQ03, a site sequence of 97 rings (Fig 32). This site sequence was found to match against the reference

chronologies at a first-ring date of AD 1682 and a last-measured ring date of AD 1778. The evidence for this dating is given by the *t*-values in Table 4.

A further five site sequences were constructed (Figs 33–37). These site sequences contained a maximum of four samples and ranged in length from 70 to 105 rings. They were compared against the reference chronologies but could not be securely matched and are undated. Attempts to date the remaining ungrouped samples were unsuccessful and these are also undated.

INTERPRETATION

Tree-ring analysis has resulted in the successful dating of three site sequences which together contain 33 samples. To aid interpretation, samples from each area have been dealt with separately (Fig 38).

West range

Eight timbers, all principal rafters from trusses 1–4, were successfully dated from this roof. All of these had the heartwood/sapwood boundary which was broadly contemporary varying by only eight years. This suggests that the dated timbers are part of a single felling programme. The average heartwood/sapwood boundary ring date is AD 1488, allowing an estimated felling date range to be calculated for the timbers represented of AD 1508–28. This takes into account sample FRF-D23 having a last-measured ring date with incomplete sapwood of AD 1507.

East range

Eight of the timbers from this roof have been dated, these representing five principal rafters, two collars, and a purlin. All of these had the heartwood/sapwood boundary ring which in all cases is broadly contemporary, varying by 11 years and consistent with a single felling. The average heartwood/sapwood boundary ring date is AD 1612, allowing an estimated felling date range of AD 1627–52 to be calculated for the eight timbers represented.

Hip ends

Nine of the timbers of the hip ends have been dated, five from the West range and four from the East range. One of these samples (FRF-D13), taken from the East range hip, has complete sapwood and the last-measured ring of AD 1778. Furthermore, the spring growth cells of the following year can be seen, giving the timber represented a felling of spring AD 1779. Six of the remaining eight dated timbers have broadly contemporary heartwood/sapwood boundary ring dates which suggest a single felling. The average of

these is AD 1758, allowing an estimated felling date range to be calculated for the timbers represented of AD 1777–98, allowing for the outermost measured sapwood ring present on FRF-D37. This is clearly consistent with these timbers also having been felled in spring AD 1779. The remaining two samples are clearly earlier. Sample FRF-D15 has a heartwood/sapwood boundary ring date of AD 1613, allowing an estimated felling date range to be calculated for the timber represented of AD 1628–53. Sample FRF-D36 has a heartwood/sapwood boundary ring date of AD 1713, giving an estimated felling date within the range AD 1728–53.

Connecting range

Eight of the timbers, four principal rafters and four purlins from this roof have been dated. One of these has complete sapwood and the last-measured ring date of AD 1630, the felling date of the timber represented. The other seven dated timbers from this range all have broadly contemporary heartwood/sapwood boundary ring dates. The average of these is AD 1608, allowing an estimated felling date range to be calculated for the seven timbers of AD 1623–48, consistent with these timbers also having been felled in AD 1630.

All felling date ranges have been calculated using the estimation that mature oak trees in this region have between 15 and 40 sapwood rings.

DISCUSSION

The earliest timbers identified by the tree-ring analysis are those used within the construction of the West range roof. Eight of the principal rafters, all from trusses 1–4, utilised within this roof have now been dated to AD 1508–28. This indicates that the roof is slightly later than the late fifteenth-century date previously assigned to it. The early sixteenth-century date does however suggest that the construction of the roof is associated with Robert Verney who died in AD 1547.

The East range roof is now known to contain timbers which were felled in AD 1627–52. These results demonstrate a construction date in the second quarter of the seventeenth century rather than the sixteenth-century date expected.

The roof over the range which connects the East and West ranges is now known to have been constructed using timber which was felled in AD 1630 and hence is also seventeenth century in date. Timbers were dated along the length of this roof and there is no evidence to suggest that construction is not of a single phase.

These results demonstrate that that the East range and Connecting range roofs are broadly contemporary, both dating to the second quarter of the seventeenth century, being part of the works undertaken by William Palmer. These therefore post-date

Elizabeth Verney's ownership during which it was thought that the substantial remodelling of the medieval building was started.

The latest timbers dated are those from the hip ends of the East and West range roofs. It is thought likely that the modifications to create the hips were coeval and hence that all of the dated timbers may well have been felled in, or around AD 1779. This demonstrates that these are part of the alterations known to have been undertaken by Sir John Acland. However both hips have at least one reused timber present. A single timber from the East range hip has been dated to AD 1628–53. Given the similarity to the felling date range for the timbers of the main body of this roof (AD 1627–52) it is likely that this timber (a purlin) represents a beam from the original roof, either in its primary position or reused within the new hip. In the West range hip another purlin has been dated to AD 1728–53, and appears likely to represent timber reused from earlier eighteenth-century works.

Documentary sources state new staircases were inserted in all ranges by Nathaniel Palmer or his son Thomas. Tentative dating identified for the site sequence (FRFDSQ04) containing the two newel post caps from the Connecting range staircase, which would broadly concur with this could not be verified, despite the efforts of various colleagues from England and elsewhere in Europe. Unfortunately, with the site sequence being undated it is still not possible to determine who actually undertook this work.

The four matched but undated samples forming FRFDSQ05 are all from the West range and represent two principal rafters, a collar, and an arch brace from trusses 1, 3, 5 and 6. They are clearly coeval but their dating potential may be hampered by periodic occurrences of growth retardation events shown in their ring sequences.

The remaining three undated site sequences all consist of only two samples: a pair of dormer rafters (FRFDSQ06), one from the East range hip and one from the West range hip, both of which appear likely to be contemporary; a principal rafter and collar (FRFDSQ07), both from truss 13 in the Connecting range, are clearly coeval; as are purlin and a collar (FRFDSQ08) also from the Connecting range. These latter three site sequences are all relatively short and poorly replicated which will have reduced the chances of successful dating.

BIBLIOGRAPHY

Arnold, A J, Howard, R E, and Litton, C D, 2003 *Tree-ring analysis of timbers from the roofs of the Lady Chapel north and south aisle, and the Choir south aisle, Worcester Cathedral*, Centre for Archaeol Rep, **96/2003**

Arnold, A J, Howard, R E, and Litton, C D, 2005a *Tree-ring analysis of timbers from Manor Farm, Long Lane, Ickenham, Middlesex*, EH Res Dept Rep Ser, **118/2011**

Arnold, A J, Howard, R E, and Litton, C D, 2005b *Tree-ring analysis of timbers from Poltimore House, Poltimore, Devon*, Centre for Archaeol Rep, **37/2005**

Arnold, A J, Howard, R E, and Litton, C D, 2006 *Exeter Cathedral, Exeter, Devon, Tree-ring dating of timbers from the roof of the Chapel of St John the Baptist*, EH Res Dept Rep Ser, **62/2006**

Arnold, A J, Howard, R E, and Litton, C D, 2008a Nottingham Tree-ring Dating Laboratory: additional dendrochronology dates, No 28, *Vernacular Architect*, **39**, 107–11

Arnold, A J, Howard, R E, and Hurford, M, 2008b *The Market House, Ledbury, Herefordshire, Tree-ring analysis of Timbers*, EH Res Dept Rep Ser, **53/2008**

Arnold, A J, and Howard, R E, 2011 unpubl *Tree-Ring Analysis of Timbers from Parkers' Field', North Peterton, Bridgewater, Somerset*, NTRDL

Arnold, A J, and Howard, R E, 2012 unpubl 1–5 Bridge Street, Bideford, Devon; Tree-ring dating of timbers, computer file *BIDASQ01/2*, NTRDL

Bridge, M C, 2002 Tree-ring dates, *Vernacular Architect*, **33**, 74–8

Howard, R E, Laxton, R R, and Litton, C D, 1997 Nottingham University Tree-ring Dating Laboratory Results: general list, *Vernacular Architect*, **28**, 124–7

Howard, R E, Laxton, R R, and Litton, C D, 2000 *Tree-ring analysis of timbers from Stoneleigh Abbey, Stoneleigh, Warwickshire*, Anc Mon Lab Rep, **80/2000**

Howard, R E, Laxton, R R, and Litton, C D, 2005 *Tree-ring analysis of timbers from the Riding House, Bolsover Castle, Bolsover, Derbyshire*, Centre for Archaeol Rep, **40/2005**

Howard, R E, Arnold, A J and Tyers, C, 2006 *Tree-ring analysis of timbers from Warleigh House, Tamerton Foliot, Bickleigh, South Hams, near Plymouth, Devon*, EH Res Dept Rep Ser, **38/2006**

Laxton, R R, Litton, C D, Simpson, W G, and Whitley, J P, 1982 Tree Ring Dates for some East Midlands Buildings: Table 1, no 2, *Trans of the Thoroton Society of Nottinghamshire*, **86**, 76–7

Laxton, R R, and Litton, C D, 1988 *An East Midlands master tree-ring chronology and its use for dating vernacular buildings*, University of Nottingham, Dept of Classical and Archaeological Studies, Monograph Series, III

Miles, D H, and Worthington, M J, 1998 Tree-ring dates for buildings: List 90, *Vernacular Architect*, **29**, 111-17

Miles, D W H, 2005 *The Tree-Ring Dating of the Nave Roof at Salisbury Cathedral, Wiltshire*, Centre for Archaeol Rep, **58/2005**

Mills, C M, 1988 *Dendrochronology of Exeter and its application*, unpubl PhD thesis, Sheffield Univ

Tyers, I, 1997 *Tree-ring Analysis of Timbers from Sinai Park, Staffordshire*, Anc Mon Lab Rep, **80/97**

Tyers, I, 2004a *Tree-Ring Analysis of Oak Timbers from Roscarrock, near Port Isaac, Cornwall*, Centre for Archaeol Rep, **30/2004**

Tyers, I, 2004b *Tree-Ring Analysis of Oak Timbers from Holy Cross Church, Crediton, Devon*, Centre for Archaeol Rep, **32/2004**

Tyers, C, Arnold, A, Howard, R, and Hurford, M, forthcoming *Dendrochronological Research in Devon: Phase II, EH Res Rep Ser*

TABLES

Table 1: Details of tree-ring samples from Fairfield House, Stogursey, Somerset

Sample number	Sample location	Total rings	Sapwood rings	First measured ring date (AD)	Last heartwood ring date (AD)	Last measured ring date (AD)
East range						
FRF-D01	Upper collar, truss 21	60	h/s	1554	1613	1613
FRF-D02	Upper collar, truss 20	51	h/s	1555	1605	1605
FRF-D03	West principal rafter, truss 20	NM	--	----	----	----
FRF-D04	East principal rafter, truss 19	59	h/s	1558	1616	1616
FRF-D05	West principal rafter, truss 19	NM	--	----	----	----
FRF-D06	West principal rafter, truss 18	58	h/s	1551	1608	1608
FRF-D07	East principal rafter, truss 17	65	h/s	1549	1613	1613
FRF-D08	West principal rafter, truss 17	50	h/s	1562	1611	1611
FRF-D09	East principal rafter, truss 22	59	h/s	1553	1611	1611
FRF-D10	West upper purlin, truss 20–21	NM	--	----	----	----
FRF-D11	West middle purlin, truss 17–18	69	h/s	1547	1615	1615
FRF-D12	West upper purlin, truss 17–18	NM	--	----	----	----
Hip end						
FRF-D13	East lower purlin, truss 21-hip	67	24C	1712	1754	1778
FRF-D14	West middle purlin, truss 21-hip	52	h/s	----	----	----
FRF-D15	West lower purlin, truss 21-hip	59	h/s	1555	1613	1613
FRF-D16	East dormer rafter	NM	--	----	----	----
FRF-D17	West dormer rafter	45	h/s	----	----	----
FRF-D18	East hip rafter	56	10	1720	1765	1775
FRF-D19	West hip rafter	67	h/s	1695	1761	1761
West range						
FRF-D20	East principal rafter, truss 1	90	h/s	1396	1485	1485
FRF-D21	West principal rafter, truss 1	84	h/s	1400	1483	1483
FRF-D22	Collar, truss 1	101	h/s	----	----	----
FRF-D23	East principal rafter, truss 2	110	16	1398	1491	1507
FRF-D24	West principal rafter, truss 2	98	h/s	1394	1491	1491
FRF-D25	East principal rafter, truss 3	89	h/s	1399	1487	1487
FRF-D26	West principal rafter, truss 3	83	h/s	1405	1487	1487
FRF-D27	West archbrace, truss 3	75	--	----	----	----
FRF-D28	East principal rafter, truss 4	84	h/s	1402	1485	1485
FRF-D29	West principal rafter, truss 4	103	h/s	1389	1491	1491
FRF-D30	East principal rafter, truss 5	99	h/s	----	----	----
FRF-D31	East principal rafter, truss 6	103	h/s	----	----	----
Hip end						
FRF-D32	East dormer rafter	86	27C	----	----	----
FRF-D33	West dormer rafter	50	h/s	1697	1746	1746
FRF-D34	East hip rafter	61	h/s	1707	1767	1767
FRF-D35	West hip rafter	65	h/s	1682	1746	1746
FRF-D36	East upper purlin, south hip	156	h/s	1558	1713	1713
FRF-D37	East middle purlin, truss 1-south hip	47	13	1730	1763	1776
Connecting range						
FRF-D38	North principal rafter, truss 16	NM	--	----	----	----
FRF-D39	South principal rafter, truss 16	NM	--	----	----	----
FRF-D40	North purlin, truss 15–16	84	h/s	1525	1608	1608
FRF-D41	South purlin, truss 14–15	49	01	1571	1618	1619
FRF-D42	North principal rafter, truss 13	73	h/s	----	----	----
FRF-D43	Collar, truss 13	74	h/s	----	----	----
FRF-D44	North purlin, truss 12–13	53	03	1554	1603	1606
FRF-D45	North principal rafter, truss 12	56	09	1562	1608	1617
FRF-D46	Collar, truss 12	NM	--	----	----	----
FRF-D47	South principal rafter, truss 11	NM	--	----	----	----
FRF-D48	North purlin, truss 10–11	57	h/s	----	----	----
FRF-D49	South purlin, truss 10–11	65	h/s	1549	1613	1613
FRF-D50	North principal rafter, truss 10	90	26C	1541	1604	1630
FRF-D51	South principal rafter, truss 10	66	14	1564	1615	1629
FRF-D52	North purlin, truss 9–10	72		----	----	----
FRF-D53	North principal rafter, truss 9	62	h/s	----	----	----
FRF-D54	South principal rafter, truss 9	58	h/s	1537	1594	1594
FRF-D55	Collar, truss 9	70	h/s	----	----	----
FRF-D56	South purlin, truss 8–9	NM	--	----	----	----
FRF-D57	South principal rafter, truss 8	NM	--	----	----	----
Staircase						
FRF-D58	Newel post cap	94	--	----	----	----
FRF-D59	Newel post cap	96	--	----	----	----

NM = not measured

h/s = the heartwood/sapwood boundary is the last ring on the sample

C = complete sapwood retained on sample, last measured ring is the felling date

Table 2: Results of the cross-matching of site sequence FRFDSQ01 and relevant reference chronologies when the first ring date is AD 1389 and the last-ring date is AD 1507

Reference chronology	<i>t</i> -value	Span of chronology	Reference
Chalgrove Manor, Chalgrove, Oxfordshire	8.6	AD 1355–1503	Arnold <i>et al</i> 2008a
London Charterhouse	7.6	AD 1382–1545	Howard <i>et al</i> 1997
Badge Court, Elmbridge, Worcestershire	7.6	AD 1418–1578	Bridge 2002
Roscarrock, St Endellion, Cornwall	7.5	AD 1373–1500	Tyers 2004a
Manor Farm, Ickenham, Middlesex	6.9	AD 1374–1483	Arnold <i>et al</i> 2005a
Warleigh House, Tamerton Foliot, Devon	6.8	AD 1367–1539	Howard <i>et al</i> 2006
Holy Cross Church, Crediton, Devon	6.8	AD 1317–1536	Tyers 2004b

Table 3: Results of the cross-matching of site sequence FRFDSQ02 and relevant reference chronologies when the first ring date is AD 1525 and the last-ring date is AD 1713

Reference chronology	<i>t</i> -value	Span of chronology	Reference
Bolsover Castle (Riding House), Bolsover, Derbyshire	8.1	AD 1494–1744	Howard <i>et al</i> 2005
1-5 Bridge Street, Bideford, Devon	7.7	AD 1484–1706	Arnold and Howard 2012 unpubl
Bradenham Manor, Buckinghamshire	7.3	AD 1553–1652	Miles and Worthington 1998
Salisbury Cathedral nave, Wiltshire	7.1	AD 1556–1703	Miles 2005
The Market House, Ledbury, Herefordshire	7.0	AD 1485–1617	Arnold <i>et al</i> 2008b
Sinai Park, Burton-on-Trent, Staffordshire	6.5	AD 1227–1750	Tyers 1997
Worcester Cathedral, Worcestershire	6.4	AD 1484–1772	Arnold <i>et al</i> 2003
Poltimore House, Devon	6.2	AD 1534–1725	Arnold <i>et al</i> 2005b

Table 4: Results of the cross-matching of site sequence FRFDSQ03 and relevant reference chronologies when the first ring date is AD 1682 and the last-ring date is AD 1778

Reference chronology	<i>t</i> -value	Span of chronology	Reference
Exeter Cathedral, Devon	8.6	AD 1659–1787	Mills 1988
Widhayes, Upplowman, Devon	7.6	AD 1631–1786	Tyers <i>et al</i> forthcoming
Green 's Mill, Sneinton, Nottinghamshire	7.3	AD 1664–1787	Laxton <i>et al</i> 1982
Exeter Cathedral St John the Baptist Chapel roof, Devon	7.0	AD 1698–1805	Arnold <i>et al</i> 2006
Bradgate trees, Leicestershire	6.1	AD 1595–1975	Laxton and Litton 1988
Stoneleigh Abbey, Stoneleigh, Warwickshire	5.9	AD 1646–1813	Howard <i>et al</i> 2000
Buckland, Yelverton, Devon	5.9	AD 1677–1799	Morgan pers comm
'Parkers Field', North Petherton, Somerset	5.7	AD 1692–1796	Arnold and Howard 2011

FIGURES



Figure 1: General location of Stogursey, Somerset, circled (based on the Ordnance Survey map with permission of the Controller of Her Majesty's Stationery Office, ©Crown Copyright and database right 2013. All rights reserved. Ordnance Survey Licence number 100024900.)



Figure 2: General location of Stogursey, Somerset, arrowed (based on the Ordnance Survey map with permission of the Controller of Her Majesty's Stationery Office, ©Crown Copyright and database right 2013. All rights reserved. Ordnance Survey Licence number 100024900.)



Figure 3: Fairfield House, showing the areas under investigation; East range (hashed green), West range (hashed blue), and Connecting range (hashed red, based on the Ordnance Survey map with permission of the Controller of Her Majesty's Stationery Office, ©Crown Copyright and database right 2013. All rights reserved. Ordnance Survey Licence number 100024900.)



Figure 4: West range roof; truss 3 in the foreground, photograph taken from the south-east (Robert Howard)



Figure 5: East range roof; truss 19 in the foreground, photograph taken from the south-east (Robert Howard)



Figure 6: Connecting range roof; truss 15 in the foreground, photograph taken from the north-east (Robert Howard)



Figure 7: Connecting range; staircase, photograph taken from the first floor (Robert Howard)




Figure 8: Attic plan, showing truss numbering and the location of samples FRF-D10–19, FRF-D32–7, FRF-D40–41, FRF-D44, FRF-D48–9, FRF-D52, and FRF-D56 (after Alan Graham)




Figure 9: East range; truss 21, showing the location of sample FRF-D01 (Alan Graham)




Figure 10: East range; truss 20, showing the location of samples FRF-D02 and FRF-D03 (Alan Graham)




Figure 11: East Range; truss 19, showing the location of samples FRF-D04 and FRF-D05 (Alan Graham)




Figure 12: East range; truss 18, showing the location of sample FRF-D06 (Alan Graham)




Figure 13: East range; truss 17, showing the location of samples FRF-D07 and FRF-D08 (Alan Graham)




Figure 14: East range; truss 22, showing the location of sample FRF-D09 (Alan Graham)




Figure 15: West range; truss 1, showing the location of samples FRF-D20-2 (Alan Graham)




Figure 16: West range; truss 2, showing the location of samples FRF-D23-4 (Alan Graham)




Figure 17: West range; truss 3, showing the location of samples FRF-D25-7 (Alan Graham)




Figure 18: West range; truss 4, showing the location of samples FRF-D28 and FRF-D29 (Alan Graham)




Figure 19: West range; truss 5, showing the location of sample FRF-D30 (Alan Graham)




Figure 20: West range; truss 6, showing the location of sample FRF-D31 (Alan Graham)




Figure 21: Connecting range; sketch of truss 16, showing the location of samples FRF-D38 and FRF-D39




Figure 22: Connecting range; sketch of truss 13, showing the location of samples FRF-D42 and FRF-D43




Figure 23: Connecting range; sketch of truss 12, showing the location of samples FRF-D45 and FRF-D46




Figure 24: Connecting range; sketch of truss 11, showing the location of sample FRF-D47




Figure 25: Connecting range; sketch of truss 10, showing the location of samples FRF-D50 and FRF-D51




Figure 26: Connecting range; sketch of truss 9, showing the location of samples FRF-D53-5




Figure 27: Connecting range; sketch of truss 8, showing the location of sample FRF-D57



Figure 28: Photograph of first-floor newel post cap, showing the location of sample FRF-D58 in the Connecting range (RobertHoward)



Figure 29: Photograph of the mid-landing newel post cap, showing the location of sample FRF-D59 in the Connecting range (Robert Howard)




Figure 30: Bar diagram of samples in site sequence FRFDSQ01




Figure 31: Bar diagram of samples in site sequence FRFDSQ02




Figure 32: Bar diagram of samples in site sequence FRFDSQ03




Figure 33: Bar diagram of samples in undated site sequence FRFDSQ04



Figure 34: Bar diagram of samples in undated site sequence FRFDSQ05




Figure 35: Bar diagram of samples in site sequence FRFDSQ06




Figure 36: Bar diagram of samples in undated site sequence FRFDSQ07




Figure 37: Bar diagram of samples in undated site sequence FRFDSQ08




Figure 38: Bar diagram of dated samples, sorted by area

DATA OF MEASURED SAMPLES

Measurements in 0.01mm units

FRF-D01A 60

180 222 171 296 552 613 587 450 508 350 468 249 127 255 230 313 420 344 248 279
361 327 242 271 281 176 241 223 179 187 211 192 148 161 146 230 161 134 175 153
181 182 207 165 129 146 118 93 128 126 211 112 171 142 147 137 158 99 87 75

FRF-D01B 60

156 233 168 262 539 610 599 521 510 329 469 248 133 247 234 310 418 351 244 281
362 327 240 285 282 180 238 222 181 182 214 192 153 166 140 230 167 104 189 159
193 174 203 167 126 144 123 94 127 128 206 117 176 137 146 139 147 109 89 86

FRF-D02A 51

183 392 434 676 713 727 622 586 374 650 257 190 566 377 414 514 347 257 340 484
331 290 386 303 257 282 243 219 240 270 295 175 137 143 198 130 188 226 148 238
213 165 136 177 171 154 111 179 176 268 188

FRF-D02B 51

183 401 444 691 731 738 636 592 366 634 267 203 587 382 410 531 354 248 343 489
336 291 390 307 253 284 242 193 235 269 293 173 138 135 192 136 194 233 147 240
214 166 141 184 172 151 112 179 175 274 174

FRF-D04A 59

318 338 422 285 260 195 276 136 84 337 308 325 284 270 213 302 284 300 191 194
220 317 412 333 299 346 326 370 325 272 177 390 236 239 373 341 298 324 330 296
270 226 370 334 275 306 295 297 340 233 280 289 253 280 192 288 190 231 219

FRF-D04B 59

390 321 407 278 259 197 279 134 83 337 305 335 277 246 205 256 290 308 196 186
218 307 398 329 304 333 315 367 330 279 209 385 236 261 359 350 283 332 355 309
268 246 357 309 270 314 291 286 329 250 290 288 246 289 182 288 196 236 188

FRF-D06A 58

476 433 348 722 696 516 491 774 861 712 690 511 341 380 330 205 482 288 283 329
277 266 297 424 362 364 445 383 362 292 302 218 239 238 320 284 254 218 314 246
196 158 114 79 136 133 149 114 161 123 123 87 136 127 87 79 81 90

FRF-D06B 58

492 434 348 668 641 546 509 834 796 692 689 503 344 375 333 195 509 309 291 326
282 266 301 408 371 357 430 373 329 301 311 221 260 240 343 281 260 223 309 235
186 152 117 80 145 130 158 114 152 127 128 85 121 130 89 78 82 63

FRF-D07A 65

140 293 304 260 341 267 225 137 200 207 280 308 246 417 250 217 248 158 275 343
463 368 377 222 247 313 282 266 169 163 252 179 167 182 144 164 159 168 168 105
152 138 124 160 163 161 176 173 120 159 149 127 105 92 125 146 134 140 112 162
142 152 113 134 93

FRF-D07B 65

143 300 294 248 345 270 219 146 195 203 277 309 251 410 230 225 235 163 264 363
479 333 375 236 245 327 273 268 183 162 238 180 171 190 133 158 166 164 170 112
151 131 129 168 163 167 174 171 127 159 147 130 114 86 134 129 124 129 104 150
125 149 119 120 92

FRF-D08A 50

491 320 443 292 201 356 371 381 455 435 327 326 482 442 652 643 428 491 537 407
387 411 380 374 397 403 310 390 339 340 437 453 440 422 377 373 414 217 330 321
289 351 405 256 378 298 438 530 274 328

FRF-D08B 50

549 323 464 285 184 373 382 381 468 441 315 332 487 461 679 646 431 499 541 412

383 409 382 369 413 390 312 415 338 344 419 442 434 414 387 366 421 226 339 331
 294 335 384 253 378 302 456 473 292 324
 FRF-D09A 59
 590 684 661 424 298 306 344 276 354 337 255 367 389 145 267 321 315 302 254 231
 203 213 320 173 179 147 171 155 189 138 179 198 285 273 287 287 312 199 288 228
 226 194 240 217 184 198 168 160 155 210 244 237 185 221 170 207 267 285 175
 FRF-D09B 59
 552 686 657 424 311 310 348 260 347 347 251 381 377 150 280 304 354 309 255 234
 200 210 330 169 185 147 176 175 186 126 188 211 302 284 293 274 329 204 299 228
 237 204 249 231 191 189 191 166 159 191 244 223 166 208 172 210 271 293 163
 FRF-D11A 69
 319 279 549 456 288 251 323 239 184 101 130 180 383 647 539 747 450 603 218 133
 274 317 449 560 520 202 95 171 249 424 441 296 311 291 279 282 321 388 388 322
 269 205 410 375 381 357 298 312 271 274 252 163 130 106 158 97 180 305 202 210
 213 174 125 96 161 128 297 223 175
 FRF-D11B 69
 329 247 447 421 282 250 309 245 187 100 129 180 384 642 538 751 455 581 211 143
 236 250 381 566 526 195 98 165 269 413 455 302 312 290 281 269 328 389 399 326
 265 200 398 404 381 352 300 319 266 272 261 162 139 104 153 95 184 298 199 206
 214 170 137 114 126 136 311 224 186
 FRF-D13A 67
 104 172 152 104 206 86 58 81 168 177 162 107 130 108 155 146 130 123 146 100
 133 113 109 151 196 114 109 108 109 90 95 144 110 117 92 75 68 88 89 149
 73 113 146 109 48 79 87 148 69 62 53 101 102 74 64 62 91 68 89 71
 74 123 197 149 114 71 54
 FRF-D13B 67
 84 137 159 107 200 89 63 82 170 184 161 114 123 107 145 151 114 119 157 110
 120 110 101 145 197 117 109 106 109 94 91 140 96 109 95 75 66 87 92 148
 74 111 149 95 53 90 85 156 67 62 53 100 102 75 71 57 94 65 92 70
 69 120 207 165 119 69 55
 FRF-D14A 52
 196 485 446 419 323 245 300 339 313 283 330 358 325 239 240 280 316 342 309 328
 186 229 198 230 279 339 266 332 331 334 261 289 328 305 280 447 449 383 343 291
 312 427 399 485 309 305 121 232 178 187 187 173
 FRF-D14B 52
 195 492 426 440 336 280 276 354 301 301 313 361 324 246 232 280 307 342 306 333
 182 235 196 215 284 346 269 327 327 351 259 277 331 305 276 441 450 388 342 288
 322 413 426 475 296 308 123 258 159 197 181 176
 FRF-D15A 59
 255 480 447 463 589 582 573 625 472 597 458 474 597 580 642 596 513 301 236 326
 386 283 258 281 369 431 323 301 268 335 314 294 279 180 198 178 169 181 218 206
 252 223 211 249 178 181 153 152 210 172 141 164 222 256 273 225 232 215 178
 FRF-D15B 59
 258 484 449 459 587 580 570 630 473 594 456 474 591 585 642 597 513 304 239 321
 383 286 259 282 363 431 315 296 272 347 302 305 282 180 202 156 161 182 195 214
 231 207 207 259 199 180 164 168 199 186 138 162 208 283 271 226 235 213 181
 FRF-D17A 45
 288 378 300 323 188 310 377 331 316 170 190 227 311 351 266 298 229 213 181 239
 344 201 234 239 149 333 374 338 297 396 265 301 311 250 239 175 169 117 118 164
 153 146 244 215 158
 FRF-D17B 45
 285 375 307 328 194 310 379 342 317 179 202 233 314 352 262 298 232 214 184 241
 340 199 202 259 160 353 346 361 305 397 269 304 309 250 254 186 170 107 111 167

155 145 248 224 140

FRF-D18A 56

277 292 296 191 229 154 123 121 209 309 222 229 262 242 175 189 162 177 153 296
158 110 107 249 305 260 221 167 108 99 185 257 164 186 217 184 144 154 145 228
176 146 145 192 216 151 190 201 252 217 279 125 125 142 135 182

FRF-D18B 56

278 306 284 193 241 153 117 123 210 307 224 230 257 251 188 270 185 175 150 273
173 114 107 249 294 240 212 171 105 102 187 252 153 196 214 174 150 163 139 244
166 156 144 186 231 150 210 181 258 210 282 127 136 149 120 163

FRF-D19A 67

253 354 269 148 205 222 248 268 193 311 212 162 115 137 204 259 177 302 462 301
300 276 256 217 383 467 406 410 308 156 71 80 88 152 235 249 317 304 375 303
286 233 171 158 510 407 302 181 479 446 252 186 137 68 44 142 293 143 141 96
98 86 130 192 209 155 104

FRF-D19B 67

257 357 262 149 203 233 236 272 188 330 225 169 102 122 212 261 177 304 515 273
292 271 243 209 421 484 373 387 304 174 75 90 84 147 235 248 317 315 371 310
282 234 131 123 483 399 296 189 463 452 268 199 136 68 39 139 282 126 138 87
95 91 129 191 209 147 98

FRF-D20A 90

385 328 256 231 248 430 354 336 475 445 497 429 298 243 332 402 405 381 560 292
273 178 280 273 232 272 200 217 183 118 96 126 199 140 45 61 124 90 67 159
131 168 140 113 153 216 162 163 133 105 147 152 151 159 124 124 90 83 104 128
132 139 186 110 161 150 167 182 119 207 216 148 93 100 72 114 69 93 98 142
129 107 95 98 93 180 121 116 143 123

FRF-D20B 90

379 315 264 240 245 430 358 335 450 440 544 445 301 285 323 379 412 368 568 292
292 175 271 274 190 250 200 212 177 126 95 129 196 147 44 59 125 85 72 153
128 169 154 100 147 226 157 167 132 108 149 151 152 161 120 123 90 85 103 124
137 132 191 108 162 151 165 191 113 203 210 142 96 97 95 97 74 88 98 143
130 105 90 96 97 180 126 117 133 126

FRF-D21A 84

365 394 399 365 480 460 497 409 423 397 331 369 426 322 459 353 286 260 378 299
239 267 211 281 361 227 188 202 258 231 30 62 61 58 41 112 62 114 102 89
132 150 152 198 210 154 170 197 182 238 182 233 142 143 163 236 259 215 290 202
265 191 177 194 155 167 238 160 132 130 177 184 152 113 85 83 143 117 110 123
115 151 157 121

FRF-D21B 84

382 402 370 360 484 463 596 404 443 392 341 355 423 323 458 354 295 253 378 302
239 271 211 267 358 227 189 201 280 220 37 62 59 50 49 101 51 115 105 95
129 158 150 185 210 150 174 197 184 248 190 269 153 148 154 236 260 220 263 222
265 178 187 197 155 160 244 174 129 132 170 181 147 108 89 99 128 123 114 118
97 181 149 124

FRF-D22A 101

340 537 463 468 449 516 470 451 378 380 532 363 299 389 427 470 402 447 387 339
286 288 313 300 198 231 330 327 179 65 59 51 67 63 107 148 138 166 178 161
136 112 102 115 127 167 164 143 171 264 287 246 237 145 189 193 231 162 61 55
44 54 70 74 73 84 87 100 105 107 88 44 47 43 72 63 84 97 104 139
121 130 102 107 66 82 76 79 109 98 110 84 61 40 58 82 77 114 123 181
191

FRF-D22B 101

326 537 448 437 460 510 469 442 381 385 536 366 297 390 415 464 408 448 386 341
284 295 313 291 202 231 330 354 196 74 60 57 55 57 115 146 145 157 183 169

132 113 104 111 129 166 168 145 160 257 299 242 227 136 190 214 234 159 59 63
52 47 80 76 81 85 84 102 102 106 73 53 63 43 39 71 97 110 88 141
130 113 105 94 80 81 80 77 110 93 115 78 62 42 57 89 93 108 148 181
187

FRF-D23A 110

353 364 248 242 218 276 293 270 317 276 286 275 254 250 304 223 256 183 171 141
204 201 182 222 131 199 186 135 100 127 234 193 169 140 205 151 128 171 143 173
140 137 172 157 128 98 123 126 134 148 157 148 137 157 109 118 117 122 143 129
83 56 46 44 57 76 73 117 168 135 96 94 109 96 129 96 81 83 83 47
70 99 59 48 44 48 81 102 127 142 100 106 114 110 83 81 67 67 100 54
36 48 28 31 37 46 61 94 78 103

FRF-D23B 110

348 357 231 262 218 285 303 295 320 268 280 285 244 244 307 234 250 182 172 143
194 191 191 202 137 207 194 132 100 126 220 181 165 140 209 143 126 166 147 175
141 134 174 158 127 94 133 123 134 148 156 146 135 159 113 114 115 124 144 128
85 42 55 42 61 75 75 118 167 133 98 94 109 98 127 98 82 83 78 51
69 96 67 50 34 51 78 104 126 138 104 110 110 109 92 73 69 72 91 47
38 41 36 33 35 51 59 90 91 92

FRF-D24A 98

395 435 397 317 350 302 239 300 236 338 308 290 299 221 253 301 250 273 330 239
283 214 257 154 202 203 196 203 147 242 221 158 117 116 223 178 164 139 170 136
115 190 173 222 185 161 182 182 130 138 135 138 151 163 145 175 148 158 116 98
132 143 124 147 106 47 39 61 77 81 79 107 118 113 112 101 120 94 100 95
90 75 78 62 69 76 48 66 41 52 69 63 66 74 62 75 70 83

FRF-D24B 98

393 444 396 311 346 294 249 283 250 341 286 279 292 219 258 288 257 287 331 230
271 204 244 147 190 190 175 197 139 226 212 158 114 101 200 165 160 141 169 130
114 192 173 224 192 159 187 178 127 129 146 135 154 165 139 175 147 156 118 102
128 146 123 146 101 46 52 53 74 83 79 105 120 112 108 107 116 103 97 93
83 77 85 59 60 74 55 66 41 51 74 52 69 77 61 70 69 91

FRF-D25A 89

541 372 383 345 314 367 311 430 346 321 220 146 186 279 286 293 207 169 88 99
94 138 191 159 163 176 125 83 119 141 164 153 125 169 111 90 117 144 162 150
109 145 169 171 143 136 95 159 164 137 143 147 149 117 122 132 161 170 166 228
109 54 42 59 82 86 139 149 160 116 129 142 139 223 171 155 242 169 111 100
214 76 74 41 59 46 80 117 106

FRF-D25B 89

546 372 378 341 302 361 308 417 349 343 219 145 186 283 269 298 209 174 87 103
92 135 189 158 158 185 131 75 123 141 167 145 130 174 104 84 114 140 174 157
120 149 161 167 144 128 100 145 174 142 133 143 154 112 119 136 161 174 160 224
112 57 38 60 85 83 141 148 164 116 129 141 148 204 174 160 254 178 115 108
213 82 68 46 59 50 80 117 131

FRF-D26A 83

286 409 320 287 192 90 223 223 201 218 183 151 73 88 97 128 184 181 184 249
192 83 136 166 213 187 126 139 137 104 214 214 264 201 126 136 180 180 147 129
114 163 175 131 117 111 140 109 110 121 122 125 147 189 85 60 88 103 103 81
127 145 116 81 81 97 103 96 97 85 135 112 62 87 128 71 93 73 80 92
115 133 123

FRF-D26B 83

300 407 311 278 182 91 228 233 192 216 182 157 77 79 102 126 183 174 183 245
191 87 128 171 211 191 126 136 131 109 216 213 264 201 125 136 180 180 136 127
106 168 172 132 122 107 139 113 108 120 122 124 149 188 90 70 79 93 105 93
132 137 126 74 75 94 105 94 98 91 134 116 60 97 122 75 96 63 72 92

112 128 128

FRF-D27A 75

277 563 467 417 363 365 371 307 277 291 243 328 185 156 208 235 301 239 304 331
296 227 255 226 195 187 232 228 226 231 153 151 164 160 150 158 143 177 289 204
156 141 83 123 121 116 123 104 94 101 111 88 138 93 110 119 158 156 130 128
142 135 112 100 168 118 127 115 110 130 105 117 122 105 146

FRF-D27B 75

381 536 466 410 359 368 348 302 280 280 238 321 178 136 205 246 291 244 290 348
286 235 252 228 201 177 236 219 232 225 151 152 161 152 151 156 142 186 281 195
156 139 109 103 124 120 118 113 83 96 114 85 139 101 101 122 158 152 137 122
140 134 112 113 156 122 123 109 120 137 105 120 118 105 143

FRF-D28A 84

303 328 429 475 537 455 330 361 245 291 406 317 388 284 269 301 251 249 392 369
267 377 341 276 243 202 231 292 337 261 276 194 218 300 292 271 164 248 317 353
276 273 223 190 272 198 199 184 191 221 185 182 303 232 241 226 112 61 63 68
78 110 81 115 96 126 118 107 119 105 152 114 139 139 98 96 98 153 84 58
50 70 108 113

FRF-D28B 84

321 325 388 484 547 423 330 355 236 292 398 316 386 294 263 309 251 255 381 373
266 373 340 267 242 207 214 303 344 269 265 202 225 295 295 263 169 257 324 360
270 276 228 195 283 204 197 200 173 219 188 187 313 234 257 211 81 72 72 74
84 113 84 115 103 117 126 94 113 108 141 109 155 135 104 90 103 146 83 52
53 72 104 120

FRF-D29A 103

329 259 373 202 286 159 306 226 290 397 301 247 331 265 295 302 278 307 250 186
147 90 142 211 135 164 163 157 118 110 134 191 187 124 236 174 125 105 116 152
172 196 158 156 141 152 196 135 140 109 196 270 370 214 256 279 223 275 290 277
326 272 239 152 149 190 199 238 213 102 67 119 158 160 333 178 393 347 262 236
196 239 206 258 210 219 218 172 137 141 204 108 97 106 127 166 223 189 204 171
164 191 201

FRF-D29B 103

322 257 379 179 242 159 309 221 287 398 285 256 336 260 290 306 280 301 252 193
140 85 139 214 142 165 160 158 105 120 130 198 176 131 228 174 127 96 121 147
170 200 155 156 132 152 193 142 144 105 204 258 371 221 262 276 221 279 279 279
325 267 255 157 160 187 211 239 204 113 61 107 163 167 330 180 387 351 251 246
189 245 212 267 207 215 213 158 146 134 206 111 82 87 107 168 214 205 201 167
163 197 178

FRF-D30A 99

389 510 314 268 253 255 151 187 173 191 223 131 130 284 247 311 352 314 316 268
251 189 107 61 61 73 139 155 92 56 71 58 52 44 132 119 110 217 205 152
124 152 161 143 179 143 130 101 143 190 157 283 180 165 143 205 204 150 110 167
216 196 183 175 162 207 183 266 251 247 112 60 38 48 51 50 57 80 57 110
139 133 137 123 126 138 182 172 175 188 168 90 54 77 73 87 56 68 105

FRF-D30B 99

376 508 387 265 261 243 157 180 178 187 225 135 133 286 252 302 359 341 308 235
246 190 115 59 72 89 116 160 83 54 71 62 58 48 135 121 111 201 200 148
136 148 165 145 173 146 126 116 136 197 151 281 184 160 149 206 201 145 116 180
201 203 131 192 160 214 204 260 256 254 109 62 38 41 51 64 53 81 60 102
138 135 137 120 132 135 203 161 187 182 177 87 54 65 79 72 58 71 106

FRF-D31A 88

457 243 240 384 522 334 346 262 533 424 210 225 184 244 396 249 255 242 197 106
117 94 93 57 77 115 153 118 98 99 85 86 80 201 110 144 251 249 151 117
117 192 198 200 176 243 174 253 307 301 309 264 232 274 290 293 132 58 83 90

117 117 153 96 155 128 108 127 139 59 40 59 110 110 136 135 191 149 243 255
295 250 213 302 316 327 207 249

FRF-D31B 86

190 129 120 137 112 127 84 78 106 155 93 78 65 60 97 110 180 113 153 223
185 138 120 106 158 226 203 189 187 195 229 299 201 239 229 179 176 209 200 100
50 74 104 96 92 138 90 121 109 109 113 99 43 45 56 107 130 116 123 202
134 228 197 220 168 182 184 216 295 241 230 219 207 131 98 80 95 123 160
230 243 177 177 126 141 238

FRF-D32A 86

113 221 326 398 253 172 230 187 159 174 243 125 96 99 96 149 76 62 117 151
151 125 166 102 116 102 120 160 133 134 119 93 131 106 102 86 110 125 113 146
152 126 126 116 93 104 160 157 128 169 171 192 224 168 131 114 108 144 179 236
248 133 127 112 145 162 170 222 129 160 191 169 113 86 95 117 86 77 85 77
100 98 123 111 88 75

FRF-D32B 86

157 253 332 289 237 187 198 196 158 164 244 122 92 102 99 149 63 80 111 158
150 121 148 115 117 105 135 163 129 129 142 78 139 107 98 94 115 125 116 146
148 125 130 100 105 108 153 158 122 165 168 187 246 177 122 120 117 130 153 272
238 136 137 158 150 202 184 186 129 159 182 183 112 89 97 110 91 71 85 82
106 96 137 96 91 80

FRF-D33A 50

189 175 164 186 181 169 178 200 144 200 208 188 193 115 118 206 315 276 294 287
222 181 201 237 303 318 312 321 322 306 203 252 241 223 185 251 241 258 254 210
129 131 212 158 156 139 281 274 375 425

FRF-D33B 50

199 169 163 189 176 169 172 202 158 206 216 198 193 120 116 201 317 278 294 286
221 182 203 244 308 333 310 320 313 301 210 214 246 237 195 277 242 245 245 216
127 138 213 162 150 129 287 265 365 418

FRF-D34A 61

112 156 206 142 214 226 153 167 153 138 214 81 142 203 232 252 128 162 174 150
96 160 208 152 114 199 177 166 199 175 138 152 233 127 109 104 256 200 210 282
144 117 79 166 240 107 180 148 132 241 214 204 212 151 107 107 200 202 122 159
130

FRF-D34B 61

152 146 205 138 214 236 150 164 151 126 207 103 147 200 230 246 135 157 174 153
91 165 206 154 113 199 179 160 197 178 143 151 227 130 111 108 247 204 208 282
141 119 76 168 243 106 174 149 138 236 210 207 214 159 117 111 193 197 132 144
132

FRF-D35A 65

293 335 156 123 195 243 246 269 329 359 180 244 200 247 271 160 184 204 183 135
134 113 124 55 86 74 54 113 107 150 266 258 194 171 127 156 79 163 204 171
278 144 120 138 170 128 178 207 122 110 201 181 152 166 183 100 170 304 185 151
114 247 216 194 179

FRF-D35B 65

318 352 152 108 188 246 250 264 325 361 179 249 206 240 272 161 182 205 178 130
135 112 126 52 93 69 58 108 106 156 256 270 199 182 115 159 93 160 202 176
267 142 125 140 172 129 170 216 124 108 201 182 156 177 171 99 178 309 183 143
117 247 215 201 179

FRF-D36A 156

251 288 296 287 212 155 182 138 104 131 137 104 98 120 75 79 86 75 54 66
60 95 90 69 78 87 75 104 92 79 58 66 46 46 47 62 45 76 58 67
62 63 61 91 98 139 142 115 108 133 184 176 153 160 131 123 124 108 78 84
133 105 111 91 92 87 69 97 136 93 92 95 104 74 113 143 68 107 96 143

155 104 90 77 74 88 74 82 73 62 96 72 95 92 93 55 107 153 70 60
90 59 123 92 90 115 71 103 72 92 97 95 90 110 79 55 75 75 68 84
81 58 80 77 90 58 58 58 66 67 63 79 71 70 64 55 64 101 117 131
96 76 85 84 62 93 113 80 88 101 74 86 52 68 83 101

FRF-D36B 156

266 296 292 291 208 161 178 138 100 138 131 120 98 120 72 86 83 80 47 69
62 93 88 72 77 83 83 99 96 76 59 60 45 54 53 50 53 72 53 72
59 62 69 81 104 139 143 118 111 124 187 175 150 163 139 117 118 109 78 88
129 110 104 88 91 98 74 93 135 90 96 84 84 82 103 141 71 105 91 133
156 99 98 78 72 80 72 84 64 74 100 68 90 97 95 54 105 145 73 62
87 61 121 97 87 109 74 102 72 90 106 85 96 107 79 59 71 77 64 90
77 61 79 74 87 53 59 53 68 73 65 67 65 73 67 57 72 93 123 117
81 84 81 86 60 80 121 89 86 92 75 88 62 57 91 93

FRF-D37A 47

548 379 382 328 390 364 395 338 351 350 258 194 229 336 290 329 407 303 244 200
174 179 187 126 232 174 193 182 217 254 177 172 102 165 201 154 237 192 245 222
208 137 145 138 188 175 108

FRF-D37B 47

531 388 419 338 400 411 389 386 353 357 182 222 217 355 316 307 417 299 244 200
174 177 187 122 238 172 187 180 225 260 178 151 103 168 201 154 238 211 244 219
180 152 164 131 189 191 121

FRF-D40A 84

59 69 152 185 126 98 112 106 78 66 55 81 104 98 83 63 75 46 91 65
54 67 59 43 81 79 103 88 99 124 122 102 134 85 202 135 192 192 132 195
178 75 160 161 129 147 135 111 102 73 113 82 111 131 127 71 77 81 101 117
121 162 135 92 148 115 163 134 120 147 181 173 131 116 142 126 155 129 169 158
126 148 153 190

FRF-D40B 84

64 69 137 194 116 90 115 96 85 60 65 79 106 91 90 60 76 50 69 65
50 58 58 47 67 89 90 77 90 122 128 88 137 84 205 128 180 181 143 190
180 75 164 163 126 134 136 111 111 69 118 87 115 118 130 69 83 88 103 132
120 164 140 86 152 114 160 145 115 139 189 167 133 116 142 129 161 122 169 159
120 149 151 189

FRF-D41A 49

266 283 181 122 165 172 191 139 199 178 147 145 173 225 242 208 167 169 229 167
197 230 258 354 411 325 282 306 340 336 294 269 364 382 344 325 351 383 294 391
374 248 393 305 297 201 172 259 211

FRF-D41B 49

278 292 213 117 155 150 192 146 211 171 152 150 173 223 246 206 167 170 232 172
196 235 256 365 404 339 281 299 334 334 286 273 367 379 325 323 343 381 303 389
373 246 394 312 295 203 181 269 209

FRF-D42A 73

417 294 273 320 301 208 225 293 60 74 58 73 92 115 149 162 254 143 206 207
249 231 356 327 293 228 174 218 148 113 172 267 183 183 202 275 164 208 100 69
129 126 244 244 189 113 122 108 117 95 102 124 111 84 85 67 75 53 62 68
74 69 70 67 68 51 78 80 100 84 67 54 67

FRF-D42B 73

378 302 270 318 297 205 219 292 60 73 60 63 97 126 171 150 246 172 233 212
244 221 373 333 288 229 180 216 131 126 146 269 183 171 219 229 161 213 96 74
128 124 231 251 194 106 126 107 124 93 111 105 111 81 79 76 70 57 67 64
74 66 82 51 70 54 81 77 97 79 66 51 70

FRF-D43A 74

202 247 235 65 37 50 42 55 85 94 42 92 85 157 95 99 140 128 111 119

105 101 157 105 71 59 85 84 70 77 146 95 122 77 73 140 174 143 88 97
51 65 51 79 52 87 103 106 82 111 137 121 136 133 160 195 169 227 161 151
148 182 203 169 152 115 96 90 90 65 46 68 85 70

FRF-D43B 74

197 243 227 51 60 39 44 61 82 85 60 73 88 147 104 103 135 126 112 119
100 104 152 98 80 59 84 84 79 80 134 111 126 74 76 140 176 142 92 94
53 67 61 76 72 85 96 101 83 108 143 130 122 132 160 189 189 243 163 155
141 193 205 168 155 119 89 103 86 58 45 69 82 62

FRF-D44A 53

573 523 343 422 386 412 439 539 588 419 571 336 149 158 239 231 333 228 244 187
132 203 152 140 121 216 132 130 108 150 195 209 242 198 193 218 155 257 285 238
196 244 237 214 126 121 118 137 94 134 180 143 173

FRF-D44B 53

601 534 348 442 380 430 459 551 612 426 572 351 140 163 239 238 326 237 233 186
128 199 145 135 115 225 141 149 108 136 160 232 220 202 203 219 159 254 289 247
207 251 235 206 148 109 114 138 101 135 173 150 173

FRF-D45A 56

355 407 554 305 207 394 431 607 686 835 471 401 441 613 471 446 397 434 535 329
315 384 392 582 534 591 435 570 417 478 509 449 444 355 493 387 374 335 208 92
45 68 74 61 83 68 121 113 166 213 176 214 202 205 124 185

FRF-D45B 56

390 414 503 307 213 388 419 640 655 831 468 406 434 614 473 446 389 425 531 331
330 392 409 561 536 665 427 578 409 471 520 444 441 358 493 392 388 317 193 88
45 69 77 60 80 72 120 118 164 211 184 220 188 227 149 153

FRF-D48A 57

253 449 407 463 380 394 353 295 313 222 281 241 281 186 211 181 147 139 151 159
211 192 124 143 161 162 189 222 148 130 115 115 140 136 99 83 93 85 94 61
54 59 62 46 55 57 65 45 77 64 67 50 52 55 46 43 70

FRF-D48B 57

264 448 413 441 363 395 351 298 312 220 281 241 278 179 197 178 153 139 157 154
209 191 134 146 172 179 196 236 163 141 122 116 152 138 110 94 85 84 94 65
58 49 65 54 50 61 64 47 72 69 58 59 53 50 47 45 70

FRF-D49A 65

446 383 313 253 251 290 362 263 219 278 339 299 263 224 172 156 224 182 239 237
204 233 183 142 122 141 119 93 95 83 103 133 112 85 84 108 130 85 95 61
109 55 77 86 96 88 115 106 151 140 136 122 116 137 162 153 132 130 139 179
135 149 116 120 140

FRF-D49B 65

477 378 312 239 258 280 369 244 220 287 339 297 270 223 167 164 221 185 239 238
207 234 178 134 122 146 120 98 92 78 114 134 121 90 85 103 126 98 87 70
105 57 76 83 98 89 113 103 153 143 140 129 115 127 155 146 141 122 134 187
138 152 120 115 133

FRF-D50A 90

253 238 323 293 275 147 235 273 532 359 196 103 153 150 199 153 122 102 202 131
186 215 157 256 314 122 155 163 185 194 212 170 150 94 99 116 134 84 109 134
115 119 116 147 213 170 152 99 179 135 123 145 173 147 210 231 166 192 141 189
156 114 168 230 140 146 155 198 125 135 132 129 120 110 174 111 92 95 96 89
133 124 92 80 56 84 67 62 84 75

FRF-D50B 90

248 243 309 293 278 154 190 251 545 360 190 118 161 146 197 148 120 106 202 127
184 211 160 249 318 127 155 170 186 184 207 179 149 93 100 120 124 89 107 125
123 118 113 148 206 173 148 102 180 130 125 143 177 146 205 236 168 184 170 172
160 125 156 224 143 145 160 197 130 133 130 134 115 136 155 131 99 89 96 103

126 128 95 85 57 79 66 67 79 81

FRF-D51A 66

237 327 163 188 203 189 280 271 221 196 214 189 182 186 135 149 191 186 185 155
193 309 295 241 162 291 158 141 213 277 251 341 333 344 413 348 262 298 206 213
231 191 201 188 250 156 203 184 163 252 234 271 140 106 171 209 209 338 322 230
174 133 193 201 164 122

FRF-D51B 66

256 340 180 197 215 205 265 265 182 201 217 195 177 188 136 144 189 190 187 164
192 312 296 233 161 296 154 148 201 263 246 346 333 344 410 345 264 298 204 212
233 188 195 185 249 157 197 186 165 256 230 268 134 116 169 203 228 331 357 243
171 143 203 202 163 125

FRF-D52A 72

330 516 575 518 313 360 586 590 842 538 640 526 334 285 242 313 483 375 384 344
230 201 284 197 190 230 330 286 262 298 193 193 185 135 359 194 203 254 196 143
177 107 145 100 177 148 55 45 49 76 62 42 56 54 38 45 50 46 37 53
54 99 95 88 71 56 71 102 88 85 109 91

FRF-D52B 72

344 517 573 510 318 423 601 650 837 537 657 540 320 295 242 309 478 371 391 344
257 200 262 198 197 236 330 295 243 290 194 196 190 139 359 201 207 240 201 141
182 107 148 91 183 174 53 51 51 69 66 45 48 63 43 40 48 51 40 61
47 99 108 91 67 56 74 102 84 102 91 114

FRF-D53A 62

243 512 534 342 374 237 118 208 210 345 325 399 415 383 460 362 346 380 291 253
339 324 285 311 299 298 309 310 271 226 261 201 266 170 271 196 185 203 176 88
201 209 162 173 146 132 98 94 103 83 72 70 112 95 105 63 103 99 129 96
80 61

FRF-D53B 62

212 459 537 338 378 246 116 211 218 339 320 408 393 385 458 363 350 376 296 246
347 323 283 311 300 296 306 310 266 232 261 195 253 184 273 194 184 196 181 92
198 210 166 181 145 131 100 96 97 97 61 63 122 88 108 61 99 103 132 103
65 59

FRF-D54A 58

310 223 288 346 348 405 356 394 366 284 412 400 510 295 185 167 193 290 315 222
203 238 273 305 314 320 264 256 193 99 138 275 236 240 238 211 156 145 136 84
92 92 144 98 95 108 119 86 120 130 108 66 107 105 109 77 89 78

FRF-D54B 58

307 220 289 345 374 398 364 398 357 291 402 389 509 291 181 166 196 294 327 223
205 233 275 299 316 323 265 249 197 98 144 291 240 235 241 215 158 147 138 84
94 99 139 100 98 104 118 88 111 125 110 70 107 89 109 81 95 76

FRF-D55A 70

497 534 434 386 397 395 349 309 258 235 292 282 286 237 261 264 260 306 227 280
247 251 194 210 190 137 127 135 137 146 173 142 161 182 162 180 200 173 137 106
101 137 144 130 105 140 141 118 97 104 103 125 86 97 106 107 90 112 111 102
114 97 103 97 73 95 79 83 75 63

FRF-D55B 70

492 527 442 390 389 407 353 302 260 248 287 280 285 237 261 267 262 307 224 282
245 257 193 211 185 136 127 121 145 155 171 143 158 186 158 176 196 176 146 100
106 137 138 130 108 129 139 114 92 106 103 126 90 88 117 107 86 120 112 102
113 97 107 100 74 94 94 81 78 65

FRF-D56A 70

366 278 398 326 272 215 183 166 161 178 145 184 184 113 126 101 96 181 121 156
158 124 83 84 97 127 113 90 82 100 99 122 146 80 55 54 53 68 71 148
98 154 121 86 94 77 83 115 97 132 133 126 159 132 123 139 180 205 210 233

258 187 228 168 101 217 144 82 120 90

FRF-D56B 70

384 270 399 331 274 214 185 164 164 179 171 193 201 117 133 96 105 177 106 141

161 122 83 85 97 122 123 89 96 85 88 114 155 74 59 50 62 64 72 149

100 142 114 94 97 71 91 116 112 137 133 133 162 138 114 134 192 215 208 210

256 172 239 173 113 193 146 84 117 92

FRF-D58A 94

11 16 13 11 14 15 10 18 20 13

15 13 25 13 20 15 12 13 17 18

15 20 16 20 18 17 22 16 18 19

15 10 11 14 16 18 23 15 14 16

17 12 10 15 17 10 11 11 17 18

13 14 16 15 12 14 18 13 17 12

10 10 17 21 20 17 15 11 11 16

20 14 15 12 14 13 16 12 18 17

15 12 10 8 12 8 6 10 10 10

10 11 11 10

FRF-D58B 94

10 15 10 11 14 18 15 17 21 14

14 12 25 15 21 16 10 13 17 17

12 17 15 20 19 15 20 15 17 19

12 10 10 14 16 17 22 14 15 15

17 13 11 13 19 10 11 10 16 18

13 12 17 15 12 15 16 13 13 10

10 11 17 20 19 18 17 12 11 16

14 12 14 11 14 13 15 11 17 14

15 13 10 10 14 8 8 10 10 11

12 11 10 10

FRF-D59A 90

15 13 12 18 16 18 25 15 18 18

30 15 18 15 11 14 18 18 16 25

20 22 19 14 23 17 20 18 15 10

9 17 20 18 22 14 12 15 20 15

13 15 17 10 13 12 18 20 15 17

20 15 14 18 20 14 13 16 9 12

20 23 18 20 18 12 11 23 18 13

18 12 17 13 17 20 23 18 20 11

10 8 10 8 8 10 12 12 10 10

FRF-D59B 96

10 12 13 11 16 14 13 11 20 16

17 22 17 18 15 30 16 23 18 10

11 18 20 17 22 20 18 19 15 22

17 18 19 15 10 10 15 19 20 21

14 15 16 20 13 12 15 21 10 12

11 17 20 14 15 20 12 11 18 19

15 15 12 10 10 21 23 18 20 15

10 11 20 17 14 20 15 18 14 15

16 22 17 18 14 8 10 12 10 8

11 11 10 10 12 10

APPENDIX: TREE-RING DATING

The Principles of Tree-Ring Dating

Tree-ring dating, or dendrochronology as it is known, is discussed in some detail in the Laboratory's Monograph, *An East Midlands Master Tree-Ring Chronology and its uses for dating Vernacular Building* (Laxton and Litton 1988) and *Dendrochronology: Guidelines on Producing and Interpreting Dendrochronological Dates* (English Heritage 1998). Here we will give the bare outlines. Each year an oak tree grows an extra ring on the outside of its trunk and all its branches just inside its bark. The width of this annual ring depends largely on the weather during the growing season, about April to October, and possibly also on the weather during the previous year. Good growing seasons give rise to relatively wide rings, poor ones to very narrow rings and average ones to relatively average ring widths. Since the climate is so variable from year to year, almost random-like, the widths of these rings will also appear random-like in sequence, reflecting the seasons. This is illustrated in Figure A1 where, for example, the widest rings appear at irregular intervals. This is the key to dating by tree rings, or rather, by their widths. Records of the average ring widths for oaks, one for each year for the last 1000 years or more, are available for different areas. These are called master chronologies. Because of the random-like nature of these sequences of widths, there is usually only one position at which a sequence of ring widths from a sample of oak timber with at least 70 rings will match a master. This will date the timber and, in particular, the last ring.

If the bark is still on the sample, as in Figure A1, then the date of the last ring will be the date of felling of the oak from which it was cut. There is much evidence that in medieval times oaks cut down for building purposes were used almost immediately, usually within the year or so (Rackham 1976). Hence if bark is present on several main timbers in a building, none of which appear reused or are later insertions, and if they all have the same date for their last ring, then we can be quite confident that this is the date of construction or soon after. If there is no bark on the sample, then we have to make an estimate of the felling date; how this is done is explained below.

The Practice of Tree-Ring Dating at the Nottingham Tree-Ring Dating Laboratory

I. Inspecting the Building and Sampling the Timbers. Together with a building historian the timbers in a building are inspected to try to ensure that those sampled are not reused or later insertions. Sampling is almost always done by coring into the timber, which has the great advantage that we can sample in situ timbers and those judged best to give the date of construction, or phase of construction if there is more than one in the building. The timbers to be sampled are also inspected to see how many rings they have. We normally look for timbers with at least 70 rings, and preferably more. With fewer rings than this, 50 for example, sequences of widths become difficult to match to a unique

position within a master sequence of ring widths and so are difficult to date (Litton and Zainodin 1991). The cross-section of the rafter shown in Figure A2 has about 120 rings; about 20 of which are sapwood rings – the lighter rings on the outside. Similarly the core has just over 100 rings with a few sapwood rings.

To ensure that we are getting the date of the building as a whole, or the whole of a phase of construction if there is more than one, about 8–10 samples per phase are usually taken. Sometimes we take many more, especially if the construction is complicated. One reason for taking so many samples is that, in general, some will fail to give a date. There may be many reasons why a particular sequence of ring widths from a sample of timber fails to give a date even though others from the same building do. For example, a particular tree may have grown in an odd ecological niche, so odd indeed that the widths of its rings were determined by factors other than the local climate! In such circumstances it will be impossible to date a timber from this tree using the master sequence whose widths, we can assume, were predominantly determined by the local climate at the time.

Sampling is done by coring into the timber with a hollow corer attached to an electric drill and usually from its outer rings inwards towards where the centre of the tree, the pith, is judged to be. An illustration of a core is shown in Figure A2; it is about 150mm long and 10mm diameter. Great care has to be taken to ensure that as few as possible of the outer rings are lost in coring. This can be difficult as these outer rings are often very soft (see below on sapwood). Each sample is given a code which identifies uniquely which timber it comes from, which building it is from and where the building is located. For example, CRO-A06 is the sixth core taken from the first building (A) sampled by the Laboratory in Cropwell Bishop. Where it came from in that building will be shown in the sampling records and drawings. No structural damage is done to any timbers by coring, nor does it weaken them.

During the initial inspection of the building and its timbers the dendrochronologist may come to the conclusion that, as far as can be judged, none of the timbers have sufficient rings in them for dating purposes and may advise against sampling to save further unwarranted expense.

All sampling by the Laboratory is undertaken according to current Health and Safety Standards. The Laboratory's dendrochronologists are insured.



Figure A1: A wedge of oak from a tree felled in 1976. It shows the annual growth rings, one for each year from the innermost ring to the last ring on the outside just inside the bark. The year of each ring can be determined by counting back from the outside ring, which grew in 1976



Figure A2: Cross-section of a rafter, showing sapwood rings in the left-hand corner, the arrow points to the heartwood/sapwood boundary (H/S); and a core with sapwood; again the arrow is pointing to the H/S. The core is about the size of a pencil



Figure A3: Measuring ring widths under a microscope. The microscope is fixed while the sample is on a moving platform. The total sequence of widths is measured twice to ensure that an error has not been made. This type of apparatus is needed to process a large number of samples on a regular basis



Figure A4: Three cores from timbers in a building. They come from trees growing at the same time. Notice that, although the sequences of widths look similar, they are not identical. This is typical

2. **Measuring Ring Widths.** Each core is sanded down with a belt sander using medium-grit paper and then finished by hand with flourgrade-grit paper. The rings are then clearly visible and differentiated from each other with a result very much like that shown in Figure A2. The core is then mounted on a movable table below a microscope and the ring-widths measured individually from the innermost ring to the outermost. The widths are automatically recorded in a computer file as they are measured (see Fig A3).

3. **Cross-Matching and Dating the Samples.** Because of the factors besides the local climate which may determine the annual widths of a tree's rings, no two sequences of ring widths from different oaks growing at the same time are exactly alike (Fig A4). Indeed, the sequences may not be exactly alike even when the trees are growing near to each other. Consequently, in the Laboratory we do not attempt to match two sequences of ring widths by eye, or graphically, or by any other subjective method. Instead, it is done objectively (ie statistically) on a computer by a process called cross-matching. The output from the computer tells us the extent of correlation between two sample sequences of widths or, if we are dating, between a sample sequence of widths and the master, at each relative position of one to the other (offsets). The extent of the correlation at an offset is determined by the t-value (defined in almost any introductory book on statistics). That offset with the maximum t-value among the t-values at all the offsets will be the best candidate for dating one sequence relative to the other. If one of these is a master chronology, then this will date the other. Experiments carried out in the past with sequences from oaks of known date suggest that a t-value of at least 4.5, and preferably at least 5.0, is usually adequate for the dating to be accepted with reasonable confidence (Laxton and Litton 1988; Laxton et al 1988; Howard et al 1984–1995).

This is illustrated in Figure A5 with timbers from one of the roofs of Lincoln Cathedral. Here four sequences of ring widths, LIN-C04, 05, 08, and 45, have been cross-matched with each other. The ring widths themselves have been omitted in the bar diagram, as is usual, but the offsets at which they best cross-match each other are shown; eg the sequence of ring widths of C08 matches the sequence of ring widths of C45 best when it is at a position starting 20 rings after the first ring of C45, and similarly for the others. The actual t-values between the four at these offsets of best correlations are in the matrix. Thus at the offset of +20 rings, the t-value between C45 and C08 is 5.6 and is the maximum found between these two among all the positions of one sequence relative to the other.

It is standard practice in our Laboratory first to cross-match as many as possible of the ring-width sequences of the samples in a building and then to form an average from them. This average is called a site sequence of the building being dated and is illustrated in Figure A5. The fifth bar at the bottom is a site sequence for a roof at Lincoln Cathedral and is constructed from the matching sequences of the four timbers. The site sequence width for each year is the average of the widths in each of the sample sequences which has a width for that year. Thus in Fig A5 if the widths shown are 0.8mm for C45, 0.2mm for C08, 0.7mm for C05, and 0.3mm for C04, then the corresponding width of the site

sequence is the average of these, 0.55mm. The actual sequence of widths of this site sequence is stored on the computer. The reason for creating site sequences is that it is usually easier to date an average sequence of ring widths with a master sequence than it is to date the individual component sample sequences separately.

The straightforward method of cross-matching several sample sequences with each other one at a time is called the 'maximal t-value' method. The actual method of cross-matching a group of sequences of ring-widths used in the Laboratory involves grouping and averaging the ring-width sequences and is called the 'Litton-Zainodin Grouping Procedure'. It is a modification of the straightforward method and was successfully developed and tested in the Laboratory and has been published (Litton and Zainodin 1991; Laxton et al 1988).

4. **Estimating the Felling Date.** As mentioned above, if the bark is present on a sample, then the date of its last ring is the date of the felling of its tree (or the last full year before felling, if it was felled in the first three months of the following calendar year, before any new growth had started, but this is not too important a consideration in most cases). The actual bark may not be present on a timber in a building, though the dendrochronologist who is sampling can often see from its surface that only the bark is missing. In these cases the date of the last ring is still the date of felling.

Quite often some, though not all, of the original outer rings are missing on a timber. The outer rings on an oak, called sapwood rings, are usually lighter than the inner rings, the heartwood, and so are relatively easy to identify. For example, sapwood can be seen in the corner of the rafter and at the outer end of the core in Figure A2, both indicated by arrows. More importantly for dendrochronology, the sapwood is relatively soft and so liable to insect attack and wear and tear. The builder, therefore, may remove some of the sapwood for precisely these reasons. Nevertheless, if at least some of the sapwood rings are left on a sample, we will know that not too many rings have been lost since felling so that the date of the last ring on the sample is only a few years before the date of the original last ring on the tree, and so to the date of felling.

Various estimates have been made and used for the average number of sapwood rings in mature oak trees (English Heritage 1998). A fairly conservative range is between 15 and 50 and that this holds for 95% of mature oaks. This means, of course, that in a small number of cases there could be fewer than 15 and more than 50 sapwood rings. For example, the core CRO-A06 has only 9 sapwood rings and some have obviously been lost over time – either they were removed originally by the carpenter and/or they rotted away in the building and/or they were lost in the coring. It is not known exactly how many sapwood rings are missing, but using the above range the Laboratory would estimate between a minimum of 6 (=15-9) and a maximum of 41 (=50-9). If the last ring of CRO-A06 has been dated to 1500, say, then the estimated felling-date range for the tree from which it came originally would be between 1506 and 1541. The Laboratory uses this estimate for sapwood in areas of England where it has no prior information. It

also uses it when dealing with samples with very many rings, about 120 to the last heartwood ring. But in other areas of England where the Laboratory has accumulated a number of samples with complete sapwood, that is, no sapwood lost since felling, other estimates in place of the conservative range of 15 to 50 are used. In the East Midlands (Laxton et al 2001) and the east to the south down to Kent (Pearson 1995) where it has sampled extensively in the past, the Laboratory uses the shorter estimate of 15 to 35 sapwood rings in 95% of mature oaks growing in these parts. Since the sample CRO-A06 comes from a house in Cropwell Bishop in the East Midlands, a better estimate of sapwood rings lost since felling is between a minimum of 6 (=15-9) and 26 (=35-9) and the felling would be estimated to have taken place between 1506 and 1526, a shorter period than before. Oak boards quite often come from the Baltic region and in these cases the 95% confidence limits for sapwood are 9 to 36 (Howard et al 1992, 56).

Even more precise estimates of the felling date and range can often be obtained using knowledge of a particular case and information gathered at the time of sampling. For example, at the time of sampling the dendrochronologist may have noted that the timber from which the core of Figure A2 was taken still had complete sapwood but that some of the soft sapwood rings were lost in coring. By measuring into the timber the depth of sapwood lost, say 20mm, a reasonable estimate can be made of the number of sapwood rings lost, say 12 to 15 rings in this case. By adding on 12 to 15 years to the date of the last ring on the sample a good tight estimate for the range of the felling date can be obtained, which is often better than the 15 to 35 years later we would have estimated without this observation. In the example, the felling is now estimated to have taken place between AD 1512 and 1515, which is much more precise than without this extra information.

Even if all the sapwood rings are missing on a sample, but none of the heartwood rings are, then an estimate of the felling-date range is possible by adding on the full complement of, say, 15 to 35 years to the date of the last heartwood ring (called the heartwood/sapwood boundary or transition ring and denoted H/S). Fortunately it is often easy for a trained dendrochronologist to identify this boundary on a timber. If a timber does not have its heartwood/sapwood boundary, then only a post quem date for felling is possible.

5. **Estimating the Date of Construction.** There is a considerable body of evidence collected by dendrochronologists over the years that oak timbers used in buildings were not seasoned in medieval or early modern times (English Heritage 1998; Miles 1997, 50–5). Hence, provided that all the samples in a building have estimated felling-date ranges broadly in agreement with each other, so that they appear to have been felled as a group, then this should give an accurate estimate of the period when the structure was built, or soon after (Laxton et al 2001, fig 8; 34–5, where ‘associated groups of fellings’ are discussed in detail). However, if there is any evidence of storage before use, or if there is evidence the oak came from abroad (eg Baltic boards), then some allowance has to be made for this.

6. **Master Chronological Sequences.** Ultimately, to date a sequence of ring widths, or a site sequence, we need a master sequence of dated ring widths with which to cross-match it, a Master Chronology. To construct such a sequence we have to start with a sequence of widths whose dates are known and this means beginning with a sequence from an oak tree whose date of felling is known. In Figure A6 such a sequence is SHE-T, which came from a tree in Sherwood Forest which was blown down in a recent gale. After this other sequences which cross-match with it are added and gradually the sequence is 'pushed back in time' as far as the age of samples will allow. This process is illustrated in Figure A6. We have a master chronological sequence of widths for Nottinghamshire and East Midlands oak for each year from AD 882 to 1981. It is described in great detail in Laxton and Litton (1988), but the components it contains are shown here in the form of a bar diagram. As can be seen, it is well replicated in that for each year in this period there are several sample sequences having widths for that year. The master is the average of these. This master can now be used to date oak from this area and from the surrounding areas where the climate is very similar to that in the East Midlands. The Laboratory has also constructed a master for Kent (Laxton and Litton 1989). The method the Laboratory uses to construct a master sequence, such as the East Midlands and Kent, is completely objective and uses the Litton-Zainodin grouping procedure (Laxton et al 1988). Other laboratories and individuals have constructed masters for other areas and have made them available. As well as these masters, local (dated) site chronologies can be used to date other buildings from nearby. The Laboratory has hundreds of these site sequences from many parts of England and Wales covering many short periods.

7. **Ring-Width Indices.** Tree-ring dating can be done by cross-matching the ring widths themselves, as described above. However, it is advantageous to modify the widths first. Because different trees grow at different rates and because a young oak grows in a different way from an older oak, irrespective of the climate, the widths are first standardized before any matching between them is attempted. These standard widths are known as ring-width indices and were first used in dendrochronology by Baillie and Pilcher (1973). The exact form they take is explained in this paper and in the appendix of Laxton and Litton (1988) and is illustrated in the graphs in Figure A7. Here ring-widths are plotted vertically, one for each year of growth. In the upper sequence of (a), the generally large early growth after 1810 is very apparent as is the smaller later growth from about 1900 onwards when the tree is maturing. A similar phenomenon can be observed in the lower sequence of (a) starting in 1835. In both the widths are also changing rapidly from year to year. The peaks are the wide rings and the troughs are the narrow rings corresponding to good and poor growing seasons, respectively. The two corresponding sequence of Baillie-Pilcher indices are plotted in (b) where the differences in the immature and mature growths have been removed and only the rapidly changing peaks and troughs remain, that are associated with the common climatic signal. This makes cross-matching easier.

t-value/offset Matrix

	C45	C08	C05	C04
C45		+20	+37	+47
C08	5.6		+17	+27
C05	5.2	10.4		+10
C04	5.9	3.7	5.1	

Bar Diagram




Figure A5: Cross-matching of four sequences from a Lincoln Cathedral roof and the formation of a site sequence from them

The bar diagram represents these sequences without the rings themselves. The length of the bar is proportional to the number of rings in the sequence. Here the four sequences are set at relative positions (offsets) to each other at which they have maximum correlation as measured by the t-values. The t-value/offset matrix contains the maximum t-values below the diagonal and the offsets above it. Thus, the maximum t-value between C08 and C45 occurs at the offset of +20 rings and the t-value is then 5.6. The site sequence is composed of the average of the corresponding widths, as illustrated with one width.





Figure A6: Bar diagram showing the relative positions and dates of the first rings of the component site sequences in the East Midlands Master Dendrochronological Sequence, EM08/87

(a)



(b)




Figure A7 (a): The raw ring-widths of two samples, THO-A01 and THO-B05, whose felling dates are known

Here the ring widths are plotted vertically, one for each year, so that peaks represent wide rings and troughs narrow ones. Notice the growth-trends in each; on average the earlier rings of the young tree are wider than the later ones of the older tree in both sequences

Figure A7 (b): The Baillie-Pilcher indices of the above widths

The growth trends have been removed completely

References

- Baillie, M G L, and Pilcher, J R, 1973 A simple cross-dating program for tree-ring research, *Tree-Ring Bull*, **33**, 7–14
- English Heritage, 1998 *Dendrochronology: Guidelines on Producing and Interpreting Dendrochronological Dates*, London
- Hillam, J, Morgan, R A, and Tyers, I, 1987 Sapwood estimates and the dating of short ring sequences, *Applications of tree-ring studies*, BAR Int Ser, **3**, 165–85
- Howard, R E, Laxton, R R, Litton, C D, and Simpson, W G, 1984–95 Nottingham University Tree-Ring Dating Laboratory results, *Vernacular Architect*, **15–26**
- Howard, R E, Laxton, R R, Litton, C D, and Simpson, W G, 1992 List 44 no 17, Nottingham University Tree-Ring Dating Laboratory: tree-ring dates for buildings in the East Midlands, *Vernacular Architect*, **23**, 51–6
- Hughes, M K, Milson, S J, and Legett, P A, 1981 Sapwood estimates in the interpretation of tree-ring dates, *J Archaeol Sci*, **8**, 381–90
- Laxon, R R, Litton, C D, and Zainodin, H J, 1988 An objective method for forming a master ring-width sequence, *P A C T*, **22**, 25–35
- Laxton, R R, and Litton, C D, 1988 *An East Midlands Master Chronology and its use for dating vernacular buildings*, University of Nottingham, Department of Archaeology Publication, Monograph Series III
- Laxton, R R, and Litton, C D, 1989 Construction of a Kent master dendrochronological sequence for oak, AD 1158 to 1540, *Medieval Archaeol*, **33**, 90–8
- Laxton, R R, Litton, C D, and Howard, R E, 2001 *Timber: Dendrochronology of Roof Timbers at Lincoln Cathedral*, Engl Heritage Res Trans, 7
- Litton, C D, and Zainodin, H J, 1991 Statistical models of dendrochronology, *J Archaeol Sci*, **18**, 29–40
- Miles, D W H, 1997 The interpretation, presentation and use of tree-ring dates, *Vernacular Architect*, **28**, 40–56
- Pearson, S, 1995 *The Medieval Houses of Kent, an Historical Analysis*, London
- Rackham, O, 1976 *Trees and Woodland in the British Landscape*, London



ENGLISH HERITAGE RESEARCH AND THE HISTORIC ENVIRONMENT

English Heritage undertakes and commissions research into the historic environment, and the issues that affect its condition and survival, in order to provide the understanding necessary for informed policy and decision making, for the protection and sustainable management of the resource, and to promote the widest access, appreciation and enjoyment of our heritage. Much of this work is conceived and implemented in the context of the National Heritage Protection Plan. For more information on the NHPP please go to <http://www.english-heritage.org.uk/professional/protection/national-heritage-protection-plan/>.

The Heritage Protection Department provides English Heritage with this capacity in the fields of building history, archaeology, archaeological science, imaging and visualisation, landscape history, and remote sensing. It brings together four teams with complementary investigative, analytical and technical skills to provide integrated applied research expertise across the range of the historic environment. These are:

- * Intervention and Analysis (including Archaeology Projects, Archives, Environmental Studies, Archaeological Conservation and Technology, and Scientific Dating)
- * Assessment (including Archaeological and Architectural Investigation, the Blue Plaques Team and the Survey of London)
- * Imaging and Visualisation (including Technical Survey, Graphics and Photography)
- * Remote Sensing (including Mapping, Photogrammetry and Geophysics)

The Heritage Protection Department undertakes a wide range of investigative and analytical projects, and provides quality assurance and management support for externally-commissioned research. We aim for innovative work of the highest quality which will set agendas and standards for the historic environment sector. In support of this, and to build capacity and promote best practice in the sector, we also publish guidance and provide advice and training. We support community engagement and build this in to our projects and programmes wherever possible.

We make the results of our work available through the Research Report Series, and through journal publications and monographs. Our newsletter *Research News*, which appears twice a year, aims to keep our partners within and outside English Heritage up-to-date with our projects and activities.

A full list of Research Reports, with abstracts and information on how to obtain copies, may be found on www.english-heritage.org.uk/researchreports

For further information visit www.english-heritage.org.uk

