

**Properties**

DatasheetFontHeight:	10	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	33554432
Date Created:	17/02/2011 16:54:41	Def. Updatable:	True
Default View:	Datasheet	Description:	Context information for Norton priory post-excavation analysis
Last Updated:	17/02/2011 16:54:43	OrderByOn:	True
Orientation:	0	RecordCount:	4906
RowHeight:	255	Tabular Char Set:	0
Tabular Family:	18		

**Columns**

Name	Type	Size
context	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	840	
Decimal Places:	Auto	
Default Value:	0	
Description:	Context number allocated at post-excavation analysis	
DisplayControl:	Text Box	
Ordinal Position:	0	
Required:	False	
Source Field:	context	
Source Table:	Context	
site code	Text	5
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	690	
Decimal Places:	Auto	
Description:	Letters of site code, normally NP	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	1	
Required:	False	
Source Field:	site code	
Source Table:	Context	
UnicodeCompression:	True	
site sub div	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	

ColumnOrder: Default  
 ColumnWidth: 540  
 Decimal Places: Auto  
 Default Value: 0  
 Description: Trench number  
 DisplayControl: Text Box  
 Ordinal Position: 2  
 Required: False  
 Source Field: site sub div  
 Source Table: Context

category Text 20

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 870  
 Description: General category of stratigraphic unit, for example cut, fill, layer  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 3  
 Required: False  
 Source Field: category  
 Source Table: Context  
 UnicodeCompression: True

form Text 20

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1650  
 Description: More specific nature of stratigraphic unit, for example fill of grave, topsoil, foundation trench  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 4  
 Required: False  
 Source Field: form  
 Source Table: Context  
 UnicodeCompression: True

Group Number Text 50

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 Description: Related features brought together, for example all components of a building  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3

	Ordinal Position:	5		
	Required:	False		
	Source Field:	Group Number		
	Source Table:	Context		
	UnicodeCompression:	True		
Entity			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	795		
	Description:	Name or description of building		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	6		
	Required:	False		
	Source Field:	Entity		
	Source Table:	Context		
	UnicodeCompression:	True		
length			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	735		
	Decimal Places:	3		
	Default Value:	0		
	Description:	length of feature (metric)		
	DisplayControl:	Text Box		
	Format:	General Number		
	Ordinal Position:	7		
	Required:	False		
	Source Field:	length		
	Source Table:	Context		
	Validation Rule:	<10000		
	Validation Text:	Please enter a code of 4 digits or less or 3 dp or less		
width			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	795		
	Decimal Places:	3		
	Default Value:	0		
	Description:	width of feature (metric)		
	DisplayControl:	Text Box		
	Format:	General Number		
	Ordinal Position:	8		
	Required:	False		
	Source Field:	width		
	Source Table:	Context		
	Validation Rule:	<10000		

	Validation Text:	Please enter a value of 4 digits or less or 3 dp or less	
diam			Number (Double) 8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	825	
	Decimal Places:	3	
	Default Value:	0	
	Description:	diameter of feature (metric)	
	DisplayControl:	Text Box	
	Format:	General Number	
	Ordinal Position:	9	
	Required:	False	
	Source Field:	diam	
	Source Table:	Context	
	Validation Rule:	<10000	
	Validation Text:	Please enter a value of 4 digits or less or 3 dp or less	
height/depth			Number (Double) 8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	870	
	Decimal Places:	3	
	Default Value:	0	
	Description:	height or depth of feature (metric)	
	DisplayControl:	Text Box	
	Format:	General Number	
	Ordinal Position:	10	
	Required:	False	
	Source Field:	height/depth	
	Source Table:	Context	
	Validation Rule:	<10000	
	Validation Text:	Please enter a value of 4 digits or less or 3 dp or less	
matrix colour			Text 30
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	855	
	Description:	as field name	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	11	
	Required:	False	
	Source Field:	matrix colour	
	Source Table:	Context	
	UnicodeCompression:	True	
texture			Text 35
	AllowZeroLength:	False	

Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 600  
Description: as field name  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 12  
Required: False  
Source Field: texture  
Source Table: Context  
UnicodeCompression: True

consistency Text 35

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 690  
Description: as field name  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 13  
Required: False  
Source Field: consistency  
Source Table: Context  
UnicodeCompression: True

coarse components Text 250

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1245  
Description: as field name  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 14  
Required: False  
Source Field: coarse components  
Source Table: Context  
UnicodeCompression: True

bonding material Text 30

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 825  
Description: as field name, used to describe, for instance, the nature of mortar bonding brickwork  
DisplayControl: Text Box

	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	15		
	Required:	False		
	Source Field:	bonding material		
	Source Table:	Context		
	UnicodeCompression:	True		
materials			Text	30
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	825		
	Description:	material used in construction		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	16		
	Required:	False		
	Source Field:	materials		
	Source Table:	Context		
	UnicodeCompression:	True		
descriptive text			Memo	-
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	7080		
	Description:	Free description and interpretation of feature		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	17		
	Required:	False		
	Source Field:	descriptive text		
	Source Table:	Context		
	UnicodeCompression:	True		
below			Text	80
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	645		
	Description:	as field name, straitgraphic relationship		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	18		
	Required:	False		
	Source Field:	below		
	Source Table:	Context		
	UnicodeCompression:	True		
filled by			Text	60

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1470  
Description: as field name, straitgraphic relationship  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 19  
Required: False  
Source Field: filled by  
Source Table: Context  
UnicodeCompression: True

cut by Text 60

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 750  
Description: as field name, straitgraphic relationship  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 20  
Required: False  
Source Field: cut by  
Source Table: Context  
UnicodeCompression: True

butted by Text 20

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 780  
Description: as field name, straitgraphic relationship  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 21  
Required: False  
Source Field: butted by  
Source Table: Context  
UnicodeCompression: True

bonded to Text 20

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 660  
Description: as field name, straitgraphic relationship  
DisplayControl: Text Box

	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	22		
	Required:	False		
	Source Field:	bonded to		
	Source Table:	Context		
	UnicodeCompression:	True		
same as			Text	20
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	555		
	Description:	as field name, straitgraphic relationship		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	23		
	Required:	False		
	Source Field:	same as		
	Source Table:	Context		
	UnicodeCompression:	True		
above			Text	80
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	585		
	Description:	as field name, straitgraphic relationship		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	24		
	Required:	False		
	Source Field:	above		
	Source Table:	Context		
	UnicodeCompression:	True		
fill of			Text	20
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	645		
	Description:	as field name, straitgraphic relationship		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	25		
	Required:	False		
	Source Field:	fill of		
	Source Table:	Context		
	UnicodeCompression:	True		



cuts	Text	60
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	630	
Description:	as field name, straitgraphic relationship	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	26	
Required:	False	
Source Field:	cuts	
Source Table:	Context	
UnicodeCompression:	True	
butts	Text	20
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	585	
Description:	as field name, straitgraphic relationship	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	27	
Required:	False	
Source Field:	butts	
Source Table:	Context	
UnicodeCompression:	True	
part of	Text	20
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	615	
Description:	as field name, straitgraphic relationship	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	28	
Required:	False	
Source Field:	part of	
Source Table:	Context	
UnicodeCompression:	True	
consists of	Text	80
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	675	
Description:	as field name, straitgraphic relationship	

DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 29  
Required: False  
Source Field: consists of  
Source Table: Context  
UnicodeCompression: True

interpretive comments Memo -

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2865  
Description: precis of interpretation  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 30  
Required: False  
Source Field: interpretive comments  
Source Table: Context  
UnicodeCompression: True

plan nos Text 50

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 810  
Description: as field name  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 31  
Required: False  
Source Field: plan nos  
Source Table: Context  
UnicodeCompression: True

section nos Text 50

AllowZeroLength: False  
Attributes: Variable Length  
Collating Order: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 660  
Description: as field name  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
Ordinal Position: 32  
Required: False  
Source Field: section nos  
Source Table: Context  
UnicodeCompression: True

old context no 1	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	705	
Decimal Places:	Auto	
Default Value:	0	
Description:	Context number allocated on excavation - often repeated in several trenches	
DisplayControl:	Text Box	
Ordinal Position:	33	
Required:	False	
Source Field:	old context no 1	
Source Table:	Context	
photo (c)	Text	80
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	720	
Description:	as field name, colour photographs	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	34	
Required:	False	
Source Field:	photo (c)	
Source Table:	Context	
UnicodeCompression:	True	
photo (b&w)	Text	80
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	795	
Description:	as field name, black and white photographs	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	35	
Required:	False	
Source Field:	photo (b&w)	
Source Table:	Context	
UnicodeCompression:	True	
excavator	Text	20
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	990	

	Description:	as field name	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	36	
	Required:	False	
	Source Field:	excavator	
	Source Table:	Context	
	UnicodeCompression:	True	
date			Date/Time 8
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	735	
	Description:	as field name, date excavted	
	Format:	Short Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	37	
	Required:	False	
	Source Field:	date	
	Source Table:	Context	
method			Text 80
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	885	
	Description:	as field name, how excavated	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	38	
	Required:	False	
	Source Field:	method	
	Source Table:	Context	
	UnicodeCompression:	True	
conditions			Text 30
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	630	
	Description:	as field name, conditions on site	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	39	
	Required:	False	
	Source Field:	conditions	
	Source Table:	Context	
	UnicodeCompression:	True	

x coordinate		Number (Double)	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	495		
Decimal Places:	3		
Default Value:	0		
Description:	as field name, three-dimensional recording only		
DisplayControl:	Text Box		
Format:	General Number		
Ordinal Position:	40		
Required:	False		
Source Field:	x coordinate		
Source Table:	Context		
y coordinate		Number (Double)	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	840		
Decimal Places:	3		
Default Value:	0		
Description:	as field name, three-dimensional recording only		
DisplayControl:	Text Box		
Format:	General Number		
Ordinal Position:	41		
Required:	False		
Source Field:	y coordinate		
Source Table:	Context		
z coordinate		Number (Double)	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	810		
Decimal Places:	3		
Default Value:	0		
Description:	as field name, three-dimensional recording only		
DisplayControl:	Text Box		
Format:	General Number		
Ordinal Position:	42		
Required:	False		
Source Field:	z coordinate		
Source Table:	Context		
finds?		Memo	-
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2985		

Description: Finds of note from the context, see finds database for definitive versions  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 43  
 Required: False  
 Source Field: finds?  
 Source Table: Context  
 UnicodeCompression: True

sample? Text 50

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 780  
 Decimal Places: 2  
 Description: context known to have been sampled  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 44  
 Required: False  
 Source Field: sample?  
 Source Table: Context  
 UnicodeCompression: True

checked by Text 5

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1417  
 Description: Quality assurance check by  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 45  
 Required: False  
 Source Field: checked by  
 Source Table: Context  
 UnicodeCompression: True

old context number 2 Text 50

AllowZeroLength: False  
 Attributes: Variable Length  
 Collating Order: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 900  
 Description: Supplementary terminology used for this stratigraphic unit in original analysis  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 Ordinal Position: 46

	Required:	False	
	Source Field:	old context number 2	
	Source Table:	Context	
	UnicodeCompression:	True	
phase			Number (Long) 4
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	480	
	Decimal Places:	Auto	
	Default Value:	0	
	Description:	Stratigraphic phase, where determined	
	DisplayControl:	Text Box	
	Ordinal Position:	47	
	Required:	False	
	Source Field:	phase	
	Source Table:	Context	
site code 2			Text 50
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	480	
	Description:	Year of site code	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	48	
	Required:	False	
	Source Field:	site code 2	
	Source Table:	Context	
	UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
Distinct Count:	4906
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	context, Ascending
site code	1
Clustered:	False
Distinct Count:	2
Foreign:	False
Ignore Nulls:	False

Name:	site code
Primary:	False
Required:	False
Unique:	False
Fields:	site code, Ascending