

Properties


Date Created:	17/02/2011 16:56:07	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for pottery input form New Pot 1
Last Updated:	17/02/2011 16:56:07	OrderByOn:	False
Orientation:	0	RecordCount:	5

Columns

Name	Type	Size
Base_form	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look-up for pottery vessel base form	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	Base_form	
Source Table:	base_form	
UnicodeCompression:	True	

Relationships

{745F7293-1227-45F5-9E01-AB33510CCA07}



Attributes: Not Enforced
RelationshipType: Indeterminate

Properties

Date Created:	17/02/2011 16:56:07	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up for excavation year in form New Pot 1
Last Updated:	17/02/2011 16:56:07	OrderByOn:	False
Orientation:	0	RecordCount:	16

Columns

Name	Type	Size
Excav_year	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Decimal Places:	Auto	
Default Value:	0	
Description:	look-up for excavation year	
DisplayControl:	Text Box	
Ordinal Position:	0	
Required:	False	
Source Field:	Excav_year	
Source Table:	Code2	

Properties


Date Created:	17/02/2011 16:56:07	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up form for Newpot 1
Last Updated:	17/02/2011 16:56:07	OrderByOn:	False
Orientation:	0	RecordCount:	14

Columns

Name	Type	Size
colour	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look-up for pottery colour	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	colour	
Source Table:	colour	
UnicodeCompression:	True	


Relationships

{5A08A3A2-6C4E-4C87-BB0A-7518C9C8D16B}




Attributes: Not Enforced
 Attributes: Indeterminate

{7E5765F6-73E8-46B3-A5EE-E2375C847FE5}



Attributes: Not Enforced
 Attributes: Indeterminate

{B4862511-0DF7-4D44-BD2B-D9F6DACFD19C}



Attributes: Not Enforced
Attributes: Indeterminate

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
colour	1
Clustered:	False
Distinct Count:	14
Foreign:	False
Ignore Nulls:	False
Name:	colour
Primary:	False
Required:	False
Unique:	False
Fields:	colour, Ascending

Properties

DatasheetFontHeight:	10	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	33554432
Date Created:	17/02/2011 16:56:07	Def. Updatable:	True
Default View:	Datasheet	Description:	Table summarising finds as recorded in original site books etc
FrozenColumns:	1	Last Updated:	17/02/2011 16:56:08
OrderByOn:	True	Orientation:	0
RecordCount:	6227	RowHeight:	240
Tabular Char Set:	0	Tabular Family:	18

Columns

Name	Type	Size
Year	Text	50
AllowZeroLength: False Attributes: Variable Length Collating Order: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 570 Description: Year of excavation DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 Ordinal Position: 0 Required: False Source Field: Year Source Table: Context_summary UnicodeCompression: True		
Trench	Number (Long)	4
AllowZeroLength: False Attributes: Fixed Size Collating Order: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 675 Decimal Places: Auto Default Value: 0 Description: Site subdivision DisplayControl: Text Box Ordinal Position: 1 Required: False Source Field: Trench Source Table: Context_summary		
Old_context	Number (Long)	4
AllowZeroLength: False Attributes: Fixed Size Collating Order: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 945
Decimal Places: Auto
Default Value: 0
Description: Context number issued on excavation
DisplayControl: Text Box
Ordinal Position: 2
Required: False
Source Field: Old_context
Source Table: Context_summary

Material Text 20

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1710
Description: Principal material from which object is made
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 3
Required: False
Source Field: Material
Source Table: Context_summary
UnicodeCompression: True

Form_general Text 50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2445
Description: General identification of object/s
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 4
Required: False
Source Field: Form_general
Source Table: Context_summary
UnicodeCompression: True

Form_specific Text 20

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 285
Description: Specific identification of object/s
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 5
Required: False
Source Field: Form_specific
Source Table: Context_summary

UnicodeCompression:	True		
Quantity		Number (Double)	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	345		
Decimal Places:	Auto		
Default Value:	0		
Description:	Number of fragments		
DisplayControl:	Text Box		
Ordinal Position:	6		
Required:	False		
Source Field:	Quantity		
Source Table:	Context_summary		
Finds_number		Number (Double)	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	585		
Decimal Places:	Auto		
Default Value:	0		
Description:	Small finds number issued on excavation or in early post-excavation phase		
DisplayControl:	Text Box		
Ordinal Position:	7		
Required:	False		
Source Field:	Finds_number		
Source Table:	Context_summary		
discarded		Text	50
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1080		
Description:	Whether or not some or all of the group was discarded after excavation		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	8		
Required:	False		
Source Field:	discarded		
Source Table:	Context_summary		
UnicodeCompression:	True		
Notes		Memo	-
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2880
 Description: Comments made by original finds officer
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 9
 Required: False
 Source Field: Notes
 Source Table: Context_summary
 UnicodeCompression: True

OR_number Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1417
 Decimal Places: Auto
 Default Value: 0
 Description: Object Record number issued in late post-excavation phase
 DisplayControl: Text Box
 Ordinal Position: 10
 Required: False
 Source Field: OR_number
 Source Table: Context_summary

conserved Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1417
 Decimal Places: Auto
 Default Value: 0
 Description: Conservation record number
 DisplayControl: Text Box
 Ordinal Position: 11
 Required: False
 Source Field: conserved
 Source Table: Context_summary

drawn Text 5

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 1417
 Description: Drawn or not
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 12
 Required: False
 Source Field: drawn
 Source Table: Context_summary

UnicodeCompression: True

box-no Text 20

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2190
Description: Original box in which object stored, not necessarily now accurate
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 13
Required: False
Source Field: box-no
Source Table: Context_summary
UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustering:	False
Distinct Count:	6227
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	OR_number, Ascending

Properties


Date Created:	17/02/2011 16:56:08	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for details of decoration for input with form New Pot1
Last Updated:	17/02/2011 16:56:08	OrderByOn:	False
Orientation:	0	RecordCount:	7

Columns

Name	Type	Size
decoration	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look-up for pottery decoration	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	decoration	
Source Table:	decoration	
UnicodeCompression:	True	

Relationships

{7E4C13B8-54B6-4C17-9F20-E4456F7A6702}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
decoration	1
Clustered:	False
Distinct Count:	7
Foreign:	False
Ignore Nulls:	False
Name:	decoration
Primary:	False
Required:	False
Unique:	False

Fields: decoration, Ascending

Properties

Date Created:	17/02/2011 16:56:08	Def. Updatable:	True
Default View:	Datasheet	Description:	Table detailing range and condition of original finds drawings seen in archive at beginning of project
Last Updated:	17/02/2011 16:56:08	OrderByOn:	True
Orientation:	0	RecordCount:	378

Columns

Name	Type	Size
YEAR	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	Year of excavation	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	YEAR	
Source Table:	Drawn_items	
UnicodeCompression:	True	
TRENCH	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	Trench	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	1	
Required:	False	
Source Field:	TRENCH	
Source Table:	Drawn_items	
UnicodeCompression:	True	
CONTEXT	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	Original context number	
DisplayControl:	Text Box	

IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 2
Required: False
Source Field: CONTEXT
Source Table: Drawn_items
UnicodeCompression: True

FINDS_NO Text 50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
Description: Original finds (small finds) number
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 3
Required: False
Source Field: FINDS_NO
Source Table: Drawn_items
UnicodeCompression: True

COMMENT Memo -

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 9225
Description: Description of state of drawing and suitability for publication as of commencement of the project
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 4
Required: False
Source Field: COMMENT
Source Table: Drawn_items
UnicodeCompression: True

Properties

Date Created:	17/02/2011 16:56:08	Def. Updatable:	True
Default View:	Datasheet	Description:	Table detailing location of medieval pottery as reviewed in assessment
FrozenColumns:	1	Last Updated:	17/02/2011 16:56:08
OrderByOn:	False	Orientation:	0
RecordCount:	546		

Columns

Name	Type	Size
Year	Number (Double)	8
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	735	
Decimal Places:	Auto	
Default Value:	0	
Description:	Year of excavation	
DisplayControl:	Text Box	
Ordinal Position:	0	
Required:	False	
Source Field:	Year	
Source Table:	Fabric	
Trench	Number (Double)	8
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	735	
Decimal Places:	Auto	
Default Value:	0	
Description:	Site subdivision	
DisplayControl:	Text Box	
Ordinal Position:	1	
Required:	False	
Source Field:	Trench	
Source Table:	Fabric	
Context	Number (Double)	8
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	570	
Decimal Places:	Auto	
Default Value:	0	
Description:	Stratigraphic unit	
DisplayControl:	Text Box	

	Ordinal Position:	2		
	Required:	False		
	Source Field:	Context		
	Source Table:	Fabric		
Fabric			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	630		
	Description:	Fabric assigned - medieval pottery only		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	3		
	Required:	False		
	Source Field:	Fabric		
	Source Table:	Fabric		
	UnicodeCompression:	True		
Rim			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	645		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	Number of rim fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	4		
	Required:	False		
	Source Field:	Rim		
	Source Table:	Fabric		
Base			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	585		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	Number of base fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	5		
	Required:	False		
	Source Field:	Base		
	Source Table:	Fabric		
Body			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		

	ColumnOrder:	Default		
	ColumnWidth:	570		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	Number of body fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	6		
	Required:	False		
	Source Field:	Body		
	Source Table:	Fabric		
Other			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	600		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	Number of other diagnostic fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	7		
	Required:	False		
	Source Field:	Other		
	Source Table:	Fabric		
Total			Number (Double)	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	15		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	Total		
	DisplayControl:	Text Box		
	Ordinal Position:	8		
	Required:	False		
	Source Field:	Total		
	Source Table:	Fabric		
Form			Text	5
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	Description:	Form of vessel		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	9		
	Required:	False		
	Source Field:	Form		
	Source Table:	Fabric		
	UnicodeCompression:	True		

Properties


Date Created:	17/02/2011 16:56:09	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for hardness input in form New Pot1
Last Updated:	17/02/2011 16:56:09	OrderByOn:	False
Orientation:	0	RecordCount:	4

Columns

Name	Type	Size
hardness	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look-up for pottery hardness, subjective	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	hardness	
Source Table:	fabric_hardness	
UnicodeCompression:	True	

Relationships

{6B155F02-A1F5-4382-B16F-714B00F9DD20}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
hardness	1
Clustered:	False
Distinct Count:	4
Foreign:	False
Ignore Nulls:	False
Name:	hardness
Primary:	False
Required:	False
Unique:	False
Fields:	hardness, Ascending

Properties

DatasheetFontHeight:	10	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	33554432
Date Created:	17/02/2011 16:56:09	Def. Updatable:	True
Default View:	Datasheet	Description:	Table detailing post-medieval pottery fabric series
Last Updated:	17/02/2011 16:56:09	OrderByOn:	True
Orientation:	0	RecordCount:	83
Tabular Char Set:	0	Tabular Family:	18

Columns

Name	Type	Size
Fabric	Number (Double)	8
AllowZeroLength: False Attributes: Fixed Size Collating Order: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default Decimal Places: Auto Default Value: 0 Description: Unique identifier for site fabric series, 1 to infinity DisplayControl: Text Box Ordinal Position: 0 Required: False Source Field: Fabric Source Table: Fabric_series		
Name	Text	50
AllowZeroLength: False Attributes: Variable Length Collating Order: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1935 Description: Commonly used name of pottery fabric, left blank if none is known DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 Ordinal Position: 1 Required: False Source Field: Name Source Table: Fabric_series UnicodeCompression: True		
Description	Memo	-
AllowZeroLength: False Attributes: Variable Length Collating Order: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 5265 Description: Free description of fabric		

IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 2
Required: False
Source Field: Description
Source Table: Fabric_series
UnicodeCompression: True

Reference

Memo

-

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
Description: Bibliographic references as appropriate
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 3
Required: False
Source Field: Reference
Source Table: Fabric_series
UnicodeCompression: True

Type_sherd

Text

50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
Description: Origin of type sherd for fabric
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 4
Required: False
Source Field: Type_sherd
Source Table: Fabric_series
UnicodeCompression: True

Date

Text

50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
Description: Date range for fabric
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 5
Required: False
Source Field: Date
Source Table: Fabric_series
UnicodeCompression: True

Properties

DatasheetFontHeight:	8	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	33554432
Date Created:	17/02/2011 16:56:09	Def. Updatable:	True
Default View:	Datasheet	Description:	Table detailing artefacts other than pottery, glass, and floor tiles
Last Updated:	17/02/2011 16:56:09	OrderByOn:	True
Orientation:	0	RecordCount:	1899
RowHeight:	225	Tabular Char Set:	0
Tabular Family:	18		

Columns

Name	Type	Size
Site code	Text	6
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	540	
Default Value:	"NP"	
Description:	Letter from site code, identifying site	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	Site code	
Source Table:	Finds_records	
UnicodeCompression:	True	
Trench	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	615	
Decimal Places:	Auto	
Default Value:	0	
Description:	Site subdivision	
DisplayControl:	Text Box	
Ordinal Position:	1	
Required:	False	
Source Field:	Trench	
Source Table:	Finds_records	
Context	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: 450
 Decimal Places: Auto
 Default Value: 0
 Description: Original context number allocated during excavation
 DisplayControl: Text Box
 Ordinal Position: 2
 Required: False
 Source Field: Context
 Source Table: Finds_records

Old_finds_no Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 495
 Decimal Places: Auto
 Default Value: 0
 Description: Original Small Finds number allocated during excavation phase
 DisplayControl: Text Box
 Ordinal Position: 3
 Required: False
 Source Field: Old_finds_no
 Source Table: Finds_records

OR_number Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 Decimal Places: 0
 Default Value: 0
 Description: Object Record number, allocated to all finds in post-excavation phase, either to individual finds or to groups of finds, as appropriate
 DisplayControl: Text Box
 Ordinal Position: 4
 Required: False
 Source Field: OR_number
 Source Table: Finds_records

Context_type Text 50

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 1417
 Description: Summary description of context type, eg layer, fill etc
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 5
 Required: False
 Source Field: Context_type

	Source Table:	Finds_records	
	UnicodeCompression:	True	
Wet_Dry			Text 5
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	1417	
	Description:	Was the context waterlogged or not on excavation	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	6	
	Required:	False	
	Source Field:	Wet_Dry	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Plan_no_co-ords			Text 10
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	525	
	Description:	Plan number on which the context appears, or co-ordinates	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	7	
	Required:	False	
	Source Field:	Plan_no_co-ords	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Material			Text 30
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	885	
	Description:	Principal material from which the object is made	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	8	
	Required:	False	
	Source Field:	Material	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Category			Text 50
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	

	ColumnOrder:	Default	
	ColumnWidth:	1740	
	Description:	General category of find, eg vessel, brooch, window	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	9	
	Required:	False	
	Source Field:	Category	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Type			Text 30
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	405	
	Description:	Detailed typological information, only used when established typology exists	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	10	
	Required:	False	
	Source Field:	Type	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
No_objects_represented			Number (Double) 8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	390	
	Decimal Places:	0	
	Default Value:	0	
	Description:	Number of objects represented if, for instance a single brooch is represented by 27 fragments	
	DisplayControl:	Text Box	
	Ordinal Position:	11	
	Required:	False	
	Source Field:	No_objects_represented	
	Source Table:	Finds_records	
No_fragments_present			Number (Double) 8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	480	
	Decimal Places:	0	
	Default Value:	0	
	Description:	Fragment count	

DisplayControl:	Text Box		
Ordinal Position:	12		
Required:	False		
Source Field:	No_fragments_present		
Source Table:	Finds_records		
Bulk_collection		Yes/No	1
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	1417		
Description:	Was the object individually recorded or does the group reflect bulk collection by context		
DisplayControl:	Text Box		
Format:	Yes/No		
Ordinal Position:	13		
Required:	False		
Source Field:	Bulk_collection		
Source Table:	Finds_records		
Sample_strategy		Text	30
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	1417		
Description:	Was there a sampling strategy in place		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	14		
Required:	False		
Source Field:	Sample_strategy		
Source Table:	Finds_records		
UnicodeCompression:	True		
Condition		Text	30
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	480		
Description:	Based on a subjective scale of very poor, poor, fair, good, excellent		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	15		
Required:	False		
Source Field:	Condition		
Source Table:	Finds_records		
UnicodeCompression:	True		
Completeness		Text	30
AllowZeroLength:	False		

Attributes: Variable Length
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 525
 Description: Based on a subjective scale of fragmentary, very incomplete, incomplete, almost complete, complete
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 16
 Required: False
 Source Field: Completeness
 Source Table: Finds_records
 UnicodeCompression: True

Fabric Text 5

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1417
 Description: Used when ceramic vessels are included within database and not tabulated separately
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 17
 Required: False
 Source Field: Fabric
 Source Table: Finds_records
 UnicodeCompression: True

Colour Text 20

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1417
 Description: Colour of object, used mainly for description of glass
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 18
 Required: False
 Source Field: Colour
 Source Table: Finds_records
 UnicodeCompression: True

Max_length Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: 645
 Decimal Places: Auto
 Default Value: 0
 Description: Maximum length of object in millimetres
 DisplayControl: Text Box
 Ordinal Position: 19
 Required: False
 Source Field: Max_length
 Source Table: Finds_records

Max_width Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 600
 Decimal Places: Auto
 Default Value: 0
 Description: Maximum width of object in millimetres
 DisplayControl: Text Box
 Ordinal Position: 20
 Required: False
 Source Field: Max_width
 Source Table: Finds_records

Max_thickness Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 465
 Decimal Places: Auto
 Default Value: 0
 Description: Maximum thickness of object in millimetres
 DisplayControl: Text Box
 Ordinal Position: 21
 Required: False
 Source Field: Max_thickness
 Source Table: Finds_records

Ext_diameter Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 390
 Decimal Places: Auto
 Default Value: 0
 Description: Maximum external diameter of object in millimetres
 DisplayControl: Text Box
 Ordinal Position: 22
 Required: False
 Source Field: Ext_diameter
 Source Table: Finds_records

Int_diameter Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 390
 Decimal Places: Auto
 Default Value: 0
 Description: Maximum internal diameter of object in millimetres
 DisplayControl: Text Box
 Ordinal Position: 23
 Required: False
 Source Field: Int_diameter
 Source Table: Finds_records

Weight Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 420
 Decimal Places: Auto
 Default Value: 0
 Description: Weight of object in grammes
 DisplayControl: Text Box
 Ordinal Position: 24
 Required: False
 Source Field: Weight
 Source Table: Finds_records

Volume Number (Double) 8

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 1417
 Decimal Places: Auto
 Default Value: 0
 Description: Volume in litres, usually only used in case of samples
 DisplayControl: Text Box
 Ordinal Position: 25
 Required: False
 Source Field: Volume
 Source Table: Finds_records

Description Memo -

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3705
 Description: Free description of object
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 26
 Required: False

	Source Field:	Description	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Comment			Memo -
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1800	
	Description:	Researcher's aide memoire	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	27	
	Required:	False	
	Source Field:	Comment	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Period			Text 30
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1590	
	Description:	General period, eg Medieval, Post-medieval, Modern	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	28	
	Required:	False	
	Source Field:	Period	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Century			Text 15
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1110	
	Description:	Specific century or date range, eg C18-C19, C17 etc	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	29	
	Required:	False	
	Source Field:	Century	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Date			Text 17
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	False	

ColumnOrder: Default
ColumnWidth: 855
Description: Specific date, for example from coin
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 30
Required: False
Source Field: Date
Source Table: Finds_records
UnicodeCompression: True

References

Memo

-

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 840
Description: Bibliographic references for typologies cited etc
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 31
Required: False
Source Field: References
Source Table: Finds_records
UnicodeCompression: True

Cross_references

Text

50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 720
Description: Cross reference to other similar objects from the site
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 32
Required: False
Source Field: Cross_references
Source Table: Finds_records
UnicodeCompression: True

Other

Memo

-

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 735
Description: Any other relevent information
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 33
Required: False
Source Field: Other
Source Table: Finds_records

	UnicodeCompression:	True		
Action			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	840		
	Description:	Specific requirements for analysis, eg x-ray, thin-section etc		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	34		
	Required:	False		
	Source Field:	Action		
	Source Table:	Finds_records		
	UnicodeCompression:	True		
Special_provision			Text	20
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1417		
	Description:	Special needs for continued stability		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	35		
	Required:	False		
	Source Field:	Special_provision		
	Source Table:	Finds_records		
	UnicodeCompression:	True		
Samples_taken			Yes/No	1
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	True		
	ColumnOrder:	Default		
	ColumnWidth:	1417		
	Description:	If sampled		
	DisplayControl:	Text Box		
	Format:	Yes/No		
	Ordinal Position:	36		
	Required:	False		
	Source Field:	Samples_taken		
	Source Table:	Finds_records		
Sent_to			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	True		
	ColumnOrder:	Default		
	ColumnWidth:	1417		
	Description:	Where sent for further analysis		

DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	37		
Required:	False		
Source Field:	Sent_to		
Source Table:	Finds_records		
UnicodeCompression:	True		
Samples_consIGNED		Date/Time	8
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	1417		
Description:	When sent		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	38		
Required:	False		
Source Field:	Samples_consIGNED		
Source Table:	Finds_records		
Results_recieved		Yes/No	1
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	1417		
Description:	Results of analysis recieved		
DisplayControl:	Text Box		
Format:	Yes/No		
Ordinal Position:	39		
Required:	False		
Source Field:	Results_recieved		
Source Table:	Finds_records		
Conservator		Text	20
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1417		
Description:	Name of conservator or lab		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	40		
Required:	False		
Source Field:	Conservator		
Source Table:	Finds_records		
UnicodeCompression:	True		
Returned		Date/Time	8
AllowZeroLength:	False		
Attributes:	Fixed Size		

Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1417
Description: When objects sent for analysis or conservation returned
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 41
Required: False
Source Field: Returned
Source Table: Finds_records

External_lab_ref Text 20

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1417
Description: Any external lab reference
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 42
Required: False
Source Field: External_lab_ref
Source Table: Finds_records
UnicodeCompression: True

Photographer Text 20

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1260
Description: Photographed by
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 43
Required: False
Source Field: Photographer
Source Table: Finds_records
UnicodeCompression: True

Photography_ref Text 30

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 525
Description: Photography reference
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 44
Required: False

	Source Field:	Photography_ref	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Draftsman		Text	20
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	1417	
	Description:	Drawn by	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	45	
	Required:	False	
	Source Field:	Draftsman	
	Source Table:	Finds_records	
	UnicodeCompression:	True	
Consigned_draftsman		Date/Time	8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	1417	
	Description:	When sent to draftsman	
	Format:	Medium Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	46	
	Required:	False	
	Source Field:	Consigned_draftsman	
	Source Table:	Finds_records	
Return		Date/Time	8
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	1417	
	Description:	When returned by draftsman	
	IMEMode:	0	
	IMESentenceMode:	3	
	Ordinal Position:	47	
	Required:	False	
	Source Field:	Return	
	Source Table:	Finds_records	
Drawing_ref		Text	10
	AllowZeroLength:	False	
	Attributes:	Variable Length	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	1417	

Description: Drawing reference
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 48
 Required: False
 Source Field: Drawing_ref
 Source Table: Finds_records
 UnicodeCompression: True

Checked_by Text 20

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 1417
 Description: Quality assurance by - initials
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 49
 Required: False
 Source Field: Checked_by
 Source Table: Finds_records
 UnicodeCompression: True

Phase Text 10

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 960
 Description: Stratigraphic phase
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 50
 Required: False
 Source Field: Phase
 Source Table: Finds_records
 UnicodeCompression: True

Revised Yes/No 1

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 735
 Description: Date of any revision
 DisplayControl: Text Box
 Format: Yes/No
 Ordinal Position: 51
 Required: False
 Source Field: Revised
 Source Table: Finds_records

Field Name	Field Type	Field Width
Box_no	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	True	
ColumnOrder:	Default	
ColumnWidth:	615	
Description:	Box in which stored	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	52	
Required:	False	
Source Field:	Box_no	
Source Table:	Finds_records	
UnicodeCompression:	True	
Illustrate	Yes/No	1
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	660	
Description:	Illustrate for publication?	
DisplayControl:	106	
Format:	Yes/No	
Ordinal Position:	53	
Required:	False	
Source Field:	Illustrate	
Source Table:	Finds_records	
On_display	Yes/No	1
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	825	
Description:	Was object in the museum display?	
DisplayControl:	106	
Format:	Yes/No	
Ordinal Position:	54	
Required:	False	
Source Field:	On_display	
Source Table:	Finds_records	
Seen	Yes/No	1
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	510	
Description:	Was object actually seen by researcher	
DisplayControl:	106	
Format:	Yes/No	
Ordinal Position:	55	
Required:	False	

Source Field: Seen
Source Table: Finds_records

Site_code_2		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	495		
Decimal Places:	Auto		
Default Value:	0		
Description:	Numeric element of site code, in this case designating year of excavation		
DisplayControl:	Text Box		
Ordinal Position:	56		
Required:	False		
Source Field:	Site_code_2		
Source Table:	Finds_records		

Properties


Date Created:	17/02/2011 16:56:09	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for handle form in form New Pot1
Last Updated:	17/02/2011 16:56:10	OrderByOn:	False
Orientation:	0	RecordCount:	5

Columns

Name	Type	Size
handle_form	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look-up for pottery vessel handle form	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	handle_form	
Source Table:	handle_form	
UnicodeCompression:	True	

Relationships

{4ACEBB76-CBF2-40B9-A0CF-8EE9FB4B090D}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
handle form	1
Clustered:	False
Distinct Count:	5
Foreign:	False
Ignore Nulls:	False
Name:	handle form
Primary:	False
Required:	False
Unique:	False
Fields:	handle_form, Ascending

Properties

DatasheetFontHeight:	10	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	33554432
Date Created:	17/02/2011 16:56:10	Def. Updatable:	True
Default View:	Datasheet	Description:	Table detailing post-medieval pottery
Last Updated:	17/02/2011 16:56:10	OrderByOn:	True
Orientation:	0	RecordCount:	2100
Tabular Char Set:	0	Tabular Family:	18

Columns

Name	Type	Size
Oxidised_or_reduced	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Bound Column:	1	
Caption:	Ox/Red	
Collating Order:	General	
Column Count:	1	
Column Heads:	False	
Column Widths:	1440	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1965	
Description:	oxidisation or reduction of fabric	
DisplayControl:	Combo Box	
IMEMode:	0	
IMESentenceMode:	3	
Limit To List:	False	
List Rows:	8	
List Width:	1440twip	
Ordinal Position:	0	
Required:	False	
Row Source Type:	Table/Query	
Row Source:	SELECT DISTINCTROW [reduced?].[Oxid] FROM [reduced?];	
Source Field:	Oxidised_or_reduced	
Source Table:	New_pot	
UnicodeCompression:	True	
fabric_texture	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Bound Column:	1	
Caption:	texture	
Collating Order:	General	
Column Count:	1	
Column Heads:	False	
Column Widths:	1440	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	915	
Description:	description of fabric texture - look-up table	
DisplayControl:	Combo Box	

IMEMode: 0
IMESentenceMode: 3
Limit To List: False
List Rows: 8
List Width: 1440twip
Ordinal Position: 1
Required: False
Row Source Type: Table/Query
Row Source: SELECT DISTINCTROW [fabric texture].[fabric texture] FROM [fabric texture];
Source Field: fabric_texture
Source Table: New_pot
UnicodeCompression: True

hardness Text 50

AllowZeroLength: False
Attributes: Variable Length
Bound Column: 1
Collating Order: General
Column Count: 1
Column Heads: False
Column Widths: 1440
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 825
Description: description of fabric hardness - look-up table
DisplayControl: Combo Box
IMEMode: 0
IMESentenceMode: 3
Limit To List: False
List Rows: 8
List Width: 1440twip
Ordinal Position: 2
Required: False
Row Source Type: Table/Query
Row Source: SELECT DISTINCTROW [fabric hardness].[hardness] FROM [fabric hardness];
Source Field: hardness
Source Table: New_pot
UnicodeCompression: True

colour_fabric Text 50

AllowZeroLength: False
Attributes: Variable Length
Bound Column: 1
Caption: colour fabric
Collating Order: General
Column Count: 1
Column Heads: False
Column Widths: 1440
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1710
Description: description of fabric colour - look-up table
DisplayControl: Combo Box
IMEMode: 0
IMESentenceMode: 3

Limit To List: False
List Rows: 8
List Width: 1440twip
Ordinal Position: 3
Required: False
Row Source Type: Table/Query
Row Source: SELECT DISTINCTROW [colour].[colour] FROM [colour];
Source Field: colour_fabric
Source Table: New_pot
UnicodeCompression: True

colour_core Text 50

AllowZeroLength: False
Attributes: Variable Length
Bound Column: 1
Caption: colour core
Collating Order: General
Column Count: 1
Column Heads: False
Column Widths: 1440
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 915
Description: description of fabric core colour - look-up table
DisplayControl: Combo Box
IMEMode: 0
IMESentenceMode: 3
Limit To List: False
List Rows: 8
List Width: 1440twip
Ordinal Position: 4
Required: False
Row Source Type: Table/Query
Row Source: SELECT DISTINCTROW [colour].[colour] FROM [colour];
Source Field: colour_core
Source Table: New_pot
UnicodeCompression: True

colour_surfaces Text 50

AllowZeroLength: False
Attributes: Variable Length
Bound Column: 1
Caption: colour surfaces
Collating Order: General
Column Count: 1
Column Heads: False
Column Widths: 1440
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1560
Description: description of vessel surface colour - look-up table
DisplayControl: Combo Box
IMEMode: 0
IMESentenceMode: 3
Limit To List: False
List Rows: 8
List Width: 1440twip
Ordinal Position: 5
Required: False

Row Source Type: Table/Query
 Row Source: SELECT DISTINCTROW [colour].[colour] FROM [colour];
 Source Field: colour_surfaces
 Source Table: New_pot
 UnicodeCompression: True

colour_glaze Text 50

AllowZeroLength: False
 Attributes: Variable Length
 Bound Column: 1
 Caption: colour glaze
 Collating Order: General
 Column Count: 1
 Column Heads: False
 Column Widths: 1440
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1290
 Description: description of glaze colour - look-up table
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 Limit To List: False
 List Rows: 8
 List Width: 1440twip
 Ordinal Position: 6
 Required: False
 Row Source Type: Table/Query
 Row Source: SELECT DISTINCTROW [colour].[colour] FROM [colour];
 Source Field: colour_glaze
 Source Table: New_pot
 UnicodeCompression: True

splashes_only Yes/No 1

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 Description: is glaze restricted to splashes
 DisplayControl: 106
 Format: Yes/No
 Ordinal Position: 7
 Required: False
 Source Field: splashes_only
 Source Table: New_pot

sooted Yes/No 1

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 225
 Description: is vessel sooted or not
 DisplayControl: 106
 Format: Yes/No
 Ordinal Position: 8

	Required:	False		
	Source Field:	sooted		
	Source Table:	New_pot		
body			Number (Long)	4
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	405		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	quantification of body fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	9		
	Required:	False		
	Source Field:	body		
	Source Table:	New_pot		
rim			Number (Long)	4
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	315		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	quantification of rim fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	10		
	Required:	False		
	Source Field:	rim		
	Source Table:	New_pot		
base			Number (Long)	4
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	375		
	Decimal Places:	Auto		
	Default Value:	0		
	Description:	quantification of base fragments		
	DisplayControl:	Text Box		
	Ordinal Position:	11		
	Required:	False		
	Source Field:	base		
	Source Table:	New_pot		
handle			Number (Long)	4
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	360		

Decimal Places: Auto
 Default Value: 0
 Description: quantification of handle fragments
 DisplayControl: Text Box
 Ordinal Position: 12
 Required: False
 Source Field: handle
 Source Table: New_pot

quantity Number (Long) 4

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 405
 Decimal Places: Auto
 Default Value: 0
 Description: quantification of all fragments
 DisplayControl: Text Box
 Ordinal Position: 13
 Required: False
 Source Field: quantity
 Source Table: New_pot

OR Number (Long) 4

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 555
 Decimal Places: Auto
 Default Value: 0
 Description: object record number, allocated per bag of pottery, assigned in post-
 excavation - superceeds original SF number
 DisplayControl: Text Box
 Ordinal Position: 14
 Required: False
 Source Field: OR
 Source Table: New_pot

context Number (Long) 4

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 720
 Decimal Places: Auto
 Default Value: 0
 Description: original context number allocated on site
 DisplayControl: Text Box
 Ordinal Position: 15
 Required: False
 Source Field: context
 Source Table: New_pot

form		Text	50
AllowZeroLength:	False		
Attributes:	Variable Length		
Bound Column:	1		
Caption:	rim form		
Collating Order:	General		
Column Count:	1		
Column Heads:	False		
Column Widths:	1440		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1995		
Description:	description of form - look-up table		
DisplayControl:	Combo Box		
IMEMode:	0		
IMESentenceMode:	3		
Limit To List:	False		
List Rows:	8		
List Width:	1440twip		
Ordinal Position:	16		
Required:	False		
Row Source Type:	Table/Query		
Row Source:	SELECT DISTINCTROW [rim form].[form] FROM [rim form];		
Source Field:	form		
Source Table:	New_pot		
UnicodeCompression:	True		

base_form		Text	50
AllowZeroLength:	False		
Attributes:	Variable Length		
Bound Column:	1		
Collating Order:	General		
Column Count:	1		
Column Heads:	False		
Column Widths:	1440		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	960		
Description:	description of form of base - look-up table		
DisplayControl:	Combo Box		
IMEMode:	0		
IMESentenceMode:	3		
Limit To List:	False		
List Rows:	8		
List Width:	1440twip		
Ordinal Position:	17		
Required:	False		
Row Source Type:	Table/Query		
Row Source:	SELECT DISTINCTROW [base form].[Base form] FROM [base form];		
Source Field:	base_form		
Source Table:	New_pot		
UnicodeCompression:	True		

handle_form		Text	50
AllowZeroLength:	False		
Attributes:	Variable Length		
Bound Column:	1		
Collating Order:	General		
Column Count:	1		

Column Heads: False
 Column Widths: 1440
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 615
 Description: description of form of handle - look-up table
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 Limit To List: False
 List Rows: 8
 List Width: 1440twip
 Ordinal Position: 18
 Required: False
 Row Source Type: Table/Query
 Row Source: SELECT DISTINCTROW [handle form].[handle form] FROM [handle form];
 Source Field: handle_form
 Source Table: New_pot
 UnicodeCompression: True

fabric Number (Long) 4

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 675
 Decimal Places: Auto
 Default Value: 0
 Description: number of fabric - see fabric table for full descriptions
 DisplayControl: Text Box
 Ordinal Position: 19
 Required: False
 Source Field: fabric
 Source Table: New_pot

Vessel_type Text 50

AllowZeroLength: False
 Attributes: Variable Length
 Bound Column: 1
 Caption: vessel form
 Collating Order: General
 Column Count: 1
 Column Heads: False
 Column Widths: 1440
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 Description: description of vessel type - look-up table
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 Limit To List: False
 List Rows: 8
 List Width: 1440twip
 Ordinal Position: 20
 Required: False

Row Source Type: Table/Query
 Row Source: SELECT DISTINCTROW [Vessel type].[Vessel type] FROM [Vessel type];
 Source Field: Vessel_type
 Source Table: New_pot
 UnicodeCompression: True

decoration Text 50

AllowZeroLength: False
 Attributes: Variable Length
 Bound Column: 1
 Collating Order: General
 Column Count: 1
 Column Heads: False
 Column Widths: 1440
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1275
 Description: description of vessel decoration
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 Limit To List: False
 List Rows: 8
 List Width: 1440twip
 Ordinal Position: 21
 Required: False
 Row Source Type: Table/Query
 Row Source: SELECT DISTINCTROW [decoration].[decoration] FROM [decoration];
 Source Field: decoration
 Source Table: New_pot
 UnicodeCompression: True

date Text 50

AllowZeroLength: False
 Attributes: Variable Length
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1245
 Description: date range for fabric type
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 Ordinal Position: 22
 Required: False
 Source Field: date
 Source Table: New_pot
 UnicodeCompression: True

illustrate Yes/No 1

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth:	555		
Description:	suggested for illustration in publication - not always used		
DisplayControl:	106		
Format:	Yes/No		
Ordinal Position:	23		
Required:	False		
Source Field:	illustrate		
Source Table:	New_pot		
original_notes		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	735		
Decimal Places:	Auto		
Default Value:	0		
Description:	researchers original notes, page number		
DisplayControl:	Text Box		
Ordinal Position:	24		
Required:	False		
Source Field:	original_notes		
Source Table:	New_pot		
fabric_checked		Yes/No	1
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	570		
Description:	check on correct fabric description		
DisplayControl:	106		
Format:	Yes/No		
Ordinal Position:	25		
Required:	False		
Source Field:	fabric_checked		
Source Table:	New_pot		
weight_grams		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	570		
Decimal Places:	Auto		
Default Value:	0		
Description:	weight of sherd or sherd group		
DisplayControl:	Text Box		
Ordinal Position:	26		
Required:	False		
Source Field:	weight_grams		
Source Table:	New_pot		
second_check		Yes/No	1
AllowZeroLength:	False		
Attributes:	Fixed Size		

Collating Order: General
ColumnHidden: True
ColumnOrder: Default
ColumnWidth: 1275
Description: internal check in post-excavation
DisplayControl: 106
Format: Yes/No
Ordinal Position: 27
Required: False
Source Field: second_check
Source Table: New_pot

Code1 Text 50

AllowZeroLength: False
Attributes: Variable Length
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 495
Default Value: "NP"
Description: Letters of site code
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
Ordinal Position: 28
Required: False
Source Field: Code1
Source Table: New_pot
UnicodeCompression: True

Code2 Number (Long) 4

AllowZeroLength: False
Attributes: Fixed Size
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 750
Decimal Places: Auto
Default Value: 0
Description: Year numbers of site code
DisplayControl: Text Box
Ordinal Position: 29
Required: False
Source Field: Code2
Source Table: New_pot

Site_subdiv Number (Long) 4

AllowZeroLength: False
Attributes: Fixed Size
Collating Order: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1290
Decimal Places: Auto
Default Value: 0
Description: Excavation trench number
DisplayControl: Text Box
Ordinal Position: 30
Required: False

Source Field:	Site_subdiv		
Source Table:	New_pot		
No_vessels		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	855		
Decimal Places:	Auto		
Default Value:	0		
Description:	Number of vessels represented		
DisplayControl:	Text Box		
Ordinal Position:	31		
Required:	False		
Source Field:	No_vessels		
Source Table:	New_pot		
Notes		Memo	-
AllowZeroLength:	False		
Attributes:	Variable Length		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3105		
Description:	Researcher's aide memoire		
IMEMode:	0		
IMESentenceMode:	3		
Ordinal Position:	32		
Required:	False		
Source Field:	Notes		
Source Table:	New_pot		
UnicodeCompression:	True		
Rim_diam		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1417		
Decimal Places:	Auto		
Default Value:	0		
Description:	Diameter of rim in millimetres		
DisplayControl:	Text Box		
Ordinal Position:	33		
Required:	False		
Source Field:	Rim_diam		
Source Table:	New_pot		
Base_Diam		Number (Long)	4
AllowZeroLength:	False		
Attributes:	Fixed Size		
Collating Order:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1417		
Decimal Places:	Auto		

Default Value: 0
 Description: Diameter of base in millimetres
 DisplayControl: Text Box
 Ordinal Position: 34
 Required: False
 Source Field: Base_Diam
 Source Table: New_pot

Height Number (Long) 4


AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1417
 Decimal Places: Auto
 Default Value: 0
 Description: Estimated height of vessel in millimetres
 DisplayControl: Text Box
 Ordinal Position: 35
 Required: False
 Source Field: Height
 Source Table: New_pot

New_context Number (Long) 4

AllowZeroLength: False
 Attributes: Fixed Size
 Collating Order: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 1417
 Decimal Places: Auto
 Default Value: 0
 Description: Context number allocated during post excavation
 DisplayControl: Text Box
 Ordinal Position: 36
 Required: False
 Source Field: New_context
 Source Table: New_pot


Relationships

{4ACEBB76-CBF2-40B9-A0CF-8EE9FB4B090D}




Attributes: Not Enforced
 Attributes: Indeterminate

{5A08A3A2-6C4E-4C87-BB0A-7518C9C8D16B}




Attributes: Indeterminate
Attributes: Not Enforced

{6332AF15-3E42-4836-B5A9-D4DBF134465D}




Attributes: Indeterminate
Attributes: Not Enforced

{6B155F02-A1F5-4382-B16F-714B00F9DD20}




Attributes: Indeterminate
Attributes: Not Enforced

{745F7293-1227-45F5-9E01-AB33510CCA07}




Attributes: Not Enforced
Attributes: Indeterminate

{7E4C13B8-54B6-4C17-9F20-E4456F7A6702}




Attributes: Not Enforced
Attributes: Indeterminate

{7E5765F6-73E8-46B3-A5EE-E2375C847FE5}




Attributes: Indeterminate
 Attributes: Not Enforced

{88FA4E6D-513C-4D63-BBF4-09D54B38B1EE}




Attributes: Indeterminate
 Attributes: Not Enforced

{AA56E05D-B0C8-4E0E-9FC4-28DC3D579B26}



Attributes: Indeterminate
 Attributes: Not Enforced

{B4862511-0DF7-4D44-BD2B-D9F6DACFD19C}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
Code1	1
Clustered:	False
Distinct Count:	2
Foreign:	False
Ignore Nulls:	False
Name:	Code1
Primary:	False
Required:	False
Unique:	False
Fields:	Code1, Ascending
Code2	1

	Clustered:	False
	Distinct Count:	15
	Foreign:	False
	Ignore Nulls:	False
	Name:	Code2
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	Code2, Ascending
Oxid		1
	Clustered:	False
	Distinct Count:	6
	Foreign:	False
	Ignore Nulls:	False
	Name:	Oxid
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	Oxidised_or_reduced, Ascending

Properties

DatasheetFontHeight:	10	DatasheetFontItalic:	False
DatasheetFontName:	Times New Roman	DatasheetFontUnderline:	False
DatasheetFontWeight:	Normal	DatasheetForeColor:	0
Date Created:	17/02/2011 16:56:10	Def. Updatable:	True
Default View:	Datasheet	Description:	Table of post-medieval vessels suitable for illustration
Last Updated:	17/02/2011 16:56:11	OrderByOn:	True
Orientation:	0	RecordCount:	665
RowHeight:	225	Tabular Char Set:	0
Tabular Family:	18		

Columns

Name	Type	Size
Record_sheet	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1125	
Decimal Places:	Auto	
Default Value:	0	
DisplayControl:	Text Box	
Ordinal Position:	0	
Required:	False	
Source Field:	Record_sheet	
Source Table:	Profile_register	
Illus_number	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	900	
Decimal Places:	Auto	
Default Value:	0	
DisplayControl:	Text Box	
Ordinal Position:	1	
Required:	False	
Source Field:	Illus_number	
Source Table:	Profile_register	
Fabric	Number (Long)	4
AllowZeroLength:	False	
Attributes:	Fixed Size	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	615	
Decimal Places:	Auto	
Default Value:	0	

	DisplayControl:	Text Box	
	Ordinal Position:	2	
	Required:	False	
	Source Field:	Fabric	
	Source Table:	Profile_register	
trench			Number (Long) 4
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1035	
	Decimal Places:	Auto	
	Default Value:	0	
	DisplayControl:	Text Box	
	Ordinal Position:	3	
	Required:	False	
	Source Field:	trench	
	Source Table:	Profile_register	
context			Number (Long) 4
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	810	
	Decimal Places:	Auto	
	Default Value:	0	
	DisplayControl:	Text Box	
	Ordinal Position:	4	
	Required:	False	
	Source Field:	context	
	Source Table:	Profile_register	
new_context			Number (Long) 4
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	360	
	Decimal Places:	Auto	
	Default Value:	0	
	DisplayControl:	Text Box	
	Ordinal Position:	5	
	Required:	False	
	Source Field:	new_context	
	Source Table:	Profile_register	
diam			Number (Long) 4
	AllowZeroLength:	False	
	Attributes:	Fixed Size	
	Collating Order:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	660	
	Decimal Places:	Auto	

	Default Value:	0		
	DisplayControl:	Text Box		
	Ordinal Position:	6		
	Required:	False		
	Source Field:	diam		
	Source Table:	Profile_register		
Form			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	7		
	Required:	False		
	Source Field:	Form		
	Source Table:	Profile_register		
	UnicodeCompression:	True		
Rim			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2700		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	8		
	Required:	False		
	Source Field:	Rim		
	Source Table:	Profile_register		
	UnicodeCompression:	True		
Other_decoration			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Collating Order:	General		
	ColumnHidden:	True		
	ColumnOrder:	Default		
	ColumnWidth:	1140		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	Ordinal Position:	9		
	Required:	False		
	Source Field:	Other_decoration		
	Source Table:	Profile_register		
	UnicodeCompression:	True		
illus			Yes/No	1
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DisplayControl:	106
Format:	Yes/No
Ordinal Position:	10
Required:	False
Source Field:	illus
Source Table:	Profile_register

Properties


Date Created:	17/02/2011 16:56:11	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for fabric in form New Pot1
Last Updated:	17/02/2011 16:56:11	OrderByOn:	False
Orientation:	0	RecordCount:	3

Columns

Name	Type	Size
Oxid	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	whether vessel fabric reduced of oxidised - look-up table	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	Oxid	
Source Table:	reduced	
UnicodeCompression:	True	

Relationships

{6332AF15-3E42-4836-B5A9-D4DBF134465D}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
Oxid	1
Clustered:	False
Distinct Count:	3
Foreign:	False
Ignore Nulls:	False
Name:	Oxid
Primary:	False
Required:	False
Unique:	False
Fields:	Oxid, Ascending

Properties


Date Created:	17/02/2011 16:56:11	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for rim-forms in form New Pot1
Last Updated:	17/02/2011 16:56:11	OrderByOn:	False
Orientation:	0	RecordCount:	4

Columns

Name	Type	Size
rim_form	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	look up table for rim form	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	rim_form	
Source Table:	rim_form	
UnicodeCompression:	True	

Relationships

{88FA4E6D-513C-4D63-BBF4-09D54B38B1EE}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
form	1
Clustered:	False
Distinct Count:	4
Foreign:	False
Ignore Nulls:	False
Name:	form
Primary:	False
Required:	False
Unique:	False
Fields:	rim_form, Ascending

Properties


Date Created:	17/02/2011 16:56:11	Def. Updatable:	True
Default View:	Datasheet	Description:	Look-up table for pottery input using form New Pot1
Last Updated:	17/02/2011 16:56:11	OrderByOn:	True
Orientation:	0	RecordCount:	12

Columns

Name	Type	Size
Vessel_type	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Description:	standardised vessel types - look-up table	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
Ordinal Position:	0	
Required:	False	
Source Field:	Vessel_type	
Source Table:	Vessel_type	
UnicodeCompression:	True	

Relationships

{AA56E05D-B0C8-4E0E-9FC4-28DC3D579B26}



Attributes: Not Enforced
 Attributes: Indeterminate

Table Indexes

Name	Number of Fields
Vessel type	1
Clustered:	False
Distinct Count:	12
Foreign:	False
Ignore Nulls:	False
Name:	Vessel type
Primary:	False
Required:	False
Unique:	False
Fields:	Vessel_type, Ascending

