

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA REPORT ON GEOPHYSICAL SURVEY, AUGUST 2013

Neil Linford, Paul Linford and Andrew Payne



This report has been prepared for use on the internet and the images within it have been down-sampled to optimise downloading and printing speeds.

Please note that as a result of this down-sampling the images are not of the highest quality and some of the fine detail may be lost. Any person wishing to obtain a high resolution copy of this report should refer to the ordering information on the following page.

**LAKES AND DALES NAIS,
GOWREY FARM, HIGH CASTERTON, CUMBRIA**

REPORT ON GEOPHYSICAL SURVEY, AUGUST 2013

Neil Linford, Paul Linford and Andrew Payne

NGR: SD 633 780

© English Heritage

ISSN 2046-9799 (Print)

ISSN 2046-9802 (Online)

The Research Report Series incorporates reports by the expert teams within the Investigation & Analysis Division of the Heritage Protection Department of English Heritage, alongside contributions from other parts of the organisation. It replaces the former Centre for Archaeology Reports Series, the Archaeological Investigation Report Series, the Architectural Investigation Report Series, and the Research Department Report Series.

Many of the Research Reports are of an interim nature and serve to make available the results of specialist investigations in advance of full publication. They are not usually subject to external refereeing, and their conclusions may sometimes have to be modified in the light of information not available at the time of the investigation. Where no final project report is available, readers must consult the author before citing these reports in any publication. Opinions expressed in Research Reports are those of the author(s) and are not necessarily those of English Heritage.

*Requests for further hard copies, after the initial print run, can be made by emailing:
Res.reports@english-heritage.org.uk
or by writing to:*

*English Heritage, Fort Cumberland, Fort Cumberland Road, Eastney, Portsmouth PO4 9LD
Please note that a charge will be made to cover printing and postage.*

SUMMARY

A caesium magnetometer survey was conducted at Gowrey Farm, High Casterton, Cumbria as part of the National Archaeological Identification Surveys: Upland Pilot (RASMIS 6304) to recover evidence for the continuation of the well preserved coaxial field boundaries found in the adjacent upland area of High Park. It was hoped that rapid, large scale magnetic survey may help determine whether the coaxial field systems once extended further towards the Lune valley, and still survive as detectable geophysical anomalies in areas of improved pasture where any surface expression has been removed. The geophysical response over a survey area of 9.7ha, encompassing a 0.92km N-S transect bordering the upland area, was dominated by networks of land drains related to land improvement. Despite these limitations a number of very tentative linear magnetic trends may correlate with the possible continuation of the coaxial boundaries.

CONTRIBUTORS

The field work was conducted by Neil Linford, Paul Linford and Andy Payne from the English Heritage Geophysics Team.

ACKNOWLEDGEMENTS

The authors wish to express their thanks to the land owners, Mr Stephen Woodhouse and his father at Gowrey Farm, for granting access to their farmland to allow the survey to take place and for supporting the fieldwork while it was in progress.

ARCHIVE LOCATION

Fort Cumberland.

DATE OF FIELDWORK AND REPORT

The fieldwork was conducted between 7th and 8th August 2013. The report was completed on 9th December 2013. The report cover shows a view of the survey in progress in Area C adjacent to the Eller Beck with the well preserved upland archaeological landscape of High Park visible in the background.

CONTACT DETAILS

Andy Payne, Geophysics Team, English Heritage, Fort Cumberland, Fort Cumberland Road, Eastney, Portsmouth, PO4 9LD.; tel. 02392 856750; email andy.payne@english-heritage.org.uk

CONTENTS

Introduction	1
Method	2
Magnetic Survey	2
Results	3
Magnetic survey	3
General response.....	3
Area A.....	3
Area B.....	4
Areas C and D	4
List of enclosed figures	6
References.....	7

INTRODUCTION

Caesium magnetometer survey was conducted over four separate pasture fields at Gowrey Farm (centred on NGR SD 633780) as part of the Upland pilot of the National Archaeological Identification Survey (NAIS) programme (NAIS Upland, Lakes and Dales; NHPP Project Number 3A4.312, RaSMIS 6304). The NAIS Upland pilot project covers the Arnside & Silverdale AONB together with parts of the proposed extensions to the Yorkshire Dales and Lake District National Parks, and aims to improve both the understanding of known sites and also include areas where the current archaeological record is sparse (Oakey 2013). The results of the project will directly feed into the management of these protected landscapes.

Geophysical survey was included in the project to complement the initial aerial investigation on selected sites in the Lune Valley, where ground-based methods could potentially enhance the assessment of the archaeological evidence (Linford *et al*/2013a, 2013b; 2013c). The aim of the geophysical survey at Gowrey Farm was to test whether rapid, vehicle towed magnetic survey could provide a means to investigate the possible continuation of well preserved coaxial field boundaries, found in the upland to the east around High Park (SAM 1019016; Jecock 1998), down towards the Lune Valley. Agricultural land improvement together with other processes of soil erosion or deposition question the survival of the coaxial field systems in the areas of improved pasture, where the NAIS project hopes to establish whether these were, perhaps, once more extensive.

The land at Gowrey is situated on Carboniferous Mudstone, Siltstone and Sandstone of the Millstone Grit Group overlain by shallow well drained fine loamy and fine silty soils of the 541j Denbigh I association (Soil Survey of England and Wales 1983; British Geological Survey (NERC) 2013). No superficial deposits are mapped in the area, although the local near surface geology has probably been influenced by fluvio-glacial processes. At the time of the survey the land was down to grass and weather conditions during the field work were generally warm, dry and sunny.




Figure 1: Aerial photograph of the well preserved upland archaeological landscape of the High Park area (right side of photograph) where numerous coaxial linear boundaries survive as visible surface features. The areas (A-D) selected for geophysical survey lie beyond the belts of woodland in the top-left portion of the photograph (28364/029 11-DEC-2012 © English Heritage)

METHOD

The survey was conducted over an approximately 1 km long N-S linear transect located in accessible fields as close as possible to the projected line of the coaxial field systems trending down off the adjacent upland (Figures 2 and 9). Access was restricted, in part, due to the presence of hay crops and the unsuitable nature of the terrain in some areas.

Magnetic Survey

The magnetometer data was collected along the instrument swaths shown on Figure 2 using an array of six high sensitivity Geometrics G862 caesium vapour magnetometer sensors mounted on a non-magnetic sledge. This sledge was towed behind a low impact, all-terrain vehicle (ATV) which also provided the power supply and housed the data logging electronics. Five of the sensors were mounted in a linear array transverse to the direction of travel 0.5m apart and, vertically, ~0.2m above the ground surface. The sixth was fixed 1.0m directly above the central magnetometer in the array to act as a gradient sensor. The sensors were set to sample at a rate of 16 Hz based on the typical average travel speed of the ATV (3.2m/s) giving a sampling density of ~0.2m by 0.5m along successive swaths. Each swath was separated from the last by approximately 2.5m,

navigation and positional control being achieved using a Trimble 4700 series Global Positioning System (GPS) receiver mounted on the sensor platform 1.75m in front of the central sensor. Sensor output and survey location was monitored during acquisition to ensure data quality and minimise the risk of gaps in the coverage due to the use of a grid-less system.

After data collection the corresponding readings from the gradient sensor were subtracted from the measurements made by the other five magnetometers to remove any transient magnetic field effects caused by the towing ATV. The median value of each instrument traverse was then adjusted to zero by subtracting a running median value calculated over a 60m 1D window. This operation corrects for slight biases added to the measurements owing to the diurnal variation of the Earth's magnetic field and any slight directional sensitivity of the sensors. A linear greyscale image of the combined magnetic data is shown superimposed over the base Ordnance Survey (OS) mapping on Figure 3 and minimally processed versions of the range truncated data ($\pm 50\text{nT}$) are shown as traceplots and linear greyscale images in Figures 4 to 7.

RESULTS

Magnetic survey

A graphical summary of the significant magnetic anomalies, [m1-26], discussed in the following text, superimposed on the base OS map data, is provided in Figure 8.

General response

The background response appears to be quieter and more uniform than at the other selected sites surveyed in the project area suggesting less natural magnetic variation from the underlying Millstone Grit geology (Linford *et al* 2013a, 2013b; 2013c).

Area A

This was the most easterly field where survey could be attempted bordering the adjacent High Park scheduled area, but was only partially covered due to the uneven nature of the terrain.

Two networks of diagonal ceramic field drains are found to the north [m1] and south [m2] of Area A, together forming a herring-bone pattern that most probably fall through a central drain [m3], that flows through a brick structure causing an intense magnetic disturbance [m4] into the pond to the west. A number of very weak positive and negative linear trends [m5-9] follow similar alignments to the extant coaxial field boundaries on the higher ground to the east (*cf* Figure 9), but the significance of these extremely tentative anomalies is difficult to assess. Only one of these anomalies, [m8], correlates with the

projected orientation of one of earthworks from the upland, and may possibly be associated with a very weak curvilinear response [m10], but this remains a highly tentative interpretation given the low magnitude of the response (~0.5 to 0.7 nT/m).

Area B

A further system of ceramic field drains [m11] are found in the north of Area B, probably drawing water down towards the stream to the east, and maybe associated with a similar, orthogonal anomaly [m12]. Areas of slightly raised positive [m13] and negative [m14] response may be evidence of former natural drainage patterns or a reflection of variable soil depth. Two weak positive linear anomalies [m15 and m16] may, tentatively, be associated with the continuation of the coaxial field systems, due to their WSW-ENE orientation, but they are not well resolved. Large areas of intense magnetic disturbance associated with near surface ferrous material of recent origin occur at [m17-19]. Finally, a cluster of strong positive anomalies (up to 15 nT/m in magnitude) at [m20] may, tentatively, be indicative of more significant occupation activity potentially consisting of pits, hearths and possible circular gullies.

Areas C and D

The network of N-S aligned ceramic field drains [m21] found to the west of Area C is possibly associated with a double linear anomaly [m22] that may carry water down from the higher ground. A second network of field drains [m23] to the east has a different geophysical response to [m21], possibly indicating they were laid in two distinct phases, alternative construction materials or, perhaps, a varying state of survival. Strongly magnetic material, likely to be of relatively recent origin, occurs at [m24] close to the banks of the Eller Beck. A very weak group of linear parallel trends [m25] may, possibly, represent a continuation of the coaxial field systems, although this is again based largely on the coincidental alignment of the magnetic anomalies with the extant earthworks found further to the east (cf Figure 9). The curvilinear bank or scarp-type earthwork mapped by aerial photography in Area C has produced a weak negative response [m26], but does not suggest any definitive interpretation.

CONCLUSION

Land improvement at Gowrey Farm through the widespread introduction of ceramic field drains has had a strong effect on the magnetic survey and, possibly, also the preservation of any surviving archaeological features. Linear earthworks (probable lynchets) mapped by aerial photography in the survey areas have only been partially replicated in the magnetic data, although it is unclear whether this is due to disturbance from the introduction of the land drains, the efficacy of the geophysical technique at the site or the nature of the underlying causative features (cf Figure 9). Some limited evidence for the continuation of the coaxial field systems from the upland to the east has been found through a number of

very weakly resolved linear magnetic trends. However, further investigation would be required to confirm this interpretation and assess the extent to which magnetic survey has proved effective for detecting significant archaeological remains. The use of a vehicle towed caesium magnetic array has allowed a substantial area available at the time of the survey to be covered and has proved effective at other sites within the project area (Linford *et al*/2013a, 2013b; 2013c). Other geophysical techniques, for example earth resistance survey, could be tested at the site although they are likely to meet with similar problems due to the terrain and would be unable to cover the large areas required to be confident of covering a sufficient sample of the coaxial field systems extending from the adjacent scheduled area of upland at High Park.

LIST OF ENCLOSED FIGURES


- Figure 1* Aerial photograph of the geophysical survey areas relative to the adjacent well preserved upland archaeological landscape at High Park (28364/029 11-DEC-2012 © English Heritage).
- Figure 2* Location of the geophysical survey instrument swaths, August 2013, superimposed over the base OS mapping data (1:3000).
- Figure 3* Location of the caesium magnetometer survey superimposed over the base OS mapping data (1:3000).
- Figure 4* Traceplot (A) and linear greyscale image (B) of the minimally processed caesium magnetometer data from Area A. In the traceplot alternate survey lines have been removed to improve clarity (1:1000).
- Figure 5* Traceplot (A) and linear greyscale image (B) of the minimally processed caesium magnetometer data from Area B. In the traceplot alternate survey lines have been removed to improve clarity (1:1000).
- Figure 6* Traceplot of the minimally processed caesium magnetometer data from Areas C and D. Alternate survey lines have been removed to improve clarity (1:1000).
- Figure 7* Linear greyscale image of the minimally processed caesium magnetometer data from Areas C and D (1:1000).
- Figure 8* Graphical summary of significant magnetic anomalies (1:3000).
- Figure 9* Comparison between the geophysical and aerial photographic anomalies mapped within the adjacent High Park SAM to the east superimposed over the base Ordnance Survey mapping (1:5000).

REFERENCES

- British Geological Survey (NERC) 2013 OpenGeoscience, Geology of Britain, map viewer. Geological Survey of England and Wales 1892 One Inch Geology Map Series - Sheet 49 Kirkby Lonsdale. [web page]; <http://www.bgs.ac.uk/data/mapViewers/home.html>. [Accessed 22/11/2013].
- Jecock, M 1998 *'High Park, Lancashire and Cow Close, Cumbria, an Archaeological Survey Report'*. RCHME.
- Linford, N, Linford, P and Payne, A 2013a *'Lakes and Dales NAIS, Howerigg Settlement, Barbon, Cumbria. Report on Geophysical Survey, July 2013'*. English Heritage **58-2013**.
- Linford, N, Linford, P and Payne, A 2013b *'Lakes and Dales NAIS, Millbeck Farm, Middleton, Cumbria. Report on Geophysical Survey, July 2013'*. English Heritage **55-2013**.
- Linford, N, Linford, P, Payne, A and Hardwick, I 2013c *'Lakes and Dales NAIS, Kittridding Hill, Lupton, Cumbria. Report on Geophysical Survey, July 2013'*. English Heritage **56-2013**.
- Oakey, M 2013 National Archaeological Identification Survey: Upland Pilot, NHPP Project Number 3A4.312, Project Design Main Stage, English Heritage, Heritage Protection & Planning Group, Heritage Protection Department.
- Soil Survey of England and Wales 1983 Soils of England and Wales: Sheet 1 - Northern England, 1:250,000 soil map. Harpenden, Lawes Agricultural Trust.

Figure 2

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Location of geophysical survey, August 2013



© Crown Copyright and database right
2013. All rights reserved. Ordnance
Survey Licence number 100019088.


0 90m
1:3000



magnetometer survey swaths


Figure 3

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Location of caesium magnetometer survey, August 2013




© Crown Copyright and database right
2013. All rights reserved. Ordnance
Survey Licence number 100019088.


0 90m
1:3000



(A) Traceplot of minimally processed caesium data from Area A



(B) Linear greyscale image of minimally processed caesium data from Area A






0 60m
1:1000

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Magnetometer surveys, August 2013

(A) Traceplot of minimally processed
caesium data from Area B


(B) Linear greyscale image of minimally
processed caesium data from Area B



0 60m
1:1000

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Magnetometer surveys, August 2013

Traceplot of minimally
processed caesium data
from Areas C and D



LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Magnetometer surveys, August 2013

Linear greyscale plot of
minimally processed caesium
data from Areas C and D

Figure 7




Figure 8

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA
Graphical summary of significant magnetic anomalies





Figure 9

LAKES AND DALES NAIS, GOWREY FARM, HIGH CASTERTON, CUMBRIA Location of geophysical anomalies relative to wider AP evidence





ENGLISH HERITAGE RESEARCH AND THE HISTORIC ENVIRONMENT

English Heritage undertakes and commissions research into the historic environment, and the issues that affect its condition and survival, in order to provide the understanding necessary for informed policy and decision making, for the protection and sustainable management of the resource, and to promote the widest access, appreciation and enjoyment of our heritage. Much of this work is conceived and implemented in the context of the National Heritage Protection Plan. For more information on the NHPP please go to <http://www.english-heritage.org.uk/professional/protection/national-heritage-protection-plan/>.

The Heritage Protection Department provides English Heritage with this capacity in the fields of building history, archaeology, archaeological science, imaging and visualisation, landscape history, and remote sensing. It brings together four teams with complementary investigative, analytical and technical skills to provide integrated applied research expertise across the range of the historic environment. These are:

- * Intervention and Analysis (including Archaeology Projects, Archives, Environmental Studies, Archaeological Conservation and Technology, and Scientific Dating)
- * Assessment (including Archaeological and Architectural Investigation, the Blue Plaques Team and the Survey of London)
- * Imaging and Visualisation (including Technical Survey, Graphics and Photography)
- * Remote Sensing (including Mapping, Photogrammetry and Geophysics)

The Heritage Protection Department undertakes a wide range of investigative and analytical projects, and provides quality assurance and management support for externally-commissioned research. We aim for innovative work of the highest quality which will set agendas and standards for the historic environment sector. In support of this, and to build capacity and promote best practice in the sector, we also publish guidance and provide advice and training. We support community engagement and build this in to our projects and programmes wherever possible.

We make the results of our work available through the Research Report Series, and through journal publications and monographs. Our newsletter *Research News*, which appears twice a year, aims to keep our partners within and outside English Heritage up-to-date with our projects and activities.

A full list of Research Reports, with abstracts and information on how to obtain copies, may be found on www.english-heritage.org.uk/researchreports

For further information visit www.english-heritage.org.uk

