

fam	gen	spe	Species	Common Name
77	15	1.2	<i>Agrimonia eupatoria/procera</i>	Agrimony
48	19	1	<i>Agrostemma githago</i>	corn cockle
122	12	1	<i>Ajuga reptans</i>	bugle
141	4	1	<i>Alisma plantago-aquatica</i>	water-plantain
141	4	0	<i>Alisma type</i>	water-plantain
42	2	1.02	<i>Alnus glutinosa</i> (female catkins/cones)	female catkins/cones
42	2	1.01	<i>Alnus glutinosa</i> (fruits)	alder fruits
42	2	1.04	<i>Alnus glutinosa</i> roots with <i>Frankia</i> sp.	bacteria on alder roots
42	2	1.03	<i>Alnus glutinosa</i> (male catkins)	alder male catkins
70	61	1	<i>Anagallis tenella</i>	bog pimpernel
157	56	3	<i>Anisantha sterilis</i> (L.) Nevski	barren brome
139	63	3	<i>Anthemis cotula</i>	stinking chamomile
77	20	1	<i>Aphanes arvensis</i>	parsley-piert
111	20	1	<i>Aethusa cynapium</i>	fool's parsley
111	30	1.2	<i>Apium graveolens/nodiflorum</i>	wild celery/fool's watercress
111	30	0	<i>Apium</i> sp.	celery/water-cress
157	32	1.1	<i>Arrhenatherum elatius</i> var. <i>bulbosum</i>	false oat-grass
139	0	0	Asteraceae (indet.)	
139	0	0.1	Asteraceae indet. (small)	
139	0	0.2	Asteraceae seed head.	
139	30	0	Asteraceae. <i>Taraxacum</i> type	dandelion
45	5	0	<i>Atriplex</i> sp.	orache
157	33.56	0	<i>Avena</i> L./ <i>Bromus</i> L. sp.	oat/brome
157	33	0.8	<i>Avena</i> sp. L. (awn)	oat awn
157	33	0	<i>Avena</i> sp. L. (grain)	oat grain
141	2	1	<i>Baldellia ranunculoides</i>	lesser water plantain
122	2	1	<i>Ballota nigra</i>	black horehound
64	11	1	<i>Barbarea vulgaris</i>	winter-cress
111	16	1	<i>Berula erecta</i>	lesser water-parsnip
45	6	1	<i>Beta vulgaris</i>	beetroot
42	1	3	<i>Betula nana</i> (cone scale)	dwarf birch
42	1	3	<i>Betula nana</i> (seed)	dwarf birch
42	1	0	<i>Betula</i> sp.	birch
42	1	0	<i>Betula</i> sp. (cone scale)	dwarf birch
42	1	0	<i>Betula</i> sp.(seed)	birch
139	90	1	<i>Bidens</i> cf. <i>cernua</i>	nodding bur-marigold
64	0	0	Brassicaceae (<i>Lepidium</i> , <i>Barbarea</i> etc.)	small indets. 1-2mm
157	56	0	<i>Bromus</i> sp. L.	brome
0.3	0	0	Bryophyta (leaf stem)	mosses
999	333	5	Bud indet.	
124	1	0	<i>Callitriche</i> sp.	water-starwort
124	1	3	<i>Callitriche stagnalis</i>	common water-starwort
30	1	1	<i>Caltha palustris</i>	common meadowrue
999	222	0	Capsule fragment indet.	
139	5.6	0	<i>Carduus/Cirsium</i> sp.	thistle
156	16	68/75	<i>Carex nigra/pulicaris</i>	common/flea sedge
156	16	0	<i>Carex</i> sp.	sedge
156	16	0.1	<i>Carex</i> sp. (flat)	sedge (lenticular)
156	16	0.11	<i>Carex</i> sp. (trigonous small)	sedge (trigonous)
156	16	0.12	<i>Carex</i> sp. (trigonous)	sedge (trigonous)
139	12	0	<i>Centaurea</i> sp. L.	knapweed
48	7	0	<i>Cerastium</i> sp.	mouse-ears
29	1	1	<i>Ceratophyllum demersum</i>	rigid hornwort
29	1	2	<i>Ceratophyllum submersum</i>	soft hornwort
79	21	0	cf. <i>Lathyrus</i> sp.	grass-pea
0.1	0	2	<i>Chara</i> (gametes)	stonewort
0.1	0	3	<i>Chara</i> cf. <i>oogonia</i>	stonewort
0.1	0	1	<i>Chara</i> stems	stonewort
AAA	A	1	Charcoal	charred wood indet.
157	0	0.9	Charred culm	grass/cereal stem
AAA	A	2	Charred indet. (tuber?)	
45	0	0	Chenopodiaceae indet.	goosefoot

45.48	0	0	Chenopodiaceae L./Caryophyllaceae L.	goosefoot/campion
45	1	23	<i>Chenopodium album</i>	fathen
45	1	18	<i>Chenopodium ficifolium</i>	fig-leaved goosefoot
45	1	16	<i>Chenopodium murale</i>	Nettle-leaved goosefoot
45	1	12	<i>Chenopodium polyspermum</i>	many-seeded goosefoot
45	1	10	<i>Chenopodium rubrum</i>	red goosefoot
139	64	1	<i>Chrysanthemum segetum</i>	corn marigold
111	35	1	<i>Cicuta virosa</i>	cowbane
122	18	5	<i>Clinopodium acinos</i>	basil thyme
AAA	B	2	Coal	
AAA	B	1	Coal/Vitrified Charcoal	
111	26	1	<i>Conium maculatum</i>	hemlock
86	1	1	<i>Cornus sanguinea</i>	dogwood
42	4	1	<i>Corylus avellana</i>	hazelnut
64	33	1	<i>Coronopus squamatus</i>	swine-cress
77	35	7	<i>Crataegus monogyna</i> (fruit stones)	hawthorn berries
77	35	7	<i>Crataegus monogyna</i> (thorns)	hawthorn berries
139	31	4	<i>Crepis tectorum</i>	hawks beard
156	0	0	Cyperaceae indet.	sedges
AAA	C	A	<i>Daphnia</i> s.p. (<i>Ehippium</i>)	water flea
128	15	1	<i>Digitalis</i> cf. <i>purpurea</i>	foxglove
156	3	1	<i>Eleocharis palustris</i>	common spike-rush
156	3	0	<i>Eleocharis</i> sp.	spike-rush
66	1	1	<i>Empetrum nigrum</i>	crowberry
86	1	0	<i>Epilobium</i> sp.	willowherb
139	98	1	<i>Eupatorium cannabinum</i> .	hemp-agrimony
93	3	9	<i>Euphorbia helioscopia</i>	sun spurge
49	5	4	<i>Fallopia convolvulus</i>	black bindweed
37	2	1	<i>Ficus carica</i>	fig
77	6	2	<i>Filipendula ulmaria</i>	meadowsweet
33	5	0	<i>Fumaria</i> sp.	fumitory
122	6	4	<i>Galeopsis</i> cf. <i>tetrahit</i>	common hemp-nettle
122	6	0	<i>Galeopsis</i> sp.	hemp-nettle
134	6	11	<i>Galium aparine</i>	cleavers
134	6	5	<i>Galium palustre</i>	marsh bedstraw
157	29	0	<i>Glyceria</i> sp.	sweet-grasses
139	33	0	<i>Hieracium</i> sp.	hawkweeds
123	1	1	<i>Hippuris vulgaris</i>	mare's-tail
157	65	1	<i>Hordeum vulgare</i> sl.	barley
36	2	1	<i>Humulus lupulus</i>	hop
139	98	1	<i>Eupatorium cannabinum</i> .	hemp agrimony
111	1	1	<i>Hydrocotyle vulgaris</i>	marsh pennywort
52.53	1	8	<i>Elantine hexandra</i> / <i>Hypericum</i> sp.	waterwort/St. John's wort
114	5	1	<i>Hyoscyamus niger</i>	henbane
139	20.21	2	<i>Hypochaeris glabra</i> / <i>Leontodon</i> sp.	cat's-ears/hawkbit
999	333	5.5	Indet. Catkin bud scale	
163	5	3	<i>Iris pseudacorus</i>	yellow iris
156	8	1	<i>Isolepis setacea</i>	bristle club-rush
155	1	0	<i>Juncus</i> sp.	rush
122	0	0	Lamiaceae indet.	dead-nettles
122	5	0	<i>Lamium</i> sp.	dead-nettle
122	5	1	<i>Lamium</i> cf. <i>album</i>	white dead-nettle
139	18	1	<i>Lapsana communis</i>	nipplewort
152	2	0	<i>Lemna</i> sp.	duckweeds
79	20	1	<i>Lens culinaris</i>	lentil
139	21.24	0	<i>Leontodon</i> / <i>Tragopogon</i>	hawkbits/goat's-beard
96	1	4	<i>Linum catharticum</i>	fairy flax
96	1	2	<i>Linum usitatissimum</i>	flax seeds
120	1	3	<i>Lithospermum arvense</i>	corn gromwell
157	16	1	<i>Lolium perenne</i> L.	rye grass
157	16	0	<i>Lolium</i> sp. (charred)	rye-grass
48	18	2	<i>Lychnis flos-cuculi</i>	ragged-robin
122	22	1	<i>Lycopus europaeus</i>	gypsywort
76	9	1.2	<i>Malus sylvestris</i> / <i>domestica</i>	apple

55	3	0	<i>Malva</i> sp. L.	mallow
79	27	1	<i>Medicago lupulina</i>	black medick
122	23	5	<i>Mentha</i> cf. <i>aquatica</i>	water mint
122	23	0	<i>Mentha</i> sp.	mint
117	1	1	<i>Menyanthes trifoliata</i>	bogbean
48	2	1	<i>Moehringia trinervia</i>	three-nerved sandwort
157	73	1	<i>Molinia caerulea</i>	purple moor grass
140	0	0	Monocot Root stems	grass/sedge stems
47	3	1.4	<i>Montia fontana</i> subsp. <i>chondrosperma</i>	blinks
0.2	0	0	<i>Musci</i>	moss
120	15	0	<i>Myosotis</i> sp.	Foget-me-nots
81	2	0	<i>Myriophyllum</i> sp.	water-milfoil
81	2	3	<i>Myriophyllum spicatum</i>	spiked water-milfoil
148	1		<i>Najas marina</i>	Naiads
26	2	1	<i>Nuphar lutea</i>	yellow water-lily
128	22	2	<i>Odontites vernus</i>	red bartsia
111	19	7	<i>Oenanthe aquatica</i>	fine-leaved water-dropwort
111	19	1	<i>Oenanthe fistulosa</i>	tubular water-droplet
111	19	1.2	<i>Oenanthe</i> cf. <i>fistulosa/silaifolia</i>	tubular/narrow-leaved water-droplet
111	19	6	<i>Oenanthe fluviatilis</i>	water-dropworts
111	19	0	<i>Oenanthe</i> sp.	water-droplets
104	1	9	<i>Oxalis acetosella</i>	wood-sorrel
32	1	4	<i>Papaver</i> cf. <i>rheas</i> (seed head)	poppy
49	1	14	<i>Persicaria hydropiper</i>	water-pepper
49	1	11.12	<i>Persicaria maculosa/lapathifolium</i>	redshank/pale persicaria
49	1	16	<i>Persicaria minor</i>	small water-pepper
49	1	15	<i>Persicaria mitis</i>	Tasteless water-pepper
150	0	0	<i>Phoenix dactylifera</i>	date fruit
157	74	1	<i>Phragmites australis</i>	common reed
79	22	1	<i>Pisum sativum</i>	pea
125	1	5	<i>Plantago lanceolata</i>	ribwort plantain
125	1	3	<i>Plantago major</i>	greater plantain
157	22.55	0	<i>Poa/Phleum</i> sp.	meadow grass/cats'-tails
157	61	0	Poaceae - Triticeae (Cereals)	cereal
157	0	0.5	POACEAE (culm internode)	grass stem
157	0	0.5	POACEAE (culm node)	grass culm node
157	0	0.1	Poaceae (mid-large indet.)	medium to large grass seed
157	0	0.2	Poaceae (small indet.)	small grass seed
49	0	0	Polygonaceae indet.	knotweeds
49	4	4	<i>Polygonum aviculare</i>	knotgrass
49	1.4	0	<i>Polygonum/Persicaria</i> sp.	knot grasses
77	0	0	Possible Rosaceae fruit	Rosaceae fruit?
146	1	0	<i>Potamogeton</i> sp.	pondweeds
77	9.11	0	<i>Potentilla/Fragaria</i> sp.	cinquefoil/strawberry
77	9	3	<i>Potentilla anserina</i>	silverweed
77	9	13.16	<i>Potentilla erecta/reptans</i>	tormentil/creeping cinquefoil
77	9	2	<i>Potentilla palustris</i>	marsh cinquefoil
77	9	17	<i>Potentilla sterilis</i>	barren strawberry
77	9	0	<i>Potentilla</i> sp.	cinquefoil/tormentil
122	15	1	<i>Prunella vulgaris</i>	selfheal
77	22	6	<i>Prunus avium</i>	wild cherry
77	22	4	<i>Prunus spinosa</i>	sloe
77	22.35	7.1	<i>Prunus spinosa/ C. monogyna/</i> (thorns)	hawthorn/slow thorns
77	22	0	<i>Prunus</i> sp.	cherries
41	4	0	<i>Quercus</i> sp. (acorn cups)	oak
29	13	1.2	<i>Ranunculus acris/repens</i>	meadow/creeping buttercup
30	13	10	<i>Ranunculus auricomus</i>	goldilocks buttercup
30	13	12	<i>Ranunculus lingua</i>	greater spearwort
30	13	2	<i>Ranunculus repens</i>	creeping buttercup
30	13	4	<i>Ranunculus sardous</i>	hairy buttercup
30	13	11	<i>Ranunculus sceleratus</i>	celery-leaved buttercup
30	13	19	<i>Ranunculus</i> subg. <i>Batrachium</i>	water-crowfoots
30	13	1.23	<i>Ranunculus</i> subg. <i>Ranunculus</i> (arb)	buttercup
65	1	0	<i>Reseda</i> sp.	mignonettes

999	333	6	Roots indet.	
64	12	3	<i>Rorippa microphylla</i>	narrow-fruited water-cress
64	12	1	<i>Rorippa cf. nasturtium-aquaticum</i>	narrow-fruited watercress
64	12	5	<i>Rorippa palustris</i>	marsh yellow-cress
77	21	0	<i>Rosa</i> sp.	rose
77	0	0	Rosaceae thorns	bramble/rose type thorns
77	8	0	<i>Rubus</i> sp.	bramble
77	8.21	0	<i>Rubus/Rosa</i> type sp. (thorn)	bramble/rose type thorns
49	8	1	<i>Rumex acetosella</i> group	sheep's sorrel
49	8	13	<i>Rumex cf. crispus</i>	curled dock
49	8	14	<i>Rumex conglomeratus</i>	clustered dock
49	8	14	<i>Rumex conglomeratus</i> (whole fruit)	clustered dock
49	8	10	<i>Rumex hydrolapathum</i>	water dock
49	8	23	<i>Rumex maritimus</i>	golden dock
49	8	23	<i>Rumex maritimus</i> (whole fruit)	golden dock
49	8	19	<i>Rumex obtusifolius</i>	broad-leaved dock
49	8	0	<i>Rumex</i> sp.	dock
49	8	0	<i>Rumex</i> sp. (bract)	dock
141	1	1	<i>Sagittifolia sagittifolia</i>	arrowhead
63	2	0	<i>Salix catkin</i> bud scale	willow bud scale
135	1	2	<i>Sambucus nigra</i>	elder
156	7	0	<i>Schoenoplectrus</i> sp.	club rushes
156	7	1	<i>Schoenoplectus lacustris</i>	common club-rush
48	11	2	<i>Scleranthus annuus</i>	annual knawel
157	66	1	<i>Secale cereale</i>	rye
999	111	1	Seed indet.	
999	111	0	Seed indet. large	
999	111	2	Seed indet. small	
134	3	1	<i>Sherardia arvensis</i>	field madder
111	23	1	<i>Silaum silaus</i>	Pepper-saxifrage
48	20	0	<i>Silene</i> sp.	campions
114	10	8	<i>Solanum dulcamara</i>	bittersweet
114	10	1	<i>Solanum nigrum</i>	black nightshade
114	10	1	<i>Solanum</i> sp.	nightshade
139	26	4	<i>Sonchus asper</i> type	prickly sow-thistle
139	26	3	<i>Sonchus oleraceus</i>	smooth sow-thistle
158	1	1	<i>Sparganium erectum</i> (fruit/achene)	branched bur-reed
158	1	1	<i>Sparganium erectum</i> (inner seed/embryo)	branched bur-reed
48	16	0	<i>Spergula arvensis</i>	corn spurrey
AAA	D	A	<i>Sphaerococcum</i> fungal spore	
122	1	5	<i>Stachys cf. sylvatica</i>	hedge woundwort
122	1	0	<i>Stachys</i> sp.	woundwort
122	1.26	0	<i>Stachys/Salvia</i>	Woundwort/Claries
48	5	5	<i>Stellaria .cf. holostea</i>	greater stitchwort
47	5	2	<i>Stellaria media</i>	chickweed
48	5	5	<i>Stellaria neglecta</i>	greater chickweed
48	5	5	<i>Stellaria nemorum</i>	wood stitchwort
47	5	6.7	<i>Stellaria palustris</i> Retz/graminea	marsh stitchwort/lesser stitchwort
48	5	0	<i>Stellaria</i> sp.	stitchwort
48	5.7	0	<i>Stellaria/Cerastium</i> sp.	stitchwort/mouse-ear
64	30	1	<i>Thlaspi arvense</i>	field-penny cress
30	17	3	<i>Thalictrum flavum</i>	common meadow-rue
111	48	3	<i>Torilis nodosa</i>	knotted hedge parsley
111	48	0	<i>Torilis</i> sp.	hedge parsley
139	24	1	<i>Tragopogon pratensis</i>	goat's beard
79	28	0	<i>Trifolium</i> sp.	clover
144	1	1	<i>Triglochin palustre</i>	marsh arrowgrass
139	68	2	<i>Tripleurospermum inodorum</i>	scentless mayweed
157	68		<i>Triticum aestivum/turgidum</i> type	bread/rivet wheat
157	68		<i>Triticum cf. dicoccum/monococcum</i>	earcorn/emmer
157	68		<i>Triticum dicoccum</i>	emmer wheat
157	68		<i>Triticum dicoccum/spelta</i>	emmer/spelt wheat
157	68	0	<i>Triticum</i> sp.	wheat
157	68		<i>Triticum spelta</i>	spelt wheat glume bases

159	1	0	<i>Typha</i> sp.	bulrushes
159	1	1.2	<i>Typha latifolia/angustifolia</i>	bulrush
38	1	1	<i>Urtica dioica</i>	common nettle
38	1	2	<i>Urtica urens</i>	small nettle
137	2	3	<i>Valeriana dioica</i>	marsh valerian
137	1	4	<i>Valerianella dentata</i>	narrow fruited corn salad
121	1	1	<i>Verbena officinalis</i>	vervain
128	17	24	<i>Veronica hederifolia</i>	ivy-leaved speedwell
79	19	17	<i>Vicia faba</i> var. <i>minor</i>	broad bean
79	19	9	<i>Vicia tetrasperma</i>	smooth tare
79	19.21	0	<i>Vicia /Lathyrus</i> sp.	vetch/pea
79	19.22	0	<i>Vicia/Pisum</i> sp.	pea/bean/large vetch
59	1.2	0	<i>Viola odorata/hirta</i>	sweet/hairy violet
59	0	0	<i>Viola</i> sp.	violet
95	1	1	<i>Vitis vinifera</i>	grape-vine
149	1	1	<i>Zannichellia palustris</i>	horned pondweed
36	2	1	<i>Ficus caria</i>	fig
36	2	1	<i>Ficus caria</i> (many seeded fruit seeds small immature?)	fig fruit
44	5	1	<i>Beta vulgaris</i>	beetroot
76	9	0	<i>Malus sylvestris/domestica</i>	apple
78	19	17	<i>Vicia faba</i> var. <i>minor</i>	broad bean
78	20	1	<i>Lens culinaris</i>	lentil
78	22	0	<i>Pisum/Vicia</i>	pea/bean/large vetch
78	22	1	<i>Pisum sativum</i>	pea
95	1	2	<i>Linum usitatissimum</i>	flax seeds
TRIANGLE THINGS				
Species				
29	13	1.23	<i>Ranunculus</i> sp. subg <i>Ranunculus</i> arb	buttercup
31	1	4	<i>Papaver</i> cf. <i>rhoeas</i> (seed head)	poppy
32	5	0	<i>Fumaria</i> sp.	fumitory
37	1	1	<i>Urtica dioica</i>	common nettle
37	1	2	<i>Urtica urens</i>	small nettle
41	4	1	<i>Corylus avellana</i> L. (fragments)	hazel
42	11	2	<i>Scleranthus annuus</i>	annual knawel
44	0	0	Chenopodiaceae L./Caryophyllaceae L.	goosefoot/campion
44	1	18	<i>Chenopodium filicifolium</i>	fig-leaved goosefoot
44	1	23	<i>Chenopodium album</i>	fathen
44	4	0	<i>Atriplex</i> sp. L.	oraches
46	3	1.4	<i>Montia fontana</i> subsp. <i>chondrosperma</i>	blinks
47	5	0	<i>Stellaria/Cerastium</i>	stitchwort
47	5	2	<i>Stellaria media</i>	stitchwort
47	5	6.7	<i>Stellaria palustris</i> Retz/ <i>graminea</i> L.	marsh stitchwort/lesser stitchwort
47	16	0	<i>Spergula arvensis</i>	corn spurrey
47	19	1	<i>Agrostemma githago</i>	corn cockle
47	20	0	<i>Silene</i> sp. L.	campions
48	0	0	Polygonaceae indet.	
48	1	11.12	<i>Persicaria lapathifolia/maculosa</i>	persicaria
48	1.4		<i>Polygonum/Persicaria</i> sp.	knot grasses
48	3	1	<i>Fallopia convolvulus</i> (L.) Å. Löve	black bindweed
48	4	4	<i>Polygonum aviculare</i> L.	knot grass
48	8	0	<i>Rumex</i> sp. L.	docks
			<i>Rumex</i> sp. L.	
48	8	0	<i>Rumex</i> sp. L. (bract)	dock bract
48	8	1	<i>Rumex acetosella</i> group	sheeps sorrel
48	8	13	<i>Rumex</i> cf. <i>crispus</i> L.	curled dock
54	2	0	<i>Malva</i> sp. L.	mallow
63	0	0	Brassicaceae (<i>Lepidium</i> , <i>Barbarea</i> etc.)	small indets. 1-2mm
76	0	0	Rosaceae (thorns indet.)	bramble, rose etc. thorns

76	0	0 Round-fruit type things cherries? no stone visible	Rosaceae fruit?
76	8	0 <i>Rubus</i> sp. L.	brambles
76	12	0 <i>Fragaria</i> / <i>Potentilla</i>	cinquefoil/strawberry
76	22	4 <i>Prunus spinosa</i>	sloe
76	22	6 <i>Prunus avium</i>	cherry
78	14	3 <i>Ornithopus perpusillus/sativa?</i>	bird's foot
78	19	0 <i>Vicia</i> L./ <i>Lathyrus</i> sp. L.	vetch/pea
78	19	9 <i>Vicia tetrasperma</i>	smooth tare
78	21	0 cf. <i>Lathyrus</i> sp.	grass-pea
78	27	1 <i>Medicago lupulina</i>	black medick
78	28	0 <i>Trifolium</i> sp. L.	clover
109	30	0 <i>Apium</i> sp.	fool's watercress
109	47	0 <i>Torilis</i> sp. Adans.	hedge parsley
109	47	3 <i>Torilis nodosa</i>	knotted hedge parsley
112	4	1 <i>Hyoscyamus niger</i>	henbane
118	1	3 <i>Lithospermum arvense</i>	corn gromwell
120	0	0 <i>Lamiaceae</i> indet.	dead-nettles
120	1	0 <i>Stachys</i> sp. L.	woundwort
120	5	0 <i>Lamium</i> sp.	dead-nettle
120	6	0 <i>Galeoptris</i> sp.	hemp-nettle
120	15	1 <i>Prunella vulgaris</i>	self-heal
120	23	0 <i>Mentha</i> sp. L.	mint
123	1	3 <i>Plantago major</i>	Greater Plantain
123	1	5 <i>Plantago lanceolata</i> L.	ribwort plantain
126	23	1 <i>Odontites vernus</i> (Bellardi) Dumort	red bartsia
126	26	24 <i>Veronica hederifolia</i>	ivey-leaved speedwell
132	3	1 <i>Sherardia arvensis</i>	field madder
132	6	5 <i>Galium palustre</i> L.	marsh bedstraw
132	6	6 <i>Galium aparine</i> L.	cleavers
133	1	4 <i>Sambucus nigra</i> L.	elder
135	1	4 <i>Valerianella dentata</i> (L.) Pollich	narrow fruited corn salad
137	0	0 Asteraceae (indet.)	
137	0	0.1 Asteraceae indet. (small)	
137	0	0.2 Asteraceae seed head.	
137	5.1	0 <i>Carduus</i> L./ <i>Cirsium</i> sp. Mill.	thistle
137	11	0 <i>Centaurea</i> sp. L.	knapweed
137	16	1 <i>Lapsana communis</i> L.	nipplewort
137	22	0 <i>Tragopogon pratensis</i> L.	goat's beard
137	61	3 <i>Anthemis cotula</i> L.	stinking chamomile
137	62	0 <i>Chrysanthemum segetum</i> L.	corn marigold
137	66	1 <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.	scentless mayweed
140	0	0 <i>Monocot Root stems</i>	grass/sedge stems
143	1	2 <i>Triglochin palustris</i> ??	arrowgrass
153	1	0 <i>Juncus</i> sp. (capsule)	rush
154	0	0 <i>Cyperaceae</i> indet.	sedges
154	3	1 <i>Eleocharis cf. palustris</i> (L.) Roem. & Schult.	common spike-rush
154	16	0.1 <i>Carex</i> sp. L. lenticular	sedge flat seed
154	16	0.2 <i>Carex</i> sp. L. trigonous	sedge trigonous seed
155	0	0.1 Poaceae (mid-large indet.)	medium to large grass seed
155	0	0.2 Poaceae (small indet.)	small grass seed
155	0	0.5 POACEAE (culm node)	grass culm node
155	0	0.5 POACEAE (culm internode)	grass stem
155	14	1 <i>Lolium perenne</i> L.	rye grass
155	14	1 <i>Lolium perenne</i> L.	rye grass
155	20.53	0 <i>Poa/Phleum</i> sp. L.	meadow grass/cats'-tails
155	30	1.1 <i>Arrhenatherum elatius</i> var. <i>bulbosus</i>	false oat-grass
155	31	0 <i>Avena</i> sp. L. (grain)	oat grain
155	31	0.1 <i>Avena</i> sp. L. (germinated grain)	oat grain germinated
155	31	0.2 <i>Avena</i> sp. L. spikelet wild	oak spikelet wild
155	31	0.3 <i>Avena</i> sp. L. spikelet indet.	oat spikelet indet.

155	31	0.5 <i>Avena</i> sp. L. (floret base wild)	wild oat floret base
155	31	0.6 <i>Avena</i> sp. L. (floret base indet.)	oat floret base indet.
155	31	0.7 <i>Avena</i> sp. L. (floret base cultivated)	cultivated oat floret base
155	31	0.8 <i>Avena</i> sp. L. (awn)	oat awn
155	32.54	0 <i>Avena</i> L./ <i>Bromus</i> L. sp.	oat/brome
155	32.54	0.1 <i>Avena</i> L./ <i>Bromus</i> L. sp. (germinated)	oat/brome
155	54	0 <i>Bromus</i> sp. L.	brome
155	54	0.1 <i>Bromus</i> sp. L. (germinated grain)	brome grass
155	56	3 <i>Anisantha sterilis</i> (L.) Nevski	barren brome
999	999	0 Seed indet. large	
999	999	1 Seed indet.	
999	999	2 Seed indet. small	
0	1	1.1 <i>Hordeum vulgare</i> L. <i>sl</i> (hulled grain)	barley (many are tail grains)
0	1	1.2 <i>Hordeum vulgare</i> L. <i>sl</i> (germinated hulled grain)	barley
0	1	1.3 <i>Hordeum vulgare</i> L. <i>sl</i> (grain)	barley
0	1	1.4 <i>Hordeum vulgare</i> L. <i>sl</i> (6-row grain)	barley
0	1	1.5 <i>H. vulgare</i> L. <i>sl</i> (6-row rachis fragment)	barley
0	1	1.6 <i>H. vulgare</i> L. <i>sl</i> (rachis fragment)	barley
0	1	1.7 <i>H. vulgare</i> L. <i>sl</i> (basal rachis fragment)	barley
0	2	0 <i>Triticum</i> sp. L. (grains)	wheat
0	2	2.1 <i>Triticum</i> cf. <i>dicoccum/monococcum</i> (Schübl)	eincorn/emmer
0	2	2.2 <i>Triticum</i> cf. <i>dicoccum</i> (Schübl)	emmer wheat
0	2	2.3 <i>Triticum dicoccum</i> (Schübl) (glume base)	emmer wheat
0	2	2.4 <i>T. dicoccum</i> (Schübl) (spikelet fork)	emmer wheat
0	2	3.1 <i>Triticum spelta</i> L. (glume bases)	spelt wheat
0	2	3.2 <i>Triticum spelta</i> L. (spikelet fork)	spelt wheat
0	2	3.3 <i>Triticum spelta</i> L. (single grain spikelet)	spelt wheat
0	2	3.4 <i>Triticum spelta</i> L. (two grain spikelet)	spelt wheat
0	2	3.5 <i>Triticum spelta</i> L. (sterile spikelet)	spelt wheat
0	2	1 <i>Triticum dicoccum/spelta</i> (grain)	emmer/spelt wheat
0	2	1.1 <i>Triticum dicoccum/spelta</i> (germinated grain)	emmer/spelt wheat
0	2	1.2 <i>Triticum dicoccum/spelta</i> (rachis fragment)	emmer/spelt wheat
0	2	1.3 <i>Triticum dicoccum/spelta</i> (spikelet fork)	emmer/spelt wheat
0	2	1.4 <i>Triticum dicoccum/spelta</i> (glume bases)	emmer/spelt wheat
0	2	1.5 <i>Triticum dicoccum/spelta</i>	emmer/spelt wheat
0	2	4 <i>T. cf. short grained spelt/aestivum sl</i>	spelt/bread wheat
0	2	4.1 <i>Triticum</i> cf. <i>aestivum</i> L. <i>sl</i> (grain)	bread wheat
0	2	4.2 <i>Triticum</i> cf. <i>aestivum sl</i> (rachis fragment)	bread wheat
0	2	4.3 <i>Triticum</i> cf. <i>turgidum</i> type rachis frg.	tetraploid rachis fragment
0	2	4.4 <i>Triticum</i> cf. <i>aestivum</i> (hexaploid rachis fragment)	hexaploid rachis fragment
0	3	5.1 <i>Secale cereale</i> (grain)	rye
0	3	5.2 <i>Secale cereale</i> (germinated grain)	rye
0	3	5.3 <i>Secale cereale</i> (rachis fragment)	rye
0	4	6.1 Cereal indet. (grains)	cereal
0	4	6.2 Cereal frag. indet. (est. whole grains from frags.)	cereal
0	4	6.3 Cereal (germinated coleoptile)	cereal
0	4	6.4 Cereal indet. (rachis fragment)	cereal
0	4	6.5 Cereal indet. (basal rachis fragment)	cereal
0	4	6.6 Cereal indet. (culm node)	cereal
0	4	6.7 Cereal indet. (culm internode)	cereal
0	4	6.8 Cereal indet. (basal culm node)	cereal