

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1	5th metatarsal	foot	left	100	0	1	adult	?	destruction of distal articulation, probable septic arthritis
1	3rd metatarsal	foot	left	90	0	1	adult	?	destruction of distal articulation, probable septic arthritis
1	5th proximal phalanx	foot	left	100	0	1	adult	?	destruction of proximal articulation, probable septic arthritis
1	1st metatarsal	foot	left	80	0	1	adult	?	
1	2nd metatarsal	foot	left	80	0	1	adult	?	
1	4th metatarsal	foot	left	70	0	1	adult	?	
1	4th proximal phalanx	foot	left	90	0	1	adult	?	
1	calcaneus	foot	left	60	0	2	adult	?	
1	distal	tibia	left	20	0	2	adult	?	
1	distal	fibula	left	20	0	2	adult	?	
1	metatarsal shaft	foot	?	30	0	1	?	?	
1	navicular	foot	left	100	0	1	adult	?	
3	distal	?femur	right	40	0	1	non-adult	n/a	infant
3	ilium	pelvis	right	60	0	1	non-adult	n/a	infant
5	ilium	pelvis	left	30	1	5	adult	?	mild proximal osteophytes
5	3rd proximal phalanx	hand	left	90	1	1	adult	?	
5	3rd proximal phalanx	foot	right	100	1	1	adult	?	
5	4th metatarsal	foot	right	70	1	1	adult	?	
5	head	rib	right	20	1	1	adult	?	
7	?2nd metacarpal	hand	right	70	1	1	adult	?	
7	1st proximal phalanx	hand	left	90	1	1	adult	?	
7	3rd metacarpal	hand	right	100	1	1	adult	?	
7	4th metacarpal	hand	right?	60	1	1	adult	?	
7	intermediate phalanges	hand	?	60	1	3	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
7	lunate	hand	right	100	1	1	adult	?	
7	proximal phalanges	hand	left	60	1	2	adult	?	
7	unidentified				1	15	?	?	
9	shaft	rib	?	10	0	3	?	?	
9	talus	foot	?	20	1	2	?	?	
9	temporal	skull	right	20	0	1	adult	M?	
9	unidentified				1	20	?	?	
10	4th metatarsal	foot	right	40	0	1	adult	?	
12	mandibular 1st incisor	dentition	left	100	0	1	adult	?	wear grade 2
12	mandibular 1st incisor	dentition	right	100	0	1	adult	?	wear grade 2
12	mandibular 1st premolar	dentition	left	100	0	1	adult	?	wear grade 2
12	mandibular 1st premolar	dentition	right	100	0	1	adult	?	wear grade 2
12	mandibular 2nd incisor	dentition	left	100	0	1	adult	?	wear grade 2
12	mandibular 2nd incisor	dentition	right	100	0	1	adult	?	wear grade 2
12	mandibular 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 2
12	mandibular 2nd premolar	dentition	right	100	0	1	adult	?	wear grade 2
12	maxillary 2nd molar	dentition	right	100	0	1	adult	?	wear grade 2
12	maxillary 3rd molar	dentition	right	100	0	1	adult	?	wear grade 2
12	atlas	cervical vertebra	n/a	90	0	1	adult	?	
12	axis	cervical vertebra	n/a	90	0	1	adult	?	
12	body	mandible	left	40	0	1	adult	?	
14	?2nd metacarpal	hand	?	60	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
14	?3rd distal phalanx	hand	left?	100	0	1	adult?	?	
14	?4th distal phalanx	hand	right	95	1	1	adult?	?	
14	1st proximal phalanx	hand	right	90	1	1	adult	?	
14	2nd proximal phalanx	foot	left	100	0	1	adult?	?	
14	3 x intermediate phalanges	hand	left	60-100	1	3	adult	?	
14	3 x proximal phalanges	hand	left	100	1	3	adult	?	
14	3rd intermediate phalanx	hand	right	100	0	1	adult?	?	
14	3rd metacarpal	hand	right	80	1	1	adult	?	
14	4th metacarpal	hand	left	40	1	1	adult	?	
14	4th metatarsal	foot	left	70	0	1	adult?	?	
14	anterior	sacrum	n/a	10	1	1	adult?	?	
14	arch	thoracic vertebra	n/a	30	0	3	adult?	?	
14	body	CV2	n/a	40	1	1	adult	?	
14	body	lumbar vertebra	n/a	40	1	3	adult	?	
14	body	cervical vertebra	n/a	40	1	7	adult	?	
14	capitate	hand	left	50	0	1	adult	?	
14	condyle	mandible	left	5	1	1	adult	?	
14	facet x 12	vertebra	n/a	5	1	12	adult	?	
14	hamate	hand	left	100	1	1	adult	?	
14	head	rib	left	5	0	1	adult	?	
14	head	rib	left	10	1	1	adult?	?	
14	head	rib	right	5	0	1	adult	?	
14	ilium?	pelvis	?	10	1	1	?	?	
14	lateral	clavicle	right	10	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
14	lateral cuneiform	foot	left	70	0	1	adult?	?	
14	lunate	hand	left	90	0	1	adult?	?	
14	lunate	hand	right	95	1	1	adult?	?	
14	parietal	vault	?	30	0	4	adult	?	
14	patella	knee	left	90	0	1	adult	?	
14	patella	knee	left	90	0	1	adult	?	
14	proximal articulation	radius	right?	5	1	1	?	?	
14	shaft	rib	?	10	1	8	?	?	
14	shaft	rib	?	5	1	1	?	?	
14	shaft	rib	?	40	0	20	?	?	
14	shaft	radius	right	20	1	2	?	?	
14	sternal	rib	?	5	1	1	?	?	
14	unidentified				1	10	?	?	
14	unidentified				1	10	?	?	
15	body	hyoid	n/a	100	0	1	?	?	
15	lateral cuneiform	foot	left	50	0	1	adult	?	
16	body	mandible	left	30	0	1	adult	?	AMTL
17	premolar	dentition	?	100	0	1	adult	?	wear grade 8
17	condyle	mandible	left	5	0	1	adult	?	
17	distal	humerus	right	5	1	1	adult	?	
17	horn	hyoid			0	1	?	?	
17	patella	knee	right	90	1	1	adult	?	
17	shaft	rib	?	10	1	5	?	?	
17	unidentified				1	10	?	?	
17	vault	skull			0	5	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
18	unidentified				1	1	non-adult	?	unfused epiphysis
18	body/arch	LV5?	n/a	30	1	1	adult	?	
18	shaft	rib	?	10	0	1	?	?	
18	unidentified				0	9	?	?	
23	mandibular 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 2
23	mandibular 1st premolar	dentition	right	100	0	1	adult	?	wear grade 2
23	maxillary 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 2
23	maxillary 3rd molar	dentition	right	100	0	1	adult	?	wear grade 2
26	frontal	skull	right	20	1	1	adult	?	cribra orbitalia
26	maxilla	skull	left	30	2	1	adult	?	remodelling of left nasal aperture, marked alveolar resorption, AMTL left maxillary 1, 2, 3, 4, 5, abnormal porosity of palate, woven bone deposition on left nasal floor and abnormal porosity, root of 1st left maxillary molar survives, probable externally draining abscess
26	mandibular canine	dentition	left	100	0	1	adult	?	wear grade 2
26	maxillary 3rd molar	dentition	right	100	0	1	adult	?	wear grade 2, slight distal, buccal and lingual calculus
26	1st proximal phalanx	foot	left	100	0	1	adult	?	
26	2nd proximal phalanx	foot	right	100	0	1	adult	?	
26	5th metatarsal	foot	left	90	1	1	adult	?	
26	arch	thoracic vertebra	n/a	40	1	1	?	?	
26	atlas	cervical vertebra	n/a	30	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
26	body	vertebra	n/a	10	1	1	?	?	
26	body	thoracic vertebra	n/a	20	1	1	adult	?	
26	distal shaft	fibula	left	10	0	1	adult	?	
26	facet	thoracic vertebra	?	5	0	1	?	?	
26	facet	sacrum	left	15	1	1	?	?	
26	facet	sacrum	right	15	1	1	?	?	
26	hamate	hand	left	90	0	1	adult	?	
26	head	humerus	left	5	0	1	adult	?	
26	intermediate phalanx	hand	?	30	0	1	?	?	
26	occipital	skull	n/a	10	1	2	adult	?	
26	odontoid	cervical vertebra	n/a	20	0	1	adult	?	
26	shaft	rib	?	5	1	2	?	?	
26	shaft	fibula	right	10	0	1	?	?	
26	temporal	skull	right	30	1	2	adult	?	
26	unidentified				0	30	?	?	
26	vault	skull		15	0	3	?	?	
26	vault	skull			0	1	?	?	
32	head	ulna	left	5	0	1	adult	?	
32	mandibular canine	dentition	right	100	0	1	non-adult	n/a	
32	medial	clavicle	left	5	0	1	adult	?	
32	proximal	ulna	left	5	0	1	adult	?	
33	1st metatarsal shaft	foot	?	70	0	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
33	arch	thoracic vertebra	n/a	30	1	1	?	?	
33	proximal phalanx	hand	right	100	0	1	adult	?	
33	ramus	mandible	?	5	0	1	?	?	
33	shaft	tibia	?	20	0	1	?	?	
33	unidentified				1	10	?	?	
33	unidentified				0	1	?	?	
33	vault	skull			1	6	adult	?	
36	talus	foot	right	40	0	1	adult	?	
38	shaft	tibia	right	40	1	1	adult	?	remodelling periosteal lesions
38	shaft	femur	right	40	1	1	adult?	?	
40	3rd metacarpal	hand	left	60	0	1	adult?	?	
40	3rd metacarpal	hand	right	90	0	2	adult	?	
43	root	dentition	?	40	1	5	adult	?	all crowns decayed
43	mandibular 2nd incisor	dentition	right	100	0	1	adult	?	wear grade 3, medium buccal, distal, lingual and mesial calculus
44	unidentified	dentition	?	100	0	2	?	?	2 microdontic teeth
44	maxillary 2nd incisor	dentition	left	100	0	1	adult	?	wear grade 2
44	1st distal phalanx	hand	right	30	0	1	?	?	
44	3 distal phalanges	hand	left	100	0	1	adult	?	
44	3 intermediate phalanges	hand	left	100	0	3	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
44	3 intermediate phalanges	hand	right	100	0	1	adult	?	
44	4 proximal phalanges	hand	right	100	0	1	adult	?	
44	body	hyoid	n/a	100	0	1	?	?	
44	metacarpal shaft	hand	?	60	0	1	?	?	
44	scaphoid	hand	right	100	0	1	adult	?	
44	trapezium?	hand	right?	90	0	1	adult	?	
45	maxilla	skull	right	70	0	1	adult	?	advanced alveolar resorption, remodelling of nasal aperture, abnormal porosity and new bone deposition on nasal floor, concave profile, lepromatous leprosy
47	1st proximal phalanx	hand	left	100	0	1	adult	?	mild osteophytes
47	intermediate phalanx	hand	left?	100	1	1	adult	?	
49	calcaneus	foot	right	30	1	1	adult	?	
49	intermediate cuneiform	foot	right	80	0	1	?	?	
49	proximal	tibia	right	5	1	1	adult	?	
49	shaft	fibula	right	5	0	1	?	?	
49	talus	foot	right	80	1	1	adult	?	
53	shaft	ulna	?	30	1	3	?	?	not conjoining
53	mandible, 2nd premolar/1st molar	dentition	left	20	0	1	adult	?	small occlusal caries on 2nd premolar, wear grade 4
53	maxillary 3rd molar	dentition	right	100	0	1	adult	?	small occlusal caries, wear grade 2
53	mandibular 2nd molar	dentition	right	100	0	1	adult	?	wear grade 2
53	mandibular 3rd molar	dentition	left	100	0	1	adult	?	wear grade 2

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
53	mandibular canine	dentition	right	100	0	1	adult	?	wear grade 2
53	maxillary 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 2
53	maxillary 3rd molar	dentition	left	100	0	1	adult	?	wear grade 2
53	mandibular 1st premolar		left	100	0	1	adult	?	wear grade 2, mesial and distal calculus flecks, bifurcated root
53	mandibular 2nd incisor		left	90	0	1	adult?	?	wear grade 2, moderate lingual calculus, slight lingual calculus
53	mandibular 2nd molar	dentition	left	100	0	1	adult	?	wear grade 3
53	maxillary 1st molar	dentition	right	90	1	1	adult	?	wear grade 4
53	acetabulum	pelvis	?	5	1	1	?	?	
53	blade/acromion	scapula	?	10	1	2	?	?	
53	condyle	femur	?	5	1	7	adult	?	
53	distal	humerus	left	30	0	1	adult	?	
53	distal	humerus	left	5	0	1	adult	?	
53	distal	fibula	right	40	1	1	adult	?	
53	distal	radius	right	30	0	1	adult	?	
53	glenoid	scapula	?left	15	1	1	adult	?	
53	hyoid	skull	n/a	40	0	1	?	?	
53	ilium	pelvis	left	20	1	1	adult	?	
53	ischium	pelvis	left	15	0	1	adult	?	
53	occipital	skull		15	1	1	adult	M?	
53	parietal	skull		40	1	14	adult	?	
53	proximal	fibula	left	5	1	1	adult	?	
53	proximal	ulna	left	10	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
53	proximal	ulna	right	10	1	1	adult	?	
53	shaft	fibula	?	20	0	1	?	?	
53	shaft	radius	?	30	0	1	adult	?	
53	shaft	femur	?	30	0	1	adult	?	
53	shaft	clavicle	left	40	0	1	?	?	
53	shaft	clavicle	right	10	1	1	?	?	
53	temporal	skull	?	10	1	3	adult	?	
53	unidentified					40	?	?	
56	1st proximal phalanx	foot	right	90	0	1	adult	?	
56	5th metatarsal	foot	right	50	1	1	adult	?	
56	body	mandible	right and left	50	0	1	adult	?	
57	frontal	skull	left and right	40	1	3	adult	M?	abnormal porosity above supra-orbital ridge
57	proximal shaft	femur	right	30	0	1	adult	?	probably paired with bone below
57	body	mandible	right	40	0	1	young adult	F?	wear 17-25 years, AMTL
57	body	mandible	right	20	0	1	adult	F?	wear grade 5
57	?ilium	pelvis	?	15	1	1	adult	?	
57	5th metatarsal	foot	left	10	0	1	adult	?	
57	acetabulum	pelvis	right?	5	0	1	adult	?	
57	condyle	femur	?	5	1	2	adult	?	
57	condyle	mandible	right	5	1	1	adult?	?	
57	cuboid	foot	left	40	0	1	adult	?	
57	distal	ulna	?	20	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
57	distal	radius	left	30	0	1	adult	?	
57	distal	humerus	left	20	0	1	adult	?	
57	distal	humerus	left	10	0	1	adult	?	
57	distal	humerus	right	30	0	1	adult?	?	
57	frontal	skull	left	30	0	1	adult	?	
57	ilium	pelvis	?	10	0	1	adult	?	
57	lateral	clavicle	left	15	0	1	adult	?	
57	lateral	clavicle	right	10	1	1	adult	?	
57	occipital	skull		40	0	4	adult	?	
57	parietal	skull	left and right	30	1	10	adult	?	
57	proximal	tibia	right	20	1	1	adult	?	
57	proximal shaft	femur	left	40	0	1	adult	?	
57	proximal shaft	femur	left	30	0	1	adult	?	
57	shaft	fibula	?	5	0	9	?	?	
57	shaft	femur	?	10	0	1	?	?	
57	shaft	rib	?	5	0	1	?	?	
57	shaft	humerus	?	40	1	4	?	?	
57	shaft	radius	?	10	0	1	?	?	
57	shaft	rib	?	10	1	1	?	?	
57	shaft	tibia	?	10	0	1	?	?	
57	shaft	tibia	?	60	0	1	adult	?	
57	shaft	radius	left	40	0	1	adult?	?	
57	shaft	ulna	right	30	0	1	?	?	
57	temporal	skull	right	10	0	1	adult	?	
57	temporal	skull	right	30	0	1	adult	M?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
57	unidentified					20	?	?	
57	vault	skull	?	5	0	1	?	?	
60	5th metatarsal	foot	right	70	0	1	adult	?	
60	distal	fibula	left	5	0	1	adult	?	
62	acromion	scapula	left	5	1	1	adult	?	
62	acromion	scapula	left	5	1	1	adult	?	
62	body	mandible	right	30	0	1	adult	?	
62	ear ossicle	skull	?	100	0	1	?	?	
62	lateral	clavicle	left	20	0	1	adult	?	
62	patella	knee	left	40	1	1	adult	?	
62	proximal	ulna	left	30	0	1	adult	?	
62	ramus	mandible	right	5	0	1	adult	?	
62	shaft	rib	?	10	0	1	?	?	
62	shaft	clavicle	?	10	0	1	?	?	
62	shaft	fibula	right	10	0	1	?	?	
62	unidentified				1	15	?	?	
62	unidentified					20	?	?	
62	vault	skull		20	0	4	adult?		
62		pelvis	?	10	1	3	?	?	
63	1st molar	dentition	?	100	0	1	adult	?	extreme wear
63	intermediate phalanx	hand	left	100	0	1	adult	?	
63	odontoid	CV1	n/a	5	0	1	adult	?	
64	5th metacarpal	hand	left	100	0	1	adult	?	
64	distal	ulna	left	5	0	1	adult	?	
68	long bone shaft				0	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
71	1st proximal phalanx	hand	?	5	0	1	?	?	
71	metacarpal head	hand	?	5	0	1	?	?	
72	1st distal phalanx	hand	left	100	0	1	adult	?	
72	1st proximal phalanx	hand	left	70	0	1	adult	?	
74	navicular	foot	left	100	0	1	adult	?	?tarsal bar on dorsal rim
74	3rd intermediate phalanx	hand	left	100	1	1	adult	?	articulates with bone above
74	3rd proximal phalanx	hand	left	100	0	1	adult	?	articulates with bone below
74	calculus	foot	right	90	1	1	adult	?	articulates with talus
74	s1-3	anterior sacrum	n/a	30	1	2	adult	?	conjoining fragments
74	distal articulation	humerus	left	70	1	3	adult	?	mild osteophtyes
74	proximal half	femur	left	50	1	2	adult	?	mild osteophtyes
74	talus	foot	left	100	0	1	adult	?	mild osteophtyes, paired with bone below
74	proximal	ulna	right	100	1	3	adult	?	mild osteophtyes, proximal and distal
74	medial articulation	clavicle	left	20	1	1	adult (25+ years)	?	mild porosity
74	talus	foot	right	100	0	1	adult	?	paired with bone above

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
74	distal end	radius	left	60	1	1	adult	?	probable pair, mild osteophtyes
74	distal end	radius	right	40	1	1	adult	?	probable pair, mild osteophtyes
74	midshaft	tibia	right	30	1	1	?	?	remodelling periosteal lesions, lateral surface
74	midshaft	tibia	left	30	1	1	adult	?	remodelling periosteal lesions
74	mandibular canine	dentition	left	90	1	1	adult	?	wear grade 1, enamel hypoplasia
74	maxillary 3rd molar	dentition	left	100	0	1	adult	?	wear grade 2
74	mandibular canine	dentition	right	100	0	1	adult	?	wear grade 7, enamel hypoplasia
74	maxillary 1st incisor	dentition	?	100	0	1	adult	?	wear grade 8
74	maxillary canine	dentition	?	100	0	1	adult	?	wear grade 8
74	4th metatarsal	foot	left	90	1	1	adult	?	woven bone on dorsal shaft
74	3rd metacarpal	hand	left	100	0	1	adult	?	
74	4th metatarsal	foot	right	100	1	1	adult?	?	
74	5th metacarpal	hand	left	100	1	1	adult?	?	
74	acromion	scapula	left	10	1	1	adult	?	
74	atlas facet	cervical vertebra	left	10	0	1	adult?	?	
74	blade	scapula	?	20	1	3	adult?	?	
74	cuboid	foot	left	100	1	1	adult?	?	
74	distal half	femur	left	50	1	1	adult	?	
74	distal shaft	fibula	?right	40	1	1	?	?	
74	distal shaft	humerus	right	30	1	3	adult	?	
74	greater trochanter	femur	right	5	1	1	adult	?	
74	head	2nd rib	left	30	1	1	adult		

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
74	head	rib	right	20	1	1	adult	?	
74	head	femur	right	20	1	1	adult	?	
74	iliac crest	pelvis	?	10	1	1	adult	?	
74	ilium	pelvis	left	15	1	1	adult	?	
74	ilium	pelvis	right	20	1	2	?	?	
74	long bone shaft				0	1	?	?	
74	maxilla	skull	left	5	1	1	adult	?	
74	parietal	skull	left	80	1	1	adult	?	
74	proximal end	fibula	left?	30	1	1	adult?	?	
74	proximal end	tibia	right	10	1	1	adult?	?	
74	proximal half	fibula	left	50	1	1	adult	?	
74	proximal shaft	ulna	left	30	1	1	adult	?	
74	shaft	radius	?	20	1	1	?	?	
74	shaft	rib	?	20	1	6	?	?	
74	shaft	fibula	?	10	1	1	?	?	
74	shaft	rib	?	10	1	1	?	?	
74	shaft	rib	?	5	0	1	?	?	
74	shaft	femur	left	40	1	1	adult	?	
74	shaft	tibia	right	20	1	2	?	?	
74	shaft	clavicle	right	90	0	1	adult?	?	
74	shaft	ulna?	right?	10	0	1	?	?	
74	temporal	skull	?	5	1	1	adult?	?	
74	unidentified		?	?	?	20	?	?	
76	shaft	rib	?	10	0	1	?	?	
76	unidentified				0	5	?	?	
76	vault	skull			0	2	adult	?	
77	shaft	rib	?	5	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
79	proximal phalanx	hand	?	40	1	1	adult	?	exostosis on distal shaft
79	body	thoracic vertebra	n/a	50	0	3	adult	?	moderate osteophytes
79	mandibular 1st incisor	dentition	left	100	0	1	adult	?	wear grade 3, mild buccal, mesial and lingual calculus
79	mandibular 2nd incisor	dentition	left	100	0	1	adult	?	wear grade 3, mild buccal, mesial and lingual calculus
79	?4th metatarsal	foot	right	80	1	1	adult	?	
79	1st proximal phalanx	hand	left	90	1	1	adult	?	
79	5th metacarpal	hand	right	80	0	1	adult	?	
79	body	cervical vertebra	n/a	40	1	1	adult	?	
79	body	lumbar vertebra	n/a	50	0	2	adult	?	
79	body	cervical vertebra	n/a	40	1	1	adult	?	
79	body/arch	cervical vertebra	n/a	50	1	1	adult	?	
79	distal	tibia	right	10	1	1	adult	?	
79	facet	cervical vertebra	?	5	1	1	adult?	?	
79	metacarpal shaft	hand	?	40	1	1	adult	?	
79	proximal	ulna	right	30	1	2	adult	?	
79	proximal phalanx	hand	?	40	1	1	adult	?	
79	shaft	tibia	right	60	0	1	adult	?	
79	shaft	?			1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
79	unidentified				1	20	?	?	
80	body	mandible	?	5	1	1	adult	?	
80	distal phalanx	hand	?	100	0	1	adult	?	
80	intermediate phalanx	hand	?	100	0	1	adult	?	
81	scaphoid	hand	right	100	0	1	adult	?	paired with bone below
81	maxillary 2nd incisor	dentition	right	100	0	1	adult	?	wear grade 3, slight buccal calculus
81	1st metacarpal	hand	left	40	0	1	adult	?	
81	1st metacarpal	hand	right	100	0	1	adult	?	
81	1st proximal phalanx	hand	left	40	0	1	adult	?	
81	1st proximal phalanx	hand	right	100	0	1	adult	?	
81	2nd metacarpal	hand	right	80	0	1	adult	?	
81	2nd proximal phalanx	foot	left	100	0	1	adult	?	
81	2nd-5th intermediate phalanges	hand	left	100	0	1	adult	?	
81	3rd proximal phalanx	hand	left	100	0	1	adult	?	
81	4th proximal phalanx	hand	left	100	0	1	adult	?	
81	5th metacarpal	hand	left	80	0	1	adult	?	
81	capitate	hand	right	70	0	1	adult	?	
81	condyle	femur	right	10	0	1	adult	?	
81	coracoid	scapula	right	5	0	1	adult	?	
81	hamate	hand	left	100	0	1	adult	?	
81	lunate	hand	right	50	0	1	adult	?	
81	scaphoid	hand	left	100	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
81	shaft	femur	?	10	0	1	?	?	
81	shaft	tibia	?	30	0	3	?	?	
81	shaft	humerus	left	30	0	1	?	?	
81	sternal	rib	left	10	0	1	adult	?	
81	trapezoid	hand	left	100	0	1	adult	?	
82	root	dentition	?	40	1	1	?	?	not identified
82	1st proximal phalanx	hand	right	100	0	1	adult	?	
82	5th intermediate phalanx	hand	right	80	0	1	adult	?	
82	5th proximal phalanx	hand	right	100	0	1	adult	?	
82	intermediate phalanx	hand	?	30	0	1	?	?	
83	navicular	foot	right	100	0	1	adult	?	tarsal bar
83	distal half	3rd metatarsal	right	50	0	1	adult?	?	
83	frontal	skull	left	20	0	1	adult	?	
83	parietal	skull	?	10	0	5	adult	?	
83	proximal phalanx	hand	left	40	0	2	adult?	?	
84	mandibular 2nd molar	dentition	right	100	0	1	adult	?	wear grade 2, roots bent
84	mandibular 1st molar	dentition	right	100	0	1	adult	?	wear grade 4, large mesial caries
84	1st metatarsal	foot	?	5	0	1	adult	?	
84	frontal	skull	left	10	0	1	adult	?	
84	intermediate phalanx	hand	?	10	0	1	?	?	
84	metatarsal head	foot	?	20	0	1	?	?	
84	shaft	rib	?	10	0	5	?	?	
84	unidentified				1	15	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
86	temporal	skull	left	70	0	1	adult	M?	
87	proximal	humerus	left	40	1	1	adult	M?	head diameter 56.52 mm
87	1st proximal phalanx	hand	left	90	0	1	adult?	?	
87	2nd intermediate phalanx	hand	right	90	0	1	adult?	?	
87	4th metacarpal	hand	right	80	0	1	adult?	?	
87	ischium	pelvis	left	40	0	1	adult?	?	
87	ischium	pelvis	right	20	0	1	adult?	?	
87	lunate	hand	left	90	0	1	adult?	?	
87	midshaft	radius	right	30	0	1	?	?	
87	odontoid	cervical vertebra	n/a	5	0	1	adult	?	
87	proximal phalanx	hand	right?	70	0	1	adult?	?	
88	4 proximal phalanges	hand	left	100	0	1	adult	?	
88	metacarpal shaft		?	30	0	1	?	?	
88	proximal	tibia	?	20	1	3	adult	?	
88	proximal	ulna	left	5	0	1	adult	?	
88	scaphoid	hand	left	30	0	1	adult	?	
88	triquetral	hand	right	100	0	1	adult	?	
89	mandibular 2nd incisor	dentition	left	90	0	1	adult	?	crown broken, slight buccal and lingual calculus
90	shaft	femur	?	20	0	4	?	?	
90	shaft	fibula	right	30	0	1	?	?	
91	maxillary 1st premolar	dentition	right	100	0	1	adult	?	wear grade 2

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
91	maxillary 2nd incisor	dentition	right	50	1	1	adult	?	wear grade 2
91	maxillary 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 2
91	maxillary 2nd molar	dentition	right	100	0	1	adult	?	wear grade 4, medium distal caries
91	maxillary 1st molar	dentition	right	100	0	1	adult	?	wear grade 6, medium mesial caries
91	maxilla	skull	right	5	1	1	adult	?	
92	mandibular 1st premolar	dentition	right	100	0	1	?	?	wear grade 2
92	mandibular 2nd premolar	dentition	right	100	0	1	?	?	wear grade 2
92	distal	1st metacarpal	right?	15	0	1	?	?	
92	head	rib	right	10	0	1	?	?	
92	midshaft	rib	right	10	0	1	?	?	
92	proximal	ulna	left?	10	0	1	?	?	
92	proximal	1st metacarpal	right?	5	0	1	?	?	
92	unidentified	?	?	?	1	10	?	?	
93	1st proximal phalanx	hand	left	40	0	1	adult	?	
93	3rd metacarpal	hand	left	30	0	1	adult	?	
93	5th distal phalanx	hand	?	100	0	1	adult	?	
93	calcaneus	foot	right	70	0	1	adult	?	
93	epiphysis	?	?	5	0	1	non-adult	n/a	
93	metacarpal shaft	hand	?	50	0	1	?	?	
94	2nd metacarpal	hand	left	80	0	1	adult	?	
94	body	scapula	?	10	0	1	?	?	
101	patella	knee	left	90	0	1	adult	?	
101	shaft	fibula?	?	10	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
101	unidentified				1	10	?	?	
102	sternum		n/a	60	1	2	adult?	?	
104	4th metatarsal	foot	right	70	0	1	adult	?	
104	metatarsal shaft	hand	?	20	1	1	?	?	
104	shaft	rib	?	10	1	1	?	?	
104	shaft	fibula	left	20	0	1	?	?	
104	unidentified				1	5	?	?	
105	body	sternum	n/a	30	0	1	non-adult	n/a	
105	condyle	femur	?	10	1	1	adult	?	
105	long bone shaft	?	?		1	5	?	?	
105	ramus	mandible	right	5	1	1	?	?	
105	root	dentition	?	50	1	1	?		
105	spinous process	thoracic vertebra	n/a	20	1	1	?	?	
106	parietal	skull	?	40	0	15	adult	?	probably a single skull, very thick vault
106	distal 1/2	tibia	right	50	1	2	adult	?	
106	distal 1/3	metatarsal	?	30	1	1	adult	?	
106	distal 2/3	humerus	right	70	1	2	adult	?	
106	midshaft	rib	?	30	1	1	adult	?	
109	head	rib	left	10	0	2	adult	?	
113	distal shaft	humerus	right	20	0	1	?	?	
113	glenoid	scapula	?	10	0	1	non-adult	n/a	
115	3rd metatarsal	foot	left	80	0	1	?	?	
116	head	femur	left	10	0	1	adult	M?	head diameter 51.76 mm, mild osteophytes and porosity
116	distal	radius	left	10	0	1	adult	?	mild osteophytes and eburnation
116	proximal 1/2	radius	left	40	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
116	proximal 2/3	ulna	left	60	0	1	adult	?	
117	body/arch	TV	n/a	90	1	2	adult	?	2 articulating vertebrae
117	proximal	ulna	left	40	1	2	adult	?	conjoining fragments
117	body/arch	TV12?	n/a	90	1	1	adult	?	moderate Schmorl's nodes
117	shaft	radius	?	15	1	2	?	?	not conjoining
117	1st metacarpal	hand	?left	50	1	1	adult	?	
117	4th proximal phalanx	hand	?left	90	1	1	adult	?	
117	arch	thoracic vertebra	n/a	40	1	2	adult	?	
117	body	SV5	n/a	5	1	1	adult	?	
117	body/arch	CV	n/a	80	2	1	adult	?	
117	body/arch	TV1	n/a	90	3	1	adult	?	
117	distal	fibula	right	5	2	1	adult	?	
117	head	rib	left	5	1	2	?	?	
117	ilium	pelvis	right	25	1	4	adult	?	
117	ischium	pelvis	right	30	1	1	adult	?	
117	midshaft	rib	?left	30	0	6	adult?	?	
117	proximal phalanx	hand	?	50	1	1	adult	?	
117	shaft	fibula	?	15	1	1	?	?	
117	shaft	rib	?	5	2	1	?	?	
117	shaft	tibia	right	15	1	1	?	?	
117	unidentified				1	10	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
120	maxillary 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 1
123	shaft	tibia	?	20	1	3	adult	?	remodelling periosteal lesions
123	proximal	fibula	left	40	1	2	adult	?	thick and florid new bone up to 10 mm in thickness, all surfaces, does not have active appearance
123	calcaneus	foot	left	80	1	1	adult	?	woven bone on medial surface
123	1st, 3rd, 4th, 5th metatarsals	foot	left	60-80	1	1	adult	?	
123	2nd proximal phalanx	foot	left	80	1	1	adult	?	
123	navicular	foot	left	40	1	1	adult	?	
123	shaft/condyle	femur	left	40	1	1	adult	?	
123	talus	foot	left	80	1	1	adult	?	
125		mandible	n/a	90	1	5	young adult	F?	slight calculus, wear grade 2-4, crown of left 2nd premolar is chipped
125	head	rib	right	10	1	1	adult	?	
126	facet	vertebra	?	5	0	1	?	?	
126	odontoid	cervical vertebra	n/a	5	0	1	adult	?	
126	shaft	ulna	?	30	1	1	?	?	
126	zygomatic	skull	right	20	1	1	adult	?	
127	facet	cervical vertebra	n?	5	0	1	adult	?	mild osteophytes
127	glenoid	scapula	?	5	1	1	adult	?	mild osteophytes

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
127	maxillary 1st molar	dentition	right	100	0	1	adult	?	wear grade 7, chipped crown
127	mandibular 1st incisor	dentition	left	100	0	1	adult	?	wear grade 3
127	mandibular 1st premolar	dentition	left	100	0	1	adult	?	wear grade 3
127	mandibular 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 3
127	mandibular canine	dentition	left	100	0	1	adult	?	wear grade 3
127	shaft	tibia	?	15	1	1	?	?	woven bone deposition
127	1st distal phalanx	hand	left	100	1	1	adult	?	
127	1st proximal phalanx	hand	left	100	1	1	adult	?	
127	2nd metacarpal	hand	left	100	1	2	adult	?	
127	4th distal phalanx	hand	left	100	1	1	adult	?	
127	4th metacarpal	hand	left	90	1	1	adult	?	
127	4th proximal phalanx	hand	left	100	1	1	adult	?	
127	5th distal phalanx	hand	left	100	1	2	adult	?	
127	5th metacarpal	hand	left	80	1	2	adult	?	
127	body	mandible	right	10	1	1	adult	?	
127	head	rib	left	20	0	1	adult	?	
127	ilium?	pelvis	?	10	1	1	?	?	
127	long bone shaft				1	6	?	?	
127	parietal	vault	?	50	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
127	spinous process	cervical vertebra	n/a	5	1	1	?	?	
127	talus	foot	?	80	1	1	non-adult	n/a	
127	vault	skull			1	10	?	?	
128	frontal	skull	left and right	40	1	2	adult	?	conjoining fragments
128	3rd metacarpal	hand	left	50	0	1	adult	?	
128	parietal	skull	left and right	30	1	10	adult	?	
129	shaft	fibula	?	20	1	1	?	?	
129	shaft	femur	?	30	0	3	adult	?	
129	unidentified				0	5	?	?	
131	5th metatarsal	foot	right	80	1	1	adult?	?	blade-like remodelling of shaft
131	?2nd proximal phalanx	foot	?	60	1	1	?	?	destruction of both articulations, probable septic arthritis
131	1st distal phalanx	foot	right	40	1	1	?	?	destruction of both articulations, probable septic arthritis, large exostosis on lateral side of shaft
131	metatarsal shaft	foot	?	40	1	1	?	?	destruction of proximal articulation, probable septic arthritis, large exostosis on lateral side of shaft
131	medial cuneiform	foot	left	80	1	1	adult	?	left and right foot are not a pair
131	talus	foot	right	80	1	1	adult	?	mild osteophytes, articulates with calcaneus
131	calcaneus	foot	right	80	1	1	adult	?	mild osteophytes, articulates with talus
131	metatarsal	foot	?	60	1	1	?	?	pencilling of shaft (concentric diaphyseal remodelling)

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
131	distal	fibula	right	20	2	1	adult	?	woven bone on shaft
131	5th metatarsal	foot	left	80	1	1	adult	?	woven bone on shaft, 4 lytic lesions on lateral surface
131	?2nd metatarsal	foot	left	80	1	1	adult	?	
131	?3rd metatarsal	foot	left	70	1	1	adult	?	
131	?4th metatarsal	foot	left	70	1	1	adult	?	
131	1st metatarsal	foot	right	80	1	1	adult	?	
131	1st proximal phalanx	foot	left	15	1	1	adult	?	
131	2nd metatarsal	foot	right	80	1	1	adult	?	
131	2nd proximal phalanx	foot	left	90	1	1	adult	?	
131	3rd metatarsal	foot	right	80	1	1	adult	?	
131	4th metatarsal	foot	right	80	1	1	adult	?	
131	5th metacarpal	hand	left	80	1	1	adult	?	
131	5th metatarsal	foot	right	80	1	1	adult	?	
131	5th metatarsal	foot	right	40	1	1	adult?	?	
131	acetabulum	pelvis	?	5	1	1	?	?	
131	body	lumbar vertebra	n/a	20	1	1	adult	?	
131	cuboid	foot	right	100	1	1	adult	?	
131	cuboid	foot	right	100	1	1	adult	?	
131	facet	lumbar vertebra	?	10	1	1	?	?	
131	head	femur	left?	5	1	1	adult	?	
131	ilium	pelvis	right	20	1	3	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
131	intermediate cuneiform	foot	left	80	1	1	adult	?	
131	intermediate cuneiform	foot	right	90	1	1	adult	?	
131	intermediate cuneiform	foot	right	90	1	1	adult	?	
131	lateral cuneiform	foot	right	90	1	1	adult	?	
131	lateral cuneiform	foot	right	90	1	1	adult	?	
131	medial cuneiform	foot	right	90	1	1	adult	?	
131	medial cuneiform	foot	right	90	1	1	adult	?	
131	navicular	foot	right	90	1	1	adult	?	
131	navicular	foot	right	90	1	1	adult	?	
131	patella	knee	left	60	1	1	adult	?	
131	proximal	ulna	right	5	1	1	adult	?	
131	shaft	rib	?	5	1	1	?	?	
131	shaft	femur	?	20	1	4	?	?	
131	shaft	ulna	right	60	0	1	?	?	
131	shaft	ulna	right	10	1	1	?	?	
132	?3rd distal phalanx	hand	left	100	0	1	adult	?	
134	1st proximal phalanx	foot	left	80	0	1	adult	?	
134	maxillary 1st premolar	dentition	right	100	0	1	adult	?	
134	unidentified				1	10	?	?	
135	mandibular canine	dentition	left	60	1	1	non-adult	n/a	extreme wear, bent root

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
136	head	rib	left	10	0	1	?	?	
136	head	rib	left	20	0	1	adult	?	
136	metacarpal shaft	hand	?	40	0	1	?	?	
136	metatarsal shaft	foot	?	70	0	1	?	?	
136	shaft	humerus	?	5	0	1	?	?	
136	shaft	radius	?	5	0	1	?	?	
136	unidentified				0	5	?	?	
137	3rd metacarpal	hand	right	30	0	1	?	?	
137	long bone shaft				0	2	?	?	
137	navicular	foot	?	30	0	1	adult	?	
138	4th metacarpal	hand	right	40	0	1	adult	?	
139	proximal articulation	ulna	right	40	1	1	adult	?	articulates with radius below
139	distal 2/3	humerus	right	70	1	4	adult	?	articulates with ulna below
139	5th distal phalanx	hand	right	90	1	1	?	?	
139	body	scapula	?	5	0	1	?	?	
139	long bone shaft		?	5	0	1	?	?	
139	midshaft	radius	right	40	1	1	adult	?	
139	proximal articulation	radius	right	40	1	1	adult	?	
139	talus	foot	right	80	1	1	adult?	?	
141	2nd-3rd proximal phalanx	hand	left	90	0	1	non-adult	n/a	unfused proximal epiphysis
141	mandibular 1st premolar	dentition	left	100	0	1	adult	?	wear grade 2
144	condyle	femur	?	10	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
144	root	dentition	?	50	1	1	?	?	
144	unidentified				0	10	?	?	
155	body	mandible	left	30	1	1	adult	?	
155	condyle	femur	?	5	1	1	adult	?	
155	head	rib	?	10	1	1	adult	?	
155	proximal	ulna	?	10	1	1	adult	?	
155	shaft	radius	?	30	1	1	?	?	
155	unidentified				1	3	?	?	
612	conjoining fragments of frontal, parietal, occipital, temporals, left zygomatic, sphenoid, left maxilla	skull					adult	M?	(no RMS apparent), maxillary left 1st premolar, wear grade 2; mild abnormal porosity above right and left orbital rims; smooth-walled oval lytic defect above right orbit, max. diameter 14.75 mm
612	maxilla	skull	right	30	1	1	adult	?	resorption of anterior sockets, mild abnormal porosity on nasal floor, probable remodelling of surviving portion of nasal aperture
612	midshaft	rib	?	10	0	1	?	?	
612	shaft	radius	?	10	0	1	?	?	
612	shaft	humerus	?	40	0	1	adult?	?	
612	shaft	ulna	right?	30	0	1	?	?	
612	vault	skull	?	10	0	17	adult	?	
804	body	vertebra	n/a	30	1	1	non-adult	n/a	unfused annular rings
804	midshaft	rib	?	10	0	1	?	?	
808	frontal	skull	left and right	50	1	2	adult	M?	conjoining fragments
808	body	lumbar vertebra	n/a	5	1	1	adult	?	moderate Schmorl's nodes
808	shaft	tibia	right	15	0	1	adult?	?	remodelling periosteal lesions

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
808	shaft	tibia	right	30	1	1	adult	?	woven bone and remodelling periosteal lesions on lateral surface, distal 1/2
808	shaft	tibia	left	40	1	1	adult?	?	woven bone on lateral and anterior surfaces, distal 2/3
808	shaft	tibia	left	30	1	1	adult?	?	woven bone on medial and lateral surfaces
808	proximal end	tibia	?	10	1	1	adult?	?	woven bone on posterior surface
808	midshaft	femur	left?	40	0	1	non-adult	n/a	young juvenile
808	parietal	skull	?	10	0	4	non-adult	n/a	young juvenile
808	proximal	humerus	left	50	0	1	non-adult	n/a	young juvenile
808	proximal	femur	left	40	0	1	non-adult	n/a	young juvenile
808	4th metatarsal	foot	right	60	1	1	adult	?	
808	5th metatarsal	foot	left	60	1	1	adult	?	
808	acetabulum	pelvis	right	10	0	1	adult	?	
808	acetabulum	pelvis	right	40	1	1	adult	?	
808	acromion	scapula	left	5	1	1	?	?	
808	blade	scapula	?	10	0	1	?	?	
808	body	thoracic vertebra	n/a	40	1	1	adult	?	
808	condyle	femur	?	5	0	3	adult	?	
808	distal	humerus	left	20	0	1	adult	?	
808	distal	humerus	left	30	0	1	adult	?	
808	distal	humerus	right	30	0	1	adult	?	
808	distal end	femur	left	30	1	1	adult	?	
808	distal end	femur	right	30	1	1	adult	?	
808	head	rib	right	20	1	1	adult	?	
808	ilium	pelvis	right?	20	1	1	adult	?	
808	ischium	pelvis	right	80	1	1	non-adult	n/a	
808	midshaft	rib	?	30	0	8	?	?	
808	neck	femur	right	10	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
808	parietal	skull	?	40	0	11	adult	?	
808	proximal end	tibia	?	10	1	1	adult	?	
808	proximal end	tibia	?	10	1	1	adult	?	
808	proximal end	femur	right	20	1	1	adult	?	
808	proximal shaft	femur	right	60	0	2	adult	?	
808	pubic symphysis	pelvis	right	10	0	1	adult	?	
808	shaft	femur	left	30	0	1	adult	?	
808	shaft	femur	left	30	0	1	adult	?	
808	shaft	femur	right	10	0	1	adult	?	
808	shaft	femur	right	30	0	1	adult	?	
808	sternal	rib	?right	20	0	1	non-adult	n/a	
808	unidentified	?	?	?	1	40	?	?	
809	distal half	tibia	left	60	1	2	adult	?	conjoining fragments
809	proximal shaft	fibula	left?	5	1	2	adult?	?	conjoining fragments
809	proximal	femur	right	10	1	1	adult?	?	not a pair
809	proximal head	femur	left	10	1	1	adult	?	not a pair
809	shaft	tibia	?	5	1	2	?	?	not conjoining
809	mandibular 1st premolar	dentition	right	100	1	1	adult?	?	possibly from skeleton 33 and 35
809	mandibular canine	dentition	right	100	1	1	adult?	?	possibly from skeleton 33 and 35
809	maxillary 3rd molar	dentition	right	100	1	1	adult?	?	possibly from skeleton 33 and 35
809	patella	knee	right	90	1	1	adult	?	wear grade 4
809	?3rd proximal phalanx	hand	right	100	0	1	?	?	
809	1st metacarpal	hand	left	100	0	1	adult?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
809	1st proximal phalanx	foot	right	100	0	1	adult?	?	
809	2nd proximal phalanx	hand	left	100	1	1	adult?	?	
809	3rd metacarpal	hand	left	100	0	0	adult?	?	
809	3rd metatarsal	foot	right	60	0	1	adult?	?	
809	5th metacarpal	hand	left	100	1	1	adult	?	
809	5th proximal phalanx	foot	right	80	1	1	adult	?	
809	acetabulum	pelvis	left	10	1	1	adult?	?	
809	body x 2	vertebra	n/a	10	1	2	adult	?	
809	condyle	femur	?	5	1	3	adult?	?	
809	distal	humerus	right	50	0	1	adult	?	
809	distal 1/2	humerus	left	40	0	1	adult?	?	
809	frontal	skull	right	20	0	1	adult	?	
809	glenoid/blade	scapula	right	30	0	1	adult	?	
809	lunate	hand	left	100	0	1	adult?	?	
809	maxillary 2nd molar	dentition	left	90	1	1	adult?	?	
809	midshaft	tibia	left	50	1	2	?	?	
809	proximal	ulna	?	5	1	1	?	?	
809	proximal	femur	left	5	1	1	?	?	
809	proximal	femur	left	5	1	1	?	?	
809	proximal	ulna	left	30	1	1	adult	?	
809	proximal	femur	left	90	0	1	adult	?	
809	proximal	tibia	right	5	2	1	?	?	
809	proximal	tibia	right	5	1	2	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
809	proximal	femur	right	5	1	1	?	?	
809	shaft	humerus	?	20	1	1	?	?	
809	shaft	femur	?	10	1	9	?	?	
809	shaft	femur	?	20	0	1	?	?	
809	shaft	tibia	?	20	1	1	?	?	
809	shaft	radius	?	10	1	1	?	?	
809	shaft	rib	?	10	1	1	adult	?	
809	temporal	skull	left	20	1	1	adult	?	
809	unidentified					20	?	?	
811	ilium/ischium	pelvis	left	40	1	10	adult	F?	possibly part of 33
819	head	femur	left	5	1	1	adult	M?	head diameter 57.33 mm
819	mandibular 1st premolar	dentition	right	100	0	1	adult	?	wear grade 2
819	mandibular 1st molar	dentition	right	100	0	1	adult	?	wear grade 4
819	shaft	fibula	?	5	1	1	?	?	woven bone
819	occipital	skull	n/a	5	1	2	adult	?	
819	proximal	tibia	?	5	0	1	?	?	
819	shaft	humerus	?	5	0	1	?	?	
823	ilium	pelvis	left	20	1	1	adult	M?	male sciatic notch
823	arch	TV1?	n/a	50	1	1	adult?	?	mild osteophytes
823	ilium	pelvis	right	30	2	1	adult?	?	staining on auricular surface
823	parietals	skull	left and right	70	1	13	adult?	?	sutures quite open

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
823	mandibular 2nd premolar	dentition	left	100	1	1	adult	?	wear grade 3
823	3rd metatarsal	foot	left	80	2	1	adult?	?	
823	calcaneus	foot	left	50	1	1	adult?	?	
823	condyle	femur	?	10	3	1	adult?	?	
823	head	rib	left	40	1	1	adult?	?	
823	ilium	pelvis	right	60	2	1	adult?	?	
823	ischium	pelvis	left	20	1	1	adult	?	
823	midshaft	femur	right	70	1	1	adult?	?	
823	proximal half	ulna	right	40	1	1	adult?	?	
823	proximal phalanx	foot	right?	40	0	1	adult?	?	
823	shaft	long bone	?	?	1	3	?	?	
823	shaft	rib	?	30	1	1	?	?	
823	unidentified		?	?	2	14	?	?	
823	unidentified	pelvis	?	10	1	2	adult?	?	
823	zygomatic	skull	right	70	3	1	adult	?	
826	mandibular 1st incisor	dentition	right	100	0	1	adult	?	wear grade 6
826	distal shaft	humerus	left	20	0	1	adult?	?	
826	shaft	rib	?	10	0	3	?	?	
826	talus	foot	left	90	0	1	adult?	?	
836	body	cervical vertebra	n/a	50	1	1	adult	?	mild osteophytes and porosity
836	triquetral	hand	right	100	1	1	adult?	?	possibly skeleton 47, 48, 49
836	1st proximal phalanx	foot	right	20	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
836	2nd metatarsal	foot	left	70	1	1	adult	?	
836	3rd proximal phalanx	hand	right	80	1	1	adult	?	
836	5th proximal phalanx	foot	left	80	1	1	?	?	
836	facet	lumbar vertebra	?	5	1	1	adult	?	
836	lateral cuneiform	foot	left	80	1	1	adult	?	
836	metacarpal shaft	hand	?	60	1	1	?	?	
836	midshaft	rib	?	10	1	1	adult	?	
836	parietal	skull	left and right	15	1	7	adult	?	
836	proximal	fibula	right	10	1	1	adult?	?	
836	temporal	skull	left	10	1	1	adult	?	
836	unidentified					40	?	?	
842	midshaft	rib	?	10	1	1	?	?	
842	parietal	vault	?	5	1	2	?	?	
842	unidentified	?	?	?	?	9	?	?	
850	arch	thoracic vertebra	n/a	40	1	1	?	?	
850	calcaneus	right	50	50	1	1	adult?	?	
850	condyle	femur	right	10	1	2	adult	?	
850	distal end	fibula	left	40	1	2	adult	?	
850	facet	thoracic vertebra	n/a	10	1	1	?	?	
850	proximal shaft	femur	right	40	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
855	unidentified				1	10	?	?	mainly long bone shaft
855	shaft	fibula	?	40	1	4	?	?	not conjoining
855	body/arch	thoracic vertebra	n/a	70	1	1	adult	?	
855	parietal	skull	?	10	0	1	adult	?	
855	shaft	femur	?	10	0	1	?	?	
855	shaft	tibia	?	10	0	1	?	?	
864	maxilla	skull	right	5	1	1	adult	?	abnormal porosity of right nasal floor, resorption of anterior sockets
864	glenoid	scapula	left	5	1	1	adult	?	moderate porosity and eburnation
864	acromion	scapula	left	5	1	1	adult	?	
864	body	lumbar vertebra	n/a	40	1	1	adult	?	
864	head	humerus	?	10	1	1	adult	?	
864	head	rib	right	10	0	1	adult	?	
864	midshaft	tibia	right	30	0	1	?	?	
864	proximal	ulna	right	20	1	1	adult	?	
864	proximal phalange	foot	left	40	1	1	adult?	?	
864	talus	foot	right	30	1	1	adult?	?	
872	?4th metacarpal	hand	?	70	1	1	adult?	?	
872	1st distal phalanx	hand	left	80	1	1	adult	?	
872	1st metacarpal	hand	right	80	1	1	adult	?	
872	1st proximal phalanx	hand	left	100	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
872	2nd intermediate phalanx	hand	left	60	1	1	adult	?	
872	3rd intermediate phalanx	hand	left	100	1	1	adult	?	
872	3rd metacarpal	hand	right	70	1	1	adult	?	
872	4th intermediate foot phalanx	hand	left	90	1	1	adult	?	
872	5th distal phalanx	hand	left	90	1	1	adult	?	
872	5th metatarsal	foot	left	90	1	1	adult	?	
872	arch	thoracic vertebra	n/a	5	1	1	?	?	
872	arch	cervical vertebra	n/a	20	1	1	?	?	
872	body	sacral	n/a	5	1	1	?	?	
872	metacarpal shaft	hand	?	60	1	1	?	?	
872	shaft	rib	?	10	1	2	?	?	
875	shaft	femur	left	70	1	2	?	?	conjoining fragments
875	shaft	radius	?	20	1	2	?	?	not conjoining
875	shaft	tibia	?	20	1	1	?	?	remodelling periosteal lesions
875	mandibular canine	dentition	left	100	1	1	adult	?	wear grade 4
875	shaft	ulna?	left?	10	1	1	?	?	woven bone deposition
875	3rd metatarsal	foot	left	70	1	1	adult	?	
875	4th metatarsal	foot	right	40	1	1	adult	?	
875	5th metatarsal	foot	left	60	1	1	adult	?	
875	5th metatarsal	foot	right	80	1	1	adult	?	
875	anterior	mandible	n/a	10	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
875	atlas	cervical vertebra	n/a	5	1	1	adult	?	
875	body	lumbar vertebra	n/a	40	1	1	adult	?	
875	body	cervical vertebra	n/a	20	1	1	adult	?	
875	body	cervical vertebra	n/a	40	1	1	adult	?	
875	body/arch	lumbar vertebra	n/a	70	1	1	adult	?	
875	condyle	femur	?	5	1	2	adult	?	
875	condyle	mandible	right	5	1	1	adult	?	
875	condyle	mandible	right	5	1	1	adult	?	
875	distal	humerus	left	20	1	1	?	?	
875	distal	humerus	left	10	1	1	adult	?	
875	distal	femur	left?	20	1	1	adult	?	
875	distal	humerus	right	30	1	1	?	?	
875	frontal	skull	right	40	1	1	adult	M?	
875	head	rib	left	5	1	1	adult	?	
875	head	femur	left	5	1	1	adult	?	
875	head	rib	right	5	1	1	adult	?	
875	head	femur	right	5	1	1	adult	?	
875	mandibular 1st molar	dentition	right	100	1	1	adult	?	
875	proximal	ulna	left	20	1	2	?	?	
875	proximal phalanx	hand	right	60	1	1	adult	?	
875	proximal phalanx	foot	right	80	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
875	S1	sacrum	n/a	10	2	1	adult	?	
875	shaft	fibula	?	10	0	2	?	?	
875	shaft	tibia	?	20	1	1	?	?	
875	shaft	femur	?	30	1	1	?	?	
875	shaft	femur	?	5	1	1	?	?	
875	shaft	radius	right	30	1	1	?	?	
875	shaft	clavicle	right	20	1	1	?	?	
875	shaft	clavicle	right	30	1	1	?	?	
875	zygomatic	skull	right	90	1	1	adult	?	
875	zygomatic	skull	right	60	1	1	adult	?	
877	1st-5th proximal phalanges	hand	left	80-100	0	1	adult	?	
877	condyle/ramus	mandible	left	10	0	1	adult?	?	
877	ilium	pelvis	left	40	0	2	adult	?	
877	intermediate phalanx	hand	left	100	0	1	adult	?	
877	intermediate phalanx	hand	left	100	0	1	adult	?	
877	ischium	pelvis	right	10	0	1	adult	?	
877	shaft	rib	right	30	0	1	?	?	
896	body	vertebra	n/a	40	0	2	adult	?	moderate osteophytes and porosity
896	premolar	dentition	?	100	1	1	?	?	wear grade 8
896	arch	thoracic vertebra	n/a	20	1	1	?	?	
896	body	scapula	?	30	0	4	?	?	
896	cuboid	foot	right	40	1	1	adult	?	
896	distal	fibula	left	5	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
896	shaft	rib	?	10	0	3	?	?	
896	unidentified				0	20	?	?	
920	shaft	rib	?	5	2	1	?	?	abnormal porosity on shaft
920	calcaneus	foot	left	30	1	1	adult	?	double anterior calcaneal facet
920		clavicle	right	90	0	1	adult	?	fused medial epiphysis, mild osteophytes
920	5th metacarpal	hand	left	50	0	1	adult	?	mild proximal osteophytes
920	calcaneus	foot	left	70	0	1	adult	?	mild proximal osteophytes
920	maxilla	skull	right	20	2	1	adult	?	post-mortem damage, no surviving dentition, possible abnormal porosity on nasal floor and ?remodelling of nasal aperture
920	proximal	tibia	?	5	1	1	non-adult	n/a	unfused proximal epiphysis
920	mandibular canine	dentition	left	100	1	1	adult	?	wear grade 3
920	maxillary 1st incisor	dentition	right	100	1	1	adult	?	wear grade 4
920	maxillary canine	dentition	right	100	1	1	adult	?	wear grade 4
920	maxillary 1st premolar	dentition	right	100	1	1	adult	?	wear grade 6
920	premolar	dentition	?	100	1	1	adult	?	wear grade 7
920	shaft	tibia?	?	5	1	1	?	?	woven bone deposition
920	shaft	tibia	left	20	1	1	?	?	woven bone deposition

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
920	1st metacarpal	hand	left	40	1	1	adult	?	
920	calcaneus	foot	left	20	1	1	adult	?	
920	calcaneus	foot	left	10	1	1	adult	?	
920	distal	humerus	right	10	1	1	adult	?	
920	facet	cervical vertebra	?	5	1	1	adult	?	
920	proximal	femur	left	20	1	1	adult	?	
920	shaft	tibia	?	20	1	1	?	?	
920	shaft	femur	?	20	1	1	?	?	
920	shaft	rib	?	10	1	8	?	?	
920	shaft	long bone	?	?	1	1	non-adult	n/a	
920	shaft	tibia	left?	40	1	1	?	?	
920	shaft	femur	right	50	1	2	?	?	
920	transverse process	thoracic vertebra	?	5	1	2	adult	?	
920	vault	skull		5	1	1	?	?	
928	shaft	femur	?	10	1	1	?	?	
930	proximal	femur	right	50	1	1	adult	M?	head diameter 55.16 mm, mild osteophytes
930	body	lumbar vertebra	n/a	40	1	1	adult	?	moderate osteophytes and Schmorl's nodes
930	shaft	fibula	?	30	0	2	?	?	not conjoining
930	2nd proximal phalanx	hand	left	90	0	1	adult?	?	
930	ilium/acetabulum	pelvis	right	60	0	4	adult	?	
930	shaft	radius	?	20	0	1	?	?	
930	temporal	skull	right	80	1	1	adult	M?	
945	body	CV4	n/a	50	0	1	adult	?	articulates with vertebra above

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
945	body	CV3	n/a	50	0	1	adult	?	articulates with vertebra below
945	distal 1/2	tibia	right	50	0	2	?	?	conjoining
945	lateral 2/3	clavicle	left	80	0	1	adult	?	fused epiphysis
945	shaft	tibia	?	10	1	2	?	?	not conjoining
945	head	humerus	left	10	0	1	adult	?	possible pair
945	head	humerus	right	10	0	1	adult	?	possible pair
945	ramus/condyle	mandible	right	30	0	2	adult	?	possibly part of 95 or 96
945	distal	radius	right	60	0	2	adult	?	radius and ulna are articulating
945	body	lumbar vertebra	n/a	50	0	1	adult	?	severe Schmorl's nodes
945	1st metacarpal	hand	left	30	0	1	adult?	?	
945	3rd metacarpal	hand	left	80	0	1	adult?	?	
945	acetabulum	pelvis	left	10	0	1	adult	?	
945	acromion	scapula	left	10	0	1	adult	?	
945	body	CV2	n/a	50	0	1	adult	?	
945	condyle	femur	left	5	0	1	adult	?	
945	coracoid	scapula	left	10	0	1	adult	?	
945	coracoid	scapula	right	20	0	1	adult	?	
945	distal	humerus	left	30	0	1	adult	?	
945	distal	humerus	left	5	0	1	adult?	?	
945	distal	ulna	right	30	0	1	adult	?	
945	distal 1/2	radius	left	40	0	1	adult?	?	
945	glenoid	scapula	left	20	0	1	adult	?	
945	glenoid	scapula	right	20	0	1	adult	?	
945	greater trochanter	femur	left	5	0	1	adult	?	
945	head	rib	left	10	0	1	?	?	
945	head	femur	left	30	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
945	head	rib	right	10	0	2	?	?	
945	ilium	pelvis	left	5	0	1	adult	?	
945	ischium	pelvis	left	10	0	1	adult	?	
945	midshaft	rib	?	5	0	11	?	?	
945	proximal	ulna	left	60	0	2	adult	?	
945	proximal 1/2	radius	left	40	0	1	adult		
945	proximal phalanx	hand	?	10	0	1	?	?	
945	pubic symphysis	pelvis	left	5	0	1	adult	?	
945	S1-2	sacrum	n/a	20	0	1	adult	?	
945	shaft	ulna	?	10	0	1	adult	?	
945	shaft	femur	right?	40	0	1	adult?	?	
945	triquetral	hand	left	100	0	1	adult?	?	
959	body	thoracic vertebra	n/a	30	1	1	non-adult	n-a	lines of fusion still visible
959	iliac crest	pelvis	left?	5	0	1	non-adult	n/a	unfused iliac crest
959	facet	vertebra	?	10	1	2	?	?	
959	head	femur	?	5	1	1	adult	?	
959	intermediate phalanx	hand	?	100	0	1	adult	?	
959	intermediate phalanx	hand	?	100	0	1	adult		
959	lunate	hand	left	100	0	1	adult	?	
959	unidentified				1	20	?	?	
961	acromion	scapula	?	10	0	1	adult	?	possibly part of 16
961	intermediate phalanx	hand	?	10	0	1	?	?	possibly part of 16
979	1st metatarsal	foot	right	100	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
983	medial articulation	clavicle	left	40	0	1	adult	?	fused epiphysis
983	acromion	scapula	right	10	0	1	adult	?	
983	arch	thoracic vertebra	n/a	5	0	4	adult?	?	
983	body	scapula	?	5	0	1	?	?	
983	body	scapula	left	10	0	1	?	?	
983	distal shaft	ulna	left	60	0	1	adult?	?	
983	head	1st rib	right	80	0	1	adult	?	
983	parietal	vault	?	10	0	1	adult	?	
983	shaft	rib	?	40	1	10	?	?	
983	temporal	skull	left	40	0	1	adult	F?	
985	distal radius	left	left	40	1	2	adult	?	2 conjoining fragments
985	distal 2/3	tibia	right	70	1	2	adult	?	conjoining fragments
985	lateral	clavicle	left	20	1	1	adult	?	fused epiphyses, mild porosity
985	medial	clavicle	left	20	1	1	adult	?	fused epiphysis
985	glenoid, body, acromion	scapula	right	70	1	1	adult	?	mild osteophytes, glenoid width 28.81 mm
985	arch	lumbar vertebra	n/a	40	1	1	adult	?	moderate osteophytes and porosity
985	body	lumbar vertebra	n/a	30	1	1	adult	?	moderate osteophytes and porosity
985	distal	ulna	left	20	1	1	adult	?	moderate osteophytes and porosity
985	condyle	femur	right and left	10	1	3	adult	?	pair of legs from a single skeleton

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
985	shaft	femur	left	30	1	1	adult	?	pair of legs from a single skeleton
985	shaft	fibula	right	60	0	4	adult	?	pair of legs from a single skeleton
985	shaft	femur	right	30	1	1	adult	?	pair of legs from a single skeleton
985	shaft	tibia	left	70	0	2	adult	?	pair of legs from a single skeleton, deposits of new bone on lateral surface, quite indolent in appearance, possibly remodelling, most severe at distal end of shaft though extends at least as far as nutrient foramen, small patch on posterior at midshaft
985	shaft	fibula	left	60	0	3	adult	?	pair of legs from a single skeleton, distal half of shaft severely affected, all surfaces, thick deposits
985	shaft	tibia	right	60	0	4	adult	?	pair of legs from a single skeleton, lesions less severe than above
985	shaft	femur	right	60	1	6	adult	?	probably a single bone
985	1st metacarpal	hand	right?	60	1	1	adult	?	
985	3rd metacarpal	hand	left	40	1	1	adult	?	
985	4th metacarpal	hand	right	50	1	1	adult	?	
985	acetabulum	pelvis	?	5	1	1	?	?	
985	distal	humerus	left	50	1	1	adult	?	
985	facet	cervical facet	?	5	1	1	?	?	
985	head	rib	?	10	1	2	adult	?	
985	head	rib	left	30	1	1	adult	?	
985	iliac crest	pelvis	left	10	1	1	adult	?	
985	metacarpal shaft	hand	?	20	1	1	?	?	
985	midshaft	ulna	right	20	1	1	?	?	
985	navicular	foot	right	100	0	1	adult	?	
985	parietal	skull	?	5	1	1	adult?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
985	patella	knee	left	80	1	1	adult	?	
985	proximal	ulna	right	50	1	1	adult	?	
985	proximal	tibia	right?	10	1	2	adult	?	
985	proximal phalanx	hand	?	40	1	1	?	?	
985	shaft	rib	?	20	1	2	?	?	
985	shaft	2nd rib	right	30	1	1	adult	?	
985	transverse process	thoracic vertebra	n/a	5	1	1	adult	?	
985		vault	?	5	1	1	?	?	
1000	complete	tibia	left	100	1	3	adult	?	conjoining fragments, remodelling periosteal lesions, mild osteophytes
1000	midshaft	tibia	left	30	1	1	?	?	remodelling periosteal lesions, possible chronic ulcer
1000	proximal articulation	radius	right	20	)	1	adult	?	mild osteophytes
1000	head	femur	?	5	1	1	?	?	mild porosity
1000	midshaft	rib	?	10	0	8	?	?	remodelling periosteal lesions
1000	mandibular 3rd molar	dentition	left	100	0	1	adult	?	wear grade 3
1000	?parietal	vault	?	20	1	10	adult	?	
1000	acromion	scapula	?	10	1	5	?	?	
1000	ala	sacrum	right	10	1	1	adult?	?	
1000	blade	scapula	?	5	1	1	?	?	
1000	body	thoracic vertebra	n/a	5	1	1	?	?	
1000	distal	tibia	left	20	1	1	?	?	
1000	distal articulation	humerus	left	5	1	1	adult?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1000	distal articulation	humerus	left?	5	1	1	?	?	
1000	distal half	humerus	left	40	0	1	adult?	?	
1000	distal half	humerus	right	30	1	1	adult	?	
1000	distal shaft	femur	?	5	1	1	?	?	
1000	distal shaft	humerus	left	5	1	1	?	?	
1000	facet	cervical vertebra	?	5	1	2	adult?	?	
1000	glenoid	scapula	?	5	1	1	?	?	
1000	glenoid	scapula	right	10	1	1	adult	?	
1000	head	radius	left	5	1	1	adult	?	
1000	head	ulna	left	5	1	1	adult	?	
1000	lateral end	clavicle	left	5	1	1	?	?	
1000	lateral end	clavicle	right	40	1	1	adult	?	
1000	medial cuneiform	foot	right	100	1	1	adult?	?	
1000	proximal	ulna	right	20	1	1	adult	?	
1000	proximal	ulna	right	15	1	1	adult	?	
1000	proximal	ulna	left	10	1	1	adult	?	
1000	proximal shaft	humerus	left	20	1	1	adult?	?	
1000	shaft	humerus	?	10	1	1	?	?	
1000	shaft	humerus	?	5	1	1	?	?	
1000	shaft	humerus	?	5	1	1	?	?	
1000	shaft	humerus	?	5	1	1	?	?	
1000	shaft	tibia	?	20	1	3	?	?	
1000	shaft	fibula	?	10	1	1	?	?	
1000	shaft	radius	left	5	0	1	?	?	
1000	shaft	ulna	right	10	1	1	?	?	
1000	shaft	ulna	right	10	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1000	shaft	ulna	right	5	0	1	?	?	
1000	temporal	vault	right	10	1	1	adult	M?	
1000	transverse process	thoracic vertebra	n/a	5	1	1	adult?	?	
1000	unidentified				1	20	?	?	
1010	body	thoracic vertebra	n/a	50	1	1	adult	?	moderate osteophytes
1010	shaft	fibula	right	70	0	1	?	?	remodelling periosteal lesions
1010	condyle	femur	?	10	0	5	?	?	
1010	distal	tibia	left	30	0	1	?	?	
1010	distal	humerus	left	40	0	1	adult	?	
1010	distal	tibia	right	10	1	1	adult	?	
1010	distal	ulna	left	10	0	1	adult	?	
1010	frontal	skull	right	10	0	1	adult	?	
1010	head	rib	left	20	0	1	adult	?	
1010	head	femur	left	20	1	1	adult	?	
1010	head	femur	left?	10	1	1	adult	?	
1010	neck	femur	left	20	1	1	adult	?	
1010	patella	knee	left	90	0	1	adult	?	
1010	proximal	fibula	right	30	0	1	adult	?	
1010	proximal	radius	right	20	0	1	adult	?	
1010	proximal shaft	fibula	left	50	0	1	adult	?	
1010	proximal shaft	fibula	left	50	0	1	adult	?	
1010	shaft	rib	?	30	0	1	?	?	
1010	shaft	humerus	?	30	0	1	?	?	
1010	shaft	tibia	?	10	1	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1010	shaft	tibia	?	40	0	3	?	?	
1010	shaft	fibula	?	30	0	8	?	?	
1010	shaft	radius	left	10	1	1	?	?	
1010	shaft	femur	left	60	1	1	?	?	
1010	shaft	femur	left	40	0	1	?	?	
1010	shaft	femur	left	40	0	1	?	?	
1010	shaft	femur	right	30	1	1	?	?	
1010	shaft	femur	right	30	1	1	?	?	
1010	shaft	femur	right	20	0	1	?	?	
1010	shaft	humerus	right	30	0	2	?	?	
1010	talus	foot	right	40	1	1	adult	?	
1010	unidentified					40	?	?	
1010		pelvis	right?	30	1	4	adult	?	
1012	unidentified				1	2	?	?	
1019	2nd proximal phalanx	foot	left	90	1	1	adult?	?	possibly part of 124
1019	proximal phalanx	hand	?	40	1	1	adult?	?	possibly part of 124
1019	shaft	tibia	?	5	1	1	?	?	possibly part of 124
1019	sternal	rib	?	5	1	1	adult	?	possibly part of 124
1019	2 proximal phalanges	foot	?	70	0	2	?	?	
1019	3 intermediate phalanges	foot	?	90	3	3	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1026	1st distal phalanx	hand	right	100	0	1	adult	?	articulates with bone above
1026	shaft	tibia	?	30	0	2	?	?	florid woven bone deposition, up to 10 mm thick, conjoining fragments
1026	body/arch	thoracic vertebra	n/a	90	0	1	adult	?	mild Schmorl's nodes, inferior body
1026	shaft	fibula	?	20	1	1	?	?	remodelling periosteal lesions
1026	1st proximal phalanx	hand	right	100	0	1	adult	?	
1026	3rd metacarpal	hand	left	40	0	1	adult	?	
1026	shaft	femur	left	30	0	1	?	?	
1026	unidentified					20	?	?	
1028	frontal, parietals, temporals, occipital	skull			0	10	adult	M?	conjoining fragments
1028	midshaft	femur	right	20	1	2	?	?	conjoining fragments
1028	body	thoracic vertebra	n/a	30	1	1	adult	?	mild Schmorl's nodes
1028	body	lumbar vertebra	n/a	40	1	1	adult	?	moderate osteophytes
1028	mandibular canine	dentition	left	90	1	1	adult	?	wear grade 3
1028	?3rd metacarpal	hand	left	60	1	1	adult	?	
1028	3rd intermediate phalanx	hand	right	100	1	1	adult?	?	
1028	body	SV1	n/a	20	1	1	adult	?	
1028	condyle	mandible	left	10	1	1	adult	?	
1028	facet	lumbar vertebra	?	10	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1028	facet	lumbar vertebra	n/a	10	1	1	adult	?	
1028	head	rib	right	5	1	1	adult	?	
1028	head	rib	right	5	1	1	adult	?	
1028	ilium	pelvis	right	30	1	1	adult	?	
1028	midshaft	radius	?	10	1	1	?	?	
1028	midshaft	tibia	right	30	1	1	?	?	
1028	parietal	skull	?	30	1	6	adult	?	
1028	proximal phalange	hand	?	40	1	1	adult?	?	
1028	shaft	rib	?	10	1	1	?	?	
1028	shaft	femur	?	5	1	1	?	?	
1028	shaft	humerus	right	30	1	1	?	?	
1028	transverse process	thoracic vertebra	n/a	10	1	1	adult	?	
1034	unidentified	long bone shaft	?	?	1	14	?	?	fill around skeleton 24
1034	distal shaft	fibula	?	20	0	1	?	?	remodelling periosteal lesions
1034	proximal shaft	tibia	?	30	0	1	?	?	remodelling periosteal lesions
1034	proximal shaft	tibia	?	5	1	1	?	?	remodelling periosteal lesions
1034	proximal shaft	tibia	right	40	0	2	?	?	remodelling periosteal lesions
1034	1st proximal phalanx	foot	left	0.9	1	1	adult?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1034	3rd distal phalanx	foot	left	100	1	1	adult?	?	
1034	3rd intermediate phalanx	foot	left	90	1	1	adult?	?	
1034	arch	thoracic vertebra	n/a	50	2	1	adult?	?	
1034	distal shaft	fibula	?	30	0	1	?	?	
1034	distal shaft	fibula	?	20	0	1	?	?	
1034	distal shaft	fibula	?	20	0	1	?	?	
1034	head	femur	right?	5	3	1	adult	?	
1034	neck	femur	right?	5	1	1	?	?	
1034	proximal phalanx	hand	?	40	1	1	adult	?	
1034	proximal shaft	tibia	?	20	1	1	?	?	
1034	proximal shaft	tibia	?	10	1	1	?	?	
1034	proximal shaft	femur	left	40	1	1	adult?	?	
1034	proximal shaft	fibula	right	40	0	2	?	?	
1034	proximal shaft	radius	right	40	0	1	?	?	
1034	proximal shaft	ulna	right	40	0	1	?	?	
1034	shaft	femur	?	10	1	3	?	?	
1034	vault	skull	n/a	5	1	1	adult?	?	
1066	shaft	femur	right	40	1	2	adult	?	conjoining fragments
1066	ilium/ischium	pelvis	right	50	1	2	adult		conjoining fragments, mild osteophytes
1066	mandibular 1st molar	dentition	left	80	1	1	adult	?	large lingual caries
1066	unidentified				1	40	?	?	mainly long bone shaft

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1066	mandibular 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 4
1066	maxillary 2nd premolar	dentition	right	100	1	1	adult	?	wear grade 5
1066	maxillary canine	dentition	left	100	1	1	adult	?	wear grade 5, enamel chipping
1066	1st proximal phalanx	foot	right	100	1	1	adult	?	
1066	2nd metacarpal	hand	left	90	1	1	adult	?	
1066	anterior	mandible	n/a	30	1	1	adult	F?	
1066	body/facet	lumbar vertebra	n/a	30	1	1	adult	?	
1066	condyle	femur	?	10	1	1	adult	?	
1066	condyle	femur	?	5	1	1	adult	?	
1066	facet	cervical vertebra	?	5	1	1	?	?	
1066	head	11th rib	left	40	1	1	adult	?	
1066	ilium	pelvis	right	20	1	1	adult	?	
1066	intermediate phalanx	hand	left	90	1	1	adult?	?	
1066	lateral cuneiform	foot	left	40	1	1	adult?	?	
1066	midshaft	radius	?	30	1	1	adult?	?	
1066	navicular	foot	left	40	1	1	adult?	?	
1066	S1 body/arch	sacrum	n/a	30	1	6	adult	?	
1/1041	3rd molar	dentition	?	60	2	1	adult	?	large caries all surfaces
1/1041	mandibular 2nd incisor	dentition	left	100	1	1	adult	?	moderate buccal calculus

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1/1041	mastoid process	skull	right	20	1	1	adult	F?	paired with bone above
1/1041	mastoid process	skull	left	20	1	1	adult	F?	paired with bone below
1/1041	mandibular 1st incisor	dentition	right	100	1	1	adult	?	wear grade 7, heavy calculus
1/1041	axis facet	left	left	10	1	1	adult	?	
1/1041	parietal	skull	?	10	1	1	adult	?	
1/1041	petrous	skull	?	5	1	1	adult	?	
1/305	unidentified				1	3	?	?	
100/953	unidentified					20	?	?	mainly long bone shaft
100/953	patella	knee	right	90	1	1	adult	?	
1017/1019	unidentified tooth	dentition	?	60	1	1	adult?	?	heavy calculus, large occlusal caries
1017/1019	unidentified					20	?	?	mainly long bone shaft
1017/1019	2nd distal phalanx	foot	left	100	1	1	adult?	?	part of one foot
1017/1019	2nd intermediate phalanx	foot	left	100	1	1	adult?	?	part of one foot
1017/1019	4th intermediate phalanx	foot	left	100	1	1	adult?	?	part of one foot
1017/1019	mandibular 1st premolar	dentition	right	100	1	1	adult?	?	slight calculus, wear grade 4
1017/1019	mandibular 2nd premolar	dentition	right	100	1	1	adult?	?	slight calculus, wear grade 4
1017/1019	mandibular 2nd molar	dentition	left	100	1	1	adult?	?	small mesial caries, slight calculus, wear grade 7

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1017/1019	shaft	fibula	?	5	1	1	?	?	woven bone deposition
1017/1019	shaft	fibula	?	10	1	1	?	?	woven bone deposition
1017/1019	?2nd proximal phalanx	hand	left	90	1	1	?	?	
1017/1019	1st metacarpal	hand	left	5	1	1	adult	?	
1017/1019	1st proximal phalanx	foot	left	90	1	1	adult	?	
1017/1019	1st proximal phalanx	foot	right	80	1	1	adult	?	
1017/1019	1st proximal phalanx	foot	right	90	1	1	adult	?	
1017/1019	1st proximal phalanx	foot	right	90	1	1	adult	?	
1017/1019	1st proximal phalanx	foot	right	90	1	1	adult	?	
1017/1019	3rd proximal phalanx	hand	?	60	1	1	?	?	
1017/1019	3rd proximal phalanx	foot	right	90	1	1	adult	?	
1017/1019	5th metatarsal	foot	right	60	1	1	adult	?	
1017/1019	5th proximal phalanx	hand	left	100	1	1	adult	?	
1017/1019	condyle	femur	?	5	1	1	?	?	
1017/1019	distal	fibula	left	20	1	1	adult	?	
1017/1019	lunate	hand	left	100	1	1	adult?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
1017/1019	parietal	skull	?	20	1	1	adult?	?	
1017/1019	sesamoid		?	100	1	1	adult?	?	
1020b	proximal	ulna	right	15	1	1	adult	?	mild proximal osteophytes
1020b	proximal phalanx	foot	?	60	1	1	?	?	possible septic arthritis
1020b	shaft	fibula	?	30	1	4	?	?	woven bone deposition
1020b	1st metatarsal	foot	right	40	1	1	adult	?	
1020b	1st metatarsal	foot	right	40	1	1	adult	?	
1020b	4th metatarsal	foot	left	70	0	1	adult	?	
1020b	5th metatarsal	foot	left?	70	0	1	adult	?	
1020b	condyle	femur	left	5	0	1	adult	?	
1020b	condyle	femur	left	5	0	1	adult	?	
1020b	distal	humerus	left	5	1	1	adult	?	
1020b	proximal	tibia	right	5	1	1	adult	?	
1025?	2nd, 3rd, 4th proximal phalanges	foot	left	90	1	1	adult	?	
1025?	4th metatarsal	foot	left	30	1	1	adult	?	
1025?	head	rib	right	10	0	1	adult	?	
1025?	shaft	rib	?	10	0	1	?	?	
1025?	unidentified				0	6	?	?	
12/916	shaft	tibia	?	10	0	1	adult	?	remodelling periosteal lesions
12/916	maxillary 3rd molar	dentition	right	100	0	1	adult	?	wear grade 2
12/916	maxillary 1st molar	dentition	left	100	0	1	adult	?	wear grade 6

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
12/916	?navicular	foot	left	30	0	1	?	?	
12/916	occipital	skull			0	2	adult	?	
12/916	proximal	ulna	left	70	0	1	adult	?	
12/916	proximal phalanx	foot	?	40	0	1	?	?	
12/916	vault	skull			0	6	adult	?	
12/916		pelvis	left	30	0	9	young adult	?	
120/1010	head	femur	left	10	0	1	adult	M?	head diameter 50.54 mm
120/1010	distal	radius	right	30	0	1	adult	?	healed fracture of distal shaft, mal-aligned, moderate osteophytes
120/1010	acetabulum	pelvis	?	10	0	2	adult	?	mild porosity
120/1010	mandibular 2nd molar	dentition	left	100	0	1	adult	?	wear grade 2
120/1010	mandibular 1st molar	dentition	right	100	0	1	adult	?	wear grade 4, chipped crown
120/1010	1st distal phalanx	foot	right	80	0	1	adult	?	
120/1010	1st metacarpal	hand	left	90	0	1	adult	?	
120/1010	1st metatarsal	foot	right	80	0	1	adult	?	
120/1010	1st proximal phalanx	hand	left	100	0	1	adult	?	
120/1010	1st proximal phalanx	hand	left	90	0	1	adult	?	
120/1010	2nd metacarpal	hand	left	100	0	1	adult	?	
120/1010	2nd proximal phalanx	hand	left	80	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
120/1010	2nd, 3rd, 5th intermediate phalanges	hand	left	90	0	3	adult	?	
120/1010	2nd, 3rd, 5th proximal phalanges	foot	right	90	0	1	adult	?	
120/1010	3rd metatarsal	foot	left	80	0	1	adult	?	
120/1010	3rd proximal phalanx	hand	left	80	0	1	adult	?	
120/1010	4th metacarpal	hand	left	100	0	1	adult	?	
120/1010	4th metatarsal	foot	left	90	0	1	adult	?	
120/1010	4th proximal phalanx	hand	left	100	0	1	adult	?	
120/1010	5th metatarsal	foot	left	80	0	1	adult	?	
120/1010	body	scapula	left	20	0	1	?	?	
120/1010	body	thoracic vertebra	n/a	40	1	1	adult	?	
120/1010	calcaneus	foot	right	100	0	1	adult	?	
120/1010	distal	tibia	?	10	0	1	adult	?	
120/1010	distal	tibia	left	30	0	1	adult	?	
120/1010	distal	fibula	right	20	0	1	adult	?	
120/1010	navicular	foot	right	100	0	1	adult	?	
120/1010	shaft	rib	?	30	0	5	?	?	
120/1010	shaft	femur	left	30	0	1	?	?	
120/1010	shaft	radius	right	20	0	1	?	?	
120/1010	talus	foot	right	90	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
126/1008	vault	skull		50	1	1	adult	M?	a single fragmented skull
128/1028	LV1-5	lumbar vertebra	n/a	80	0	1	adult	?	articulating
128/1028	arch	sacrum	n/a	30	1	1	?	?	
132 or 133	body	TV1	n/a	50	0	1	adult	?	articulates with vertebra above
132 or 133	body	CV7	n/a	50	0	1	adult	?	articulates with vertebra below
132 or 133	distal shaft	long bone	?	20	0	1	non-adult	n/a	probable infant
132 or 133	mandibular 1st premolar	dentition	right	100	0	1	adult?	?	wear grade 2
132 or 133	maxillary 1st incisor	dentition	left	100	0	1	adult?	?	wear grade 2
132 or 133	mandible 1st 2nd and 3rd molars	dentition	right	40	0	1	adult	M?	wear suggests 26-35 years
132 or 133	1st distal phalanx	hand	left	100	0	1	adult?	?	
132 or 133	acetabulum	pelvis	right	20	0	1	adult	?	
132 or 133	acromion	scapula	?right	10	0	1	adult	?	
132 or 133	arch	thoracic vertebra	n/a	20	0	1	adult	?	
132 or 133	body	lumbar vertebra	n/a	30	0	1	adult	?	
132 or 133	deciduous mandibular molar	dentition	left	100	0	1	non-adult	n/a	
132 or 133	distal	humerus	right	40	0	1	adult	?	
132 or 133	frontal	skull	?	10	0	1	adult		

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
132 or 133	frontal	skull	right	30	1	1	adult	?	
132 or 133	glenoid	scapula	left	20	0	1	adult	?	
132 or 133	head	humerus	?	10	0	1	adult	?	
132 or 133	ilium	pelvis	left	30	0	1	adult	?	
132 or 133	ilium	pelvis	right	20	0	1	adult	?	
132 or 133	ischium	pelvis	left	20	0	1	adult	?	
132 or 133	parietal	skull	left and right	20	1	3	adult	?	
132 or 133	shaft	rib	?	30	0	3	?	?	
132 or 133	shaft	humerus	left	20	0	1	?	?	
137/1052	shaft	tibia	left	60	1	2	adult?	?	conjoining fragments, remodelling periosteal lesions
137/1052	acetabulum	pelvis	?	10	1	1	adult	?	mild osteophytes
137/1052	shaft	tibia	?	40	1	3	adult?	?	not conjoining, remodelling periosteal lesions
137/1052	shaft	femur	right	90	0	1	adult	?	paired with bone above
137/1052	shaft	femur	left	90	0	1	adult	?	paired with bone below
137/1052	distal	humerus	left	30	1	1	adult	?	
137/1052	distal	tibia	left	20	1	1	adult	?	
137/1052	ilium	pelvis	right	15	1	1	adult	?	
137/1052	ischium	pelvis	left	10	1	1	adult	?	
137/1052	metacarpal shaft	hand	?	60	1	1	?	?	
137/1052	proximal	tibia	?	20	1	2	adult?	?	
137/1052	shaft	ulna	?	20	1	1	?	?	
137/1052	shaft	ulna	?	20	1	1	adult	?	
137/1052	unidentified					20	?	?	
139b	5th metatarsal	hand	left	40	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
139b	capitate	hand	left	100	0	1	adult	?	
139b	distal 2/3	humerus	left	60	0	1	adult	?	
139b	head	humerus	left	5	0	1	adult	?	
139b	proximal	ulna	left	10	0	3	adult	?	
139b	shaft	ulna	left	30	0	1	adult	?	
141/142	temporal	skull	left	40	0	1	adult	M?	not paired with bone below
141/142	atlas	cervical vertebra	right	10	0	1	adult	?	
141/142	body	scapula	?	15	0	1	?	?	
141/142	ramus	mandible	right	20	0	1	adult	?	
141/142	temporal	skull	left	10	0	1	adult?	?	
141/142	temporal	skull	right	40	0	1	adult	M?	
141/142	vault	skull				40	adult	?	
141/142	zygomatic	skull	right	90	0	1	adult	?	
144/1066	lateral cuneiform	foot	left	80	1	1	adult	?	
144/1066	mandibular canine	dentition	right	100	1	1	adult	?	
21/1012	maxilla	skull	left	30	1	1	adult	?	abnormal porosity of palate and nasal floor, alveolar resorption and remodelling of nasal aperture
21/1012	shaft	fibula	right	60	0	3	?	?	conjoining fragments, woven bone deposition, shaft thickened, distal 2/3 affected
21/1012	shaft	femur	left?	50	1	4	?	?	probably one bone
21/1012	shaft	tibia	right	10	1	1	?	?	remodelling periosteal lesions, lateral surface

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
21/1012	mandibular 1st incisor	dentition	left	100	0	1	adult	?	wear grade 6
21/1012	mandibular 1st premolar	dentition	left	100	0	1	adult	?	wear grade 6
21/1012	mandibular 2nd incisor	dentition	left	100	0	1	adult	?	wear grade 6
21/1012	mandibular 2nd premolar	dentition	left	100	0	1	adult	?	wear grade 6
21/1012	shaft	tibia	right	40	0	2	?	?	woven bone deposition and remodelling lesions, medial and lateral surface
21/1012	shaft	tibia	left	40	0	2	?	?	woven bone deposition and remodelling lesions, more severe on lateral, chronic ulcer, paired with bone above
21/1012	1st proximal phalanx	hand	right	90	1	1	adult	?	
21/1012	2nd metacarpal	hand	left	70	1	1	adult	?	
21/1012	2nd proximal phalanx	hand	left	80	1	1	adult	?	
21/1012	3rd metacarpal	hand	left	80	1	1	adult	?	
21/1012	4th metacarpal	hand	left	60	1	1	adult	?	
21/1012	body	scapula	?	30	1	3	?	?	
21/1012	condyle	femur	?	10	1	2	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
21/1012	distal	humerus	left	30	0	1	adult	?	
21/1012	distal	tibia	right	5	1	1	adult?	?	
21/1012	hamate	hand	left	90	1	1	adult	?	
21/1012	ilium	pelvis	?	15	1	3	?	?	
21/1012	ischium	pelvis	left	10	1	1	?	?	
21/1012	lateral	clavicle	left	30	1	1	adult	?	
21/1012	lateral cuneiform	foot	left	100	0	1	adult	?	
21/1012	medial cuneiform	foot	left	90	1	1	adult	?	
21/1012	proximal	tibia	?	5	1	1	adult	?	
21/1012	ramus	mandible	left	15	1	1	adult	?	
21/1012	shaft	tibia	?	30	1	3	?	?	
21/1012	shaft	humerus	?	10	0	1	?	?	
21/1012	shaft	rib	?	20	0	6	?	?	
21/1012	shaft	tibia	left	10	1	1	?	?	
21/1012	shaft	fibula	left	60	0	5	?	?	
21/1012	unidentified					20	?	?	
21/1012	vault	skull		10	0	6	?	?	
24-28	distal	fibula	right	20	0	2	adult	?	woven bone on medial surface
24-28	shaft	femur	?	10	0	1	adult	?	woven bone on posterior surface
24-28	1st body	sacrum	n/a	10	0	1	adult?	?	
24-28	3rd metacarpal	hand	right	100	0	1	adult	?	
24-28	3rd metatarsal	foot	left	80	0	1	adult?	?	
24-28	4th metacarpal	hand	right	100	0	1	adult	?	
24-28	5th proximal hand phalanx	hand	left	100	0	1	non-adult	n/a	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
24-28	acetabulum	pelvis	left?	5	1	1	?	?	
24-28	acromion	scapula	left	10	0	1	adult?	?	
24-28	anterior	mandible	n/a	5	0	1	?	?	
24-28	body/arch	CV2	n/a	90	0	1	?	?	
24-28	calcaneus	foot	?	5	1	1	?	?	
24-28	condyle	femur	right?	30	0	1	?	?	
24-28	distal	humerus	left	10	1	1	adult?	?	
24-28	distal	femur	right	20	1	1	?	?	
24-28	distal	humerus	right	10	1	1	adult?	?	
24-28	distal	tibia	left	30	0	1	adult?	?	
24-28	distal hand phalanx	hand	left	90	0	1	?	?	
24-28	facet	thoracic vertebra	?	5	1	1	adult?	?	
24-28	head	rib	left	10	0	1	?	?	
24-28	head	humerus	right	10	1	1	adult	?	
24-28	iliac crest	ilium	?	5	1	1	?	?	
24-28	ilium	pelvis	left?	10	0	1	?	?	
24-28	ischium	pelvis	right?	5	1	1	adult	?	
24-28	lateral border	scapula	right	15	0	1	adult	?	
24-28	lateral end	clavicle	right	40	0	1	adult?	?	
24-28	mandibular 1st premolar	dentition	left	100	0	1	?	?	
24-28	mandibular 2nd premolar	dentition	left	100	0	1	?	?	
24-28	mandibular 2nd premolar	dentition	left	100	0	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
24-28	mandibular 2nd premolar	dentition	right	100	0	1	?	?	
24-28	mandibular canine	dentition	right	100	0	1	?	?	
24-28	maxillary 1st incisor	dentition	left	90	0	1	?	?	
24-28	maxillary 1st premolar	dentition	right	100	0	1	?	?	
24-28	maxillary 1st premolar	dentition	right	100	0	1	?	?	
24-28	maxillary canine	dentition	right	100	0	1	?	?	
24-28	midshaft	rib	?	5	1	11	?	?	
24-28	midshaft	rib	?	10	0	1	?	?	
24-28	midshaft	tibia	?right	10	0	1	adult?	?	
24-28	midshaft	tibia	left	30	0	1	adult?	?	
24-28	parietal	skull	?	5	0	1	adult	?	
24-28	proximal	radius	right	10	0	0	?	?	
24-28	proximal	ulna	right	30	0	1	?	?	
24-28	proximal	radius	right	30	1	1	adult	?	
24-28	proximal	ulna	right	10	1	1	adult?	?	
24-28	shaft	femur	?	5	1	1	?	?	
24-28	shaft	humerus	?	30	1	6	?	?	
24-28	shaft	femur	?	10	1	1	?	?	
24-28	shaft	tibia	?	10	0	1	adult	?	
24-28	shaft	fibula	?	10	0	1	adult?	?	
24-28	shaft	femur	left?	10	1	1	adult?	?	
24-28	shaft	radius	right?	20	0	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
24-28	styloid process	ulna	left	5	0	1	adult	?	
24-28	talus	foot	left	80	1	1	adult?	?	
24-28	trapezoid	hand	right	90	0	1	adult?	?	
24-28	unidentified	?	?	?	1	30	?	?	
25/973	2nd metacarpal	hand	left	80	1	1	adult	?	
25/973	distal phalanx	hand	right	100	1	1	adult	?	
25/973	proximal	ulna	left	5	1	1	adult	?	
25/973	shaft	fibula	?	30	1	1	?	?	
26/1008	shaft/condyle	femur	left	80	0	4	adult	?	conjoining fragments
26/1008	mandibular canine	dentition	right	100	1	1	adult	?	wear grade 5
26/1008	2nd proximal phalanx	hand	left	100	0	1	adult	?	
26/1008	3rd proximal phalanx	hand	right	80	1	1	adult	?	
26/1008	acromion	scapula	right	20	0	1	adult	?	
26/1008	arch	thoracic vertebra	n/a	40	1	1	adult	?	
26/1008	arch 1-4	sacrum	n/a	30	1	1	adult	?	
26/1008	blade	scapula	?	20	0	1	?	?	
26/1008	body	thoracic vertebra	n/a	20	1	1	adult	?	
26/1008	calcaneus	foot	right	10	1	1	?	?	
26/1008	head	rib	right	5	1	2	adult	?	
26/1008	occipital, temporals, parietals, frontal, sphenoid	skull		70	0	1	adult	F?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
26/1008	parietal	skull		20	1	3	adult	?	
26/1008	patella	knee	right	40	0	1	adult	?	
26/1008	proximal	ulna	left	5	1	1	adult	?	
26/1008	proximal	radius	left	20	1	1	adult	?	
26/1008	proximal	fibula	right	10	1	1	adult	?	
26/1008	ramus	mandible	right	5	1	1	adult	?	
26/1008	shaft	ulna	left	30	1	1	?	?	
26/1008	shaft	ulna	right	30	0	1	?	?	
32/808	frontal, zygomatics, parietals, maxilla	skull		50	0	1	young juvenile	n/a	abnormal porosity of palate, possible alveolar resorption, DEH, type 3 cribra orbitalia
35/809	parietals	skull	left and right	40	1	1	adult	?	an arachnoid granulation has perforated the ectocranial surface
35/809	mandibular 1st incisor	dentition	right	100	0	1	adult	?	wear grade 2, moderate calculus
35/809	occipital	skull	left and right	20	1	1	adult	?	
38/821	1st proximal phalanx	foot	right	80	1	1	?	?	destruction of proximal articulation, probable septic arthritis
38/824	shaft	long bone	?	10	1	9	?	?	
4?	?3rd proximal phalanx	hand	left	100	1	1	adult	?	
4?	body	scapula	left	40	1	5	?	?	
4?	lateral	clavicle	left	20	1	1	?	?	
40/824	acromion	scapula	left	10	1	1	adult	?	
40/824	body	thoracic vertebra	n/a	50	1	1	adult	?	
40/824	head	rib	left	10	1	1	adult	?	
40/824	shaft	long bone	?	10	1	4	?	?	
44/830	mandibular 1st molar	dentition	right	100	0	1	adult	?	wear grade 2

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
44/830	maxillary 2nd incisor	dentition	right	100	0	1	adult	?	wear grade 2, chipped crown
44/830	distal	tibia	right	10	0	1	adult	?	
44/830	shaft	fibula	?	10	0	1	?	?	
44/830	unidentified				0	10	?	?	
5 charnel skull 2	frontal, parietals, occipitals, temporals, zygomatics, sphenoid, right maxilla	skull		60	1	1	adult	M?	
5 or 8/985	occipital, temporals, parietals, frontal, sphenoid	skull					adult	M?	a single fragmented skull, healed cribra in left orbit, right does not survive, abnormal porosity above left orbital rim
52/844	shaft	tibia	?	20	0	8	?	?	remodelling periosteal lesions
52/844	?parietal	skull	?	5	0	1	?	?	
55 intrusive left leg	femur shaft/proximal tibia, tibia shaft, patella, fibula shaft	leg	left	80	1	1	adult	?	
57 charnel skull near leg	vault	skull			1	15	adult	?	
6/989	mandibular 3rd molar	dentition	left	90	1	1	adult	?	wear 2
6/989	1st proximal phalanx	hand	left	80	1	1	adult	?	
6/989	4th metacarpal	hand	right	100	0	1	adult	?	
6/989	acetabulum	pelvis	?	10	1	1	adult	?	
6/989	head	humerus	?	10	1	1	?	?	
6/989	shaft	fibula	?	10	1	1	?	?	
65/853	lateral	clavicle	right	70	1	1	adult	?	fused epiphysis
65/853	medial articulation	clavicle	left	20	1	1	adult	?	fused epiphysis

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
65/853	medial articulation	clavicle	right	20	1	1	adult	?	fused epiphysis
65/853	acetabulum	pelvis	?	10	1	2	adult	?	lytic defect
65/853	maxilla	skull	left	40	1	1	adult	?	no pathology
65/853	proximal	femur	left	50	1	2	adult	?	not a pair
65/853	proximal	femur	right	10	1	1	adult	?	not a pair
65/853	?5th proximal phalanx	foot	left	90	1	1	adult?	?	
65/853	1st metatarsal	foot	left	30	1	1	?	?	
65/853	2nd proximal phalanx	foot	left	90	1	1	adult?	?	
65/853	3rd metatarsal	foot	right	50	0	1	adult	?	
65/853	4th metatarsal	foot	right	80	1	1	adult	?	
65/853	5th metatarsal	foot	?	20	1	3	adult	?	
65/853	5th metatarsal	foot	right	90	1	1	adult	?	
65/853	arch	thoracic vertebra	n/a	20	0	1	?	?	
65/853	arch	lumbar vertebra	n/a	5	0	1	?	?	
65/853	body	scapula	?	20	1	3	?	?	
65/853	body	lumbar vertebra	n/a	30	0	1	?	?	
65/853	body	thoracic vertebra	n/a	10	0	1	?	?	
65/853	distal	femur	right?	10	0	1	?	?	
65/853	ilium	pelvis	?	20	1	2	adult?	?	
65/853	mastoid process	skull	right	50	1	1	adult	F	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
65/853	midshaft	rib	?	10	0	8	?	?	
65/853	occipital	skull	n/a	20	1	1	adult	?	
65/853	parietal	skull	left and right	90	1	22	adult	?	
65/853	patella	knee	right	10	0	1	?	?	
65/853	shaft	fibula	?	30	1	1	?	?	
65/853	shaft	ulna?	?	20	1	1	?	?	
65/853	shaft	femur	right	60	0	2	?	?	
65/853	tuberosity	ischium	right	10	0	1	adult	?	
68/870	proximal	ulna	right	40	0	2	adult	?	conjoining fragments
68/870	metacarpal head	hand	?	5	0	1	?	?	
68/870	shaft	femur	?	30	0	7	?		
68/870	unidentified				1	9	?	?	
71/72	ilium	pelvis	right	5	0	1	non-adult	n/a	unfused iliac crest
71/72	condyle	femur	?	5	0	1	adult	?	
71/72	distal	fibula	right	5	0	1	adult	?	
71/72	head	femur	right	10	1	1	adult	?	
71/72	ilium	pelvis	right?	10	1	1	adult	?	
71/72	midshaft	rib	?	15	1	1	adult	?	
71/884	femur, tibia, fibula, patella, talus	leg	right	80	1	1	adult	M?	woven bone and remodelling periosteal lesions on medial and lateral surfaces of tibia, extends as far as tibial tuberosity, more diffuse deposits on fibula
71/884	1st metacarpal	hand	right	40	1	1	adult	?	woven bone on dorsal shaft
71/884	1st proximal phalanx	hand	right	100	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
71/884	2nd metacarpal	hand	right	80	1	1	adult	?	
71/884	4th metacarpal	hand	right	80	1	1	adult	?	
71/884	capitate	hand	right	80	1	1	adult	?	
73 F855	coracoid	scapula	right	5	0	1	adult	?	
73 F855	frontal	skull	right	5	0	1	adult	?	
73 F855	shaft	rib	?	10	0	1	?	?	
73 F855	vault	skull			0	5	adult	?	
75?	2 proximal phalanges	hand	right?	70	1	2	?	?	
75?	3 intermediate phalanges	hand	right?	90	1	3	adult	?	
75?	5th distal phalanx	hand	right?	90	1	1	adult	?	
75?	unidentified				0	10	?	?	
815 charnel around 21	3rd metacarpal	hand	right	70	0	1	adult	?	
815 charnel around 21	shaft	radius	?	15	1	1	?	?	
83/913	2 proximal phalanges	foot	right	90-100	0	1	adult	?	
836 (sk 47 or 48 or 49)	lateral	clavicle	left	50	1	1	adult	?	fused epiphysis, moderate porosity
836 (sk 47 or 48 or 49)	distal	fibula	right	30	1	1	adult	?	mild osteophytes
836 (sk 47 or 48 or 49)	shaft	humerus	?	30	1	2	?	?	not conjoining

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
836 (sk 47 or 48 or 49)	shaft	femur	left	50	1	3	?	?	not conjoining
836 (sk 47 or 48 or 49)	head	femur	left	10	1	1	adult	?	recent fusion
836 (sk 47 or 48 or 49)	maxillary canine	dentition	right	100	0	1	adult	?	wear grade 1
836 (sk 47 or 48 or 49)	mandibular 2nd premolar	dentition	left	50	0	1	adult	?	wear grade 2
836 (sk 47 or 48 or 49)	mandibular 3rd molar	dentition	right	100	0	1	adult	?	wear grade 2
836 (sk 47 or 48 or 49)	maxillary 2nd premolar	dentition	right	100	0	1	adult	?	wear grade 2
836 (sk 47 or 48 or 49)	maxillary 2nd premolar	dentition	right	50	0	1	adult	?	wear grade 2
836 (sk 47 or 48 or 49)	maxillary 2nd molar	dentition	right	100	0	1	adult	?	wear grade 2, slight mesial calculus
836 (sk 47 or 48 or 49)	maxillary 3rd molar	dentition	left	100	0	1	adult	?	wear grade 5
836 (sk 47 or 48 or 49)	mandibular 2nd molar	dentition	left	100	0	1	adult	?	wear grade 6
836 (sk 47 or 48 or 49)	3rd metacarpal	hand	left	90	1	1	adult	?	
836 (sk 47 or 48 or 49)	4th proximal phalanx	hand	right	100	1	1	adult	?	
836 (sk 47 or 48 or 49)	distal	radius	right	5	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
836 (sk 47 or 48 or 49)	distal	radius	left	5	1	1	adult	?	
836 (sk 47 or 48 or 49)	facet	vertebra	?	10	1	1	adult	?	
836 (sk 47 or 48 or 49)	head	rib	right	10	1	1	adult	?	
836 (sk 47 or 48 or 49)	midshaft	rib	?	10	1	1	?	?	
836 (sk 47 or 48 or 49)	midshaft	tibia	left	40	1	1	?	?	
836 (sk 47 or 48 or 49)	midshaft	tibia	right	30	1	1	?	?	
836 (sk 47 or 48 or 49)	navicular	foot	left	80	1	1	adult	?	
836 (sk 47 or 48 or 49)	navicular	foot	right	60	1	1	adult	?	
836 (sk 47 or 48 or 49)	petrous	skull	left	30	1	2	adult	?	
836 (sk 47 or 48 or 49)	shaft	fibula	?	40	1	1	?	?	
836 (sk 47 or 48 or 49)	talus	foot	left	80	1	1	adult	?	
836 (sk 47 or 48 or 49)	talus	foot	left	90	1	1	adult	?	
836 (sk 47 or 48 or 49)	vault	skull	?	5	1	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
836 (sk 47 or 48 or 49)		patella	right	100	1	1	adult	?	
87 or 94/928	distal shaft	humerus	left	30	1	1	adult	?	paired with bone above
87 or 94/928	distal 2/3	humerus	right	70	1	2	adult	?	paired with bone below
87 or 94/928	2nd intermediate phalanx	hand	right	100	1	1	adult	?	
87 or 94/928	condyle	femur	?	5	1	3	adult	?	
87 or 94/928	facet	lumbar vertebra	?	5	1	1	?	?	
87 or 94/928	midshaft	rib	?	20	1	4	?	?	
87 or 94/928	midshaft	clavicle	right	30	1	1	?	?	
87 or 94/928	midshaft	clavicle	right	20	1	1	?	?	
87 or 94/928	proximal	tibia	?	5	1	3	?	?	
87 or 94/928	proximal phalanx	foot	left	30	1	1	adult	?	
87 or 94/928	shaft	tibia	?	30	1	1	?	?	
87 or 94/928	shaft	fibula	left	20	1	1	?	?	
87 or 94/928	shaft	ulna	right	20	1	1	?	?	
87 or 94/928	shaft	radius	right	20	1	1	?	?	
889 or 891	incisor?	dentition	?	100	1	1	adult?	?	wear grade 8
889 or 891	unidentified		?	?	2	10	?	?	
889 or 891	vault	skull	n/a	5	1	3	adult?	?	
95 or 96	body	vertebra	n/a	30	1	15	?	?	
95 or 96	facet	LV5	n/a	10	0	1	adult?	?	
97/935		clavicle	right	90	0	2	adult	?	conjoining fragments, moderate osteophytes and porosity

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
97/935		clavicle	left	100	0	2	adult	?	fused epiphysis, moderate lateral porosity
97/935	body	scapula	left	40	1	9	adult	?	
98/949	body	cervical vertebra	n/a	40	0	1	adult	?	
98/949	head	humerus	?	10	0	1	adult	?	
98/949	shaft	rib	?	10	0	1	?	?	
98/949	unidentified				0	10	?	?	
985??	condyle	femur	?	5	0	1	adult	?	moderate eburnation
985??	condyle	femur	?	5	0	6	adult	?	
985??	distal	femur	left	20	1	1	adult	?	
985??	distal	tibia	left	40	0	1	adult	?	
985??	distal	radius	right	60	0	1	adult	?	
985??	facet	lumbar vertebra	?	20	1	1	adult	?	
985??	ilium	pelvis	?	30	0	1	adult	?	
985??	neck	femur	right	15	1	1	adult	?	
985??	patella	knee	left	90	0	1	adult	?	
985??	proximal	femur	left	20	0	2	adult	?	
985??	shaft	femur	left	30	0	1	?	?	
985??	shaft	tibia	left	30	0	1	?	?	
985??	shaft	fibula	left	60	1	1	adult	?	
985??	shaft	femur	left	30	0	1	adult	?	
985??	shaft	fibula	right	40	1	1	?	?	
985??	temporal	skull	right	30	1	1	adult	M?	
985??	tuberosity	tibia	left	10	1	1	adult	?	
985??	unidentified				1	20	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
charnel around 28/103/104/105	calcaneus	foot	right	100	1	1	adult	?	articulates with talus above, calcaneal facet single
charnel around 28/103/104/105	distal	fibula	right	30	0	2	?	?	conjoining fragments
charnel around 28/103/104/105	talus	foot	right	70	0	1	adult	?	lytic defect
charnel around 28/103/104/105	body	lumbar vertebra	n/a	50	0	1	adult	?	mild osteophytes
charnel around 28/103/104/105	mandibular canine	dentition	right	100	0	1	adult?	?	wear grade 2
charnel around 28/103/104/105	?metacarpal	hand	?	40	1	1	?	?	
charnel around 28/103/104/105	2nd proximal phalanx	foot	right	100	1	1	adult	?	
charnel around 28/103/104/105	3rd metacarpal	hand	left	60	1	1	adult	?	
charnel around 28/103/104/105	distal	humerus	left	20	0	1	adult	?	
charnel around 28/103/104/105	distal	tibia	right	10	1	1	adult	?	
charnel around 28/103/104/105	distal	humerus	right	40	0	1	adult	?	
charnel around 28/103/104/105	head	humerus	?	10	0	1	adult	?	
charnel around 28/103/104/105	lateral cuneiform	foot	right	100	1	1	adult	?	
charnel around 28/103/104/105	medial cuneiform	foot	right	100	1	1	adult	?	
charnel around 28/103/104/105	shaft	rib	?	20	1	1	?	?	
charnel around 28/103/104/105	shaft	fibula	?	20	0	1	?	?	
charnel around 28/103/104/105	shaft	radius	?	10	0	1	?	?	
E of 959	condyle	femur	?	5	0	1	adult	?	
E of 959	sternum		n/a	10	0	1	adult	?	
E of 959	unidentified				0	1	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
u/s	left temporal, occipital, parietals, left maxilla	skull		40	0	1	young adult	M?	a single skull
u/s	shaft	fibula	right	30	0	1	?	?	all surfaces have new bone deposition, quite indolent in appearance
u/s	shaft	femur	?	20	0	2	?	?	conjoining fragments
u/s	maxillary 2nd incisor	dentition	left	100	0	1	adult	?	heavy buccal and distal calculus
u/s	acetabulum	pelvis	?	5	0	1	adult	?	moderate porosity
u/s	mandibular 1st molar	dentition	left	100	0	1	young adult	?	no wear, large mesial/occlusal caries, externally draining abscess, area of porosity on floor of sinus, also linear defect
u/s	shaft	tibia	?	10	1	4	?	?	not conjoining fragments
u/s	shaft	radius	?	10	0	3	?	?	not conjoining fragments
u/s	shaft	femur	left	20	0	2	?	?	not conjoining fragments
u/s	shaft	femur	?	40	0	4	?	?	probably a single bone
u/s	body	thoracic vertebra	n/a	50	0	1	adult?	?	schmorl's nodes on inferior body
u/s	maxillary 2nd incisor	dentition	left	100	0	1	adult	?	wear grade 2
u/s	mandibular 1st molar	dentition	right	100	0	1	adult	?	wear grade 3
u/s	mandibular 3rd molar	dentition	left	100	0	1	adult	?	wear grade 3
u/s	mandibular 2nd molar	dentition	left	100	0	1	adult	?	wear grade 4
u/s	maxillary 1st molar	dentition	left	100	0	1	adult	?	wear grade 5

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
u/s	maxillary 1st incisor	dentition	right	90	1	1	adult	?	wear grade 5, chipped crown, slight buccal, mesial and lingual calculus
u/s	mandibular 1st molar	dentition	left	100	0	1	adult	?	wear grade 6, crown chipped
u/s	shaft	tibia	?	20	0	1	adult?	?	woven bone and remodelling periosteal lesions, probable chronic ulcer
u/s	distal 1/2	5th metacarpal	right	80	0	1	adult?	?	woven bone on plantar surface
u/s	1st metacarpal	hand	left	90	0	1	adult	?	
u/s	1st metatarsal	foot	left	10	0	1	adult	?	
u/s	1st proximal phalanx	hand	left	15	0	1	adult	?	
u/s	2nd, 3rd, 4th, 5th metatarsal	foot	right	50-90	1	5	adult	?	
u/s	3rd proximal phalanx	hand	right	100	0	1	adult?	?	
u/s	4th metatarsal	foot	right	60	1	1	adult	?	
u/s	5th metacarpal	hand	left	90	0	1	adult	?	
u/s	5th proximal phalanx	foot	left	100	0	1	adult?	?	
u/s	acetabulum	pelvis	left?	5	1	1	adult	?	
u/s	anterior/body	mandible	left	40	0	1	adult	?	
u/s	arch	thoracic vertebra	n/a	40	2	1	?	?	
u/s	arch	thoracic vertebra	n/a	50	0	1	adult	?	
u/s	blade	scapula	right	15	0	1	?	?	
u/s	body	scapula	?	5	0	1	?	?	
u/s	body	mandible	left	20	0	1	adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
u/s	body	thoracic vertebra	n/a	60	0	1	adult	?	
u/s	body	mandible	right	30	0	1	adult	?	
u/s	condyle	femur	?	5	0	2	adult	?	
u/s	condyle	femur	?	5	1	3	adult?	?	
u/s	cuboid	foot	right	40	1	1	adult	?	
u/s	distal	ulna	?	5	0	1	?	?	
u/s	distal	humerus	left	10	0	1	adult	?	
u/s	distal 2/3	humerus	left	40	0	1	adult	?	
u/s	distal end	5th metatarsal	left	30	0	1	adult?	?	
u/s	ear ossicle	skull	?	100	0	1	?	?	
u/s	frontal	skull	left	20	1	1	adult	?	
u/s	head	femur	left	10	0	1	adult	?	
u/s	head	humerus	left	10	0	1	adult	?	
u/s	head	rib	left	10	0	1	adult	?	
u/s	ilium	pelvis	?	10	0	1	?	?	
u/s	ilium	pelvis	?	10	0	1	?	?	
u/s	intermediate cuneiform	foot	left	40	0	1	adult	?	
u/s	intermediate phalanx	hand	?	70	0	1	adult	?	
u/s	intermediate phalanx	hand	right	100	0	1	adult	?	
u/s	long bone shaft				0	15	?	?	
u/s	mandibular 2nd molar	dentition	left	100	0	1	young adult	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
u/s	mandibular 3rd molar	dentition	left	100	0	1	young adult	?	
u/s	maxillary 2nd incisor	dentition	right	100	0	1	adult	?	
u/s	maxillary canine	dentition	right	100	0	1	adult	?	
u/s	metatarsal shaft	foot	?	30	1	1	?	?	
u/s	navicular	foot	left	100	1	1	adult	?	
u/s	neck	femur	left	10	0	1	adult	?	
u/s	parietal	skull	left and right	40	0	1	adult	?	
u/s	petrous	skull	?	20	0	1	adult	?	
u/s	proximal	tibia	?	10	0	1	adult	?	
u/s	proximal	ulna	left	5	1	1	adult?	?	
u/s	proximal phalanx	hand	?	5	0	1	?	?	
u/s	proximal phalanx	hand	?	60	0	1	adult	?	
u/s	proximal phalanx	foot	left	90	0	1	adult	?	
u/s	ramus	mandible	left	10	0	1	adult?	?	
u/s	shaft	humerus	?	5	0	1	?	?	
u/s	shaft	fibula	?	20	0	1	?	?	
u/s	shaft	rib	?	10	1	7	?	?	
u/s	shaft	rib	left	40	0	1	?	?	
u/s	shaft	fibula	left	30	0	1	?	?	
u/s	shaft	femur	left	30	0	1	adult	?	
u/s	shaft	femur	right	40	0	1	?	?	
u/s	sternal	rib	?	5	0	1	?	?	
u/s	talus	foot	left	70	1	1	adult?	?	
u/s	unidentified	?	?	?	?	15	?	?	
u/s	unidentified				1	15	?	?	

Context	Bone element	Bone	Side	% of bone	Surface preservation	No. of fragments	Age	Sex	Comment
u/s	vault	skull	?	10	1	2	adult	?	
u/s	vault	skull			0	1	?	?	
u/s spoil heap	midshaft	femur	left	30	1	1	adult?	?	
u/s spoil heap	midshaft	femur	right	30	1	1	adult	?	