

**Table FWP63.1 Structured pit deposits**

<i>Pit</i>	<i>Pottery</i>	<i>Animal bone</i>	<i>Human bone</i>	<i>Metal</i>	<i>Bone objects</i>	<i>Stone</i>	<i>Other</i>
2	EIA	horse: skull ox: 3 skulls, pelvis					
3	EIA ?BA	horse: skull				flint inside skull sarsen	charcoal
4	Beaker		bural 1A: child inhumation burial 1B: adult male inhumation				
6A	EIA	Incised rib, prob butchery marks foetus pig/small mammal				Coombe rock	charcoal on bottom of pit
7	EIA, large frag ovoid jar	?horse: jaw with teeth small mammal: ?rodent					
8	decorated EIA	Ox and pig: articulated			2 awls 1 antler tine		
19	EIA	Ox: skulls, scapula, long-bones small mammal: foetal	?	iron knife		flint scraper Coombe rock	charcoal and ash
20	decorated EIA	Ox: skull, frag butchered bone		iron knife	1 point	1 large sarsen, 1 polished scraper	charcoal
23	EBA	?	?poss infant bones		1 point	flint: knife and scraper	charcoal
11	EIA jar base	burnt bone	?			flakes Sarsen: large frag and burnt pieces	charcoal
10						Flint, sarsen, Coombe rock, haematite	

**Table FWP63.2 Pottery fabric totals**

<i>Fabric</i>	<i>No sherds</i>	<i>Weight (g)</i>	<i>% total</i>	<i>% total wt</i>
<i>Group Q: Sandy fabrics</i>				
Q1	14	513	0.33	1.68
Q2	1087	7076	25.4	23.20
Q3	1157	8365	27.04	27.42
Q4	193	1137	4.51	3.73
Q5	23	404	0.54	1.32
Q6	107	326	2.50	1.07
Q7	240	783	5.61	2.57
Q8	101	574	2.36	1.88
Q9	29	248	0.68	0.81
<b>Total</b>	<b>2951</b>	<b>19426</b>	<b>68.97</b>	<b>63.68</b>
<i>Group F: Flint fabrics</i>				
F10	26	113	0.61	0.37
F11	18	99	0.42	0.32
F12	86	654	2.01	2.14
F13	41	295	0.96	0.97
F14	145	836	3.39	2.74
F15	10	45	0.23	0.15
<b>Total</b>	<b>326</b>	<b>2042</b>	<b>7.62</b>	<b>6.69</b>
<i>Group S: Shelly fabrics</i>				
S16	472	3644	11.03	11.95
S17	13	53	0.30	0.17
S18	15	62	0.35	0.20
S19	16	208	0.37	0.68
S20	11	78	0.26	0.26
S34	1	41	0.02	0.13
<b>Total</b>	<b>528</b>	<b>4086</b>	<b>12.33</b>	<b>13.39</b>
<i>Group I: Iron oxide fabrics</i>				
I21	21	177	0.49	0.58
I22	34	236	0.79	0.77
<b>Total</b>	<b>55</b>	<b>413</b>	<b>1.28</b>	<b>1.35</b>
<i>Group C: Limestone-tempered fabrics</i>				
C23	48	476	1.12	1.56
C24	64	755	1.50	2.48
C25	29	135	0.68	0.44
C26	29	190	0.68	0.62
C27	26	134	0.61	0.44
C33	3	48	0.07	0.16
<b>Total</b>	<b>197</b>	<b>1738</b>	<b>4.66</b>	<b>5.70</b>
<i>Group V: Organic void fabrics</i>				
V28	55	403	1.21	1.32
V29	17	263	0.40	0.86
<b>Total</b>	<b>72</b>	<b>666</b>	<b>1.61</b>	<b>2.18</b>
<i>Group M: Micaceous fabrics</i>				
M30	31	548	0.72	1.80
M31	34	1010	0.79	3.31
<b>Total</b>	<b>65</b>	<b>1558</b>	<b>1.51</b>	<b>5.11</b>
<i>Group G: Grog-tempered fabric</i>				
G32	83	578	1.94	1.90
<b>OVERALL</b>	<b>4279</b>	<b>30507</b>		
<b>TOTAL</b>				

**Table FWP63.3: Pottery vessel forms**

<i>General Form Type</i>	<i>Specific Form Type</i>	<i>Illus</i>	<i>Published Example</i>	<i>Approximate no vessels</i>
JAR	Ovoid	FWP63.35, 5, 6	Cunnington 1923, pl 29, 9	18
	Slack-shouldered	FWP63.35, 2, 4	Morris forthcoming, jar type 42 or 45	7
	Sharp-shouldered		Morris forthcoming, jar type 41	14
	Carinated		Morris forthcoming, jar type 31	4
BOWL	Short rim furrowed	FWP63.35, 7, 8, 10	Cunnington 1923, pl 28, 11	10
	Flared rim furrowed	FWP63.35, 9, 11	Cunnington 1923, pl 28, 1	2
	Bead rim, round-bodied	FWP63.36, ?18	Morris forthcoming, bowl type 9	3
	S-Profile, round-bodied		Morris forthcoming, bowl type 7	1
CUP	Round-bodied		Morris forthcoming, cup type 80	1

**Table FWP63/4: Decorative techniques used on pottery**

<i>Decoration Type</i>	<i>Motifs</i>	<i>Fabrics</i>	<i>Illustrated examples</i>
Applied cordon	Linear horizontal	S34	Figure FWP63.36, 37
Fingertip impressions	Linear horizontal	Q2 x2, Q3 x3	Figure FWP63.36, 32-6
Other impressed	Circles	Q7 x3	Figure FWP63.36, 24, 26-7
	Leaf shape	Q6	Figure FWP63.36, 20
	Wedge	M31	Figure FWP63.36, 21
	Stamped dots	Q2 x3, Q3, F10	Figure FWP63.36, 23, 28-31
Furrowed decoration	Linear horizontal, up to 4 rows	Q6 x15, Q7 x9, Q8 x6, C26	Figure FWP63.35, 7-11 (26 examples not illus)
Incised	Circles	Q2, Q3 x2	Figure FWP63.36, 22, 23, 25
	Lines (including diagonal, lozenge and chevron)	Q2, Q3, Q7, Q8 x3, F11, C27, V28, M31	Figure FWP63.36, 12-19, 25, 28
Stabbed	Pin pricks	M31	Figure FWP63.36, 16
	Leaf shape	Q8	Figure FWP63.36, 19
<b>TOTAL DECORATED SHERDS</b>			<b>57 (c 1.5% of total)</b>

**Table FWP63.5 Animal bone fragments and minimum numbers of individuals (MNI) of the main domestic species**

	<i>cattle</i>	<i>sheep/goat</i>	<i>pig</i>	<i>horse</i>	<i>deer</i>	<i>other</i>	<i>total</i>
Fragms	377 (38%)	411 (42%)	75 (8%)	81 (8%)	n/r	42 (4%)	986
MNI	22 (25%)	30 (34%)	14 (16%)	8 (9%)	red 2 roe 3 (6%)	9 (10%)	

n/r = not recorded

**Table FWP63.6: Molluscs from enclosure ditch in X/15**

	<i>silts</i>		<i>primary</i>			<i>secondary</i>			<i>tertiary</i>	
	<i>Sample</i>	2000	2001	2002	2003	2004	2005	2006	2007	
<i>Context</i>	10	9	8	7	6	5	3	2		
<i>Depth (cm)</i>	156-	132-	113-	103-	82-	66-	31-	15-		
	176	156	132	113	103	82	55	31		
<i>Wt (g)</i>	1100	690	475	550	350	800	475	1000		
MOLLUSCA										
<i>Pomatias elegans</i> (Müller)		2	+	-	+	+	1	+	+	
<i>Carychium tridentatum</i> (Risso)		1	-	-	-	-	-	-	-	
<i>Cochlicopa</i> spp.		-	8	-	-	1	4	-	-	
<i>Vertigo pygmaea</i> (Draparnaud)		1	-	1	3	8	26	-	2	
<i>Vertigo</i> spp.		-	-	-	2	3	14	2	-	
<i>Pupilla muscorum</i> (Linnaeus)		1	4	14	31	51	116	6	6	
<i>Vallonia costata</i> (Müller)		18	121	32	22	58	73	29	28	
<i>Vallonia excentrica</i> Sterki		11	40	14	24	28	99	29	46	
<i>Vallonia</i> spp.		6	9	7	3	6	10	5	5	
<i>Punctum pygmaeum</i> (Draparnaud)		1	5	1	1	8	4	-	1	
<i>Discus rotundatus</i> (Müller)		+	1	-	+	-	+	-	-	
<i>Vitrina pellucida</i> (Müller)		1	4	-	-	1	-	-	-	
<i>Aegopinella pura</i> (Alder)		1	1	-	-	-	-	-	-	
<i>Aegopinella nitidula</i> (Draparnaud)		2	4	1	1	-	-	-	-	
<i>Oxychilus cellarius</i> (Müller)		1	18	4	2	4	2	2	-	
Limacidae		7	25	16	9	14	18	12	21	
<i>Ceciloides acicula</i> (Müller)		-	-	-	-	-	1	-	1	
<i>Clausilia bidentata</i> (Ström)		2	10	+	1	1	1	+	-	
<i>Helicella itala</i> (Linnaeus)		7	10	16	18	18	56	26	12	
<i>Trichia hispida</i> (Linnaeus)		23	160	32	26	96	125	24	36	
<i>Cepaea/Arianta</i> spp.		+	2	+	1	-	1	-	1	
Taxa		15	15	10	13	15	14	8	9	
Shannon Index		2.18	1.82	2.00	2.08	1.96	2.02	1.88	1.82	
<b>TOTAL</b>		<b>85</b>	<b>422</b>	<b>138</b>	<b>144</b>	<b>297</b>	<b>550</b>	<b>135</b>	<b>158</b>	

**Table FWP63.7: Identified charcoal by context**

<i>GF No</i>	<i>Sample No</i>	<i>Feature</i>	<i>Acer</i>	<i>Cory</i>	<i>Frax</i>	<i>Pomoid</i>	<i>Prun</i>	<i>Querc</i>	<i>Ros</i>
209	1013	East 1, ?Post-hole	-	3	-	-	-	-	-
214	1011	Area B/M or East 1, PH2/3	-	-	-	-	-	10sw	-
222	1020	East 1, Gully 1 or Area B/W, PH73	-	-	-	-	1	-	-
223	1012	Area B/W, PH71	-	?1	-	-	-	5	-
225	1009	Area B/W, PH63	-	-	-	-	-	1sw	-
227	1010	Area B/W, PH70	-	?1	-	-	-	1	-
228	1038	Area B/W, PH72	-	-	-	-	-	1sw	-
238	1005	East 1, Pit 5	-	-	-	1	-	15sw	1
243	1007	East1, Pit 5	-	3s	-	1	-	4s+h	-
346	1021	East 2, Pit 19	-	-	-	-	-	-	-
380	1024	East 2, Pit 19	-	-	-	-	-	-	-
460	1014	East 3, Pit 23	-	-	1sw	-	-	1sw	1
461	1000	East 3, Pit 23	-	25	24	12	1	8	-
463	1048	East 3, PH3	-	-	-	-	-	-	-
477	1043	South 1, Pit 8	-	-	-	-	-	?1	-
482	1041	South 1, Pit 5	-	2	-	-	-	-	-
495	1047	South 1, PH11/Pit 10	-	-	-	-	-	1s	-
499	1045	South 1, Pit 11	-	?1	-	-	-	1	-
510	1046	East 3, PH22	2	-	-	-	-	-	-
518	1052	South 1, PH24	-	2	-	-	-	7sw	-

Abbreviations: *Cory* = *Corylus*; *Frax* = *Fraxinus*; *Pomoid* = Pomoideae; *Prun* = *Prunus*; *Querc* = *Quercus*; *Ros* = Rosaceae  
s = stem; sw = sapwood; h = heartwood