

# Contextual Analysis of the Use of Space at Two Near Eastern Bronze Age Sites

## Part 4: Final report on the Archaeobotanical Analyses

Sue Colledge

### Contents

#### List of Tables

#### List of Figures

1	Introduction
2	Methods of Analysis
3	Practical Details
3.1	Tell Brak
3.2	Kilise Tepe
4	Discussion of Results
4.1	Charcoal Densities
4.1.1	Comparison of the charcoal densities for the Tell Brak samples
4.1.2	Mean charcoal densities – by deposit class
4.1.3	Mean charcoal densities – by horizontal context
4.1.4	Mean charcoal densities – by vertical context (period)
4.1.5	Mean charcoal densities – by trench
4.1.6	Summary of the results for Tell Brak
4.1.7	Comparison of the charcoal densities for the Kilise Tepe samples
4.1.8	Mean charcoal densities – by deposit class
4.1.9	Mean charcoal densities – by vertical context (period)
4.1.10	Mean charcoal densities by trench
4.1.11	Summary of the results for Kilise Tepe
4.2	Preservation Indices
4.2.1	Comparison of the preservation indices for the Tell Brak samples
4.2.2	Preservation indices – by deposit class
4.2.3	Preservation indices – by horizontal context
4.2.4	Preservation indices – by vertical context (period)
4.2.5	Preservation indices – by trench
4.2.6	Comparison of the preservation indices for the Kilise Tepe samples
4.2.7	Preservation indices – by deposit class
4.2.8	Preservation indices – by vertical context (period)
4.2.9	Preservation indices – by trench
4.3	Fragmentation Indices
4.3.1	Comparison of the fragmentation indices for the Tell Brak samples
4.3.2	Fragmentation indices – by deposit class
4.3.3	Fragmentation indices – by horizontal context
4.3.4	Fragmentation indices – by vertical context (period)
4.3.5	Fragmentation indices – by trench
4.3.6	Comparison of the fragmentation indices for the Kilise Tepe samples
4.3.7	Fragmentation indices – by deposit class
4.3.8	Fragmentation indices – by vertical context (period)
4.3.9	Fragmentation indices – by trench
4.3.10	Summary of the preservation and fragmentation analyses for the Tell Brak samples

- 4.3.11 Summary of the preservation and fragmentation analyses for the Kilise Tepe samples
- 4.4 Comparison of the taxonomic composition of the samples
  - 4.4.1 Comparisons of the ratios of cereal taxa in the samples from Tell Brak – overall site trends
  - 4.4.2 Composition – by deposit class
  - 4.4.3 Composition – by horizontal context
  - 4.4.4 Composition – by vertical context (period)
  - 4.4.5 Composition – by trench
  - 4.4.6 Summary of the results for Tell Brak
  - 4.4.7 Comparisons of the ratios of cereal taxa in the samples from Kilise Tepe – overall site trends
  - 4.4.8 Composition – by deposit class
  - 4.4.9 Composition – by vertical context (period)
  - 4.4.10 Composition – by trench
  - 4.4.11 Summary of the results for Kilise Tepe
  - 4.4.12 Comparison of the proportions of pulses in the samples – Tell Brak
- 4.5 Comparisons of the taxonomic composition of the samples using correspondence analysis
  - 4.5.1 Correspondence analysis using the cereal taxa – Tell Brak
  - 4.5.2 Correspondence analysis – by deposit class
  - 4.5.3 Correspondence analysis – by horizontal context
  - 4.5.4 Correspondence analysis – by vertical context (period)
  - 4.5.5 Correspondence analysis – by trench
  - 4.5.6 Summary of the results for Tell Brak
  - 4.5.7 Correspondence analysis using the cereal taxa – Kilise Tepe
  - 4.5.8 Correspondence analysis – by deposit class
  - 4.5.9 Correspondence analysis – by vertical context (period)
  - 4.5.10 Correspondence analysis – by trench
  - 4.5.11 Summary of the results for Kilise Tepe
  - 4.5.12 Correspondence analysis using pulses – Tell Brak
- 5 Discussion and Conclusions
  - 5.1 Resolution of the data: the suitability of the sites for the investigation of ‘use of space’
  - 5.2 Comparisons between Tell Brak and Kilise Tepe

## Bibliography

Tables 1-26

Figures 1-99

*List of Tables*

1	Quantitative methods used in the analysis of the charred plant remains [p. 2]
2	Tell Brak: Context types
3	Tell Brak: Lists of contexts, charcoal density, preservation and fragmentation indices, cereal ratios
4	Tell Brak: HS1 lists of cereal taxa
5	Tell Brak: HS3 lists of cereal taxa
6	Tell Brak: HS4 lists of cereal taxa
7	Tell Brak: HS5 lists of cereal taxa
8	Tell Brak: HS6 lists of cereal taxa
9	Tell Brak: HF lists of cereal taxa
10	Tell Brak: HN lists of cereal taxa
11	Tell Brak: Cereal taxa used in correspondence analysis
12	Tell Brak: HS1 lists of pulses, oil plants, fruits
13	Tell Brak: HS3 lists of pulses, oil plants, fruits
14	Tell Brak: HS4 lists of pulses, oil plants, fruits
15	Tell Brak: HS5 lists of pulses, oil plants, fruits
16	Tell Brak: HS6 lists of pulses, oil plants, fruits
17	Tell Brak: HF lists of pulses, oil plants, fruits
18	Tell Brak: HN lists of pulses, oil plants, fruits
19	Tell Brak: Pulses used in correspondence analysis
20	Kilise Tepe: Context types
21	Kilise Tepe: Lists of contexts, charcoal density, preservation and fragmentation indices, cereal ratios
22	Kilise Tepe: H lists of cereal taxa
23	Kilise Tepe: I lists of cereal taxa
24	Kilise Tepe: J lists of cereal taxa
25	Kilise Tepe: K lists of cereal taxa
26	Kilise Tepe: Cereal taxa used in correspondence analysis

*List of Figures*

- 1-4 Tell Brak: Mean charcoal densities by context class
- 5 Tell Brak: Frequency histogram showing charcoal densities
- 6 Tell Brak: Preservation indices by deposit class
- 7 Tell Brak: Preservation indices by horizontal context
- 8 Tell Brak: Preservation indices by vertical context
- 9 Tell Brak: Preservation indices by trench
- 10 Tell Brak: Fragmentation indices by deposit class
- 11 Tell Brak: Fragmentation indices by horizontal context
- 12 Tell Brak: Fragmentation indices by vertical context
- 13 Tell Brak: Fragmentation indices by trench
- 14 Tell Brak: Frequency histogram showing preservation indices
- 15 Tell Brak: Frequency histogram showing fragmentation indices
- 16 Tell Brak: Cereal proportions by deposit class – Tip/midden/rubbish dump, FI contents
- 17 Tell Brak: Cereal proportions by deposit class – Pit fills
- 18 Tell Brak: Cereal proportions by horizontal context – Craft activity, Unspecified space
- 19 Tell Brak: Cereal proportions by horizontal context – Street/lane, Kitchen
- 20 Tell Brak: Cereal proportions by vertical context – I,II
- 21 Tell Brak: Cereal proportions by vertical context – III, IV
- 22 Tell Brak: Cereal proportions by vertical context – V
- 23 Tell Brak: Cereal proportions by trench – HS1, HS3
- 24 Tell Brak: Cereal proportions by trench – HS4, HS5
- 25 Tell Brak: Cereal proportions by trench – HS6, HF
- 26 Tell Brak: Cereal proportions by trench – HN
- 27 Tell Brak: Cereal ratios – Barley: wheat grains
- 28 Tell Brak: Cereal ratios – Barley grains: rachis
- 29 Tell Brak: Cereal ratios – Glume wheat grains: chaff
- 30 Tell Brak: Cereal ratios – Glume wheat grains: free threshing wheat grains
- 31 Tell Brak: Correspondence analysis – taxa plot: all cereal taxa
- 32 Tell Brak: Correspondence analysis – taxa plot: all cereal grains
- 33 Tell Brak: Correspondence analysis – taxa plot: all cereal grains except *Hordeum*
- 34 Tell Brak: Correspondence analysis – taxa plot: all chaff items
- 35 Tell Brak: Correspondence analysis – taxa plot: all taxa except *Hordeum* grains and rachis
- 36 Tell Brak: Correspondence analysis – sample plot: all cereal taxa by deposit class
- 37 Tell Brak: Correspondence analysis – sample plot: all chaff items by deposit class
- 38 Tell Brak: Correspondence analysis – sample plot: all taxa except *Hordeum* grains and rachis by deposit class
- 39 Tell Brak: Correspondence analysis – sample plot: all cereal taxa by horizontal context
- 40 Tell Brak: Correspondence analysis – sample plot: all taxa except *Hordeum* grains and rachis by horizontal context
- 41 Tell Brak: Correspondence analysis – sample plot: all cereal taxa by vertical context
- 42 Tell Brak: Correspondence analysis – sample plot: all taxa except *Hordeum* grains and rachis by vertical context
- 43 Tell Brak: Correspondence analysis – sample plot: all cereal grains by vertical context
- 44 Tell Brak: Correspondence analysis – sample plot: all cereal grains except *Hordeum* by vertical context
- 45 Tell Brak: Correspondence analysis – sample plot: all chaff items by vertical context
- 46 Tell Brak: Correspondence analysis – sample plot: all cereal taxa by trench
- 47 Tell Brak: Correspondence analysis – sample plot: all cereal grains by trench
- 48 Tell Brak: Correspondence analysis – sample plot: all cereal grains except *Hordeum* by trench
- 49 Tell Brak: Correspondence analysis – sample plot: all chaff items by trench
- 50 Tell Brak: Pulse proportions by vertical context and trench
- 51 Tell Brak: Correspondence analysis – taxa plot: all pulses
- 52 Tell Brak: Correspondence analysis – sample plot: all pulses by deposit class
- 53 Tell Brak: Correspondence analysis – sample plot: all pulses by horizontal context
- 54 Tell Brak: Correspondence analysis – sample plot: all pulses by vertical context
- 55 Tell Brak: Correspondence analysis – sample plot: all pulses by trench
- 56-59 Kilise Tepe: Mean charcoal densities by context class

- 60 Kilise Tepe: Frequency histogram showing charcoal densities
- 61 Kilise Tepe: Preservation indices by deposit class
- 62 Kilise Tepe: Preservation indices by vertical context
- 63 Kilise Tepe: Preservation indices by vertical context – I-L14 samples
- 64 Kilise Tepe: Preservation indices by trench
- 65 Kilise Tepe: Fragmentation indices by deposit class
- 66 Kilise Tepe: Fragmentation indices by vertical context
- 67 Kilise Tepe: Fragmentation indices by vertical context – I-L14 samples
- 68 Kilise Tepe: Fragmentation indices by trench
- 69 Kilise Tepe: Frequency histogram showing preservation indices
- 70 Kilise Tepe: Frequency histogram showing fragmentation indices
- 71 Kilise Tepe: Cereal proportions by deposit class – Constructional materials, Occupation sequences
- 72 Kilise Tepe: Cereal proportions by deposit class – *In situ* deposits, Pit fills
- 73 Kilise Tepe: Cereal proportions by vertical context – Bronze Age and Iron Age
- 74 Kilise Tepe: Cereal proportions by vertical context – Byzantine
- 75 Kilise Tepe: Cereal proportions by trench – H, I
- 76 Kilise Tepe: Cereal proportions by trench – J, K
- 77 Kilise Tepe: Cereal proportions by trench – I-L14
- 78 Kilise Tepe: Cereal ratios – Barley: wheat grains
- 79 Kilise Tepe: Cereal ratios – Barley grains: rachis
- 80 Kilise Tepe: Cereal ratios – Glume wheat grains: chaff
- 81 Kilise Tepe: Correspondence analysis – taxa plot: all cereal taxa
- 82 Kilise Tepe: Correspondence analysis – taxa plot: all cereal taxa omitting samples 69, 81
- 83 Kilise Tepe: Correspondence analysis – taxa plot: all taxa except *Hordeum* grains and rachis
- 84 Kilise Tepe: Correspondence analysis – taxa plot: all cereal grains except *Hordeum* omitting samples 36, 69
- 85 Kilise Tepe: Correspondence analysis – taxa plot: all chaff items
- 86 Kilise Tepe: Correspondence analysis – sample plot: all cereal taxa by deposit class
- 87 Kilise Tepe: Correspondence analysis – sample plot: all cereal grains except *Hordeum* omitting samples 36, 69 by deposit class
- 88 Kilise Tepe: Correspondence analysis – sample plot: all cereal taxa by vertical context
- 89 Kilise Tepe: Correspondence analysis – sample plot: all cereal taxa omitting samples 69, 81 by vertical context
- 90 Kilise Tepe: Correspondence analysis – sample plot: all taxa except *Hordeum* grains and rachis by vertical context
- 91 Kilise Tepe: Correspondence analysis – sample plot: all chaff items by vertical context
- 92 Kilise Tepe: Correspondence analysis – sample plot: all cereal taxa by trench
- 93 Kilise Tepe: Correspondence analysis – sample plot: all cereal taxa omitting samples 69, 81 by trench
- 94 Kilise Tepe: Correspondence analysis – sample plot: all taxa except *Hordeum* grains and rachis by trench
- 95 Kilise Tepe: Correspondence analysis – sample plot: all chaff items by trench
- 96 Frequency histogram showing charcoal densities in the Tell Brak and Kilise Tepe samples
- 97 Frequency histogram showing preservation indices for the Tell Brak and Kilise Tepe samples
- 98 Frequency histogram showing fragmentation indices for the Tell Brak and Kilise Tepe samples
- 99 Comparison of the ratios of cereal taxa in the Tell Brak and Kilise Tepe samples