

ALSF : Where Rivers Meet
Geophysical Survey at Catholme
Phase II Investigations.

Submitted By:
Meg Watters

University of Birmingham
Institute of Archaeology and Antiquity

Table of Contents

| | |
|---|----|
| Table of Contents..... | 1 |
| Table of Figures | 3 |
| 1.0 Report Contents | 8 |
| 2.0 Project Summary..... | 9 |
| 3.0 Review of Past Geophysical work at Catholme..... | 13 |
| 3.1 Grey Literature..... | 13 |
| 3.2 ALSF WRM Phase I Investigations..... | 14 |
| 3.2.1 Phase I Geophysical Survey Goals and Methodology..... | 14 |
| 3.2.2 Comparison to Grey Literature | 16 |
| 3.3.3 Phase I Conclusions | 17 |
| 4.0 Phase II Geophysical Survey at Catholme..... | 21 |
| 4.1 Site Selection and Justification | 21 |
| 4.1.1 Area A1 | 22 |
| 4.1.2 Area A2..... | 23 |
| 4.1.3 Area B1 | 25 |
| 4.1.4 Area B2 | 26 |
| 4.1.5 Area F1..... | 26 |
| 4.1.6 Area F2..... | 27 |
| 4.2 Geophysical Survey Area Mapping and Data Collection..... | 28 |
| 4.2.1 Magnetometry Data Collection..... | 28 |
| 4.2.2 Magnetic Susceptibility | 29 |
| 4.2.3 2m x 5m Sub-area Magnetic Susceptibility | 29 |
| 4.2.4 Resistivity Data Collection | 29 |
| 4.2.5 2m x 5m Sub-area Resistivity Data Collection..... | 30 |
| 4.2.6 GPR Data Collection..... | 31 |
| 4.2.7 2m x 5m Sub-area Dielectric Permittivity Data Collection..... | 31 |
| 4.3 Geophysical Techniques and Methodology..... | 33 |
| 4.3.1 Magnetometry | 33 |
| 4.3.2 Magnetic Susceptibility | 33 |
| 4.3.3 Resistivity | 33 |
| 4.3.4 GPR..... | 35 |
| 4.4 Geophysical Data Processing and GIS Integration..... | 38 |
| 4.4.1 Magnetic Data Processing..... | 38 |
| 4.4.2 Resistivity Data Processing..... | 38 |
| 4.4.3 GPR Data Processing..... | 38 |
| 4.4.4 GIS Data Integration..... | 39 |
| 4.5 Geophysical Data Interpretation and Classification | 40 |
| 4.5.1 General observations..... | 41 |
| 5.0 Geophysical Survey Results | 42 |
| 5.1 Area A1 | 43 |
| 5.1.1 Magnetometry Survey Results..... | 43 |
| 5.1.2 Magnetic Susceptibility Results..... | 45 |
| 5.1.3 Resistivity Survey Results | 46 |
| 5.1.4 GPR Survey Results..... | 54 |
| 5.1.5 A1 2m x 5m Sub-area | 60 |
| 5.2 Area A2..... | 63 |
| 5.2.1 Magnetometry Survey Results..... | 63 |
| 5.2.2 Magnetic Susceptibility Results..... | 66 |

| | | |
|-------|---|-----|
| 5.2.3 | Resistivity Survey Results | 67 |
| 5.2.4 | GPR Survey Results..... | 73 |
| 5.2.5 | A2 2m x 5m Sub-area | 79 |
| 5.3 | Area B2 | 82 |
| 5.3.1 | Magnetometry Survey Results..... | 82 |
| 5.3.2 | Magnetic Susceptibility Results..... | 86 |
| 5.3.3 | Resistivity Survey Results | 87 |
| 5.3.4 | GPR Survey Results..... | 90 |
| 5.3.5 | B2 2m x 5m Sub-area | 97 |
| 5.4 | Area F1..... | 100 |
| 5.4.1 | Magnetometry Survey Results..... | 100 |
| 5.4.2 | Magnetic susceptibility Results | 102 |
| 5.4.3 | Resistivity Survey Results | 103 |
| 5.4.4 | GPR Survey Results..... | 107 |
| 5.4.5 | F1 2m x 5m Sub-area..... | 111 |
| 6.0 | Conclusions and Recommendations | 114 |
| 6.1 | Comments | 114 |
| 6.1.1 | Geophysical Survey | 114 |
| 6.1.2 | Resistivity Profiling | 115 |
| 6.2 | Recommendations..... | 115 |
| 6.2.1 | Continuation of the WRM geophysical survey project..... | 115 |
| 6.2.2 | GIS and ArcIms | 116 |
| 6.2.3 | Data Fusion, Modelling and Visualisation..... | 117 |
| 7.0 | Bibliography | 122 |

Table of Figures

| | |
|--|----|
| Figure 1. Oblique aerial photo with the 'Sunburst' and 'Woodhenge' monuments and pit-alignment cropmarks. | 9 |
| Figure 2. WRM Full Area. | 10 |
| Figure 3. Geophysical survey focus area of the WRM project. | 11 |
| Figure 4. WRM GIS: Magnetic survey results and interpretations are overlain on rectified aerial photograph showing the 'Woodhenge' cropmark. | 12 |
| Figure 5. Previous geophysical survey (purple areas) and excavation (blue lines) in the Catholme Ceremonial Complex area. | 14 |
| Figure 6. Phase I geophysical survey areas and interpreted anomalies. | 15 |
| Figure 7. Re-digitised cropmark features in blue. | 16 |
| Figure 8. Resistance survey results over the 'Sunburst' (a. and b.) and large ring ditch (c. and d.) monuments. | 17 |
| Figure 9. Comparison of magnetic survey results for the 'Sunburst' (a. and b.) and large ring ditch monuments (c. and d.). | 18 |
| Figure 10. Phase I geophysical survey interpretations for the 'Woodhenge' monument. GPR (green), resistance (pink) and magnetic (blue). | 19 |
| Figure 11. Re-assessment of the correct positioning of the cropmark data positions the 'Wood henge' feature over a probable geological resistance anomaly. | 19 |
| Figure 12. Phase II WRM geophysical survey areas as red blocks. | 22 |
| Figure 13. Phase II Field A area locations. A1 is in the north and A2 in the south. | 23 |
| Figure 14. Phase II survey area selected to investigate the 'Woodhenge' feature in Field A. | 24 |
| Figure 15. Rectified oblique aerial photo with 'Woodhenge' cropmark, Phase I geophysical interpretations and overlain operating cropmark GIS layer. | 24 |
| Figure 16. A2 positioned over the north-west section of the 'Woodhenge' cropmark. | 25 |
| Figure 17. Phase II survey areas in field B. | 26 |
| Figure 18. Field F area positions focused on anomalies defined through Phase I geophysical investigations. | 27 |
| Figure 19. G858 Cesium Vapor magnetometer (right) in vertical gradient mode and the FM256 Fluxgate Gradiometer (left). | 28 |
| Figure 20. Magnetic Susceptibility data were collected with the Bartington MS2 susceptibility meter. | 29 |
| Figure 21. RM15 resistivity meter configured to collect readings at multiple depths across the site. The second image illustrates the basic premise behind this multiplexing technique. | 30 |
| Figure 22. Data were collected using the RM15 resistivity meter on a custom-designed square array. Three data samples were collected at each station: α , β and γ | 30 |
| Figure 23. The SIR3000 GPR unit was used with a shielded 400 MHz antenna. | 31 |
| Figure 24. The Adek Pyrometer v.6 was used to collect dielectric permittivity data in the 2m x 5m sub-areas. | 32 |
| Figure 25. Resistivity data samples a volume of earth dependent upon probe separation distance. | 34 |
| Figure 26. Orthogonal grid display. | 36 |
| Figure 27. Vertical profiles can be stacked together to create a 3D cube of information for use in data imaging and analysis. | 36 |

Figure 28. GPR data can be displayed as 2D vertical profiles (greyscale at the bottom of the figure), or sliced along the x, y, and z axes.37

Figure 29. Greyscale division for magnetic interpretation labeling.40

Figure 30. A1 magnetic surface survey data (top left) with interpretations (top right) and overlain excavation plan.43

Figure 31. A1 magnetic gravel survey data (top left) with interpretations (top right) and overlain excavation plan.44

Figure 32. A1 surface magnetic susceptibility results (left) with overlain excavation plan.....45

Figure 33. A1 gravel magnetic susceptibility results (left) with interpretations (right) and overlain excavation plan (bottom).46

Figure 34. Resistivity survey data from 0.25m depth (left) with overlain interpretations (right).47

Figure 35. Resistivity survey data from 0.50m depth (left) with overlain excavation plan (right).47

Figure 36. A1 gravel resistivity survey results at 0.25m (left) with overlain excavation plan (right).48

Figure 37. A1 gravel survey at 0.25m with data interpretations that map the same details as the excavation plans.49

Figure 38. A1 resistivity at 0.50m depth (left) with interpretations (right).50

Figure 39. A1 resistivity gravel survey at 0.5m (right) with overlain excavation plans (left). The red arrows identify anomalies that do not correspond directly to the plan.....50

Figure 40. Two examples of pits from area A1's pit-alignment. The sketch defines F212, the pit one the eastern edge of the area.....51

Figure 41. A1 resistivity from the gravel survey at 0.75m depth (right) highlighting possible pit structural responses to resistivity survey (right).....51

Figure 42. Image a. represents demonstrates the vertical component of the multiplexed resistivity data. The three plots of measured resistivity in b. present a single pseudosection inversion. The data represented here are a profile across the pit-alignment (red line in a.).52

Figure 43. Comparison of apparent resistivity plan to graph of raw resistivity pseudosection.53

Figure 44. Resistivity inversion graph after three iterations with apparent resistivity plan.....53

Figure 45. A1 GPR profile over the pit-alignment showing the changes in velocity of the radar wave due to saturated pit fill.....54

Figure 46. GPR plan views and vertical profiles detailing the pits of the pit-alignment and potential interpretation pitfalls. A. are the pit anomalies in the GPR plan views and B. shows the depth of the plan view at the position of the yellow line.55

Figure 47. The ground coupling zone at the top of the GPR record measures approximately one wavelet.56

Figure 48. Time zero position for GPR trace.....57

Figure 49. Adjusted time 0 setting to include the direct wave amplitude.....57

Figure 50. A1 GPR slice at time zero. The red line in the top image designates the position of the vertical profile on the bottom.....57

Figure 51. GPR plan map showing pit-alignment anomalies (blue) in A1.....58

Figure 52. GPR profile across pit-alignment in A1. A is a processed profile and B is the same profile with preliminary interpretations.....59

| | |
|---|----|
| Figure 53. A1 2m x 5m magnetic susceptibility survey results..... | 60 |
| Figure 54. A1 2m x 5m sub-area resistivity survey results..... | 61 |
| Figure 55. A1 2m x 5m sub-area dielectric permittivity survey results..... | 62 |
| Figure 56. A2 surface magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom). | 63 |
| Figure 57. A2 gravel magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom). | 64 |
| Figure 58. A2 gravel FM256 magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom)..... | 65 |
| Figure 59. A2 surface magnetic susceptibility results (left) with interpretations (right) and overlain excavation plan (bottom). | 66 |
| Figure 60. Area A2 resistivity survey map at 0.25m depth (left) with overlain highlighted anomalies (right) and excavation plan (bottom). | 67 |
| Figure 61. Area A2 resistivity (left) with identifications (right) and overlain excavation plan (bottom). Notice the high percentage of post-pits that have been mapped (circled in red). | 69 |
| Figure 62. A2 resistivity gravel survey data at 0.50m (left) with interpretations (right). Note the lack of distinct post-pit anomalies. | 70 |
| Figure 63. A2 resistivity gravel survey at 0.75m (left) with interpretations (right). .. | 70 |
| Figure 64. A2 resistivity gravel survey at 0.75m with interpretations and excavation plan..... | 71 |
| Figure 65. A2 resistivity gravel survey at 1m depth (left) with interpreted anomalies (right) and overlain excavation plan (bottom). | 72 |
| Figure 66. A2 GPR plan map at 0.75m (left) with interpretations (right). | 73 |
| Figure 67. A2 GPR anomaly interpretation with overlain blue arcs at possible post-pit alignment (left). The image on the left shows the excavation plan mapping the position of post-pits..... | 74 |
| Figure 68. A2 GPR natural subsoil plan map at the ground coupling position. | 75 |
| Figure 69. A2 GPR natural subsoil at 0.55m depth (left) with interpretations (right) overlain excavation plan (bottom). | 76 |
| Figure 70. A2 GPR profile across post-pit features..... | 77 |
| Figure 71. A2 GPR profile across post-pit features with yellow crosshair identifying position of post-pit in the plan map. | 77 |
| Figure 72. A2 GPR plan map at approximately 0.65m depth..... | 78 |
| Figure 73. A2 2m x 5m sub-area magnetic susceptibility survey results. | 79 |
| Figure 74. A2 2m x 5m sub-area resistivity survey results..... | 80 |
| Figure 75. A2 2m x 5m sub-area dielectric permittivity survey results..... | 81 |
| Figure 76. B2 surface magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom left). | 83 |
| Figure 77. B2 gravel magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom). | 84 |
| Figure 78. B2 gravel FM256 magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom)..... | 85 |
| Figure 79. B2 surface magnetic susceptibility results (left) with overlain excavation plan (right). | 86 |
| Figure 80. B2 gravel magnetic susceptibility results (left) with interpretations (right) and overlain excavation plan (bottom). | 87 |
| Figure 81. B2 resistivity surface survey (left) with interpretations (right) and overlain excavation plan (bottom). | 88 |
| Figure 82. B2 resistivity gravel survey at 0.25m (left) with interpretations (right).... | 89 |

| | |
|---|-----|
| Figure 83. B2 resistivity gravel survey at 0.25m with interpretations and overlain excavation plan. | 89 |
| Figure 84. B2 surface GPR plan views showing the appearance of the ring ditch. | 90 |
| Figure 85. GPR surface survey plan map at 0.57m (left) with interpretations (right) and excavation plan (bottom). | 91 |
| Figure 86. B2 'Sunburst' Monument. GPR record from the ground coupling signal (left) with interpreted archaeological and geological features (right). | 92 |
| Figure 87. B2 'Sunburst' Monument ring ditch in GPR data. | 92 |
| Figure 88. B2 'Sunburst' monument GPR data at 0.4m depth showing distinct ring ditch property contrasts with background material (red arrows) and the lack of contrast and ditch definition (yellow arrows). | 93 |
| Figure 89. B2 GPR image of profile through ring ditch. A and C are the ring ditch (blue) and B is one of the plough furrows (green) passing through the ring ditch. | 94 |
| Figure 90. B2 GPR profile through archaeological features: A - pit, B- plough furrow, C- burial, D- pit with <i>in situ</i> burning, E- ring ditch. | 95 |
| Figure 91. B2 2m x 5m magnetic susceptibility survey results. | 97 |
| Figure 92. A1 2m x 5m resistivity survey results. | 98 |
| Figure 93. B2 2m x 5m dielectric permittivity survey results. | 99 |
| Figure 94. F1 surface magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom). | 100 |
| Figure 95. F1 gravel magnetometry map (top left) with interpretations (top right) and overlain excavation plan (bottom). | 101 |
| Figure 96. F1 surface magnetic susceptibility results (left) with overlain excavation plan (right). | 102 |
| Figure 97. F1 gravel magnetic susceptibility results (left) with overlain interpretations and excavation plan (right). | 102 |
| Figure 98. F1 resistivity map at 0.25m depth (left) with interpretations (right). | 103 |
| Figure 99. F1 resistivity map at 0.50m depth (left) with interpretations (right). | 104 |
| Figure 100. F1 resistivity survey at 0.50m depth with overlain interpretations and excavation plan. | 104 |
| Figure 101. F1 resistivity gravel survey at 0.50m (left) with interpretations (right). | 105 |
| Figure 102. F1 resistivity gravel survey at 0.75m depth (left) with interpretations (right). | 106 |
| Figure 103. F1 resistivity gravel survey at 0.75m depth with interpretations and excavation plan. | 106 |
| Figure 104. Ground coupling GPR map of gravel survey surface F1 over the Large Ring Ditch with extensions. The map on the right has the excavation features mapped that correspond with the GPR information. | 108 |
| Figure 105. GPR interpretations from the surface of the GPR gravel survey area F1. | 108 |
| Figure 106. F1 gravel GPR data at 0.6m depth (left) with overlain interpretations (right). | 109 |
| Figure 107. F1 ring ditch feature defined by high amplitude reflection at approximately 0.90m depth (left). The image to the right highlights in yellow the response of the GPR to archaeological features at 0.90m depth, this anomaly is overlain on previous GPR interpretations. | 110 |
| Figure 108. F1 2m x 5m magnetic susceptibility survey results. | 111 |
| Figure 109. F1 2m x 5m resistivity survey results. | 112 |

Figure 110. F1 2m x 5m dielectric permittivity survey results..... 113
Figure 111. Traditional GPR profiles (a.), fence diagram (b.) and 3D cube with time
slices (c.) 118
Figure 112. Resistivity plan maps (a.) and inverted pseudosections (b.) 119
Figure 113. 3D visualised GPR and resistivity data from A1..... 120

1.0 Report Contents

This report presents the results of Phase II of geophysical survey undertaken by Birmingham Archeology at Catholme in Staffordshire. The survey was conducted as part of the Where Rivers Meet: Landscape, Ritual, Settlement and the Archaeology of River Gravels project (hereafter WRM) and was funded through the Aggregates Levy Sustainability Fund by English Heritage.