

WROXETER PALAESTRA (WP): CONTEXT CONCORDANCE

EH ACCESSION NUMBER	88230495 (4/7)
SITE	D
AREAS	South Aisle (SA), North Aisle (NA); Nave (N), North Portico (NP), West Portico (P) Robber Trenches (RT): North Wall, North Aisle, South Aisle, North Portico Archaeological Trench / Disturbance: (AT)
GRIDS	6,7,8,9,10,11,12,13,14 20,21,22,23,24,25,26,27,28, 34,35,36,37,38,39,40,41,42

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D1	7	Rejected posthole		7 large			(7) F4			SA	
D2	7	Modern disturbance		7 large			(7) F5			SA	
D3	7	Stakehole cut by D97		7 large			(7) F11	Z	Con	SA2	
D4	8	Disturbed area		8 large			(8) F1			SA	
D5	8	Area of rubble w edge – platform?		8 large			(8) F5	Z	Occ	SA	
D6	8	Possible posthole		8 large			(8) F6	Y/Z (mod)	Con	SA	
D7	8	Possible posthole		8 large			(8) F7			SA	
D8	8	Pebble floor		8 large			(8) F9	X2	Occ	SA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D9	8	Stakehole		8 large			(8) F13	Z	Con	SA2	
D10	8	Stakehole		8 large			(8) F14	Z	Con	SA2	
D11	9	Rejected posthole					(9)F1			SA	
D12	9	Stakehole				A118Z	(9) F3	Z	Con	SA3	
D13	9	Area of mortar and tile		9 large			(9) F7	Z	Occ	N11	
D14	9	Possible stakeholes		9 large		A118Z	(9) F8	Z	Con	SA3	
D15	10	Pebble floor		10/3/1			(10) F2	X2	Occ	SA	
D16	10	Area of plaster in D106		10/4/1	FDF		D106	Z	Con	SA	
D17	10	Stakehole		10/3/1		A118Z	(10) F5	Z	Con	SA4	
D18	10	Posthole cut and fill		10/4/1	FDF	A118Z	(10) F6	Z	Con	SA4	
D19	10	Posthole cut and fill		10/3/1	Fdf	A118Z	(10) F17	Z	Con	SA4	
D20	10	Stakehole		10/3/1		A118Z	(10) F10	Z	Con	SA5	
D21	10	Stakehole		10/3/1		A118Z	(10) F11	Z	Con	SA5	
D22	10	Posthole cut and fill		10/4/1		A118Z	(10) F12	Z	Con	SA4	
D23	10	Posthole cut and fill		10/3/1 10/4/1		A118Z	(10) F13	Z	Con	SA4	
D24	10	Posthole cut and fill		10/3/1		A118Z	(10) F14	Z	Con	SA4	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D25	10	Stakehole		10/3/1		A118Z	(10) F16	Z	Con	SA5	
D26	10	Posthole		10/3/1			(10) F18	Z	Con	SA5	
D27	10	Stakehole		10/3/1		A118Z	(10) F20	Z	Con	SA5	
D28	11	Posthole		11 large		A118Z	(11) F4	Z	Con	SA5	
D29	11	Pit for posthole		11 large			(11) F6	Z	Occ	SA5	
D30	7,8	Rubble infill patch		8/4/2; 7/3/2			(7) F12 (7) F16	X2	Occ	SA2	
D31	23	Post socket		23 large			(23) F3	Z	Con	NA2	
D32	23	Posthole		23 large			(23) F4	Z	Con	NA2	
D33	23	Posthole		23 large			(23) F6	Z	Con	NA3a	
D34	23	Stakehole		23 large			(23) F7	Z	Con	NA3a	
D35	23	Stakehole		23 large			(23) F8	Z	Con	NA3a	
D36	23	Beam slot or gully		23 large			(23) F9	Z	Con	NA3a	
D37	24	Ridge of faced mortar		24 large		A129Z A130Z	(24) F1	Z	Con	NA3a	
D38	24	Pebble floor		24 large			(24) F3; D741?	Y	Occ	NA4	
D39	24	Area of lias tile		24 large			(24) F4; D238	Y	Occ	NA4	
D40	24; 38	Posthole		24 large		A177 Post Z	(24) F18; (38) F5	Post Z	Con	NA4	
D41	24	Posthole		24 large		A177 Post Z	(24) F19	Post Z	Con	NA4	
D42	25	Posthole		25 large; 25/2/1			(25) F1	?	Con	NA5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D43	25	Floor surface		25/1/125 large			(25) F2			NA5	
D44	23	Pebble surface		23/2/3a		A75X		X3/4	Occ	NA2	
D45	26	Posthole		26 large		A176 Post Z		Post Z	Con	NA7	In upper fill of RT D11, cut into Bldg XI6
D46	23	Posthole / socket		23 large			(23) F1			NA	
D47	24	Posthole		24 large			(24) F6	Z	Con	N14	
D48	24	Posthole		24 large			(24) F7	Z	Con	N14	
D49	9,10	Rubble and lias area south of Bldg X				A130Z		Z	Occ	N9-11	Formerly numbered as part of D100G
D50	9	Area of mortar and rubble		9 large		A130Z		Z	Occ	N9	Formerly numbered as part of D142
D51	25	Tree hole?		25/4/1; 25 large			(25) F12	Z?	Con	N15	
D52	25	Shallow disturbance		25/3/1; 25/4/1; 25 large			(25) F7			N	
D53	25	Possible posthole		25 large; 25/3/1			(25) F14			N	
D54	13,14	Building platform		14/4/1; 13/3/1		A141Z4	(14) F1; D344	Z4	Occ	P1	
D55	28	Posthole		28/2/1		A79X	(28) F5	X	Con	P1	
D56	28	Stakehole		28/2/1		A79X	(28) F6	X	Con	P1	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D57	28	Stakehole		28/2/1		A79X	(28) F7	X	Con	P1	
D58	28	Posthole		28/4/1		A139Z3		Z3	Con	P1	
D59	28	Posthole		28/4/1		A139Z3		Z3	Con	P1	
D60	28	Posthole		28/4/1		A139Z3		Z3	Con	P1	
D61	28	Posthole		28/4/1		A139Z3		Z3	Con	P1	
D62	28	Posthole		28/4/1		A139Z3		Z3	Con	P1	
D63	28	Beam slot		28/4/1		A139Z3 A140Z3		Z3	Con	P1	
D64	28	Posthole		28/4/1		A140Z3		Z3	Con	P1	
D65	28	Posthole		28/4/1		A140Z3		Z3	Con	P1	
D66	28	Posthole		28/4/1		A140Z3		Z3	Con	P1	
D67	28	Posthole		28/4/1		A140Z3		Z3	Con	P1	
D68	27.28	Pubble platform for Bldg 8		28/4/1; 27/3/1; 27/3/2		A139Z3		Z3	Con	P1	
D69	42	Posthole		42/4/1		A140Z3		Z3	Con	P2	
D70	38	Stakehole		38 large		A177 Post Z	(38) F5	Post Z	Con	NP5	
D71	38	Stakehole		38 large		A177 Post Z	(38) F6	Post Z	Con	NP6	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D72	38	Stakehole		38 large		A177 Post Z	(38) F7	Post Z	Con	NP6	
D73	38	Cobble surface		38 large		A177 Post Z	(38) f9	Post Z	Occ?	NP6	
D74	6,20,21	AT	73:12,18, 37; 84:80,81		1, 135, 3 island N1; 67,68, 69,72, 125,126		(20) F8 (21) F1			N	Coin cat.: 3124
D75	6,20	Wall filoting Bldg XXXI	Pol.x2; 72:6; 73:14, 18, 61; 74:6,8;; 75:11	7 comp; 6 large; 6/1/3; 20/3/2		A132Z	(20) F9	Z	Con	N4,N 5	
D76	20	Posthole cut in HBF					(20) F10; D2409; D2452; D2438	W	Con	N4,N 5	HBF Equals Herringbone Tile Floor
D77	7,21	Layer of lias tile – floor under Bldg XXXI	Pol.; 72:6; 75:14, 18 74:2, 6	7 comp.; 20/3/2; 6/1/3		A92Y	(20) L 4	Y	Occ	N4,N 5	Coin cat.: 1990
D78	6,7,20.2 1	Layer beneath D77					(20) L 5	Y	Con	N4,N 5	Coin cat.: 374, 1745
D79	21	Patch				A73W3-X	(21) F2	W3-X	Con?	N	Coin cat.:2021
D80	20-22	AT	Pol.				(21) F4; (22)			NA	Coin cat.: 2247, 2348

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D81	34-42	Robber Trench for N portico	79: 7,10, 11, 27, 29, 30, 42, 43; 80: 5, 103, 104	34 large 37 large 38 large 39 large 40 large 41/1/1; 41/2/1; 35/1-4/1 36/1-4/1	FDF, 6, 33		(35) F5; (39) F7; (36) F5; (37) F9; (38) F16 (40) F10	Y/Z	Con	RT NP	For coins in C81, E81, E82, q.v. Coin cat.: 106, 140,250, 264, 287, 291, 304, 325, 348, 351, 365, 389, 394, 411, 417, 445, 450, 452, 457, 482, 505, 530, 538, 541, 566, 583, 584, 597, 643, 644, 645, 655, 657, 684, 685, 686, 691, 723, 727, 761, 778, 790, 820, 845, 848, 928, 935, 952, 965, 978, 980, 982, 983, 985, 1000, 1012, 1023, 1029, 1032, 1043, 1044, 1045, 1054, 1061, 1073, 1080, 1112, 1113, 1117, 1131, 1255, 1257, 1260, 1265, 1267, 1268, 1271, 1272, 1273, 1275, 1276, 1277, 1284, 1289, 1291, 1303, 1346, 1380, 1411, 1417, 1440, 1448, 1452, 1510, 1616, 1668, 1688, 1722, 1748, 1770, 1776, 1790, 1798, 1799, 1824, 1847, 1848, 1854, 1885, 1922, 1948, 1985, 2005, 2057, 2080, 2088, 2104, 2155, 2164, 2208, 2269, 2287, 2297, 2337, 2342, 2350, 2355, 2366, 2382, 2401, 2532, 2555, 2560, 2563, 2570, 2589, 2593, 2597, 2620, 2624, 2658, 2709, 2715, 2719, 2762, 2764, 2765, 2769, 2772, 2778, 2813, 2816, 2819, 2822, 2823, 2824, 2843, 2855, 2874, 2879, 2891, 2897,

Section 19 – Site D context concordance (1-999)

											2905, 2916, 2920, 2926, 2951, 2964, 2991, 3013, 3026, 3030, 3032, 3059, 3099, 3125, 3131, 3138, 3156, 3158, 3164, 3267, 3268, 3279, 3280, 3285, 3286, 3288, 3289, 3300, 3303, 3340
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D82	20	East wall of basilica		6 large; 20/4/3; 20/2/3			(20) F7	U	Con	N1	
D83	6	AT w. posthole cut into HBF	75: 27; 85; 147, 148, 201		78		(6) F6			N	Coin cat.: 915
D84	6	Block of mortar Equals The Font		See D460			(6) F7; D460	X/Y	Occ	N2	
D85	6	Overall layer of s/stone – path	73:11, 14, 23, 24, 25	6 large; 6/1/2			(6) F8	Z	Occ	N2	
D86	6	Thin layer of mortar	73:14, 23, 24, 25, 36	See D1811	2?	A132Z	(6) F9; D1811; D426	Z	Occ	N2	
D87	6	Area of rubble	70:13	6/1/6; 7/2/5			(6) F10; D459	X	Occ	N3	
D88	Small posthole			6/1/6i			(6) F11; D2417	W?	Con	N	
D89	6	AT					(6) F12; (7)			N	Coin cat.: 2538
D90	21	AT	75:50		118, 119,		(21) F6			N	Coin cat.: 1104

Section 19 – Site D context concordance (1-999)

					120, 121, 122						
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D91	7,21,22	AT		7 large			(7) F14; (7) F7			NA/N	Coin cat.: 1817
D92	7	Posthole cut through D102	75:42	7/1/2		A72W3-X	(7) F15	W3-X	Con	N8	Associated w. D94, D198
D93	7	Small posthole		7 large; 7/1/2			(7) F16	X/Y	Con	N8	Associated w. D92, D94
D94	7	Posthole		7 large; 7/1/2			(7) F17	X/Y	Con	N8	Associated w. D92, D198
D95	7	Rubble surface		7 large	FDF		(7) F2; D8?	X2	Occ	SA2	
D96	7,8	AT		7 large			(7) F6			SA	Coin cat.: 1420, 1620, 1622, 2049, 2050, 2051, 2076, 2077, 2087, 2674, 3016, 3033
D97	7.8.	AT		7 large; 8 large; 7/3/8; 8/4/8; 8/3/7			(7) F10; (7) F3; (7) F7; (7) F9; (6) F4, (6) F12			SA	Coin cat.: 49, 2695
D98	6-13; 7- 9	SCRT (7-9 undist; rest AT)	Pol.; 70:12; 83:83, 84 131, 205, 206, 226	7 large; 8 large; 9 large	FDF; 162		(7) F1 (7) F4 (7) F8; (7) F13; (8) F2; (8) F6; (8) F8; (8) F11; D1, D6	Y/Z (mod)	Con	SCRT	Coin.cat.: 22, 59, 126, 266, 561, 608, 611, 668, 743, 832, 880, 1026, 1185, 1506, 1618, 1723, 1820, 1841, 2159, 2222, 2246, 2318, 2351, 2428, 2440, 2468, 2515, 2524, 2731, 2868, 2886, 2911, 2994, 3095, 3333

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D99	8	Robber Trench					D97; (8) F7; (7) F10			SA	
D100	7,8,9,10, 11,21, 22, 23, 24, 25, 35, 36, 37, 38, 39	Rubble and mortar raft for Bldg X	Pol. 74:3,6, 7; 75:3		FDF			Z	Con	N7-	Coin cat.: 45, 192, 260, 289, 354, 381, 470, 508, 543, 683, 838, 1005, 1102, 1103, 1150; 1177, 1274, 1283, 1405, 1456, 1463, 1475, 1481, 1545, 1637, 1652, 1678, 1730, 1759, 1779, 1780, 1855, 1861, 1880, 1907, 1910, 1916, 1925, 1927, 1929, 1953, 1958, 1964, 1980, 1991, 2004, 2067, 2068, 2081, 2102, 2118, 2124, 2126, 2128, 2134, 2142, 2144, 2148, 2172, 2174, 2185, 2190, 2207, 2211, 2236, 2256, 2257, 2260, 2277, 2280, 2298, 2321, 2354, 2379, 2388, 2397, 2412, 2479, 2489, 2496, 2499, 2509, 2531, 2618, 2640, 2542, 2654, 2657, 2677, 2849, 2909, 2936, 2980, 2997, 3010, 3065, 3206, 3215, 3216, 3232, 3235, 3236, 3275, 3276, 3282, 3318, 3331
D100A	35-38; 22-24	Mortar packed area; part of Bldg X	75:75	35/3/1; 36/41; 36/3/1; 37 large 38 large 22 large 23 large		A129Z A130Z A131Z		Z	Con (Occ)	NP5	Coin cat.: 953, 1521, 2541, 2611, 2633

Section 19 – Site D context concordance (1-999)

				24 large							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D100B	7-8, 21,22	Pad of rubble set in mortar; SE corner of Bldg X	Pol. X4; 74:1, 28	c/card; 7 large; 21 large; 22 large; 23 large; 23/4/2; 22/3/2; 22/4/2; 24/2/2a' 21/3/2; 21/3/2a; 8/1/2; 8/2/2; 8/2/2a; 7/1/2; 7/1/2a		A130Z A131Z		Z	Occ	N7, N8, N10	Coin cat.: 800, 1358, 1961, 2295, 2648
D100C	22-25	Area of rubble w plaster – Bldg X		22 large; 23 large; 25 large; 24 large; 23/2/2; 23/1/2	33	A129Z A130Z A131Z		Z	Con(occ)	NA2, NA3, NA4, NA5	Coin cat.: 1981, 2792
D100D	37,38	Mortar packed rubble Equals Bldg X		38 large; 39 large; 24 large; 25 large; 25/1/1; 25/2/1		A129Z		Z	Con (Occ)	NP6	Coin cat.: 423
D100E	23, 24	Length of pitched s/stone	Pol. ; 75:29, 30, 31,	24 large; 23 large; 24/4/2;	FDF	A129Z A130Z		Z	Occ	N11, N12, N13	1015, 1205, 1592, 1598, 1599, 1612, 1635, 1785 1807, 1850, 1965, 2166, 2173, 2210, 2376,

Section 19 – Site D context concordance (1-999)

		blocks packed w plaster – Bldg X	32, 57, 59, 60, 94, 95, 96; 76:54, 64	23/3/2							2705,
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D100F1	24, 25	Square area of rubble – sw corner Bldg X	78:63	24 large; 25 large; 24/3/2; 25/4/1; 25/4/2	33	A90Y A129Z		Y-Z	Occ	N14, N15	
D100F2	24, 25	Area of lias tile on soil		25/3/3; 25/4/2a; 24/3/2a				Y	Occ	N14, N15	Coin cat.; 253, 438, 592, 919, 1627, 1969, 2188
D100G	22, 23, 24	Area under porch of Bldg X	75:5, 29, 44, 57, 59, 60	22 large; 23 large; 24 large; 23/3/2; 23/4/2; 22/3/2; 24/4/2; 24/3/2		A129Z A130Z A131Z		Z	Occ	N8, N9, N10, N11, N12, N13, N14	
D101	6,7,20,2 1	Collapsed wall of Bldg XXXI	73:6, 14, 61	6 comp; 6 large; 7/2/1a; 21/4/1a; 21/4/2		A132 Post Z	(21) F5	Post Z	Con	N4,N 5	
D102	6-9; 20- 23	Mortar surface; cleaning layer	75:3, 4, 11, 41	20/3/5; 21/4/5; 21/3/3; 22/4/3; 22/3/4; 23/4/3;			(20) F10	X	Occ	N4- N9	Coin cat.: 363, 371

Section 19 – Site D context concordance (1-999)

				6/1/6; 7/2/5; 7/1/4; 8/2/3; 8/1/3; 9/2/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D103	7,8	Floor of Bldg XVI	74:10, 11	7 large; 8 large		A119Z	(7) F1A	Z	Occ	SA2	Coin cat.: 1777
D104	8,9	Floor of Bldg XVII		8 large; 9 large		A119Z		Z	Occ	SA2	Coin cat.: 1051, 3214
D105	9,10	Floor of Bldg XVIII		9 large		A118Z		Z	Occ	SA3	
D106	10,11	Floor of Bldg XIX		10 large; 10/3/1; 10/4/1		A118Z	(11) F3; (10) F17	Z	Occ	SA4 SA5	Coin cat.: 2304
D107	11,12	Floor of Bldg XX		11 large; 12 large		A117Z A118Z	D229	Z	Occ	SA5 SA6	
D108	12	Floor of Bldg XXI		12 large		A117Z	D269	Z	Occ	SA6 SA7	Coin cat.: 375, 2870, 2889, 2914, 2917
D109	7	AT								N	
D110	22	Wall plaster – part of rubble raft of Bldg X		22 large; 22/3/3				Z	Occ	NA2; N9	
D111	20-27	Robber Trench for North Aisle stylobates	81:99; 82:15; 85:159, 160	22 large, 23 large 24 large 25 large 26 large 27/1/1; 27/2/1; 27/3/1;	FDF; 161			Y-Z	Con	NCRT	Coin cat.: 7, 8, 53, 66, 82, 163, 281, 400, 791, 996, 1203, 1215, 1425, 1431, 1433, 1526, 1537, 1569, 1603, 1613, 1685, 1692, 1693, 1694, 1710, 1715, 1724, 1739, 1742, 1802, 1812, 1813, 1884, 1888, 1893, 1911, 1921, 1941, 1944, 1959, 1962,

Section 19 – Site D context concordance (1-999)

				27/4/1							2008, 2011, 2048, 2079, 2092, 2132, 2137, 2146, 2160, 2168, 2178, 2184, 2197, 2215, 2223, 2251, 2258, 2288, 2293, 2296, 2306, 2310, 2341, 2405, 2427, 2449, 2464, 2488, 2501, 2540, 2549, 2577, 2605, 2629, 2636, 2652, 2661, 2663, 2664, 2686, 2689, 2706, 2711, 2740, 2817, 2864, 2873, 2910, 2912, 3041, 3063, 3234, 3240, 3324, 3337
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D112	24	Worn lias tile surface				A94Y	D716	Y	Occ	NA3 B & C	
D113	8,22	AT								N	
D114	27	Mortar surface /spread					D547; D548	X?	Con	NA2	
D115	22	Mosaic robbing hole								NA	
D116	20-27; 34-41	Robber Trench for North Wall	Pol. ; 81:15, 18, 43, 46; 85, 86, 96, 98: 89:100		FDF; 91			Y/Z	Con	NW RT	Coin cat.: 357, 391, 447, 528, 534, 601, 604, 670, 674, 724, 892, 1075, 1264, 1399, 1441, 1505, 1584, 1585, 1626, 1747, 1930, 1996, 2003, 2059, 2085, 2089, 2096, 2149, 2191, 2249, 2332, 2554, 2590, 2712, 2856, 2902, 2985, 3273
D117	21,22	AT					D489			NA	
D118	8	Mosaic fragment	Pol.			A21S	(8) F10; D2399	S	Occ	SA2	
D119	8	AT					D127;			SA	

Section 19 – Site D context concordance (1-999)

							(6) F15				
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D120	20	Pitched rubble on lias layer	Pol.	20/3/3		A132Z		Z	Occ	N1	Coin cat.: 1591, 2315
D121	21,22	Mosaic robbing hole					D154			NA	
D122	6,20	Depression in D165 caused by wall collapse		20/3/2; 6/1/3				Y	Con	N4, N5	
D123	8	AT								SA	
D124	8	AT								SA	Coin cat.: 633, 1511
D125	20	Layer of lias – roof collapse	Pol.	20/3/3a		A92Y	D77?	Y	Occ	N1	Coin cat.: 3178
D126	9	AT								SA	
D127	9-13	AT			70		D119				Coin cat: 575, 766, 784, 1522, 1781, 2995
D128	9	AT	Pol.				(9) F4			N	Coin cat.: 338, 1387, 1393, 1994, 2127, 2333, 2385
D129	9, 23, 37	AT			FDF		(9) F5			N	Coin cat.: 382, 435, 1041, 1673, 2010, 2406, 2536
D130	9	AT					(9) F6			N	Coin cat.: 1954
D131	21, 20	Wall fragment? Part of Bldg XXXI				A132 Post Z	D101	Post Z	Con	N5	
D132	21,7	Worn s/stone path	Pol. 74:3, 6, 7	7/1/2; 21/3/2; 7 large;		A131Z		Z	Occ	N5, N8	Coin cat.; 1859

Section 19 – Site D context concordance (1-999)

				21 large; 7/1/2a; 7/1/2a+ 21/3/2a overlay							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D133	21	AT								NA	
D134	21,35	AT								NA NP	
D135	21	AT								NA	
D136	21	Irregular feature		21/3/2		A72W3-X		W3-X	Con	N6	
D137	21	Mosaic robbing hole								NA	
D138	21	AT	Pol.; 75:28, 43, 90							N	Coin cat.: 767, 1414, 1476
D139	21	Mortar patch								NA	
D140	9	AT								N	Coin cat.: 1674, 2227, 2469, 2641
D141	8	AT		8/1/3						N	Coin cat.: 1768, 1793
D142	8, 9	AT	84:131, 132, 133		FDF					N5- N9	Coin cat.: 491, 2415
D143	21, 22	2 mosaic fragments	74: 4, 5			A34S-T	D558	S-T	Con	NA1K	
D144	35, 22	AT		34 large; 34/3/2; 35/4/1	FDF; 39					NP NA	
D145	35	AT								NP	Coin cat.: 61
D146	7,8	Area of		7/3/1a;		A87Y		Y	Occ	SA2	Coin cat.: 1453

Section 19 – Site D context concordance (1-999)

		broken tile and loam		8/3/2; 8/4/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D147	35	AT		35/4/1; 35/4/2						NP/ Str.	Coin cat.: 1461
D148	34	Rubble layer		34/3/2			C113	Z	Occ (Con)	NP4	Coin cat.: 488, 716, 789, 898, 905, 977, 1473, 2305, 3263
D149	34	AT	Pol. 81:53		92; 96		C110			NP/ NA/ N	Coin cat.: 1067, 1593, 2763
D150	35	'wall frag' – worn surface	Pol. x2	35/3/2; 35/3/3		A98Y		Y	Occ	NP5	Coin cat.: 616
D151	35-37	Loam accumulation in depression				A98Y		Y	Occ (Con)	NP5	Coin cat.: 290, 763, 923, 950, 1016, 1096, 1110, 1111, 1258, 1259, 1357, 1363, 1374, 1438, 1575, 1647, 2234, 2244, 2294, 2481, 2688, 2840, 3121, 3277, 3284
D152	7, 21	Layer of tile and loam		7/1/3; 7/2/4; 21/3/4; 21/4/4; 21/3/2		A91Y		Y	Occ	N5, N6	
D153		Mortar and loam under D100						X/Y	Con	N7- N9	Coin cat.: 2647
D154	22	AT					D121			NA	Coin cat.: 740, 1002, 1206, 1415, 1891, 1892, 2357
D155	8,22	AT								N	
D156	35	AT								NA	Coin cat.: 1896
D157	34-37	Layer of mortar	Pol.; 81:95	36/3/1a; 36/4/1a;		A66W1-2		W1-2	Con	NP5	Coin cat.: 98, 111, 130, 184, 193

Section 19 – Site D context concordance (1-999)

				35/3/2; 35/4/2; 38/4/2; 37/3/2; 37/4/2							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D158	22	Lias tile layer		23/2/2a; 22/1/2; 22/2/2		A90Y		Y	Occ	NA2	
D159	8	Possible posthole / pit	Pol. 75:55, 56 84:154, 155, 156, 190		132			Z	Con	N8	Coin cat.: 2526
D160	9	Threshold stone in s wall of basilica	85:272, 273, 274, 275			A21S A39T-U A48V A52W1		S-W1	Occ	SA3	
D161	35,36	Rubble and loam layer; AT?								NP	
D162	8	Pit/posthole		8/2/3		A72W3-X		W3-X	Con	N8	Coin cat.: 756
D163	34-37	Compacted surface	75:73, 74, 98; 81:117	35/4/3; 34/3/3; 35/3/4; 36/4/2; 36/3/2; 37/4/2		A68W1 A98Y		W1-Y	Occ	NP4 NP5	Coin cat.: 195, 456, 468, 870, 871 Context divided into A and B according to island
D164	8, 22	Small pit / posthole	75:55,56	8/1/3; 8/2/3; 22/4/3; 22/3/4		A72W3-X A131Z		W3-Z	Con	N8	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D165	6,7,20,21	Layer of lias tile	Pol. 75:11	6/1/4 comp				Y	Occ	N5	
D166	6,7,20,21	Dark loam under D165		6/1/4 comp				Y	Con	N5	Coin cat.: 1486, 2343
D167	23	AT			FDF					NA	Coin cat.: 2201
D168	7,8,9,10, 21,22,23, 24	Layer of broken tile – buried soil		21/3/4; 22/4/2b; 22/3/3a; 23/4/2a; 23/3/2a; 24/4/2a; 10/2/2a/ 9/1/2a; 9/2/2a; 8/1/2a; 8/2/2b; 7/1/3		A91Y		Y	Occ	N7- N13	Coin cat.: 489, 577, 607, 659, 831, 1014, 1360, 1589, 1619, 1642, 1786, 1860, 1881, 2056, 2066, 2192, 2203, 2340, 2505, 2507, 2619, 3239
D169	13,27,41	AT	83:125		FDF; 31, 140		(27) F3			SA, N, NA	Coin cat.: 152, 596, 1956
D170	13,27,41	Robbed western wall of basilica			141	A13S A14S A53W1	D832	S-W1	Con	P1, P2	
D171	28,27, 41	AT					(41) F16			P, N, NP	Coin cat.: 238, 1648, 2097, 2771, 2929, 3060
D172	27, 28	AT					(27) F4			P	Coin cat.: 94, 2867
D173	24	AT					(24) F14			N, NA	
D174	24	AT								N, NA	Coin cat.: 964, 1211, 1582, 1681
D175	24	AT	71:6,7							N, NA	
D176	10-13	AT	67:29-34				WB 71			N	Coin cat.: 3, 15, 18, 1955

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D177	41, 42	AT			32, 82, 83, 111		(41) F9; (42) F1			NP, P	Coin cat.: 31, 58, 81, 255, 1931, 2307, 2431, 2547, 2573, 2961, 3100, 3162
D178	34, 35	Solidified mortar layer					D151	Y?	Occ?	NP4	Coin cat.: 526, 1423
D179	35, 36	Remains of hob-nail sandal	75:98							NP	
D180	35	Post socket		35/4/3; 34/3/3		A98Y		Y	Con	NP4	
D181	41	Floor of pebbles, tile in base of D177		See D1334			D1334	V	Occ	NP8	
D182	6,7,20,2 1	Pit – part removed by KK	Pol.	20/3/5; 20/3/5i; 6/1/6; 6/1/6i; 7/2/5, 7/2/5i; 21/4/5; 21/4/5i	84	A73W3-X A74X	D389	W3-X	Con	N5	Coin cat.: 279
D183	13,14	AT								P	
D184	20	Layer of mortary material				A98Y		Y	Occ	N1	Coin cat.: 578
D185	22	Area of brown loam and tile		23/2/2b; 22/1/2; 22/2/2				Y	Con	NA2	Coin cat.: 116, 188, 364, 1098, 1427, 1455, 1963, 3023, 3233
D186	20	Mortar and pebble		20/3/5		A73W3-X		W3-X	Occ	N1	Coin cat.: 430

Section 19 – Site D context concordance (1-999)

		floors									
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D187		Mortary layer – occupation level	75:54; 76:1,91-93, 106-109	22/1/3; 22/2/3; 23/2/3; 22/1/4; 22/2/4		A75X		X3/4	Con	NA2	Coin cat.: 148, 2727 Underlying layers numbered D187-1, D187-2
D188	37, 38	Mortar dump		37/3/2; 38/4/2; 38/3/2		A66W1-2		W1-2	Occ	NP5, NP6	Coin cat.: 1633 Divided into D188A and D188B
D189	21,22	Narrow trench		22/4/3; 21/3/3		A72W3-X		W3-X	Con	N6, N7	
D190	21	Posthole ass w stakeholes	Pol.	21/4/5		A73W3-X A74X		W3-X	Con	N4	
D191	6	Layer of charcoal loam		6/1/5				W3-X	Con	N2	
D192	21	Series of stakeholes; ass w D190	75:48	21/4/5		A73W3-X A74X		W3-X	Con	N4	
D193	7,21	Post socket		21/3/3; 7/1/4		A72W3-X		W3-X	Con	N8	
D194	8	Post socket		8/2/3				X?	Con	N8	
D195	20,21	Slot-like feature		21/4/5; 21/4/5i; 20/3/5i		A73W3-X	D402	W3-X	Con	N4	
D196	22	Posthole in HBF	Pol. 75:26					W?	Con	N	
D197	23	AT	84:172-178		26, 133		D90			N	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D198	7,8	Worn rubble surface	74:41	7/1/4; 7/1/2		A72W3-X		W3-X	(Con) Occ	N8	
D199	23	Circular pit		23 large; 24 large; 9 large; 10/2/1a; 9/1/2; 10/2/2; 23/3/2; 24/3/2		A54W1 A129Z A130Z		W1-Z	Occ	N2	
D200	23	AT								N	
D201	9,23	Unfinished capital – entrance to Bldg X	75:20,30, 31, 57, 59, 60; 85:4,5	23 large; 9 large	29	A130Z		Z	Con	N9	
D202	9,23	Column drum – entrance to Bldg X	75:20,30, 31, 57, 59, 60; 85:6,7	23 large; 9 large	29	A130Z		Z	Con	N11	
D203	22	Small post setting	Pol.x4; 75:53,54 76:1	22/1/3; 22/1/4	FDF	A75X		X4	Con	NA2	
D204	22	Post setting	Pol.; 75:53,54 76:1	22/1/3; 22/1/4	FDF	A75X		X4	Con	NA2	
D205	22	Large area of wall plaster – post setting	Pol. D204; 75:53	22/1/3; 22/2/3				X4	Con	NA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D206	23	Mosaic robbing								NA	
D207	23	Mosaic robbing								NA	Coin cat.: 1534, 2064
D208	23	Area of broken s/stone	Pol. 76:54	23 large; 23/3/2	FDF	A130Z		Z	Occ	N11	Coin cat.: 2793
D209	2,2,23	AT								N, NA	
D210	23,24	Buried soil under rubble raft						X	Occ	N9	Coin cat.: 244, 316, 1078, 1105, 1212, 1555, 1596, 1966, 2094; cleaning layer
D211	22	Posthole		22/1/4	FDF	A75X		X3	Con	NA2	
D212	22	Posthole		22/1/4	FDF	A75X		X3	Con	NA2	
D213	9	Post packing		9/4/3			D126	Y	Occ	SA2	
D214	9,10	Lias layer	Pol.	10/4/3; 9/3/3; 10/4/2; 9/3/2; 9/4/2		A86Y A87Y		Y	Occ	SA2 SA3	Coin cat.: 662, 930, 2737 Plaster links with D216, D219; Divided into D214A, D214B
D215	22	Beam slot		22/1/4		A75X		X3	Con	NA2	
D216	23	Layer – occupation surface	Pol.	23/2/2a	37			Y	Con	NA2	Coin cat.: 254, 549, 673, 936, 1071, 1213, 1573, 1624
D217	23	Small pit w packing	76:53	23/2/2a				Y	Con	NA2	
D218	22	Stakeholes	Pol.	22/1/4; 22/1/4a; 22/3/2;		A75X		X3	Con	NA2	

Section 19 – Site D context concordance (1-999)

				22/2/4; 22/25							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D219	10	Lias tile layer		10/3/3; 10/4/3		A86Y		Y	Occ	SA4	Coin cat,: 782, 1181; See D214 (plaster); D1569 (plaster)
D220	24,38,10	AT			102		D226			NP, N NA	Coin cat.: 219, 1581
D221	9	Lines of stakeholes parallel to old work	Pol.	9/4/3		A70X		X2	Con	SA2	
D222	24	AT								N	
D223	23	AT								NA	
D224	10,11	Layer of black loam ass w Bldg XIX – lias tile layer		10/3/3; 11/4/3; 11/3/4		A86Y		Y	Occ	SA5	Coin cat.: 1480
D225	23	Worn s/stone blocks; post setting	76:53	23/2/2a				Y	Occ	NA2	
D226	10	AT					(10) F8; D220		Occ	SA	
D227	9	Rubble surface in mortar	Pol. 214	c/card; 9/4/3				X2	Con	SA2	Coin cat.: 155
D228	10	Layer of loam beneath D219						Y	Con	SA4	
D229	10, 11	Spread of plaster w	76:5,19, 32, 33,	10/3/2; 11/3/2				Z	Occ (Con)	SA5	

Section 19 – Site D context concordance (1-999)

		rubble	45, 48								
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D230	10	Line of broken s/stone – beam place	75:5,19, 32, 33, 45	10/3/2		A118Z		Z	Con	SA5	
D231	11	Post setting w s/stone packing	76:32, 45, 101, 102	11/4/2	FDF			Z	Con	SA5	
D232	11	Small post setting	76:32,45	11/4/2	FDF			Z	Con	SA5	
D233	24	Semi-circular pit	73:63; 76:18,21, 56; 81:42 54	24/1/2	90			Z	Con	NA4	Coin cat.: 1818, 2839
D234	23	Frag of masonry w plaster	76:11,20, 25, 34, 52, 53	23/2/ 2a 23/2/2b; 23/2/3	97			Y	Occ	NA2	
D235	33	Ash / charcoal layer		24/2/2; 23/1/2a				Y	Con	NA3 A-C	Coin cat.: 2478
D236	38	Stone drain blocks and stylobate; NP foundation	76:8, 9					S	Con	NP/ Str	
D237	23	Sub-rect pit		23/1/3		A75X		X4	Con	NA3	
D238	24	Area of worn s/stone & tile	Pol. 76:18, 56	24/1/2; 24/2/2		A94Y	D313; D712; D713	Y	Occ	NA4	Coin cat.: 1413
D239	27	Worn rubble path	Pol. 73:59,60,	27/3/1; 27/3/3;	44, 45	A127Z		Z	Occ	N18	

Section 19 – Site D context concordance (1-999)

		– nave w entrance	75:61-64 76:6, 7; 78:67	27/4/2							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D240	23	Two lines of stakeholes		23/1/3		A75X		X4	Con	NA3 A	
D241	25	Ancient disturbance – robbing				A41U-W	D243	U-W	Con	NA	
D242	39	Posthole & packing [AT]					D869			NP	Coin cat.: 1605, 2130, 2375, 2408
D243	25	Long narrow depression – robbing	78:64				(28) F5 D864	U-W	Con	NA	Coin cat.: 315, 1445
D244	36, 37	Layer of broken tile in clay – dump	78:72	37/4/4; 36/3/4; 36/4/3; 37/4/6; 36/3/5; 36/4/4; 38/4/2; 37/3/2; 37/4/2; 36/3/2; 36/4/2		A67W1		W1	Con	NP5	Coin cat.: 76, 2109
D245	11	Ridge of material running along SA								SA	
D246	11	AT								SA	
D247	11,25,39	AT			FDF					N,	Coin cat.: 2684

Section 19 – Site D context concordance (1-999)

										SA, NA, NP, Str	
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D248	25	Posthole w packing	Pol. 78:65	25/1/1; 25 large	FDF	A128Z	(25) /F9	Z	Con	NA5	Coin cat.: 1372
D249	38, 39	Gully stones in situ					E230	S	Con	NP Str	
D250	38, 39	Silt overlying D249					E96	Z	Occ	NP Str	Coin cat.: 321
D251	25,26,27 39,40,41	Extensive layer covering N portico	78:64, 65			A127Z		Z	Occ	NA NP	Coin cat.: 319, 444, 586, 732, 797, 810, 944, 1294, 1701, 1804, 2141, 2226, 2248, 2409, 2491, 2801, 3245, 3296
D251A	40	Rubble spread		40 large				Z	Con	NP7	
D251B	40	Possible surface		40 large		A128Z A176 Post Z	E276 (40) F5	Z	Occ	NP7	
D251C	40,41; 26,27	Spread of stones and pebbles		40 large 26 large 41/4/1; 27 large				Z	Occ	NP7	
D251D	25,25,40	Continuatio n of D251C		26 large 40 large 25 large		A128Z		Z	Occ	NP7	
D251E	39,40	Spread of stone frags in silt		40 large 39 large				Z	Con	NP7	
D251F	39,40	Small area of silt		39 large 40 large			D310	Z	Occ?	NP7	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D251G	39	Area of stones in silt		39 large				Z	Con?	NP6	
D251J	38,39	Spread of stones in silt		38 large 39 large				Y/X	Con	NPRT	
D251K	39,40	AT					D255			NP	
D251L	25,39	Silt and mortar					D2481	Z	Occ	NA5	
D251M	26	Laid lias tiles		26 large 26/2/2			D716	Y	Occ	NA6	
D251N	26,27	Spread of rubble – bldg platform?		26 large 26/1/2; 27/2/1; 27/2/3		A128Z		Z	Con	NA7	
D251P	27,28	Disturbance (AT)		26 large 27/2/1						NA7	
D251T	41	Rubble in silt		41/3/1				Z	Con	NP7	
D251V	41	Irregular area of silt		41/3/1				Z	Con	NP	
D251W	25	Silt and rubble layer					D900	Z	Occ	NA5	
D251Y	25.26	Structural layer		25 large 26 large		A128Z		Z	Con		
D252	35, 36	Surface w line of pebbles – flooring joists		37/4/2; 36/3/2; 36/4/2; 35/3/4; 35/4/3			D163	X/Y	Occ		Coin cat.: 527
D253	36,37	Fill of shallow		36/3/2; 37/4/2		A67W1 A80X		W1-X	Con	NP5	Coin cat.: 813

Section 19 – Site D context concordance (1-999)

		gully									
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D254	37,38	Layer of mortar - make up					D244	X	Con	NP5	Coin cat.: 501, 894, 1702
D255	39	AT	79:2		54, 55		E255			NP	
D256	39	Beam slot		39 large				Z2	Con	NP6	
D257	25	Posthole w packing		25/1/1; 25/4/2	FDF		(25) F11	Z	Con	NA6	
D258	26	s/stone block – pad		26 large 26/2/2		A128Z	(26) F3	Z	Occ	NA6	
D259	26	Tile w s/stone blocks – pad		26 large; 26/1/2			(26) F2	Z	Occ	NA7	
D260	11	Setting – Bldg XX frontage		11 large; 12/4/2; 11/3/2		A117Z		Z	Con	SA5	
D261	11,12	Line s/stone blocks – beam		11/3/2; 12/4/2; 11/4/2				Z	Con	SA5	
D262	36	Beam slot		37/4/3; 36/3/3; 36/4/3; 36/3/4; 37/4/4		A80X		X2	Con	NP5	
D263	40	AT		40/4/2			D854	Z	Con	NP	
D264	36	Area of burnt daub & charcoal		26/3/4			D244	X2	Con	NP5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D265	36	Timber slot/ joist		36/3/4; 37/4/4		A80X		X2	Con	NP5	
D266	34	Timber slot		37/4/4; 36/3/4				X2	Con	NP5	
D267	27	AT			FDF					NA	Coin cat.: 143
D268	41	AT								NP	Coin cat.: 2054, 3093
D269	12	AT	79:49				D108; (12) F3 (12) F4			SA	Coin cat.: 2165, 2933
D270	26	AT								NA	
D271	40	Large s/stone block – pad		40 large; 40/4/2		A128Z	D2405; (40) F3	Z2	Con	NP7	
D272	36	Line of stakeholes		36/3/5; 36/4/4		A80X		X2	Con	NP5	
D273	40	s/stone slab + posthole		40 large; 40/3/2		A176 Post Z	(40) F4	Post Z	Con	NP7	
D274	40	Posthole w packing		40/4/2; 40 large		A176 Post Z	(40) F7	Post Z	Con	NP7	
D275	36	Line of stakeholes		36/3/5		A80X		X2	Con	NP5	
D276	40	Possible posthole		40 large; 40/3/2		A128Z A176 Post Z		Z-Post Z	Con	NP7	
D277	40	s/stone block – pad		40/3/2		A176 Post Z		Post Z	Con	NP7	
D278	40	Possible posthole		40 large			D210	Z2	Con	NP7	
D279	40	Setting of s/stone blocks		40 large; 40/3/2		A176 Post Z	D2405; (40) F12	Post Z	Con	NP7	Coin cat.: 2774

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D280	26	s/stone block		26 large; 26/1/2			(26) F10	Z	Occ	NA7	
D281	26	s/stone block		26 large; 26/1/2				Z	Occ	NA7	
D282	12, 26, 40	AT	83:122; 85:51, 52				(26) F4; (26) F6			SA, N NA NP	Coin cat.: 1292, 1293, 1743, 2550, 2972
D283	25, 26, 27, 13	Area of rubble	72:49; 73:59,60 75:61-63			A127Z A128Z		Z	Occ	N15- N18	Coin cat.: 424, 1679, 1766, 1830, 2534, 2587, 2665, 2682, 3081, 3103, 3246
D283A	13,26,27	Spread of rubble in silt		27/4/1; 27/3/1; 12/1/1; 13/2/1/ 26 large				Z	Occ	N17, N18	
D283B	25,26	Spread of rubble – dump		26 large 25/3/1; 25 large				Z	Occ	N16	
D283C	25	Spread of lias		25 large			D303	Y	Occ	N16	
D283D	25	Structural rubble		25 large; 26 large; 25/3/1			D308	Z	Occ	N16	
D283E	25	Rubble spread		25 large; 25/3/1; 25/4/1				Z	Occ	N15	
D284	25	Rejected feature								N	
D285	40	s/stone packing		40 large; 40/3/2		A176 Post Z		Post Z	Con	NP7	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D286	36	Line of stakeholes		36/3/5		A80X		X2	Con	NP5	
D287	36	Line of stakehole		36/3/5		A80X	D497	X2	Con	NP5	
D288	27	AT	84:288				D497			N, NA	Coin cat.: 917, 1218, 1834, 2268, 2493, 2601
D289	36	Line of stakeholes		36/3/5; 37/4/6		A80X	D487	X2	Con	NP5	Coin cat.: 846
D290	27	Worn rubble area		26/3/2			D318; D312	Y?	Occ	N17, N18	Coin cat.: 2235
D291	27,28, 40, 41	Trench at end of D116								NW RT	Coin cat.: 28, 2510
D292	13	AT								N, P	Coin cat.: 2143, 2299, 2473, 2842
D293	36	Line of stakeholes		36/3/5; 36/4/4		A80X		X2	Con	NP5	
D294	36	Line of stakeholes		36/3/5		A80X	D497	X2	Con	NP5	
D295	41, 35	AT					D169; E183			NP str	
D296	27	AT	Pol.; 78:66,67				(27) F8; (27) F9			N	Coin cat.: 272, 1155, 1361, 1378, 1434
D297	26	AT					(27) F8; (27) F9			NA	
D298	40	Posthole w packing			40/3/2; 40 large	A176 Post Z		Post Z	Con	NP7	
D299	40	Posthole w packing			40/3/2; 40 large			Z2	Con	NP7	
D300	40	Posthole w stone			40 large 40/3/2	A176 Post Z	(40) F2	Post Z	Con	NP7	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D301	27	AT					D267			NA	Coin cat.; 2147
D302	25, 26	Layer of black loam				A89Y		Y	Con	N16	Coin cat.: 1721
D303	25	Lias tile spread	Pol. 79:65	25/3/3		A89Y A90Y	D283C	Y	Occ	N16	
D304	11	Beam setting						Z	Occ	SA	
D305	12	Rubble platform Bldg XXI		12/3/2; 12/4/2				Z	Occ	SA6	
D306	13	Platform Bldg XXVII		c/card; 13/4/1		A117Z		Z	Occ	SA7	Coin cat.: 2443
D307	13	Platform Bldg XXVIII		13/3/1; 13/4/1; c/card		A117Z		Z	Occ	SA7	Coin cat.: 2557, 2561
D308	25	Rubble platform fragment		25 large; 26 large 25/3/1			D283-D	Z	Occ	N16	Coin cat.: 3022
D309	25,26	Dump level	Pol.	26/1/2; 26/2/2			D899	Z	Con	NA6	Coin cat.: 1665
D310	39,40,41	Area of s/stone rubble		39/3/2; 41/4/2; 40/4/2; 40/3/2				Z	Occ (Con)	NP7	Coin cat.: 807, 827, 903, 984, 2378, 2602, 2681, 3032, 3122
D311	25,26	Male burial	79:64, 78-83	FDF	28	A176 Post Z		Post Z	Occ	NA6	
D312	26,27	Area of worn rubble	79:9, 89	26/3/2; 27/4/3				Y	Occ	N17	Coin cat.: 1696, 2349
D313	25	Spread of lias tile	Pol.	25/2/3; 25/1/3; 24/1/2;		A94Y		Y	Occ	NA5	Coin cat.: 268, 327

Section 19 – Site D context concordance (1-999)

				24/1/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D314	40	Line of stone in silt – D320	Pol. 79:77, 88	40/4/3; 40/3/3				Y	Con	NP7	
D315	40	Area of worn stones – path/ pad	Pol D314; 79:77	c/card; 40/4/3				Y	Con	NP7	
D316	40	Rejected posthole		40/3/3			D320	Y	Con	NP7	
D317	40,41	Worn rubble area		40/3/2; 41/4/2; 40 large; 41/3/1		A127Z A176 Post Z		Z- Post Z	Occ	NP7	Coin cat.: 2356
D318	13,27	Area of structural rubble	79:8,77, 88	27/3/4; 27/4/3; 13/1/3; 13/2/2				Y	Occ	N18	Coin cat.: 1139, 1695, 2153, 2676
D319	13	Posthole	Pol. x2; 79:60,61	13/4/1; 13/4/2; 13/4/3	FDF	A117Z	(13) F5	Z	Con	SA7	
D320	40	Area of silt filling depression in portico		40/4/3; 40/3/3	57	A98Y		Y	Con	NP7	Coin cat.: 399, 416, 537, 568, 817, 925, 986, 1115, 1482, 1844, 2335, 2384, 2802 (40) SF269, 348 & 182 (D100X) conjoining sherds of glass
D321	40	Posthole	40/3/3	FDF		A98Y		Y	Con	NP7	
D322	40	Stones – pad?		c/card; 40/3/3		A98Y		Y	Con	NP7	
D323	14	Platform for Bldg XXIX	Pol.	14/4/1; 13/3/1		A141Z4	D344; D54	Z4	Occ	P1	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D324	40	Circular patch of silt		40/3/3				Y	Con	NP7	
D325	12	s/stone path from baths	Pol. 79:22,24	12/3/3		A85Y2		Y2	Occ	SA7	
D326	12	Unworn s/stone	Pol. D327	12/3/3; 12/4/3				Y	Occ	SA6	
D327	12, 10	s/stone pathway to latrines	Pol. 79:23,24	12/4/3; 11/3/3		A85Y2		Y	Occ	SA6	
D328	13	Posthole	Pol. 79:60,61	13/3/3; 13/3/4	FDF	A117Z	(13) F6	Z	Con	SA7	
D329	13,27	Mottled silt – setting of D318 / D319	Pol. (detail)	27/3/4; 27/4/3; 13/2/2; 13/1/2				Y	Con	N18	Coin cat.: 1388, 1809, 2220
D330	14,28	Small spread of rubble		14/1/1; 14/2/2; 14/3/1; 14/4/2; 28/3/1; 28/1/1		A139Z3		Z3	Occ	P1	Coin cat.: 798, 2240, 2363, 2814, 2830, 2900, 2976, 3036, 3050, 3091
D331	14, 28	Unstructured rubble		14/2/1; 14/2/2; 28/4/1; 28/4/2; 27/3/1; 13/3/1; 28/2/2; 28/2/1		A139Z3 A140Z3	D332	Z3	Occ	P1	Coin cat.: 401, 1671, 1875, 2360, 2519, 2616, 2666, 2694, 2844, 2854, 2862, 2878, 3086, 3113, 3134
D332	28, 42	Unstructured rubble		42/3/1; 42/4/2;		A140Z3		Z3	Occ	P2	Coin cat: 265, 356, 1366, 1726, 1947, 2110, 2559, 2752, 2786,

Section 19 – Site D context concordance (1-999)

				28/1/1; 28/2/2; 28/2/1; 42/4/1							2857, 2890, 2992, 3127
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D333	41	AT								NP Str	
D334	25,26	Pebble floor	Pol.	26/4/3; 25/3/4				X	Occ	N16	
D335	13,27	Fine silt layer		27/3/4; 27/4/3; 13/2/2; 13/1/2				X	Occ	N18	Coin cat.: 2158, 2265
D336	42	AT		42/3/1; 42/1/1; 42/2/2; 42/2/4	63		E187; E185			P	
D337	14	AT		14/2/1; 14/4/1; 14/2/2; 14/4/2						P	Coin cat.: 2417, 2799, 2946, 2966, 2987, 3105
D338	40	Layer of silt – fill of depression	Pol.x2; 79:58	40/4/3; 40/3/3	57			Y	Con	NP7	Coin cat.: 186, 453, 454, 710, 711, 780, 805, 849, 911, 924, 1021, 1069, 1290, 2117, 2841 Sherd links suggests material result of dumps
D339	27	Small stretch of walling – blocking	82:1,2, 34, 35, 175	27/2/4; 27/2/5	FDF	A41U-W A93Y		U-Y	Con	NA7	
D340	12,13	Occ/Con for worn rubble		12/3/3; 13/4/3				Y	Occ	SA6 SA7	Coin cat.: 751, 2523, 2637, 2735

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D341	24, 25, 26,27	Op sig floor of aisle – west half	71:44; 82:118, 146, 196, 198, 199, 205, 206; 83:140	27/1/12; 27/2/13; 26/1/10; 26/2/9; 25/1/11; 25/2/13; 24/1/19		A42U-W	D666	U-W	Occ	NA4-NA7	
D342	26,27,13	Area of worn stones – resurfacing	79:50-7; 80:2; 84:2	13/1/3; 13/2/3; 26/3/3; 27/3/5; 27/4/4		A58W3-X		W3-X	Occ	N17, N18	Coin cat.: 1733
D343	40	Layer of silt in depression D717		c/card; 41/3/6; 41/4/4; 40/3/4; 40/4/4; 40/3/3; 41/3/3; 41/4/3		A65W1-2		W1-2	Occ (Con)	NP7	Coin cat.: 118, 550, 603, 823, 2181, 3302, 3304
D344	14	Area of s/stone rubble	Pol.	14/4/1a				Z4	Occ	P1	Coin cat.: 1870, 2942, 3017, 3133
D345	14	Charred wooden beam	80:154, 155	c/card; 14/2/3				Z1	Occ	P1	
D346	13	Build up – levelling for D306		13/3/3; 13/4/3				Z	Occ	SA7	Coin cat.: 1541, 2481
D347	41,42	Beam slot		c/card; 42/4/1; 42/3/1		A140Z3	(41) F14	Z3	Con	P2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D348	13, 27	Entrance stone to w end of basilica	75:59,60 ; 75:62-64; 76:6,7; 80:182; 83:193, 194, 196		44	A13S A53W1 A78X A89Y	(13) F12 (27) F12 D1291	S-Y	Con	N18, P1, P2	
D349	13	Build up between D419 & D307	80: 157	13/4/4; 13/3/4		A85Y2		Y2	Occ	SA7	Coin cat.: 609, 650, 809, 833, 1450, 1943, 2176, 2612, 3055, 3111
D350	12,13	Area of worn tiles	Pol. 80:157-9	13/3/3; 13/4/3; 12/3/3a	70	A85Y2		Y2	Occ	SA7	Coin cat.: 3110
D351	13,27	AT								P	
D352	13	Fill of depression	Pol. 80:138, 159	13/3/4; 13/4/4; 13/4/6	66	A85Y2		Y2	Occ	SA7	Coin cat.: 619, 1352, 1530, 2713, 2859
D353	13	Spread of lias tiles		13/3/4; 13/4/4		A85Y2		Y2	Occ	SA7	
D354	12	Possible post pad of HBF tiles	Pol.	12/3/4		A84Y1		Y1	Occ	SA7	
D355	12	s/stone pad	Pol.	12/4/4		A84Y1		Y1	Occ	SA6	
D356	41	Area of s/stone blocks – hearth		41/3/2		A127Z		Z	Con	NP7	
D357	13	Possible post pad		13/3/1		A117Z		Z	Occ	SA7	
D358	13	Possible post pad		13/3/1		A117Z	(13) F10	Z	Occ	SA7	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D359	13	Modern posthole					(13) F7			SA	
D360	13	AT					(13) F8			SA	
D361	13,27,41	AT					(27) F11 (13) F12; D169			N	
D362	13	AT					(13) F15			SA	
D363	28	Posthole cut		28/4/1; 28/4/1 overlay		A140Z3	(28) F8	Z3	Con	P1	
D364	28	Posthole cut		28/4/1; 28/4/1 overlay		A140Z3	(28) F9	Z3	Con	P1	
D365	28	Posthole cut		28/4/1; 28/4/1 overlay		A139Z3 A140Z3	(28) F10	Z3	Con	P1	
D366	42	Worn rubble surface	80:1, 132, 133	42/4/3; 41/3/4	65	A138Z2		Z2	Occ	P2	
D367	28	Worn rubble surface	80:3, 134	28/2/3	65	A138Z2		Z2	Occ	P2	
D368	13,14, 27,28	Area of structural rubble	80:133, 135	14/2/3; 28/2/3; 28/4/7; 27/3/6; 28/1/2; 13/1/4; 27/1/3; 28/3/2	65	A137Z2 A138Z2		Z2	Occ	P1	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D369	14	Probable hearth	Pol. x2; 80:23, 39, 136	14/2/3		A137Z2		Z2	Occ	P1	
D370	14	Hearth area	Pol. 80:40, 137	14/4/3		A137Z2		Z2	Occ	P1	
D371	27,28	Collapsed oven or furnace	Pol. 80:31-2, 95, 96, 133; 82:33, 48, 49, 101-104; 83:13,14, 25, 40- 42, 55, 59, 96, 149, 187 – 192, 197-201, 210, 227	c/card; 28/2/1; 28/2/3; 27/1/1; 27/1/3; 28/2/9; 27/1/7; 28/2/14; 28/2/15	FDF; D103	A79X	(28) F1	X	Con	P2	Coin cat.: 2983
D372	27,28	Silt levelling layer		42/4/3; 28/2/3; 42/3/2; 28/1/2; 41/3/4	65	A138Z2		Z2	Occ (Con)	P2	Coin cat.: 284, 487, 705, 960, 1024, 1077, 1390, 2083, 2598, 2760, 2877, 2973, 3118 (41) SF 412 glass frag joins to (41) 530 D116-3a + (41) 339 E185-x
D373	13,14	AT		14/2/4; 13/1/5			D292			P	Note: Marked on plan A73 in error
D374	20	Dark area of silt	Pol.	20/3/9; 20/3/10	FDF	A73W3-X A74X		W3-X	Con	N4	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D375	6	Small depression cut in trench D74	75:8	6/1/8			D74	X/Y	Occ	N2	
D376	20	Plaster floor Bldg XXXI		20/3/6				X3/4	Occ	N1	
D377	14	Posthole w packing		14/2/3		A137Z2		Z2	Con	P1	
D378	6,7,21	Plaster floor		7/2/5i; 6/1/6i; 21/4/5i; 21/3/6; 7/1/6; 21/4/14; 20/3/5i		A72W3-X A73W3-X		W3-X	Occ	N4, N5	
D379	6,7,21	Mortar make up		6/1/6i; 21/4/5i; 7/2/5i; 21/4/6		A73W3-X A74X		W3-X	Con	N4, N5	
D380	6	Oval area of loam	75:8	6/1/8				X/Y	Occ	N2	
D381	6	Crushed red stone fill of D395	75:8	6/1/8				X/Y	Con	N2	
D382	42	Posthole	Pol.	42/4/3		A26S		S	Con	P2	
D383	42	Beam slot	Pol.	40/4/3	65	A138Z2		Z2	Con	P2	
D384	42	Beam slot	Pol.	42/4/3	65 profile			Z2	Con	P2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D385	42	Posthole	Pol.	42/4/3				Z2	Con	P2	
D386	28	Beam slot	Pol.	28/2/3		A138Z2		Z2	Con	P2	
D387	14	Structural rubble?		14/4/1a; 14/4/1b		A139Z3		Z3	Con	P1	
D388	14	Make up layer		14/4/1b; 13/3/5		A139Z3		Z3	Con	P1	Coin cat.: 2167, 2662, 2947, 2967
D389	20,21	Pit cut in HBF					D182	X/Y	Con	P	
D390	20	AT								N	
D391	21	AT	80:20							N	Coin cat.: 1654, 1801
D392	6	AT								SA RT	
D393	14	Silt under hearth		14/1/2; 14/3/2; 14/2/3; 14/3/3	65	A137Z2		Z2	Occ	P1	Coin cat.: 1188, 1821, 1900, 2111, 2448, 2785, 2988, 3130, 3222
D394	28	Charred wood frags	804					Z2	Con	P2	
D395	6	Sandy fill of depression in 'font'		6/1/9	73			X/Y	Occ	N2	
D396	6	Stakehole		6/1/9				X/Y	Con	N2	
D397	6	Stakehole		6/1/9				X/Y	Con	N2	
D398	12,13	Layer of broken lias – roof collapse	80:160	12/3/4; 12/4/4; 11/3/4; 13/3/10; 13/4/6	70	A84Y1 A86Y		Y	Occ	SA6 SA7	Divided into A and B

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D399	20	Area of loam under floor		20/3/6				X3	Occ	N1	
D400	6	Lens of burning below D395	Pol. 80:50		73			X/Y	Occ	N2	
D401	28	Charred wood	80:6					Z2	Con	P2	
D402	21	Area of silt	80:19				D195	X4	Occ	N4	
D403	6	Fill of D395			73			X/Y	Occ	N2	Coin cat: 1169, 2596
D404	6,7	Plaster floor		6/1/10			D378	X3/4	Occ	N3	
D405	6,7	Make up of D404		6/1/10; 7/2/8		A73W3-X		W3-X	Con	N3	
D406	6,7	Layer of silt under D405		6/1/10; 7/2/8; 6/1/11; 7/2/9		A73W3-X	D407	W3-X	Occ?	N3	
D407	6,7 20.21	Silt layer	80:21,22	c/card; 7/2/6; 6/1/12; 21/4/7; 20/3/10; 20/3/9		A73W3-X		W3-X	Con	N4, N5	Coin cat.: 142, 1033, 1345, 2309
D408	20	AT	85:2,3		77, 81					NA	Coin cat.: 125, 245, 342, 402, 413, 933, 1125, 1577, 1611, 2621
D409	7	Layer of silt		7/2/8; 7/2/9				X3	Con	N3	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D410	14	Posthole w packing	Pol.	14/2/3		A137Z2		Z2	Con	P1	
D411	6,7	Fill of depression		7/2/5i		A73W3-X A74X		W3-X	Con	N5	
D412	7	Stakehole		7/2/5i		A73W3-X A74X		W3-X	Con	N5	
D413	7	Stakehole		7/2/5i		A73W3-X A74X		W3-X	Con	N5	
D414	6,7	AT								N, SA	Coin cat.: 276, 2046
D415	20	Plaster floor	80:51	20/3/6; 20/3/7				X2/3	Occ	N1	
D416	20	Worn surface	80:29, 51	20/3/6; 20/3/7				X3	Con (Occ)	N1	
D417	20	Make up layer	80:51	20/3/7				X2	Con	N1	
D418	20	Posthole	Pol.x2	20/3/7	FDF			X3	Con	N1	
D419	13	Make up for Bldg XXVIII	Pol. 80:25-27	c/card; 13/3/6; 13/4/5				Y	Occ	SA7	Coin cat.: 276, 578
D420	20	Layer of clay – floor		20/3/8	c/card			X2	Occ	N1	
D421	28	Post pad – rejected	Pol.	28/2/3			D367	Z2	Con	P2	
D422	20	Make up level		20/3/7; 20/3/8				X2	Con	N1	
D423	20	Lens of silt		20/3/6; 20/3/7				X2	Occ	N1	
D424	14	Beam slot	Pol.	14/2/3		A137Z2		Z2	Con	P1	
D425	14,28	Rejected beam slot	Pol.	28/4/3; 14/2/3						P	
D426	6	Plaster slip	Pol D460					X/Y	Occ	N2	

Section 19 – Site D context concordance (1-999)

		on D460									
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D427			80:24	6/1/13		A137Z2 A138Z2	D86; D1811	Z2	Con	P1	
D428	28	Beam slot	Pol.	28/4/3		A137Z2 A138Z2		Z2	Con	P1	
D429	14, 28	Levelling layer						Z2	Con	P1	Coin cat: 1725, 1797, 2572, 2754, 2977, 3037, 3112, 3247
D430	20,21	Stakeholes	Pol.; 80:34,35	c/card; 20/3/10; 21/4/7		A73W3-X A74X		XW3-	Con	N4	Coin cat.: 476
D431	6	AT		6/1/9				X/Y	Con	N2	
D432	21	Area of loam in AT		21/4/5i						N	Coin cat: 1623
D433	6,7, 20,21	Mottled silt layer		6/1/19; 7/2/14; 21/4/8; 20/3/11		A73W3-X		W3-X	Occ	N5	Coin cat.: 768
D434	14	Linear feature		14/2/3				Z1	Con	P1	Coin cat.: 35
D435	20	Mosaic floor frag.	80:30,33, 67,68,86; 81:38	c/card; 20/1/2; 20/1/9; 21/2/12		A35S-T		S-T	Occ	NA1	
D436	7,21	Silt levelling		7/2/15; 21/4/9				X3	Occ	N5	
D437	20	Posthole		20/3/9		A73W3-X A74X		W3-X	Con	N4	
D438	20	Make up layer	80:36	20/3/7; 20/3/8				X2	Con	N1	
D439	7	Patch of material		7/2/6; 7/2/14				X3	Con	N5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D440	7, 21	Earth floor - repair	80:42, 61, 116	7/2/16; 21/4/10				X3	Occ	N5	Coin cat.: 426
D441	6,7,21	Pebble & clay floor	80:61	7/2/16; 21/4/10				X3	Occ	N5	
D442	6,7	Plaster floor repair		7/2/10; 6/1/15				X3	Occ	N3	
D443	6	Plaster patch		6/1/15; 6/1/16				X3	Occ	N3	
D444	20	Beaten earth floor	80:41	20/3/13				X2	Occ	N1	
D445	20	Beaten earth floor	80:41, 69, 70	20/3/3				X1/2	Occ	N1	
D446	20	Pebble surface		20/3/9; 20/3/5i		A73W3-X A74X		W3-X	Occ	N4	
D447	20,21	Pebble & mortar surface		20/3/5i; 21/4/5i; 21/4/6; 20/3/9		A73W3-X		W3-X	Occ	N4	
D448	14	Levelling rubble	80:43	14/4/1c; 13/3/7				Z3	Con	P1	
D449	14	Ancient feature	80:43	14/4/1c; 13/3/7		A137Z2		Z2	Con	P1	Coin cat.: 2829, 2882, 2296, 3114, 3226
D450	21	Small clay patch		21/2/5i; 21/4/6				X/Y	Con	N4, N5	
D451	6,7	Thin plaster patch		7/2/10; 6/1/15; 7/2/11; 6/1/16				X3	Occ	N3	
D452	6,7	Large area of reflooring		7/2/10; 6/1/15; 7/2/11; 6/1/16;				X2-3	Occ	N3	'phase floor'

Section 19 – Site D context concordance (1-999)

				7/2/12; 6/1/17							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D453	6,7	Make up for D452		7/2/12; 6/1/17				X2	Con	N3	
D454	6,7	Beaten earth floor		c/card; 7/2/13; 6/1/18				X1-2	Occ	N3	
D455	41	Area of loam / silt		41/3/2; 41/4/2; 41/3/3; 41/4/3				Y	Con (Occ)	NP8	
D456	21	Area of loam		21/4/10				X3	Con (Occ)	N5	
D457	21	Stakeholes	80:62	21/4/11				X/Y	Con	N4	
D458	6	Mottled loam over D385		6/1/5		A92Y	D191	Y	Occ	N2	
D459	6,7	Mortar patches		6/1/7; 7/2/7				X	Occ	N3	
D460	6	Hard mortar block	Pol.; 80:24, 71-74; 84:227; 85:85- 88, 109- 113	6/1/13; 6/1/14	FDF; 123; 124	A73W3-X A74X		W3-X	Occ	N2	
D461	28	Worn surface	80:80	28/2/4			D463			P	
D462	28	Post pad	Pol. 80:79	28/4/5; 28/4/4			A97Y	Z1	Con	P1	
D463	27,28	Silt – occupation	Pol. X2; 80:81,82	28/4/4; 28/3/3;		A136Z1	D461	Z1	Occ	P1	Coin cat.: 812, 1022, 1602, 1697, 1787, 2116, 2213

Section 19 – Site D context concordance (1-999)

		layer		27/3/7; 28/2/4; 27/1/3a							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D464	14,28	Colonnade robber trench	Pol. 80:85	14/1/3; 14/3/3; 28/3/3; 28/1/3; 14/4/4; 14/2/4; 28/4/4; 28/2/4		A136Z1		Z1	Con	P1	Coin cat.: 2787, 2875, 2904, 3044
D465	14,28	Building platform	Pol. x2; 80:82,83	14/2/4; 28/4/4				Z1	Occ	P1	Coin cat.: 408, 554, 1783, 3344
D466	14	External occupation layer	Pol. 80:46	14/2/4; 14/4/4				Z1	Occ	P1	Coin cat.: 918, 1187, 1932, 1957, 2301, 2374, 2445, 2584, 2585, 2768, 2892, 2931, 2940, 2944, 2959, 2960, 3068, 3126, 3135, 3223, 3228
D467	28	Oven destruction debris	80:96	28/2/3a; 28/2/3				Z1	Occ	P2	Coin cat.: 1469
D468	20, 21	Stakeholes	80:91-93	c/card; 20/3/14; 21/4/11				X3	Con	N4	
D469	14	Sub-structure of hearth D369		14/2/3				Z2	Con	P1	Coin cat.: 2948
D470	6,7,20	Plaster floor	80:90	20/3/2; 6/1/20; 7/2/17				X2/3	Occ	N5	
D471	6,7,21	Make up for	80:89	6/1/20;		A72W3-X		W3-X	Con	N5	

Section 19 – Site D context concordance (1-999)

		D470		21/4/12; 7/2/17; 7/1/17; 21/3/22		A73W3-X					
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D472	6,20	Post/ stake holes	Pol. ; 80:94, 98	6/1/2; 20/3/12	84			X/Y	Con	N5	
D473	28, 41,42	Building platform	Pol. 80:95, 142, 143, 147	28/2/4; 41/3/5; 42/3/3; 42/4/4; 27/1/3a		A136Z1		Z1	Occ	P2	Coin cat.: 853
D474	28	Oven collapse	Pol. ; 80:142, 143	28/2/3b				Z1	Occ	P2	Coin cat.: 226, 2775, 2938
D475	42	Beam slot	Pol. 80:142, 143	42/4/4		A136Z1		Z1	Occ	P2	
D476	41	Posthole	Pol. 80:144	41/3/5				Z1	Occ	P2	
D477	42	Fill of posthole	Pol. 80:146	c/card; 42/4/4				Z1	Occ	P2	
D478	28	Cut in D474	80:145	28/2/4				Z1	Occ	P2	
D479		Mosaic robbing								NA	
D480	14	Area of laid rubble	Pol. 80:107	14/4/2a		A137Z2		Z2	Occ	P1	
D481	14,28	s/stone rubble pad		14/2/3; 28/4/3		A137Z2		Z2	Con	P1	
D482	20, 21	Layer of silt under D407	84:26,27	20/3/14; 21/4/11; 21/4/17;				X3	Occ?	N4	Coin cat.: 2365

Section 19 – Site D context concordance (1-999)

				20/3/16; 21/3/11							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D483	38,39	Mortar spread	81:1	39/3/2; 39/4/2; 38/3/2; 38/4/2			D163	X/Y	Occ?	NP6	Coin cat.: 2320
D484	40	Thin area of mortar		40/3/4; 40/4/4		A65W1-2	D483	W1-2	Occ	NP7	
D485	40	Mortar spread		40/3/4; 40/4/4		A65W1-2	D483	W1-2	Occ	NP7	
D486	24,38	Archaeol Trench	71:6,7; 73:62-64; 81:15, 17, 20	38/4/2	89; 90					NW	
D487	23	?Feature in North Wall robber trench	81:3					Y/Z	Con	NW RT	
D488	21,35	AT		53/3/6; 21/1/1						NW	Coin cat.: 2327
D489	21	AT			95		D117			NA	
D490	24,38	Tip layer in NW RT	73:64					Y/Z?	Con	NW RT	Coin cat.: 2177
D491	21	Archaeol trench								NA	Coin cat.: 1556
D492	21	Archaeol trench								NA	Coin cat.: 2368, 2486
D493	20,21	Archaeol trench								NA	
D494	21	Archaeol disturbance								NA	Coin cat.: 627

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D495	21	Archaeol disturbance								NA	
D496	20,21	Archaeol disturbance								NA	
D497	37	Stakeholes ass w joists		37/4/6; 37/4/7		A80X		X2	Con	NP5	
D498	37	Rubble / mortar surface for boardwalk	Pol. 81:13,14	38/4/4a; 37/3/7a; 37/4/6a				X	Con	NP5	
D499	37	Area of laid rubble		37/3/4a; 37/3/2a		A80X		X	Con	NP5	
D500	35-38	Portico pebble floor	81:105, 106, 114, 123	38/4/5; 37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A66W1-2 A67W1 A68W1	38 & 39 D500Equals D571 35 & 34 D500Equals D636	W1-2	Occ	NP5	Coin cat.: 548
D501	34	Area of burnt clay – oven	76:22,23, 81:44; 83:38,39, 120, 121	34/3/4	FDF; 96; 100	A82X	C277	X	Con	NP3	Coin cat.: 1816
D502	34	Area of burnt clay – earlier oven		34/3/4; 34/3/4a	FDF; 96	A82X	C247	X	Con	NP3	Coin cat.: 909, 3266
D503	34	s/stone blocks – structure of D501		34/3/4				Y	Con	NP3	Coin cat.: 307, 803
D504	21	NA robber					D111	Y/Z-Z	Con	NCRT	Coin cat: 940, 2038, 2062,

Section 19 – Site D context concordance (1-999)

		trench									2728
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D505	38,39	Rubble in subsidence	Pol. 81:87-89 118	c/card; 39/3/4; 39/4/4; 38/3/3; 39/3/3; 39/4/3				X	Con	NP6	Coin cat.: 27, 62, 161, 198, 229, 240
D506	20, 21	AT								NA	Coin cat.: 95, 520, 1514, 1978, 2553, 2720
D507	39, 40	Tip layer in D338		40/4/4; 39/3/3		A65W1-2		W1-2	Con	NP7	
D508	34,35	Posthole?								NP	
D509	40	Tip layer in D338		40/4/4		A65W1-2		W1-2	Con	NP7	
D510	40	Tip layer in D338		40/4/4	FDF	A65W1-2		W1-2	Con	NP7	
D511	38, 24	Worn surface in D116	Pol. 81:25					Y/Z?	Occ?	NW RT	Coin cat.: 2921
D512	38,39	Joist stakeholes		38/3/3		A80X		X	Con	NP6	
D513	38	Line of stakeholes		38/3/3		A80X		X	Con	NP6	
D514	38	Line of stakeholes		38/3/3		A80X		X	Con	NP6	
D515	38,39	Line of stakeholes		38/3/3; 39/4/4; 39/3/4		A80X		X	Con	NP6	
D516	39	Line of stakeholes		39/4/4		A80X		X	Con	NP6	
D517	21	Dump level	81:39,40	21/1/2; 21/2/2				X4	Con	NA 1F	Coin cat.: 1553

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D518	37	Rejected feature	81:41				D116-4	Y/Z	Con	NW RT	
D519	23	Rejected feature	81:41				D116	Y/Z	Con	NW RT	
D520	39	Joists?	81:47	39/4/4; 39/3/4		A80X		X	Con	NP6	
D521	34	Sandy dump	81:45	34/3/7				X	Con	NP4	
D522	39	Joist setting	81:52	39/4/4		A80X		X	Con	NP6	
D523	39	Dark patches	81:48, 51	39/3/4		A80X		X	Con	NP6	
D524	21	Dump level		21/1/2; 21/2/2; 21/1/3				X4	Con	NA1E	
D525	21	Dump level		21/1/2; 21/2/2				X4	Con	NA 1G	
D526	35	Posthole		35/4/5	FDF	A80X A82X		X2	Con	NP3	
D527	23	Rejected feature	Pol.		FDF		D111			NA RT	
D528	21	Hearth rakings		21/2/2	FDF	A76X		X4	Con	NA1F	
D529	21	Hearth surface		21/2/2	FDF			X3	Occ	NA1C	
D530	21	Hearth fragment		21/2/3		A68W1 A76X		W1-X	Occ	NA1E	
D531	21	Dark earth		21/1/2				X4	Con	NA1F	
D532	21	Dark earth		21/1/2				X4	Con	NA1E	
D533	21	Floor / dump	81:55					X4	Con	NA1F	
D534	21	Dump level		21/2/2				X4	Con	NA1B	Coin cat.: 1564

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D535	21	Floor / dump	81:56	21/1/2				X4	Con	NA 1G	
D536	34	Possible stakeholes		34/3/7		A82X		X	Con	NP	
D537	34	Stakeholes		34/3/7		A82X		X	Con	NP4	
D538	34	Stakeholes		34/3/7		A82X		X	Con	NP4	
D539	34	Stakeholes		34/3/7		A82X		X	Con	NP4	
D540	34	Stakehole		34/3/7		A82X		X	Con	NP4	
D541	21	Charcoal deposit	81:83	21/2/4				X3/4		NA1B	
D542	21	Path across wall		c/card; 21/1/2; 21/1/3		A76X		X3/4		NA1F	
D543	21	Remains of path				A76X		X3/4		NA 1G	
D544	21	Remains of path		21/1/2		A76X		X3		NA1D	
D545	21	Remains of L I/II						X4	Con	NA1K	
D546	21	AT					D79			NA	
D547	22	Surface / floor		22/2/7			D548	X4	Con	NA1K	
D548	21	Surface / floor		21/1/2; 22/2/7				X4	Con	NA1I	
D549	21	Remains of AT		21/1/2; 21/2/2				X3?	Con	NA1D	
D550	38,39	Mortar lines – joist marks?		20/1/4; 21/2/2		A80X		X	Con	NP6	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D551	21	Dump level		20/1/4; 21/2/2				X3	Con	NA1D	
D552	21	Early hearth surface		21/2/4				X3	Occ	NA1E	
D553	21	Earliest hearth		21/2/4				X4	Occ	NA1F	
D554	21	Worn surface		21/1/3; 21/2/4				X4	Occ?	NA1F	
D555	21	Floor / dump		21/1/3; 21/2/4; 21/1/4; 21/2/5			D533? D535?	X4	Con	NA E	
D556	34, 35	Small dump		35/4/4; 34/3/7				X	Con	NP4	
D557	21	Bedding between hearth surfaces		21/2/2		A76X		X3	Con	NA1C	
D558	22	Mosaic fragment		22/2/11		A34S-T		S-T	Occ	NA1K	
D559	21	stakehole		21/2/5		A76X		X4	Con	NA1E	
D560	22	Beaten earth floor		22/2/8				X	Occ	NA1K	
D561	22	Beaten earth floor		22/2/8				X3	Occ	NA1L	
D562	21	Beaten earth floor		21/1/3; 21/2/4; 21/1/4; 21/2/5				X3/4	Occ	NA1F	
D563	21	Beaten earth floor		21/1/3; 21/2/4				X3/4	Occ	NA 1G	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D564	21	Beaten earth floor		21/1/3; 21/2/4				X3/4	Occ	NA1I	
D565	21	Beaten earth floor		21/1/3; 21/2/6				X3/4	Occ	NA1D	
D566	21	Tip or patch layer		21/2/4; 21/2/5; 21/1/4				X3/4	Con	NA 1G	
D567	21	Continuation of floor		21/2/4			D560 – D565	X	Occ	NA 1G	Coin cat.: 1197
D568	21	Continuation of floor		21/2/6			D560 – D565	X	Occ	NA1D	
D569	21	Semi-circular pit						X	Con	NA1E	
D570	21	Primary hearth surface		21/2/4; 21/2/5				X2	Occ	NA1C	
D571	38,39	Pebble floor		39/3/7; 39/4/7; 38/3/6; 38/4/5				W/X	Occ	NP6	
D572	21	Continuation of D541		21/2/4; 21/2/5			D541	X2	Occ	NA1C	
D573	21	Stakeholes –fence?	81:78	21/2/5		A76X		X4	Con	NA1E	
D574	21	Iron-pan – fence line?		21/2/5		A76X		X4	Con	NA1E	
D575	21	Dump on RT edge						X3	Con	NA1D	
D576	21	Stakehole		21/2/5		A76X		X4	Con	NA1E	
D577	20	Levelling dump		20/1/4				X3/4	Con	NA1A	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D578	35,36	Dump on subsided floor		36/4/5; 35/3/5; 36/4/6; 35/3/6				X2	Con	NP5	
D579	20	Remains of floor		20/1/4				X3	Occ	NA1A	
D580	21	Dump on mortar floor						X3	Con	NA1D	
D581	21	Dump on mortar floor						X3	Con	NA1D	
D582	21	Stakehole				A76X		X4	Con	NA1E	
D583	34	Hard mortar layer		34/3/8		A82X		X	Con	NP4	
D584	34	Hard mortar layer		34/3/8		A82X		X	Con	NP4	
D585	35,36	Rubble fill of subsidence		35/35; 35/4/5				X2	Con	NP5	
D586	34, 35	Joist line		34/3/9				X	Con	NP4	
D587	34, 35	Joist line		35/4/6; 34/3/9				X	Con	NP4	
D588	21	Beaten earth floor		21/1/5; 21/2/7				X3/4	Occ	NA1E	
D589	21	Beaten earth floor		21/1/5; 21/2/7				X3	Occ	NA1F	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D590	21	Beaten earth floor		21/1/5; 21/2/7				X3	Occ	NA 1G	
D591	34, 35	Rubble dump		35/4/4; 34/3/7				X	Con	NP4	
D592	21	Patch / dump		21/2/7				X3	Occ	NA1F	
D593	21	Remains of L I/II						X	Con	NA1H	
D594	21	Make of hearth						X2	Con/Occ?	NA1C	
D595	35	Rubble levelling patch		35/4/5			D585	X	Con	NP4	
D596	21	Patch / make up						X3	Con	NA1E	
D597	21	Patching of D600						X3	Con	NA1E	
D598	21	stakehole		21/2/8				X3	Con	NA1E	
D599	21	Stakehole		21/2/8				X3	Con	NA1E	
D600	21	Mortar floor w patches	81:90, 91, 119	21/1/6; 21/2/8				X2/3	Occ	NA1E	
D601	21	stakehole		21/2/8				X3	Con	NA 1E/F	
D602	21	Stakehole		21/2/8				X3	Con	NA 1E/F	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D603	21	Rejected stakehole		21/2/8				X3	Con	NA 1E/F	
D604	21	Stakehole		21/2/8				X3	Con	NA 1E/F	
D605	21	Stakehole		21/2/8				X3	Con	NA 1E/F	
D606	21	Animal hole		21/2/8				X3	Con	NA 1E/F	
D607	21	Stakehole		21/2/8				X3	Occ	NA 1E/F	
D608	21	Patch on D600	81:92	21/1/6				X2/3	Occ	NA 1E/F	
D609	21	Mortar floor	81:93	21/2/7; 21/1/7; 21/2/8	FDF	A43U-V A44U-W	D600, D610	U-W	Occ	NA 1G	
D610	21	Mortar floor – continues into nave	81:119; 85:139, 140	21/2/8; 21/2/12; 21/2/14; 21/4/39		A43 A44U-W A56W		U-W	Occ	NA1D N4	
D611	21	Mortar floor		21/2/8			D612, D613			NA1C	
D612	20,21	Mortar floor		20/1/5; 21/2/8				X2/3	Occ	NA1B	
D613	20	Mortar floor		20/1/5				X2/3	Occ	NA1A	
D614	22	Beaten earth floor		22/2/8			D560	X	Occ	NA1J	
D615	21	Patching of D609		21/1/7		A43U-V		U-V	Occ	NA 1G	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D616	21	stakehole		21/2/8				X3	Con	NA 1E/F	
D617	21	Stakehole		21/2/8				X3	Con	NA 1G	
D618	21	Loam make up of D600						X2	Con	NA 1E/F	
D619	36	Hard mortar lump – joist line		36/3/5a				X	Con	NP5	Relates to post D647
D620	21	Pit for D617		21/2/8				X3	Con	NA 1G	
D621	21	Make up of D600						X2	Con	NA 1E/F	
D622	21	Make up of D609						X2/3	Con	NA 1G	
D623	21	Pebble floor patch	81:94	21/1/6				X2/3	Occ	NA 1E/F	
D624	22	Levelling layer						V	Con	NA1K	
D625	36	Hard mortar dump in make-up		36/4/6a				X	Con	NP5	
D626	23	Buried soil under D234	81:97			A75X	D725	X	Occ	NA2	
D627	21	Floor layer						X2	Occ	NA 1E/F	
D628	21	Patching of path across D116		21/1/6				X2/3	Occ	NA1H	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D629	22	Wall of bldg ass w stakeholes D218		22/1/4		A75X		X3	Con	NA2	
D630	21	Make up for floor D627						X2	Con	NA 1E/F	
D631	21	Mortar floor	81:120, 121	21/1/7; 21/2/9		A43U-V A44U-W		U-W	Occ	NA 1E/F	
D632	21 on	Patch on floor								NA1D	
D633	21	Mortar floor								NA1D	
D634	21	Patch on floor								NA1D	
D635	21	Patch on path across D116						X2	Occ	NA 1E/F	
D636	34,35	Portico pebble floor	81:105, 106, 114, 123	35/4/7; 34/3/11		A68W1	D500; D571	W1	Occ	NP4	
D637	34,35	Beaten earth floor		35/4/7; 34/3/11		A68W1		W1	Occ	NP4	
D638	21	Floor – path across D116	81:121, 122	21/1/7		A43U-V		U-V	Occ	NA 1E/F	
D639	20	Floor make up						X2	Con	NA1A	
D640	20	Mortar floor		20/1/4; 20/1/6		A44U-W		U-W	Occ	NA1A	
D641	35, 36	Compacted silt surface		36/4/7; 35/3/7; 35/4/7		A67W1 A68W1		W1	Con	NP5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D642	37	Compacted silt surface		37/3/5; 37/4/7		A67W1		W1	Occ	NP5	
D643	20	Make up for D640						X3	Con	NA1A	
D644	35-37	Line of mortar w pebbles - joist	Pol.	c/card; 37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A80X A82X		X	Con	NP5	
D645	35-37	Mortar joist line	81:107, 108. 109, 110	37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A80X A82X		X	Con	NP5	
D646	35-37	Mortar joist line	81:107	37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A80X A82X		X	Con	NP5	
D647	35-37	Pebble joist line		37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A80X A82X		X	Con	NP5	Continuation of D619
D648	35-37	Pebble joist line	Pol.	37/3/5; 37/4/7; 36/3/6; 36/4/7; 35/3/7		A80X		X	Con	NP5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D649	22	Levelling of subsidence				A43U-V		U-V	Con	N1K	
D650	21	Path across D116		21/1/7		A43U-V		U-V	Occ	NA1H	
D651	21	Path frag. across D116		21/1/7				X1/2	Occ	NA 1E/F	
D652	20,21	Mortar floor		21/1/8; 20/1/6		A44U-W		U-W	Occ	NA1B	
D653	21	Pebble floor		21/1/7		A43U-V		U-V	Occ	NA1I	
D654	21	Pebble floor		21/1/7		A43U-V		U-V		NA1D	
D655	22	Pebble floor		22/2/9		A43U-V		U-V	Occ	NA1K	
D656	20	Mortar floor		c/card				X2	Occ	NA1B	
D657	21	Mortar floor		c/card				X1/2	Occ	NA 1G	
D658	20,21	Make up of D652						X2	Con	NA1B	
D659	22	Levelling deposit				A43U-V	D624, D649	U-V	Occ	NA1J	
D660	35	Pebble joist line		35/3/7			D648	X	Con	NP5	
D661	22	Pebble patch/floor		22/2/9		A43U-V		U-V	Occ	NA1I	
D662	20	Subsidence fill						V	Con	NA1K	Coin cat.: 216
D663	22	Edge of subsidence						V	Con	NA1J	
D664	21	Thick floor make up	81:113	21/1/8; 21/2/10				X1	Con	NA 1E/F	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D665	21	Thick floor make up		21/1/8; 21/2/10				X1	Con	NA 1G	
D666	20-23	Op sig and pebble floor	81:129, 130, 131, 83:137			A34S-T A35S-T A42U-W		T-W	Occ	NA 1-4	Original North Aisle floor
D667	21	Floor make up		21/1/8; 22/2/9				X1	Con	NA1I	Coin cat.: 156
D668	20,21	Floor make up		21/1/8; 21/2/10						NA1D	
D669	21	Floor make up		21/2/10						NA1C	
D670	20,21	Floor make up		21/2/10; 20/1/7				X	Con	NA1B	
D671	20	Floor make up						X1	Con	NA1A	
D672	21	Floor make up		21/1/8				X1	Con	NA1H	
D673	21	Patch on floor D666	81:125, 126	21/1/9		A43U-V		U-V	Occ	NA 1E/F	
D674	21	Patch on floor D666		21/1/9				V	Occ	NA 1G	
D675	21	Beaten earth floor		21/1/9; 21/2/11		A43U-V A44U-W	D676- D679	U-W	Occ	NA 1E/F	
D676	21	Beaten earth floor		21/1/9; 21/2/11		A43U-V A44U-W		U-W	Occ	NA 1G	
D677	21	Beaten earth floor		21/2/11		A44U-W		U-W	Occ	NA1C	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D678	21	Beaten earth floor				A44U-W		U-W	Occ	NA1B	
D679	20	Beaten earth floor				A44U-W		U-W	Occ	NA1A	
D680	21	Triple posthole		21/2/11; 21/1/9; 21/1/10; 21/2/12	FDF	A43U-V A44U-W		U-W	Con	NA 1E/F	D680-D692 – scaffold post holes
D681	21	Posthole		21/2/11; 21/2/12		A44U-W		U-W	Con	NA 1E/F	
D682	21	Posthole		21/2/12		A35S-T		S-T	Con	NA 1E/F	
D683	21	Posthole		21/2/12		A35S-T		S-T	Con	NA 1E/F	
D684	21	Posthole		21/2/12		A35S-T		S-T	Con	NA 1E/F	
D685	21	Posthole		21/2/11; 21/2/12	FDF	A44U-W		U-W	Con	NA 1E/F	
D686	21	posthole		21/1/9; 21/1/0	FDF	A43U-V		U-V	Con	NA 1G	
D687	21	Posthole		21/2/11; 21/2/12		A35S-T		S-T	Con	NA 1G	
D688	21	Posthole		21/2/11; 21/2/12		A44U-W		U-W	Con	NA 1G	
D689	21	Posthole				A35S-T		S-T	Con	NA1	
D690	21	Posthole		21/2/11; 21/2/12	FDF	A44U-W		U-W	Con	NA1B	
D691	20	Posthole		20/1/9		A44U-W		U-W	Con	NA1B	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con)	Area	Notes
D692	20	Posthole		20/1/9		A44U-W		U-W	Con	NA1B	
D693	21	Basilica floor patch		c/card						NA1C	
D694	21	Op sig patch		c/card				V	Occ	NA 1E/F	
D695	21	Op sig patch		c/card; 21/2/11				V	Occ	NA1B	
D696	22	Posthole?		22/2/4; 22/2/10		A75X		X3	Con	NA2	
D697	22	Posthole?		22/1/5				X3	Con	NA2	
D698	22	Posthole?		22/1/5				X3	Con	NA2	
D699	22	Stakehole?		22/1/5				X3	Con	NA2	
D700	22	Beaten earth floor		22/1/5				X2/3	Occ	NA2	Second D700 renumbered D1113
D701	22	Beaten earth floor		23/2/5				X2/3	Occ	NA2	
D702	28, 42	Fill of RT		28/2/4; 21/1/3; 42/3/3; 42/4/4		A136Z1	D764	Z1	Con	P2	Coin cat.: 233, 502, 2753, 2759, 2950
D703	12,13	Make up for lias tiles		13/3/10; 13/4/6; 12/3/4	108			Y	Con (Occ)	SA7	Coin cat.: 600, 834, 888
D704	11,12	Make up for lias tiles		12/3/4; 12/4/4; 11/3/4	108			Y	Con (Occ)	SA6	
D705	10,11	Make up for lias tiles		10/3/3; 11/4/3;	108			Y	Con (Occ)	SA5	Coin cat.: 2512, 2881, 3076

Section 19 – Site D context concordance (1-999)

				11/3/4							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D706	10	Make up for lias tiles		10/3/3; 10/4/3	108			Y	Con (Occ)	SA4	
D707	9,10	Make up for lias tiles		9/3/4; 10/4/3; 9/3/3; 9/4/2; 9/3/2				Y	Con	SA2, SA3	Coin cat.: 1180, 2696; Divided into D707A & D707B
D708	7,8	Trample layer			108			X2	OCC	SA2	
D709	7,8	Laid lias tile area		7/3/1a; 8/4/3; 8/3/2	108			Y	Con	SA2	
D710	12	Area of patches		12/4/10		A50W1		W1	Occ	SA6	
D711	14	External area		14/2/4; 13/1/5				Z1	Occ	P1	
D712	25, 26	Mixed rubble layer		26/1/2; 26/2/2; 26/1/3; 26/2/3; 25/1/3		A93Y	D313? D238?	Y	Occ	NA6	
D713	27, 28	Lias tile - worn surface		26/1/3; 27/2/4		A93Y		Y	Occ	NA7A	Coin cat.: 713
D714	27	Unworn lias tile surface		27/2/4		A93Y		Y	Occ	NA7B	Coin cat.: 467
D715	27	Dump of silt – wall collapse?	82:1, 2	27/2/4		A93Y		Y	Occ	NA7B	Coin cat.: 2552
D716	24	Rough lias tile surface	76:17	24/2/2a; 23/1/2a		A94Y	(24) F2, D112	Y	Occ	NA3A	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D717	40	Subsidence in floor	79:86,88 82:24,25	40/3/4; 40/4/4		A65W1-2		W1-2	Con	NP7	
D718	22	Silt make up layer		22/1/5; 22/2/10				X2	Con	NA2	
D719	13, 14	Make up layer		c/card; 14/4/2a; 13/3/8				Z2	Con	P1	Coin cat.: 861, 1515, 2798, 2810, 2943, 3005, 3078, 3155
D720	41	Post position		FDF	FDF	A136Z1		Z1	Con	P2	
D721	13,14	Primary fill of D721		14/4/2a; 13/3/8				Z2	Con	P1	Coin cat.: 3220
D722	13,14	Rectangular cut	Pol.	c/card; 13/3/8; 14/4/2a FDF	FDF	A137Z2		Z2	Con	P1	
D723	13,14	Line of rubble – packing of D722		14/4/2a; 13/3/8		A137Z2		Z2	Con	P1	
D724	23	Silt layer		23/2/5				X2	Con	NA2	
D725	23	Silt dump level		23/2/5				X2	Con	NA2	
D726	23	Silt dump level		24/2/2a; 23/1/3				X4	Con	NA3, A-C	
D727	27	Fill of RT		27/3/7				Z1	Con	P1	
D728	42	Fill of NPRT	Pol. 82:20, 21	FDF				Y/Z	Con	NP RT	Coin cat.: 852, 1046, 1301, 1302
D729	11,12	Small patch of mortar					D1116	Y	Occ	SA6	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D730	42	Tile packing of D731		c/card				Z1	Con	P2	
D731	42	Posthole cut		42/4/6; FDF	FDF	A136Z1		Z1	Con	P2	
D732	11,12	Rubble spread over D704						Y	Occ?	SA6	
D733	42	Surface? See D742		42/4/3a; 42/3/2a		A136Z1		Z1	Occ	P2	
D734	42	Fill of D736		42/4/4	FDF			Z1	Con	P2	
D735	41, 42	RT for NP stylobates	75:78	41/1/1; 42/2/1				Y/Z	Con	NP RT	Coin cat.: 730, 906, 1076, 2123, 2745, 2761, 2794, 2918, 3305
D736	42	Posthole cut	Pol.	42/4/6; FDF	FDF	A136Z1		Z1	Con	P2	
D737	42	Packing in D736		c/card	FDF			Z1	Con	P2	
D738	40	Lens of clay & plaster – fill of D717						X	Con (Occ)	NP7	
D739	24	Pebble floor patching		24/2/5			D740	X3	Con	NA3A	
D740	24	Pebble floor patching		24/2/4a				X3	Occ	NA3B	
D741	20	Loam accumulation on floor		24/1/2; 24/1/4; 24/2/2; 24/2/5				Y	Con Occ	NA4	Coin cat.: 746
D742	42	Pebble surface		c/card; 42/3/2b; 42/4/3b				Z1	Occ	P2	Coin cat.: 1085

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D743	12,13	Layer under D703						X	Occ Con	SA7	Coin cat.: 1300, 1381, 1454
D744	24, 25	Silt layer		24/1/4; 25/2/4; 25/1/4				Y	Con	NA5	Coin cat: 418
D745	14, 28	Trample / slump in RT		c/card				U?	Con	P1	
D746	25, 26	Silt layer w rubble	82:93-95, 105-107	25/1/4; 26/2/4; 26/1/4				Z	Occ	NA6	Coin cat: 562
D747	10	Area of plaster		FDF				X	Occ	SA4	
D748	8	AT					D124			SA	
D749	26, 27	Silt layer		27/2/5; 26/1/4				Y	Con	NA7A	Coin cat.: 867
D750	14,28	Collapse into RT		c/card				U?	Con	P1	
D751	27	Silt layer		27/2/5				Y	Con	NA7B	Coin cat.: 2035
D752	40	Raised patch on pebble floor	Pol. 82:12	40/3/5				X	Occ	NP7	
D753	40,41	Pebble surface-evidence of boardwalk	82:23-26, 30, 31	41/3/10; 41/4/5; 40/3/7; 40/4/5		A65W1		W1	Occ	NP7	Continuation of D500, D571, D636
D754	40	Mottled make up		40/3/4; 40/3/7		A65W1		W1	Occ?	NP7	Not excavated
D755	11,12	Make up layer under D704						X	Occ	SA6	Coin cat.: 56

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D756	9. 10	Collapsed building debris		c/card; 9/3/5; 10/4/4		A51W1-3 A52W1		W1-3	Occ Con	SA3	See D881
D757	10	Natural silting		c/card; 10/4/4; 10/3/5		A51W1-3		W1-3	Occ	SA4	
D758	10,11	Debris from collapsed bldg		c/card; 10/3/4; 11/3/5; 11/4/4		A51W1-3		W1-3	Occ	SA5	
D759	14,28,42	Cut for RT, W Portico stylobates		14/3/4; 14/4/6; 14/1/4; 14/2/6; 28/3/4; 28/4/6; 28/1/4; 28/2/6; 42/3/4; 42/4/5		A97Y		Y	Con	P1, P2	
D760	28	Destruction from oven		28/2/3				Z1	Occ	P2	
D761	28	Destruction from oven		28/2/3				Z1	Occ	P2	
D762	13,14; 27,28	Silt dump	82:14	14/2/5; 13/1/6; 27/3/8; 28/4/5; 28/2/5; 27/1/4		A97Y		Y	Occ	P1	Coin cat.: 490, 947, 1186, 1401, 1546, 1698

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D763	14,27,28	Worn s/stone surface	82:13, 14	c/card; 27/3/8; 28/4/5; 14/2/5		A97Y		Y	Occ	P1	
D764	40	Dump in base of D717	Pol. D768	40/3/6				X	Con	NP7	
D765	22,23	Make up / dumping		c/card; 22/1/6		A43U-V		U-V	Con	NA2	
D766	23	Make up / dumping		23/2/6				X2	Con	NA2	
D767	10,11	Natural silting		c/card; 10/3/5; 11/4/5; 11/3/6		A51W1-3		W1-3	Occ	SA5	Coin cat.: 2302
D768	40	Dump at base of D752	Pol.	40/3/6				X	Con	NP7	
D769	40	Area of burning on pebbles	82:29					X?	Occ?	NP7	
D770	14,28	Trample in RT		c/card				U?	Con	P1	D770, D771, D772, D785, D786, D797 all may be stylobate foundation
D771	14,28	Trample in RT		c/card				U?	Con	P1	
D772	14	Trample in RT		c/card				U?	Con	P1	
D773	10,11	Collapse		c/card; 10/3/6; 11/4/6; 11/3/7				X	Occ	SA5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D774	10	Collapse		c/card; 10/3/6				X	Occ	SA4	Coin cat.: 151
D775	27	Wall collapse – daub		27/2/4		A93Y		Y	Con	NA7B	
D776	27	Posthole w packing		27/1/12 (cut)	FDF			W?	Con	NA7	
D777	22	Beaten earth floor		22/1/6; 22/2/12		A43U-V		U-V	Occ	NA2	
D778	25	Pebble surface patch		25/1/9; 25/2/9		A42U-W		U-W	Occ	NA5	
D779	7,8,9	Mortar make up for pebble floor		c/card; 7/3/3; 8/4/2; 8/4/3a; 9/4/7; 8/3/3			(8) F15; (8) F3	X2	Con	SA2	
D780	23	Mosaic robbing								NA	
D781	23	Mosaic robbing								NA	
D782	22	Mosaic robbing								NA	
D783	7	Pebble surface		7/3/2; 7/3/3			(7) F2; (8) F9; (8) F15; D95; D127	X2	Occ	SA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D784	26,27	Beaten earth floor	82:22	26/1/5; 27/2/6				X2	Occ	NA7A	
D785	14, 28	Slump in RT		c/card				U?	Con	P1	
D786	14	Slump in RT		c/card				U?	Con	P1	
D787	24	Pebble floor	82:17	24/1/4; 24/1/5; 24/2/6				X2/3	Occ	NA4	Coin cat.: 899, 900
D788	24	Pebble floor		24/2/2a; 24/2/6				X2/3	Occ	NA3C	
D789	24	Pebble floor		24/2/6						NA3B	
D790	24	Pebble floor	82:16	24/2/6				X2/3	Occ	NA3A	
D791	26	Pit cut into op sig floor	82:132, 191, 192	c/card; 26/1/10; 26/2/9		A41U-W		U-W	Con	NA6	
D792	13	Collapsed plaster		13/3/11; 13/4/6a		A50W1		W1	Occ	SA7	
D793	26,27	Make up for D784		26/1/6; 27/2/8				X2	Con	NA7A	
D794	26	Posthole fill		26/1/5				Y	Occ	NA7A	
D795	26	Posthole cut	82:22	26/1/5	FDF			Y	Con	NA7A	
D796	27	Cut for D776		27/1/12		A41U-W		U-W	Con	NA7	
D797	14	Slump in RT		c/card				U?	Con	P1	
D798	27	Sand / silt layer		27/2/7				X2	Occ	NA7B	
D799	24	Pebble floor		24/2/2a; 24/2/6			D788	X2/3	Occ	NA3C	
D800	9	Silt layer on D801		c/card; 9/4/3b				X2	Occ (Con)	SA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D801	9	Make up for surface	82:32	c/card; 9/4/3; 9/4/5				X2	Con (Occ)	SA2	
D802	23	Pebble floor		23/1/6; 23/1/3			D803	X2/3	Occ	NA3A	
D803	23	Pebble floor		23/1/6; 23/1/3			D802	X2/3	Occ	NA3A	
D804	10	Silt layer		c/card; 10/4/5			D774; D773	X	Occ	SA4	
D805	27	Mortar surface		27/2/8				X1	Con	NA7B	Similar to D784
D806	23	Worn pebble floor		23/2/6		A43U-V		U-V	Occ	NA2	
D807	22	Silt layer on op sig		22/1/6; 22/2/12		A43U-V		U-V	Con	NA2	
D808	27	Silt layer		27/2/9		A41U-W		U-W	Con (Occ)	NA7B	
D809	10	Layer on HBF		27/2/9		A51W1-3		W1-3	Occ	SA4	
D810	10,11	Layer on HBF		c/card; 10/3/7; 11/4/7; 11/3/8		A51W1-3		W1-3	Occ	SA5	Coin cat.: 234, 2463
D811	34	Fill of hearth D501	Pol.	24/3/4; 34/2/12				Y	Con	NP3	
D812	9	Possible beam slot		c/card; 9/4/4				X2	Con	SA2	
D813	9	Possible beam slot		c/card; 9/4/4				X2	Con	SA2	
D814	9,10	Layer of collapse						X	Occ (Con)	SA3	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D815	9	Thick trample layer		c/card; 9/3/6				X2	Occ	SA2	
D816	9	Dump of collapse		c/card; 9/3/6				X	Occ (Con)	SA3	
D817	14	Area of burning						Z1	Occ	P1	
D818	9	Hard pebble floor		c/card; 9/4/6a				X2	Occ	SA2	
D819	27,28	Oven D371 destruction	82:33	c/card; 28/2/3c; 27/1/5				Z1	Occ	P2	
D820	27	Dark silt layer		27/2/10		A41U-W		U-W	Con	NA7B	
D821	7,8	Fine silt layer	82:36	c/card; 7/3/4; 8/4/4; 8/3/4				X2	Con	SA2	
D822	9,10	Fine silt layer		c/card; 9/3/7; 10/4/6		A51W1-3 A52W1		W1-3	Occ	SA3	
D823	27	Cut for robbing of stone		c/card; 27/3/8; 27/3/8a				Z1	Con	P1	
D824	10	Fill of D918						X	Con	SA4	Coin cat.: 3185
D825	22	Unworn surface		c/card; 22/1/7; 22/2/13				X1	Con	NA2	
D826	40,41	Fill of cut D827		40 large; 41/2/1			(40) F10	Z2	Con	NP7	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D827	40, 41	Beam slot / subsidence		40 large; 40/2/1			(40) F10	Z2	Con	NP7	
D828	40,41	AT					(41) F5; (40) F13			NP	
D829	40	AT					(40) F1			NW RT	
D830	26	Disturbance in NA RT								NA RT	
D831	27	Wall fragment		27/2/5	FDF	A41U-W	D339	U-W	Con	NA7B	
D832	13,27,41	W wall of basilica				A24S	D170	S	cON	P1, P2	
D833	23	Silt / sand layer		23/1/6; 23/1/7				X2	Con	NA3A	
D834	23	Mixed mortar layer		23/2/6				X2	Con	NA2	
D835	23	Layer of silt		23/2/6		A43U-V		U-V	Con	NA2	
D836	24,25	Layer of sandy silt		24/1/6; 25/2/5; 25/1/5				X2	Con	NA5	
D837	42	Spine of silt ?AT		c/card; 42/4/7; 42/4/2a; 41/3/4; 41/3/6; 41/4/4		A97Y		Y	Con (Occ)	NP8	Coin cat.: 828, 1382
D838	41,42	Spine of silt - ?AT		42/4/9; 41/3/8; 41/3/10; 41/3/9;				Y	Con (Occ)	NP8	

Section 19 – Site D context concordance (1-999)

				41/4/5							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D839	9	Silty spread		c/card; 8/3/6; 9/4/8				X2	Occ	SA2	
D840	12,13	Area of unworn rubble	82:59	c/card; 13/4/7; 13/3/12; 12/3/7		A50W1		W1	Con (Occ)	SA7	Coin cat.: 162, 183, 200
D841	11,12	Silt layer – as D843		c/card; 12/3/8; 12/4/6		A50W1		W1	Occ	SA6	Coin cat.: 1418
D842	27,28	Mortar layer	82:176	c/card; 28/2/3c; 28/2/4; 27/1/3a				Z1	Con	P2	
D843	11,12	Silt dump layer		c/card; 12/4/7; 11/3/10		A50W1		W1	Occ	SA6	
D844	25,26	Compacted silt		25/1/5; 26/2/5; 26/1/6				X2	Con	NA6	
D845	28	Fill of oven flue		28/2/7; 27/1/6		A97Y	D1145	Y	Occ	P2	Coin cat.: 741
D846	14	posthole		14/2/5		A97Y	D377	Y	Con	P1	
D847	14	Posthole packing		14/2/5		A97Y		Y	Con	P1	
D848	14	Posthole packing		14/2/5		A97Y		Y	Con	P1	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D849	12	Fill of D874 posthole		c/card				X	Con	SA7	Coin cat.: 931
D850	13	Fill of D851						X	Con	SA7	
D851	13	Posthole		13/4/7				X	Con	SA7	
D852	26	Posthole		26 large			(26) F12			NA7A	
D853	26	Posthole					(26) F15			NA7	
D854	40	AT					(40) F1			NP	
D855	40	Posthole		40 large			(40) F2	Z2(mod)	Con	NP7	
D856	14	Posthole fill		14/2/5				Y	Con	P1	
D857	14	Fill of D872		14/2/5				Y	Con	P1	
D858	42	Silty spread on spine		42/4/9				Y	Con (Occ)	NP8	
D859	9,10	Silt layer – as D881		c/card; 9/3/8; 10/4/7		A51W1-3 A52W1		W1-3	Occ	SA3	
D860	14	Post pit fill						Y	Con	P1	
D861	27	Posthole		27/2/13				W	Con	NA7	
D862	27	Cut for D861		27/2/13		A41U-W		U-W	Con	NA7	
D863	23	Rubble layer		23/1/7				X2	Con	NA3A	
D864	25,26	Shallow disturbance				A41U-W		U-W	Occ?	NA	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D865	25	Rubble platform		25/1/2; 25/2/2		A128Z	D900; D866	Z	Occ	NA5	
D866	25,26	Rubble platform		c/card; 25/1/2; 26/2/2		A128Z		Z	Occ	NA6	
D867	39	AT								NP	
D868	38,39	Shallow depression		39 large; 38 large		A129Z A177 Post Z	(39) F3; (38) F29	Z- Post Z	Con	NP6	
D869	39	AT					(39) F8			NP	
D870	26	Silt with rubble		26/2/2				Z	Occ	NA6	
D871	14	Rejected posthole		14/2/6a				Y	Con	P1	
D872	14	Rejected posthole		14/2/6a				Y	Con	P1	
D873	14	Posthole cut		14/2/6a	FDF			Y	Con	P1	
D874	12	Cut for pit		12/3/6	FDF	A50W1		W1	Con	SA7	
D875	7,8	Pebble surface		7/3/5; 8/4/5				X2	Occ	SA2	
D876	27	Posthole		27/2/13				W	Con	NA7	
D877	27	Cut for D876		27/2/13		A41U-W		U-W	Con	NA7	
D878	14	Levelling for posthole		14/2/5				Y	Con	P1	
D879	22	Beaten earth floor	82:47	c/card; 22/1/9; 22/2/15				W	Occ	NA2	Coin cat.: 87
D880	11,12	Building deposit		c/card; 12/4/8;				W	Occ	SA6	

Section 19 – Site D context concordance (1-999)

				11/3/11							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D881	9,10	Accumulati on of silt		c/card; 9/3/9; 10/4/8				X	Occ	SA3	
D882	11	Posthole						W/V	Con	SA5	
D883	27	Stakehole		27/2/13				W	Con	NA7	
D884	27	Cut of D883		27/2/13				W	Con	NA7	
D885	28,42	Dump of silt		28/2/10a 42/4/6		A97Y		Y	Occ	P2	
D886	34	Fill of trench						Y	Con	NP3	
D887	27	Stakehole fill		27/2/13				W	Con	NA7	
D888	27	Stakehole fill		27/2/13		A41U-W		U-W	Con	A7	
D889	27	Stakehole fill		27/1/12				W	Con	NA7	
D890	27	Cut of D889		27/1/12		A41U-W		U-W	Con	NA7	
D891	41,42	Dump of building debris		c/card; 42/4/6; 41/3/7		A97Y		Y	Occ	P2	
D892	28	Stakehole fill		28/2/8				X	Con	P2	
D893	28	Stakehole fill		28/2/8				X	Con	P2	
D894	28	Stakehole fill		28/2/8				X	Con	P2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D895	28	Stakehole cut		28/2/8; 28/2/9		A79X		X	Con	P2	
D896	28	Stakehole cut		28/2/8; 28/2/9		A79X		X	Con	P2	
D897	28	Stakehole cut		28/2/8; 28/2/9		A79X		X	Con	P2	
D898	28,41,42	Dump on pebble floor		c/card; 42/4/8; 41/3/7; 28/2/11; 28/2/10a 42/4/6; 27/1/9; 41/3/11		A97Y		Y	Con	P2	Coin cat.: 3168
D899	26	Area between structural deposits		26/1/2; 26/2/2			D309	Z	Occ	NA6	
D900	25	Rubble platform		25/1/2; 25/2/2		A128Z A129Z		Z	Occ	NA5	
D901	27	Collapse of wall D339		27/2/2				Y	Con	NA7B	
D902	27	Material against wall		27/2/2				Y	Con	NA7B	
D903	13	Posthole		13/3/23	FDF	A46V		V	Con	SA7	
D904	13	Posthole		13/3/23	FDF	A46V		V	Con	SA7	
D905	9,10	Pebble surface		9/3/9a; 10/4/9a; FDF		A51W1-3 A52W1		W1-3	Occ	SA3	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D906	9	Worn rubble surface		c/card; 8/3/6; 9/4/8; 9/4/9				X2	Con (Occ)	SA2	
D907	7,8	Fine silt layer		c/card; 7/3/6; 8/4/6; 8/3/5				X2	Con (Occ)	SA2	Coin cat.: 206, 557
D908	13,14	Silt dump		14/4/5; 13/3/9a		A97Y		Y	Occ	P1	Coin cat.: 805
D909	12	Fill of beam slot		c/card				X	Con	SA7	
D910	13	Line of stones	82:56	c/card; 13/3/13; 13/4/8		A50W1		W1	Con	SA7	
D911	27	Stakehole fill		27/1/12				W	Con	NA7	
D912	23	Stakehole cut		27/1/12		A41U-W		U-W	Con	NA7	
D913	24	Pebble floor	82:57	24/1/7				X1/2	Occ	NA4	
D914	24	Bedding for pebble floor	82:57	24/1/7; 24/1/13; 24/1/16				X1/2	Con (Occ)	NA4	
D915	23,24	Mortar layer	82:58	23/1/8; 24/2/7				X2	Con	NA3A	
D916	9	Rubble spread, wall collapse		c/card; 9/4/7; 9/4/9				X2	Occ	SA2	
D917	9	Fine silt layer	82:177	c/card; 9/4/10				X2	Occ	SA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D918	10	Pit fill w worn stones	Pol. 82:96	c/card; 10/4/9; 10/3/9	FDF	A47V		V	Con	SA4	
D919	27	Stakehole fill		27/1/12				W	Con	NA7	
D920	27	Stakehole cut		27/1/12		A41U-W		U-W	Con	NA7	
D921	11,12	Mixed layer on HBF		c/card; 12/4/9; 11/3/12		A50W1		W1	Occ	SA6	
D922	24	Plaster layer		24/2/2a; 24/1/7				X3	Con	NA3B	
D923	24	Silt layer		24/2/7; 24/1/7				X2	Con	NA 3B/C; NA4	Coin cat.: 185
D924	12	Cut for beam slot	82:109		FDF	A50W1		W1	Con	SA7	
D925	13	Mixed layer		c/card				X	Occ	SA7	
D926	26	Make up for floor		26/1/7				X1	Con	NA6	
D927	25,26	Mortar spread		25/1/7; 26/2/6				X1	Con	NA6	
D928	13,14, 27, 28	Area of worn cobble and lias	82:60 – 63	28/4/7; 27/3/9; 28/2/10; 27/1/8; 14/2/7; 13/1/7; 14/4/6a; 14/4/7; 13/3/9; 13/3/19		A97Y		Y	Occ	P1	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D929	25	Mortar / silt layer		25/1/6; 25/2/6				X1	Con	NA5	
D930	24	Posthole fill		24/1/7				X2	Occ	NA4	
D931	7,8	Pebble surface – patching		82:65-70 78, 79, 190	7/3/7; 8/4/7			X2	Occ	SA2	Coin cat.: 204
D932	24	Mortar spread		24/1/7				X2	Con	NA4	
D933	26,27	Silt layer		26/1/8; 27/2/11		A41U-W		U-W	Con (Occ)	NA7A	Coin cat.: 1404, 1407
D934	13	Small hearth	82:71,72	c/card; 13/3/16; 13/3/17		A50W1		W1	Occ	SA7	
D935	13	Charcoal spread	82:72	c/card; 13/3/18; 13/4/10				X	Occ	SA7	
D936	13	Small pit	82:108	13/3/17	FDF	A50W1		W1	Con	SA7	
D937	24	Silt layer		c/card; 24/1/7; 24/1/13		A42U-W		U-W	Con	NA4	
D938	23	Silt layer		23/2/7		A43U-V		U-V	Con	NA2	
D939	13	Posthole fill	82:81,82	c/card; 13/3/16		A50W1		W1	Con	SA7	
D940	13	Mixed layer		c/card; 13/3/14; 13/4/9				X	Occ	SA7	
D941	22	Make up in subsidence	82:80	22/1/10; 22/2/16				W	Con	NA2	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D942	13	Posthole fill	82:82,83	c/card; 13/3/16	FDF	A50W1		W1	Con	SA7	
D943	13	Mixed layer		c/card				X	Occ	SA7	
D944	23	Silt layer		23/2/7		A43U-V		U-V	Con	NA2	
D945	24	Make up layer		24/1/7				X2	Con	NA4	Coin cat.: 1219
D946	25	Mortar spread		25/1/7; 25/2/7				X1	Con	NA5	
D947	13	Fill of depression		13/3/15				X	Con	SA7	
D948	25	Mortar & rubble make up		25/1/7				X1	Con	NA6	
D949	25	Mortar & rubble make up		25/1/7				X1	Con	NA6	
D950	9	Rubble from wall collapse		c/card; 9/4/11				X2	Occ	SA2	
D951	26	Stylobate position	82:91	c/card; 26/1/8a+ 26/3/4		A26S		S	Con	NCRT	
D952	26	Stylobate position	82:90	c/card; 26/2/7+ 26/4/2		A26S		S	Con	NCRT	
D953	24	Stylobate position	82:89	24/1/8+ 24/3/3		A26S		S	Con	NCRT	
D954	23-4	Silt layer		23/1/10; 24/2/9		A42U-W A43U-V		U-W	Con?	NA3A	Coin cat.: 237

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D955	24	Pebble & mortar surface		c/card; 24/2/7		A42U-W		U-W	Con	NA3B	
D956	12,13	Mortar surface	82:73, 99 100, 109, 110, 183, 194	13/3/21; 13/4/11; 12/3/9		A50W1	D976; D978	W1	Occ	SA7	
D957	12,13	Crushed s/stone make up						W	Con (Occ)	SA7	
D958	28	Tile hearth area by oven	82:103, 104	28/2/12	FDF	A79X		X	Occ	P2	
D959	24	Rubble & mortar layer		c/card; 24/1/9				X2	Con	NA4	Coin cat.: 3244
D960	24	Pebble patch		24/2/7				X2/3	Occ	NA3B	
D961	11	Posthole fill		11/3/13	FDF	A47V		V	Con	SA5	
D962	11	Posthole fill	82:160	11/3/13	FDF	A47V		V	Con	SA5	
D963	11	Posthole fill		11/3/13	FDF	A47V		V	Con	SA5	
D964	11	Pebble patch on HBF		c/card; 11/3/12a 11/4/7a				V	Occ	SA5	
D965	11	Posthole fill	82:124	11/4/8	FDF	A47V		V	Con	SA5	
D966	11	Posthole fill	82:124	11/4/8	FDF	A47V		V	Con	SA5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D967	11	Posthole fill	82:124	11/4/8	FDF	A47V		V	Con	SA5	
D968	28	Post pad?	82:112	c/card; 28/4/7	FDF	A97Y		Y	Occ	P1	
D969	14	Part of pebble surface	82:111	14/4/7; 14/4/10		A64W		W	Occ	P1	
D970	11	Posthole fill	82:124	11/4/8	FDF	A47V		V	Con	SA5	
D971	11	Posthole fill	82:123	11/4/8	FDF	A47V		V	Con	SA5	
D972	11	Posthole fill	82:125	11/4/8	FDF	A47V		V	Con	SA5	
D973	11	Posthole fill	82:125	11/4/8	FDF	A47V		V	Con	SA5	
D974	11	Posthole fill	82:125	11/4/8	FDF	A47V		V	Con	SA5	
D975	12	3 Stones		c/card; 12/3/9		A50W1		W1	Con	SA7	
D976	12	Make up layer		12/3/9		A50W1		W1	Occ	SA7	
D977	12	Make up layer						W	Con	SA5	
D978	12	Make up layer	82:74, 113, 114, 184	12/3/9; 12/4/11		A50W1		W1	Occ	SA6	
D979	11	Posthole fill		11/4/8	FDF	A47V		V	Con	SA5	
D980	11	Posthole fill	82:131	11/4/8	FDF	A47V		V	Con	SA5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D981	11	Posthole fill	82:128	11/4/8	FDF	A47V		V	Con	SA5	
D982	11	Posthole fill	82:128	11/4/8	FDF	A47V		V	Con	SA5	
D983	25,26	Bedding of floor		25/1/10; 26/2/8; 26/1/9		A41U-W		U-W	Con (Occ)	NA6	
D984	11	Posthole fill	82:127	11/4/8	FDF	A47V		V	Con	SA5	
D985	11	Posthole fill	82:129	11/4/8	FDF	A47V		V	Con	SA5	
D986	11	Posthole fill	82:145	11/4/8	FDF	A47V		V	Con	SA5	
D987	11	Posthole fill	82:131	11/4/8	FDF	A47V		V	Con	SA5	
D988	11	Posthole fill	82:131	11/4/8	FDF	A47V		V	Con	SA5	
D989	10	Posthole fill	82:142	10/4/10	FDF	A47V		V	Con	SA4	
D990	10	Posthole fill	82:141	10/4/10	FDF	A47V		V	Con	SA4	
D991	10	Posthole fill	82:213	10/4/10	FDF	A51W1-3		W1-3	Con	SA3	
D992	10	Posthole fill	82:129	10/3/9	FDF	A47V		V	Con	SA5	
D993	10	Posthole fill	82:129	10/3/9	FDF	A47V		V	Con	SA5	
D994	10	Posthole fill	82:130	10/3/9	FDF	A47V		V	Con	SA5	
D995	10	Posthole fill	82:130	10/3/9	FDF	A47V		V	Con	SA5	
D996	10	Posthole fill	82:130	10/3/9	FDF	A47V		V	Con	SA5	

Section 19 – Site D context concordance (1-999)

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
D997	10	Posthole fill	82:130	10/3/9	FDF	A47V		V	Con	SA5	
D998	10	Posthole fill	82:137	10/3/9	FDF	A47V		V	Con	SA5	
D999	10	Posthole fill	82:137	10/3/9	FDF	A47V		V	Con	SA5	
D1000	8,9,10, 11,12,13	Herringbone tile floor (HBF) of south aisle	82:166 – 168, 228, 229; 85:115, 272-275	9/4/27; 9/3/11; 10/4/11; 10/3/10; 11/4/9; 11/3/14; 12/4/13; 12/3/12; 13/4/14; 13/3/24		A19S A20S A39T-U		S-U	Occ	SA2 – SA7	