

WROXETER PALAESTRA (WP): CONTEXT CONCORDANCE

EH ACCESSION NUMBER	88230495 (7/7)
SITE	E
AREAS	Insula II W & E – IN; Street – STR; Gravel Street and Drains - GRST
GRIDS	34-42, 48-56

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E1	51	Clay pad		51 large		A155Z2	(51) F1	Z2	Con	IN	
E2	51	Smashed lias tile		51 large; 51/2/2; 51/4/2		A155Z2	(51) F2	Z2	Con	IN	
E3	51	S/stone frags		51 large		A155Z2	(51) F3	Z2	Con	IN	
E4	51	Rejected feature		51 large		A155Z2	(51) F4	Z2	Con	IN	
E5	51	Charcoal frag					(51) F6			IN	Reject
E6	51	Shallow cut		51 large			(51) F7	Z2	Con/Occ?	IN	
E7	51	Posthole		51/2/2; 51/4/2			(51) F9	Z2	Con	IN	
E8	51	Rejected feature		51 large			(51) F14			IN	Reject
E9	51	Posthole & wall line		51 large; 51/2/2; 51/4/2			(51) F15	Z2	Con	IN	
E10	51	Posthole		51 large			(51) F16	Z2	Con	IN	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E11	51	Disturbance		51 large			(51) F17	Z2	Con/Occ?	IN	
E12	52	Dump level		52 large; 52/1/2; 51/3/2; 52/2/1a; 52/4/1a		A154Z2		Z2	Occ/Con	IN	
E13	52, 53	Building platform		52 large; 53 large; 52/1/2; 52/3/2; 53/2/2; 53/4/2		A154Z2	(52) F4; (52) F11 (53) F3	Z2	Occ/Con	IN	
E14	52	Area of hard earth		52 large			(52) F6	Z2	Con	IN	
E15	52,53	Linear cut		52 large; 53 large		A145Z2	(52) F7	Z2	Con	IN	
E16	39, 53	Platform B. XII		52 large; 39 large		A145Z A154Z2	(53) F2	Z2	Occ	GRST	
E17	53	Possible wall line		53 large		A154Z2	(53) F4	Z2	Con	IN	
E18	53	Linear cut – joist?		53 large		A145Z2	(53) F5	Z2	Con	GRST	
E19	53	N joist for B.XII		53 large	7	A145Z2	(53) F7	Z2	Con	GRST	
E20	53	Posthole		53 large		A145Z2	(53) F8	Z2	Con	GRST	
E21	53	3 postholes		53 large		A145Z2	(53) F9	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E22	53	3 postholes		53 large		A145Z2	(53) F10	Z2	Con	GRST	
E23	53	Joist line		53 large		A145Z2	(53) F11	Z2	Con	GRST	
E24	53	Posthole		53 large	7	A145Z2	(53) F12	Z2	Con	GRST	
E25	39, 53	Posthole		53 large	7	A145Z2	(53) F13	Z2	Con	GRST	
E26	39, 53	Posthole		53 large		A145Z2	(53) F14	Z2	Con	GRST	
E27	39, 53	Posthole		53 large	7	A145Z2	(53) F15	Z2	Con	GRST	
E28	53	Posthole		53 large		A145Z2	(53) F16	Z2	Con	GRST	
E29	53	Posthole		53 large	7	A145Z2	(53) F17	Z2	Con	GRST	
E30	53	Posthole		53 large		A145Z2	(53) F18	Z2	Con	GRST	
E31	53	Posthole		53 large		A145Z2	(53) F19	Z2	Con	GRST	
E32	53	Posthole		53 large		A145Z2	(53) F20	Z2	Con	GRST	
E33	53	Post pad		53 large		A154Z2	(53) F21	Z2	Con	IN	
E34	53	Posthole		53 large		A145Z2	(53) F22	Z2	Con	GRST	
E35	53	Posthole		53 large		A145Z2	(53) F23	Z2	Con	GRST	
E36	53	Beam slot		53 large		A145Z2	(53) F24	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E37	53	Posthole & beam slot		53 large		A145Z2	(53) F25	Z2	Con	GRST	
E38	53	Posthole		53 large		A145Z2	(53) F26	Z2	Con	GRST	
E39	53	Posthole		53 large		A145Z2	(53) F27	Z2	Con	GRST	
E40	53	Posthole		53 large		A145Z2		Z2	Con	GRST	
E41	53	Posthole		53 large		A145Z2		Z2	Con	GRST	
E42	53	Posthole		53 large		A145Z2		Z2	Con	GRST	
E43	53	Posthole group		53 large		A145Z2		Z2	Con	GRST	
E44	36-38, 50-51	Modern plough mark		50 large; 51 large; 36 large; 37 large; 38 large			(37) F5; (50) F11			GRST	Reject
E45	35	Booth platform	75:76, 77	35/1/1; 35/2/1		A147Z2		Z2	Occ	GRST	
E46	36	Booth platform		36/1/1; 36/2/1		A146Z2		Z2	Occ	GRST	
E47	36	Posthole		36/1/1			(36) F6	Z	Con	GRST	
E48	37	Dump level		37 large			(37) F2	Z	Con	GRST	
E49	37, 38	Gully in street		37 large; 38 large		A146Z2	(37) F6	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E50	37	Platform		37 large		A146Z2	(37) F7	Z2	Con	GRST	
E51	38	Small pit		38 large			(38) F4	Z	Con	GRST	
E52	38	Stakehole		38 large		A145Z2	(38) F20	Z2	Con	GRST	
E53	38	Stakehole		38 large		A145Z2	(38) F21	Z2	Con	GRST	
E54	38	Stakehole		38 large		A145Z2	(38) F22	Z2	Con	GRST	
E55	38	Stakehole		38 large		A145Z2	(38) F25	Z2	Con	GRST	
E56	38	Stakehole		38 large		A145Z2	(38) F26	Z2	Con	GRST	
E57	38	Stakehole		38 large		A145Z2	(38) F27	Z2	Con	GRST	
E58	39	Stakehole		39 large		A145Z2	(39) F5	Z2	Con	GRST	
E59	39	Plough rut		39 large			(39) F6	Z	Con	GRST	
E60	39	Posthole		39 large		A145Z2	(39) F10	Z2	Con	GRST	
E61	39	Timber slot		39 large		A145Z2	(39) F11	Z2	Con	GRST	
E62	39	Stakehole		39 large		A145Z2	(39) F12	Z2	Con	GRST	
E63	39	Posthole		39 large		A145Z2	(39) F13	Z2	Con	GRST	
E64	39	Posthole		39 large		A145Z2	(39) F14	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E65	39	Posthole		39 large		A145Z2	(39) F15	Z2	Con	GRST	
E66	39	Beam slot		39 large		A145Z2	(39) F16	Z2	Con	GRST	
E67	39	Posthole		39 large		A145Z2	(39) F17	Z2	Con	GRST	
E68	39	Posthole		39 large		A145Z2	(39) F18	Z2	Con	GRST	
E69	39	Posthole		39 large		A145Z2	(39) F19	Z2	Con	GRST	
E70	39	Posthole		39 large		A145Z2	(39) F20	Z2	Con	GRST	
E71	39	Posthole		39 large		A145Z2	(39) F21	Z2	Con	GRST	
E72	39	Posthole		39 large		A145Z2	(39) F22	Z2	Con	GRST	
E73	39	Posthole		39 large		A145Z2	(39) F23	Z2	Con	GRST	
E74	34-40; 48-54	Gravel Street	Pol.x3; 72:48, 60, 61; 75:10, 76, 77; 78:1-7, 9-16, 21, 33- 48, 58- 62, 73,74, 79, 80, 82, 83;		FDF; 6, 47, 48, 49, 51	A99X-Z2 A144Z3 A147Z2	(48) F7; (49) F2	X-Z3	Occ/Con	GRST	Coin cat.: 68, 119, 123, 166, 203, 218, 239, 246, 269, 303, 358, 500, 595, 631, 687, 690, 734, 738, 804, 847, 879, 891, 943, 951, 1119, 1256, 1261, 1279, 1321, 1327, 1333, 1379, 1459, 1477, 1634, 1683, 1736, 1752, 1825, 1869, 1946, 1995, 2013, 2022, 2101, 2105, 2284, 2334, 2390, 2437, 2475, 2482, 2522, 2528, 2548, 2643, 2683, 2834, 2845, 2896, 3042, 3043, 3176, 3188, 3269, 3270, 3271, 3274,

Section 22 – Site E context concordance

			79:3,4, 15-19, 66-68, 75, 92, 93								3315
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E75	48	Posthole								GRST	Reject
E76	48	Posthole								GRST	Reject
E77	49	Timber slot / posthole BVII	70:15, 16	c/card; 49/4/2; 49/2/2	FDF	A157Z2	(49) F10	Z2	Con	IN	
E78	49	Stone postpad	Pol.	c/card; 49 large; 49/4/2		A157Z2	(49) F6	Z2	Con	IN	
E79	49	Stone postpad	Pol.	49 large; 49/4/2		A157Z2	(49) F7	Z2	Con	IN	
E80	35-49	AT			FDF; 12, 80					IN / GRST	Coin cat.: 721, 2233, 2788 Reject
E81	35-40	Robber trench					C81; D81	Y	Con	NCRT	Coin cat.: 285, 387, 473, 1495, 2279
E82	49	AT		49 large	FDF; 50					IN / GRST	Coin cat.: 748, 884, 2734 Reject
E83	49, 50	Joist line	74:9	49 large; 50 large	FDF; 12	A147Z2		Z2	Con	GRST	
E84	35	AT								GRST	Reject
E85	48, 49	Mixed dump layer	Pol.	49 large; 48 large; 50 large	12			Z2	Occ/Con	IN	Coin cat.: 19, 41, 129, 179, 594, 647, 779, 901, 913, 1444, 1640, 1832, 2042, 2381, 2508, 2718, 3020, 3341, 3342
E86	34	Tip layer						Z	Occ/Con	GRST	
E87	34	Tip layer						Z	Occ/Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Con/Occ	Area	Notes
E88	34	Tip layer						Z	Occ/Con	GRST	
E89	48,49	Strip of gravel & stones – frontage?		c/card; 49/4/2; 49/3/2; 48/3/2; 49/3/3; 49/4/3				Z2	Con	IN	
E90	48, 49	Post pit		c/card; 48 large; 49 large; 49/4/2; 48/3/2	FDF	A157Z2		Z2	Con	IN	
E91	34	Tip layer						Z	Occ/Con	GRST	
E92	34	Tip layer						Z	Occ/Con	GRST	
E93	49	Area of dark soil	Pol.	c/card; 49/2/2; 49/2/3	FDF			Z2	Con	IN	
E94	34	Tip layer						Z	Occ/Con	GRST	
E95	34	Tip layer						Z	Occ/Con	GRST	
E96	34-42	Roadside drains (E96A-H)	Pol.x4; 78:23, 25,77; 79:42, 63, 92; 80:5, 59,60, 103, 104, 156, 164-8	Planned only from 38-42; photos exist of E half but not drawn up				X	Occ	GRST	Coin cat.: 26, 97, 102, 108, 113, 145, 157, 158, 165, 170, 172, 178, 180, 190, 194, 224, 323, 390, 396, 443, 536, 542, 558, 569, 579, 658, 688, 726, 843, 979, 1121, 1122, 1152, 1154, 1266, 1269, 1270, 1347, 1489, 1853, 1886, 1918, 2090, 2103, 2169, 2435, 3011, 3175, 3179, 3195, 3200, 3202, 3281, 3283, 3338
E97	35	Hard-packed					E138	X	Occ/Con	GRST	

Section 22 – Site E context concordance

		sand & gravel									
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Con/Occ	Area	Notes
E98	49,50	Beam slot	74:9	49 large; 50 large	FDF; 12	A147Z2		Z2	Con	GRST	
E99	48	Post pad / pit		c/card; 48/3/3	FDF	A103Y-Z1		Y-Z1	Con	IN	Coin cat.: 2504
E100	49, 50	Area of BIX		c/card; 49 large; 50 large; 49/3/2; 50/4/2				Z2	Occ/Con	IN	Coin cat.: 958, 1328, 1524
E101	48	Post hole / pit		48/1/3				Z2	Con	IN	
E102	49	Post pad	70:15	49 large; 49/4/2	FDF	A157Z2	(49) F3	Z2	Con	IN	
E103	49	Timber slot		49 large; 49/3/2; 49/4/2; 49/3/4; 49/4/3		A155Z2 A157Z2	(49) F4	Z2	Con	IN	
E104	49	Posthole	70:3,4, 6,7,15	49/4/2; 49/4/3	FDF	A157Z2	(49) F8	Z2	Con	IN	
E105	49	Timber slot	70:15	49/4/2; 49/4/3; 49/2/2; 49/2/3	FDF	A157Z2	(49) F9	Z2	Con	IN	
E106	49	Posthole		49/2/2; 49/2/3	FDF	A157Z2	(49) F11	Z2	Con	IN	
E107	49	Posthole		49/3/4a; 49/1/3; 49/3/3			(49) F12	Z2	Con	IN	
E108	49	Posthole		49/3/4a;	FDF		(49) F13	Z2	Con	IN	

Section 22 – Site E context concordance

				49/1/3; 49/3/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E109	49	Infill around posthole		49/3/4a; 49/1/3; 49/3/3			(49) F14	Z2	Con	IN	
E110	49	Timber slot / posthole		49/1/3; 40/3/3; 49/1/4a; 49/3/4	FDF		(49) F15	Z2	Con	IN	
E111	49, 50	Part of step	Pol.	50/4/2; 49/3/4a; 50 large; 49 large		A152Z1		Z1	Con	IN	
E112	49, 50	Part of step		50/4/2; 49/3/4a; 50/2/2; 49/1/4a; 50 large; 49 large	FDF		(50) F4	Z2	Occ/Con	IN	
E113	50	Post pad		50/2/2; 50 large			(50) F5	Z2	Con	IN	
E114	50	Lias tile post pad		50/2/2; 50 large			(50) F6	Z2	Con	IN	
E115	50	Post pad		50/4/2; 50 large			(50) F7	Z2	Con	IN	
E116	50	E wall BIX		50/2/2; 50/4/2; 50 large			(50) F8	Z2	Con/Occ	IN	
E117	50	Post pad - frontage		50/4/2; 50/4/1a; 50 large			(50) F9	Z2	Con	IN	
E118	50	Post socket		50 large			(50) F10	Z2	Con	IN	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E119	50	Post socket		50 large	FDF		(50) F12	Z2	Con	IN	
E120	50	Post pad		50 large; 50/2/1a; 50/4/1a; 50/4/2		A155Z2	(50) F13	Z2	Con	IN	
E121	50	Black soil in depression		50 large; 50/2/1a; 50/4/1a; 50/2/2		A155Z2	(50) F14	Z2	Occ/Con	IN	
E122	50	s/stone post pad	Pol.	50 large; 50/2/1a; 50/4/1a; 50/4/2		A155Z2	(50) F15	Z2	Con	IN	
E123	50	Granite boulder post pad	Pol. 80:149, 151	50 large; 50/2/1a; 50/4/1a; 50/2/2; 50/2/3		A152Z1 A155Z2	(50) F16	Z1-2	Con	IN	
E124	50	s/stone post pad		50 large; 50/2/1a; 50/4/1a; 50/2/2; 50/4/2			(50) F17	Z2	Con	IN	
E125	50	s/stone post pad		50 large; 50/1/1a; 50/3/1a; 50/3/2	FDF	A155Z2	(50) F18	Z2	Con	IN	
E126	50	AT		50 large			(50) F19			IN	Reject
E127	50	AT		50 large	50		(50) F20			IN	Reject
E128	50	Cobble & clay area	Pol.	50 large; 50/2/1a; 50/4/1a;			(50) F21	Z2	Con	IN	

Section 22 – Site E context concordance

				50/2/2							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E129	49	Spread of broken tile	74:24	49/1/4; 49/2/3; 49/3/5		A103Y-Z1 A152Z1		Y-Z1	Con	IN	
E130	48	Clay wall	Pol. ; 70:4	48/3/2; 48/3/3; 48 large		A157Z2		Z2	Con	IN	
E131	34	East end of Gravel Street					(34) F21	Z2	Con	GRST	
E132	48	Stakehole	70:4	c/card; 48 large; 48/3/2; 48/3/3		A157Z2		Z2	Con	IN	
E133	34	Part of gravel street						Z2	Occ/Con	GRST	
E134	50	Clay and cobble area		c/card; 50 large; 50/2/1a; 50/4/1a; 50/4/2		A155Z2		Z2	Con	IN	
E135	50	Posthole		c/card; 50/4/2		A155Z2		Z2	Con	IN	
E136	49	Capital used as post pad		49 large; 49/1/3; 49/3/3; 49/3/2; 49/3/4a		A152Z1		Z1	Con	IN	
E137	48, 49	Clay and soil behind BVII		49/2/3; 49/4/3; 48/3/3;		A102Y-Z1		Y-Z1	Occ/Con	IN	

Section 22 – Site E context concordance

				48/1/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E138	34-40, 48-54	Cobble surface under gravel street	78:81	34/1/13; 35/2/5; 35/1/6; 36/2/5; 36/1/5; 37/2/5; 37/1/4; 38/2/9; 38/1/14; 39/2/13; 39/1/15; 40/2/13; 40/1/13; 48/3/8; 49/4/5; 49/3/7; 50/4/4; 50/3/5; 51/4/5; 51/3/4; 52/4/4; 52/3/4; 53/4/5; 53/3/3; 54/4/2; 54/3/3				X	Occ/Con	GRST	Coin cat.: 840, 1280
E139	50	Clay and cobble wall	Pol	c/card; 50 large; 50/1/1a; 50/3/1a; 50/1/2;		A152Z1 A155Z2		Z1-2	Con	IN	

Section 22 – Site E context concordance

				50/3/2; 50/1/3; 50/3/3							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E140	50	Wedge of dark soil – terrace fill		50/1/2				Z	Con	IN	
E141	49	Laid tile & amphora – steps		49/1/3; 49/3/3; 49/3/4a; 49/3/6		A152Z1		Z1	Occ/Con	IN	
E142	48	Posthole		48/1/5		A103Y-Z1		Y-Z1	Con	IN	
E143	48	Posthole		c/card; 48/3/4		A102Y-Z1		Y-Z1	Con	IN	
E144	49	Crushed tile area		c/card; 49/4/4				Z1	Con	IN	
E145	49	Dark soil with cobbles	Pol.x2; 78:32	c/card; 49/4/4	50	A103Y-Z1		Y-Z1	Con	IN	
E146	49	Packed pebble area		49/2/4		A102Y-Z1		Y-Z1	Con	IN	
E147	48,49	Stone, tile & cobble wall	80:179	49/4/4; 48/3/4		A103Y-Z1		Y-Z1	Con	IN	
E148	49	s/stone, tile, cobbles in clay	74:24	49/4/4		A103Y-Z1		Y-Z1	Con	IN	
E149	48	s/stone post pad		48/1/1; 48/1/5				Z2	Con	IN	
E150	49	Posthole		49/2/4		A102Y-Z1		Y-Z1	Occ?	IN	
E151	48	Dark soil w. Stone	74:20; 80:105	c/card; 48/3/4				Y	Con	IN	Coin cat.: 1873, 3328

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E152	49	Clay pad		49/4/4		A102Y		Y	Con	IN	
E153	49	Clay pad		49/4/4		A102Y		Y	Con	IN	
E154	49	Cobble & s/stone		49/4/4		A102Y		Y	Con	IN	
E155	49	Line of stones, wall	74:24	49/1/5; 49/2/4		A102Y A103Y-Z1 A152Z1		Y-Z1	Con	IN	
E156	49	Patch of white clay						Z	Con	GRST	
E157	35	AT		35/2/1			E80			GRST	Reject
E158	49	s/stone, tile & pebbles	Pol.x2	c/card; 49/3/4a ; 49/3/6; 50/4/3				Z1	Occ/Con	IN	
E159	48	Crushed tile		c/card; 48/1/5; 48/3/4		A102Y-Z1		Y-Z1	Con	IN	
E160	48	s/stone post pad		49/4/4				Z1	Con	IN	
E161	49,50	AT			93					IN	Coin cat.: 70, 856 Reject
E162	48	Posthole		48/1/4	FDF			Z2	Con	IN	
E163	38	Robber trench fill		38/2/6			E166			GRST	Coin cat.: 937 Reject

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E164	51	AT		51 large	50		(51) F5			IN	Reject
E165	38	Pit						Y?	Occ	GRST	
E166	38, 52	AT	78:78; 81:28	38 large; 52 large	FDF; 93		(38) F2; (52) F1			GRST	Coin cat.: 77 Reject
E167	38, 52	AT	78:77	38 large; 52 large	FDF		(38) F17 (52) F2			GRST	Coin cat.: 2422 Reject
E168	34-38	Patchy dark soil					D81	Y	Con	NCRT	
E169	38, 52	AT	81:28	38 large; 52 large	94		(52) F5			GRST	Reject
E170	40, 54	Ramp of dark earth & stones	Pol.	54/3/16 ; 40/1/1a	FDF	A144Z3 A145Z2		Z2-3	Occ/Con	GRST	Coin cat.: 2831
E171	48	Clay wall line		48/3/2		A157Z2		Z2	Con	IN	
E172	40,41	Rubble platform for building	Pol. 73:21	41/1/1; 41/2/1; 40 large	33; 46	A127Z A144Z3		Z2-3	Con	STR	Coin cat.: 171, 173, 181, 263, 293, 294, 296, 392, 412, 460, 492, 532, 737, 745, 926, 1074, 1114, 1145, 1298, 1356, 1370, 1470, 1560, 1868, 1903, 1975, 2121, 2135, 2193, 2198, 2228, 2339, 2518, 2615, 2846, 3001, 3077, 3292, 3293, 3294, 3301
E173	41	Horizontal timber setting		c/card; 41/1/1; 41/1/a	FDF	A144Z3		Z3	Con	STR	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E174	41	Horizontal timber setting		c/card E173; 41/1/1a	FDF	A144Z3		Z3	Con	STR	
E175	41	Horizontal timber setting		c/card E173; 41/1/1a	FDF	A144Z3		Z3	Con	STR	Coin cat.: 802
E176	40,41, 54,55	Cobble street surface	Pol.; 72:48; 73:10, 21; 79:63, 84, 94; 80:106	c/card; 40 large; 41/1/1; 41/2/1; 55/4/1; 55/3/1; 54/4/1	5, 38, 46, 65, 75	A99X-Z2 A144Z3		X-Z3	Occ	STR	Coin cat.: 762, 968
E177	54, 55	Path to building	Pol.	55/3/2; 55/1/1; 55/4/2; 55/4/1; 54/3/2; 54/3/1	46	A99X-Z2		X-Z2	Occ	STR	
E178	40, 41	Rubble spread	Pol.	40/1/3; 41/1/3; 41/2/3		A99X-Z2		X-Z2	Con	STR	Coin cat.: 811, 2034, 2047, 2392, 2729
E179	40, 41	Lias and tile platform	Pol.	41/2/1; 40 large	46			Z2	Occ	STR	
E180	41	Posthole	Pol.	41/1/2		A99X-Z2		X-Z2	Con	STR	
E181	41	Posthole	Pol.	41/1/2	FDF	A99X-Z2		X-Z2	Con	STR	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E182	41	Posthole	Pol.	41/4/2	FDF	A99X-Z2		X-Z2	Con	STR	Coin cat.: 3297
E183	41, 55	AT		41/1/1; 55/3/1	101, 105					STR	Reject
E184	42	Fill of E264	Pol. 80:106	42/2/2; 42/1/1	FDF	A144Z3		Z3	Con	STR	Coin cat.: 3047 Reject
E185	42	Rubble platform		42/2/2; 42/2/3; 42/12	58, 65			Z1	Occ	STR	Coin cat.: 54, 196, 257, 395, 553, 656, 695, 851, 959, 1304, 1389, 1465, 1703, 2317, 2578, 2622, 2697, 2818, 2866, 2869, 2908, 3064, 3079, 3106, 3154, 3307, 3308, 3309
E186	40	Central road drain	80:48, 49	40/1/2; 41/2/2	FDF; 46, 75	A99X-Z2		X-Z2	Con	STR	Coin cat.: 1285
E187	42	AT	75:78	42/4/2; 42/2/2; 42/2/3; 42/4/2a	58					STR	Coin cat.: 850, 2803 Reject
E188	35-38	Box-like cut for drain	Pol. ; 79:63, 76	37/1/1a ; 38/2/1a	FDF, 85			X3	Con	GRST	Coin cat.: 177 Context not fully planned
E189	40, 41	Group of postholes	Pol.	40/1/3	FDF, 46	A99X-Z2		X-Z2	Con	GRST	Coin cat.: 1609, 1906
E190	41	Posthole		41/2/2	FDF	A99X-Z2		X-Z2	Con	STR	
E191	41	Posthole		41/2/2	FDF	A99X-Z2		X-Z2	Con	STR	
E192	36	Inspection hole for pipe		c/card; 36/2/3; FDF	FDF			X2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E193	34-36	Water pipe	Pol.x3; 80:7 - 11, 44, 45, 54, 55, 65, 99	c/card; 35/2/3; 35/1/3; 36/2/3; 36/1/3; 34/1/5	76	A16S	Same feature as E205	S	Con	GRST	
E194	41, 55	Wind- blown layer under building		55/4/1; 41/2/1; 55/4/2; 41/2/2				Z1	Con	STR	Coin cat.: 3055
E195	48	Post pad	Pol.					Z1	Con	IN	
E196	39	Posthole		39/2/2	c/card	A99X-Z2		X-Z2	Con	GRST	
E197	39	Post pad	Pol.	39/2/2		A99X-Z2		X-Z2	Con	GRST	
E198	41	Timber slot	73:28, 66	41/1/1; 41/1/2; 41/2/1; 41/2/2		A144Z3	(41) F12	Z3	Con	STR	Coin cat.: 2187
E199	39	Posthole		39/2/2	c/card	A99X-Z2		X-Z2	Con	GRST	
E200	51-55	Thick loam dump levelling terrace	81:23					X2	Occ	IN	Coin cat.: 38, 99, 352, 449, 507, 648, 864, 865, 961, 988, 1120, 1464, 1705, 1843, 2170, 2186, 2202, 2253, 2314, 2777, 3031
E201	37, 38	Road make up		c/card				X1	Con	GRST	
E202	34	Vertical pipe		c/card; 34/1/4; 34/1/5; 34/1/6;		A16S		S	Con	GRST	

Section 22 – Site E context concordance

				34/1/7; 34/1/8; 34/1/9; 34/1/10							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E203	34	Vertical pipe		c/card; 34/1/4; 34/1/5; 34/1/6; 34/1/7; 34/1/8; 34/1/9; 34/1/10		A16S		S	Con	GRST	
E204	42	Worn pebble surface		41/2/3		A99X-Z2 A139Z2		X-Z2	Occ	STR	
E205	37,38	Pipe with mortar collars	Pol. 80:12, 13	c/card; 37/2/2; 37/1/2; 38/2/2	76	A15S A16S		S	Con	GRST	
E206	34	Water tank / fountain	Pol. 80:28, 37, 47, 58, 66, 78, 87, 88, 97, 99 81:4 5, 12, 19, 22, 26, 29, 36, 37	c/card; 34/1/4; 34/1/5; 34/1/6; 34/1/7; 34/1/8; 34/1/9; 34/1/10	FDF	A16S		S	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E207	42	Beam slot	Pol. 80:53, 76,77	42/1/1	FDF; 58	A99X-Z2 A139Z2		X-Z2	Occ	STR	Coin cat.: 355, 1124
E208	38	Line of stakeholes	80:56, 75	38/1/3; 38/2/3; 38/2/4; 38/1/4				X3	Con	GRST	
E209	38,39	Line of stones kerb	80:57	38/1/4; 39/2/4				X2	Con	GRST	
E210	52, 53	Cobbled floor of building	Pol.	53/2/3; 52/1/3				Y	Occ?	IN	
E211	51	AT					(51) F5			IN	Reject
E212	51	Post pad	Pol. 80:63	51/2/2; 51/4/2; 51/4/3		A155Z2		Z2	Con	IN	
E213	51	Posthole	Pol. 80:69	51 large; 51/3/2; 51/1/1a ; 51/3/1a		A154Z2		Z2	Con	IN	
E214	37	Inspection hole		c/card; 37/2/2		A16S		S	Con	GRST	
E215	50-52	Spine of road-wash material		52/3/3; 52/4/2; 51/3/2; 51/4/3; 50/3/3; 52/3/4; 51/3/3;		A16S		S	Con	IN	

Section 22 – Site E context concordance

				51/4/4; 50/3/4							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E216	34	Fountain fill		c/card; 34/1/6; 34/1/7; 34/1/8				X1	Con	GRST	
E217	34	Packing material		c/card; 34/1/6; 34/1/7; 34/1/8		A16S		S	Con	GRST	
E218	34	Fountain fill		c/card; 34/1/6; 34/1/7; 34/1/8		A16S		S	Con	GRST	
E219	35,36	Box-drain / gutter	80:100 – 102	c/card; 35/1/3; 36/2/3; 36/1/3				X2	Con	GRST	
E220	34	Stakehole		c/card; 34/1/8; 34/1/9; 34/1/10		A16S		S	Con	GRST	
E221	52,53	Cobbled surface – floor of building	Pol.; 80:153 81:24, 101-103	c/card; 53/2/4; 53/4/3; 52/1/4; 52/3/3; 53/2/5; 53/4/4; 52/1/5; 52/3/4		A151Z1		Z1	Occ	IN	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E222	50	Worn pebble surface	Pol. 80:148, 150	50/2/3; 50/1/3; 50/4/3		A152Z1		Z1	)cc/Con	IN	
E223	50	Wall foundation	Pol. 80:148	c/card; 50/2/3		A152Z1		Z1	Con	IN	
E224	44	Clay & cobble wall footing	Pol. 80:148	49/1/6		A152Z1		Z1	Con	IN	
E225	49	Beam slot		49/1/6		A152Z1		Z1	Con	IN	
E226	50	Clay post pad	Pol.	50/2/2		A152Z1		Z1	Con	IN	
E227	49,50	Cobble line –part of step	80:149, 151, 152	50/4/3; 49/3/5		A152Z1		Z1	Con	IN	
E228	49	Cobble line – wall	80:149, 151, 152					Z1	Con	IN	
E229	34-37	Line of pipe collars	Pol.x4	36/1/3; 35/1/3; 34/1/5				X3	Con	GRST	
E230	38-42	Stone conduit	80:161 82:149-151, 154, 155; 83:207-209	38/1/6; 39/2/7; 39/1/8; 40/2/7; 40/1/8; 41/2/6; 41/1/7; 42/2/5; 42/4/4	106, 136	A15S A65W1-2 A66W1-2	D249	U-W2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E231	37, 38	Water-eroded gully		37/2/2; 37/1/2; 38/2/2		A66W1-2		W1-2	Con	GRST	
E232	38-40	Road surface cut by gravel street		39/1/4; 39/2/4; 40/2/4				X2	Occ	GRST	
E233	34	Packing material		c/card; 34/1/6; 34/1/7; 34/1/8		A16S		S	Con	GRST	
E234	34	Timber base of fountain		c/card; 34/1/8				X1	Con	GRST	
E235	52	Three stones – frontage		c/card; 52/3/3; 52/3/4		A151Z1		Z1	Con	IN	
E236	53	Kerb-stones ass. w. street		c/card; 53/4/3; 53/4/4		A151Z1 A154Z2		Z1-2	Con	IN	
E237	52,53	Beam slot	Pol.	53/4/3; 52/3/3; 53/4/4; 52/3/3	FDF	A151Z1		Z1	Con	IN	
E238	34	Posthole void		c/card		A16S		S	Con	GRST	
E239	34	Posthole		c/card				X1	Con	GRST	
E240	52, 53	Beam slot		53/2/4; 53/2/5;		A151Z1		Z1	Con	IN	

Section 22 – Site E context concordance

				52/1/5; 52/1/4; 52/3/4							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E241	52	Post pad		c/card; 52/4/2; 52/4/3	93	A151Z1		Z1	Con	IN	
E242	52	Charcoal patch		c/card; 52/1/4; 52/3/3; 52/1/5; 52/3/4				Z1	Con	IN	
E243	52	Post setting		c/card; 52/2/2; 52/2/3		A151Z1		Z1	Con	IN	
E244	50	Post setting	Pol.	50/1/3; 50/1/4		A152Z1		Z1	Con	IN	
E245	51	Post pad		c/card; 51/1/2; 51/1/3		A151Z1		Z1	Con	IN	
E246	52	Post pad		c/card; 52/3/4	c/card; 94	A151Z1		Z1	Con	IN	
E247	34	Fountain fill		34/1/9; 34/1/10				X1	Con	GRST	
E248	34	Posthole		c/card				X1	Con	GRST	
E249	53	Loam spread		53/4/3; 53/2/4; 53/4/4; 53/2/5				Y-Z1	Occ/Con	IN	
E250	50-53	Dark loam area		50 large;	93	A151Z1 A152Z1		Z1	Occ/Con	IN	

Section 22 – Site E context concordance

				51 large; 52 large; 53 large							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E251	34	Posthole		c/card				X1	Con	GRST	
E252	34	Posthole		c/card				X1	Con	GRST	
E253	34	Pit cut revetment		c/card; 51/1/3				X1	Con	GRST	
E254	51	Posthole	81:115	c/card; 51/1/3	FDF	A151Z1		Z1	Con	IN	
E255	39, 53	AT					D255			IN / GRST	Coin cat.: 134 Reject
E256	52	Beam slot	81:124	c/card; 52/3/4; 52/4/3		A151Z1		Z1	Con	IN	
E257	50	Posthole		50 large		A155Z2		Z2	Con	IN	
E258	51	Post pad?		51/2/1; 51/4/2; 51 large		A155Z2	(51) F10	Z2	Con	IN	
E259	51, 52	Irregular spread of yellow clay		52/2/3; 52/4/3; 51/1/3; 51/3/3		A151Z1 A152Z1		Z1	Occ	IN	
E260	41, 42	Spread of rubble		41/1/5; 42/2/3; 42/2/1; 41/1/1		A99X-Z2 A127Z A140Z3 A144Z3		X-Z3	Occ	STR	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E261	41	AT		41/1/1			(41) F11			STR	Reject
E262	42	Mortar dump		42/1/1; 42/2/2				Z2	Con	STR	
E263	42	Fill of E207		42/2/3				Z1	Con	STR	
E264	42	Cut in street surface		42/1/2; 42/2/3						STR	Reject
E265	41,42, 55,56	Cobbled street surface	75:78	56/2/1; 41/1/1; 41/1/4; 42/2/1; 42/2/2; 55/3/1; 56/4/1; 42/2/3; 42/1/2		A99X-Z2 A144Z3		X-Z3	Occ	STR	
E266	41	Post pad	73:28, 66	41/1/1		A144Z3	(41) F12	Z3	Con	STR	
E267	39, 40	Part of rubble platform		40 large; 39 large			E288	Y	Occ?	GRST	
E268	39-41	Foundation for road metalling		40/2/8a ; 39/1/10 a 41/2/7; 40/1/8a		A65W1-2		W1-2	Con	GRST	
E269	39	Dump within E96E		c/card; 39/1/5				X2	Con	GRST	
E270	39, 40	Fill of drain	82:37, 50, 51,	40/1/6; 40/2/5;		A65W1-		W1-2	Con	GRST	

Section 22 – Site E context concordance

			75-77	39/1/5; 39/1/6; 40/2/6; 40/1/7		2					
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E271	38	Remains of drain fill	82:39, 84, 152, 186	c/card; 38/2/5; 38/1/5; 38/1/7; 38/1/8	FDF	A66W1-2		W1-2	Con	GRST	
E272	39	Drain fill	82:38	39/1/6; 39/2/6; 39/2/5				X2	Con	GRST	Coin cat.: 74
E273	39	Drain fill	82:45, 53, 54	39/1/6; 39/2/6; 39/2/5		A66W1-2		W1-2	Con	GRST	
E274	41	Posthole		41/2/1			(41) F7	Z2	Con	STR	
E275	39	Drain fill		39/1/5; 39/1/6		A66W1-2		W1-2	Con	GRST	
E276	40	Path across robber trench	72:27, 28, 61	40 large		A127Z	D251B	Z	Occ	GRST	
E277	40	Drain fill	82:134	40/1/6; 40/1/7				X2	Con	GRST	Coin cat.: 694
E278	40	Drain fill	82:37	40/1/6; 40/1/7				X2	Con	GRST	
E279	40	Inspection hole for drain	82:133, 134	40/1/6; 40/1/7				X2	Con	GRST	
E280	39	Posthole	82:86	39/2/8a	FDF	A66W1-2		W1-2	Con	GRST	
E281	39	Rejected								GRST	Reject

Section 22 – Site E context concordance

Context	Grid	feature Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E282	40	Numeral cut into block	82:178	40/1/8		A15S		S	Con	GRST	
E283	40	Stone conduit repair	82:85, 97	40/2/7		A65W1-2		W1-2	Con	GRST	
E284	41,42	Drain fill		41/1/5		A97Y		Y	Occ	GRST	
E285	42	Drain fill		42/2/4		A97Y		Y	Occ	GRST	Coin cat.: 605
E286	39, 40	Rubble spread		40/1/3; 40/2/2; 39/1/2				Y	Occ?	GRST	
E287	38, 39	Rubble spread		38/1/2; 39/2/2; 39/1/2		A99X-Z2		X-Z2	Occ?	GRST	
E288	38,39	Fill of robber trench		38 large; 39 large				Z	Occ?	NPRT	
E289	39, 40	Fill of drain cut		39/1/7; 40/2/6	c/card			X2	Con	GRST	
E290	39	Metalling make up	82:117, 153	c/card; 39/1/9; 39/2/8				X2	Con	GRST	
E291	39, 40	Road surface	82:149-151	40/1/9; 40/2/9a; 39/1/11a			E307	X1	Occ	GRST	Coin cat.: 120
E292	38, 39	Drain fill		39/1/11; ;				X1	Con	GRST	

Section 22 – Site E context concordance

				38/2/8a							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E293	41, 42	Dump		41/1/6; 42/2/5				X2?	Con	GRST	
E294	38	Robbing hole for conduit	Pol.	38/1/10				X1	Con	GRST	
E295	38, 39	Road mettling		39/1/10 a 39/2/8b ; 38/1/9				X1	Con	GRST	
E296	40	Stakehole						X2	Con	GRST	
E297	40	Fill of E296						X2	Con	GRST	
E298	38, 39	Make up for E295	83:212, 218					X1	Con	GRST	
E299	39, 40	Make up for E268						X1	Con	GRST	
E300	38	'junction box' between timber drain & stone drain	Pol.	c/card; 38/1/10				X1	Con	GRST	
E301	39	Patch of burnt clay		c/card				X1	Con	GRST	
E302	40	Early pipe trench						X1	Con	GRST	
E303	38, 39	Pipe trench	82:3, 132; 83:161, 162	38/1/11 ; 39/2/10 ; 39/1/12		A15S	E314	S	Con	GRST	

Section 22 – Site E context concordance

				; 39/1/13 ; 39/2/11 ; 38/1/12							
Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E304	39, 40	Pipe trench	83:2, 95, 98, 175, 181	40/2/9a ; 39/1/12 ; 40/2/10 ; 40/1/10 ; 39/1/13 ; 40/2/11 ; 40/1/11		A15S		S	Con	GRST	
E305	40	Repair of pipe trench		40/2/9				X1	Con	GRST	
E306	38	Burnt patch						X1	Con	GRST	
E307	38, 39	Road surface		39/1/11 a 39/2/9a ; 38/1/10 a	116		E291	X1	Occ	GRST	Coin cat.: 3094
E308	38	Mortar spread		38/1/10				X1	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E309	39, 40	Pebble patch		c/card; 40/2/9a ; 39/1/11 a	116			X1	Con	GRST	
E310	38, 39	Fill of pipe trench						X1	Con	GRST	
E311	39, 40	Fill of pipe trench					E312	X1	Con	GRST	Coin cat.: 3066
E312	38-40	Fill of pipe trench	83:132, 179				E311	X1	Con	GRST	
E313	39, 40	Fill of pipe trench	83:95, 97, 98, 214	40/1/11				[W]	Con	GRST	Coin cat.: 1774, 3004
E314	39, 40	Pipe trench		40/1/10 ; 40/2/10 ; 39/1/12 ; 40/1/11 ; 40/2/11 ; 39/1/13		A15S	E303	S	Con	GRST	
E315	40	Lead cover for pipe				A15S		S	Con	GRST	
E316	38-40	Pipe trench						[V]	Con	GRST	Unexcavated

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E317	38-40	Make up for road metalling		38/1/12 ; 39/2/11 ; 39/1/13 ; 40/2/11 ; 40/1/11				X1	Con	GRST	
E318	40	Fill of E304						[W]	Con	GRST	
E319	40	Void – pipe trench						Z	Con	GRST	
E320	39	Posthole		39 large			(39) F24	Z	Con	GRST	
E321	39	Timber slot		39 large		A145Z2	(39) F25	Z2	Con	GRST	
E322	39	Posthole		39 large		A145Z2	(39) F26	Z2	Con	GRST	
E323	39	Posthole		39 large		A145Z2	(39) F27	Z2	Con	GRST	
E324	39	Posthole		39 large		A145Z2	(39) F28	Z2	Con	GRST	
E325	39	Posthole		39 large		A145Z2	(39) F29	Z2	Con	GRST	
E326	39	Posthole		39 large		A145Z2	(39) F30	Z2	Con	GRST	
E327	39	Beam slot		39 large		A145Z2	(39) F31	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E328	39	Posthole group		39 large		A145Z2	(39) F32	Z2	Con	GRST	
E329	48	Posthole					C329			IN	Reject
E330	39	Posthole		39 large		A145Z2	(39) F33	Z2	Con	GRST	
E331	39, 40	Gully or beam slot		39 large; 40 large		A145Z2	(39) F35	Z2	Con	GRST	
E332	39, 53	Line of postholes		39 large; 53 large		A145Z2		Z2	Con	GRST	
E333	40	AT					D333			GRST	Coin cat.: 292, 893 Reject
E334	39, 53	Line of postholes		39 large; 53 large		A145Z2		Z2	Con	GRST	
E335	39	Cut for S. edge of platform		39 large		A145Z2		Z2	Con	GRST	
E336	42	AT		42/1/1; 42/2/2; 42/3/1; 42/4/2	63		D336			GRST	Coin cat.: 20, 764, 3310 Reject
E337	39	Postholes		39 large		A145Z2		Z2	Con	GRST	
E338	39	Postholes		39 large		A145Z2		Z2	Con	GRST	
E339	40	Beam slot		40 large		A145Z2	(40) F9	Z2	Con	GRST	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E340	40	Posthole		40 large		A145Z2		Z2	Con	GRST	
E341	40, 54	Double posthole		40 large; 54/4/1		A145Z2		Z2	Con	GRST	
E342	40, 54	Beam slot		40 large; 54/4/1		A145Z2		Z2	Con	GRST	
E343	54	Beam slot		54/4/1		A145Z2		Z2	Con	GRST	
E344	40	Posthole		40 large		A145Z2		Z2	Con	GRST	
E345	39, 40	Posthole		39 large; 40 large		A145Z2		Z2	Con	GRST	
E346	40	Posthole		40 large		A145Z2		Z2	Con	GRST	
E347	48-50	Dump layer below BVII & BIX						Y/Z1	Occ/Con	IN	
E348	50-52	Linear band of dark earth		52/3/4; 52/4/3; 51/3/3; 51/4/4; 50/3/4		A151Z1 A152Z1		Z1	Occ/Con	IN	
E349	38	Small posthole		38 large			(38) F1	Z	Con	GRST	
E350	41, 55	Line of s/stone – wall tumble		41/2/1; 41/2/2; 55/4/1; 55/4/2		A144Z3		Z3	Con	STR	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E351	41	Post setting		41/2/1		A144Z3		Z3	Con	STR	
E352	42	Posthole		42/2/1		A140Z3 A144Z3		Z3	Con	STR	
E353	42	Posthole		42/2/1		A140Z3 A144Z3		Z3	Con	STR	
E354	41	Beam slot	73:28, 66	41/1/1; 41/2/1		A144Z3		Z3	Con	STR	
E355	52	Posthole		52 large; 52/1/2; 52/3/2		A154Z2		Z2	Con	IN	
E356	52	Posthole		52 large; 52/1/2; 52/3/2; 52/2/1a ; 52/4/1a		A154Z2		Z2	Con	IN	
E357	52	Posthole		52 large; 52/1/2; 51/3/2		A154Z2		Z2	Con	IN	
E358	52	Posthole		52 large; 52/1/2; 51/3/2		A154Z2		Z2	Con	IN	
E359	51	Beam slot B.XIII		51 large		A155Z2		Z2	Con	IN	
E360	50	Beam slot BIX		50 large		A155Z2		Z2	Con	IN	

Section 22 – Site E context concordance

Context	Grid	Description	Photo	Plan	Section	Publ. Plan	Equals	Phase	Occ/Con	Area	Notes
E361	50	Clay pad BIX		50 large		A155Z2		Z2	Con	IN	
E362	50	s/stone blocks – porch BIX		50 large		A155Z2		Z2	Con	IN	
E363	38, 39	Road metalling		39/1/3; 40/2/3; 38/1/3				Z2	Con	GRST	
E364	39, 40	Road metalling		39/1/3; 40/2/3; 40/1/4				Z2	Con	GRST	