

Data Table 59 List of graves sorted by age at Lechlade with body lengths and stature

Age category	Phase	Grave no.	Age (bone)	Stature (m)	Body length (m)
<b>Infant</b>	1	119/2	4–8 months	?	?
	1	132	6–12 months	?	0.72?
	1	120	6–12 months	?	0.70?
	1	141	12–15 months	?	0.60
	1	93	12–18 months	?	?
	1	1/2-	15–18 months	?	0.68
	1	26	15–18 months	?	?
	1	43	15–18 months	?	0.80
	1	173	15–18 months	?	?
	1	81/5	15–18 months	?	0.68?
	1	48	1–2	?	0.84
	1	53	1.25–1.5	?	0.90
		total 12			
<b>Child 1</b>	1	113	1.5–2	?	0.94
	1	23	c 2	?	0.90
	1	124	2–3	?	0.85
	1	190	2–3	?	0.80
	1	81/2	2.5–3	?	?
	1	13	2.5–3.5	?	0.82
	1	82	4–5	?	0.94
	1	166	4–5	?	1.05
	1	33/3	4–5	?	1.00
	1	17	4–5	?	1.05
	1	118/2	4–5	?	1.00
	1	52	4–5	?	?
	1	38/2	5.5–6.5	?	?
	1	81/3	6–7	?	0.95
		total 14			
<b>Child 2</b>	1	11	6–8	?	1.15
	1	167/3	c 7	?	?
	1	108	7–8	?	?
	1	131	7–8	?	1.04
	1	58/2	7–10	?	1.20
	1	153	8–9	?	1.20
	1	33/1	9–10	?	1.20
	1	128	9–10	?	1.26
	1	135	9–10	?	1.20
		total 9			
<b>Adolescent</b>	1	171	11–12	?	?

	1	118/1	11-12	?	1.32
	1	88	11-12	?	1.28
	1	28	12-13	?	?
	1	170	13-14	?	1.34
	1	63	13-14	?	1.30
	1	51	14-15	?	1.50
	1	46	14-15	?	1.66
	1	83	14-15	?	1.46
	1	1/1-	14-15	?	1.50
	1	196	14-15	?	1.50
	1	32	14-16	?	?
	1	109	14-16	?	?
	1	134	14-16	?	1.44
	1	66/1	14-16	?	1.50
	1	146	15-17	?	1.56
	1	164	15-18	1.55	1.52
	1	97	16-18	1.50	1.45
	1	142	16-18	1.63	1.64
	1	39	16-18	?	?
	1	92	16-18	1.74	1.70
		total 21			
<b>Young adult F</b>	1	50	17-20	1.56	?
	1	160	17-20	?	?
	1	81/1	18-20	1.60	1.65
	1	157	18-22	?	?
	1	133	18-22	1.70	1.70
	1	167/2	19-22	1.58	1.60
	1	123	20-25	1.62	1.60
	1	130	20-25	1.57	1.60
	1	56	20-25	1.56	1.54
	1	165	20-25	1.59	1.54
	1	54	20-25	1.55	1.54
	1	73	20-25	1.62	1.68
	1	169	20-25	1.63	1.64
	1	136	20-25	1.62	1.60
	1	180	20-25	1.57	1.56
	1	19	25+	1.59	?
	1	99	25-30	?	?
	1	10	25-30	1.74	1.70
	1	78	25-30	1.60	1.56
	1	144	25-30	1.67	1.64
	1	18	25-30	1.60	1.64
	1	81/4	25-30	1.60	1.62

	1	127	25–30	1.66	1.66
	1	66/2	25–30	1.62	1.66
	1	159	25–30	1.61	1.56
	1	45	25–30	1.74	1.74
	1	184	30–35	1.60	1.58
	1	33/2	30–35	1.55	1.55
	1	30	30–35	1.61	1.70
	1	61	30–35	1.58	1.50
	1	90	30–35	1.57	1.54
	1	79	30–35	1.53	1.54
	1	163	30–35	1.67	1.66
	1	6	30–35	1.70	1.60?
	1	42	30–35	1.62	1.72
		total 35			
<b>Middle adult M</b>	1	77	35–40	1.69	1.68
	1	185	35–40	1.64	1.68
	1	47	35–40	1.66	1.70
	1	175	35–40	1.59	1.60
	1	156	35–45	?	?
	1	20	40+	1.55	?
	1	152	40+	1.66	1.62
	1	60	45+	1.63	1.56
	1	62	45+	1.57	1.60
	1	193	45+	1.58	1.50
	1	111	45+	1.62	1.60
	1	176	45+	?	1.66
	1	174	45+	1.62	?
	1	25	45+	1.60	1.64
	1	41	45+	1.67	1.64
	1	59	45+	1.65	1.54
	1	101	45+	1.61	1.60
		total 17			
<b>Mature adult F</b>	1	86	50+	1.64	1.60
		total 1			
<b>Adult F</b>	1	158	adult	?	?
	1	189	adult	1.61	?
		total 2			
<b>Young adult M</b>	1	195	16–20	1.70	1.66
	1	168	17–19	1.73	1.66
	1	64	20–24	1.76	?
	1	80/2	20–25	1.74	1.70
	1	112	20–25	1.72	1.65
	1	117	30–35	?	?

	1	119/1	30–35	1.81	1.75
	1	116	30–35	1.73	1.75
	1	115	30–35	1.73	1.70
	1	38/1	30–35	1.59	?
	1	2	30–35	1.66	1.62
	1	58/1	30–35	1.66	1.62
		total 12			
<b>Middle adult M</b>	1	21	35–40	?	?
	1	8	35–40	1.71	1.70
	1	16	35–40	1.77	1.84
	1	106	40–45	1.63	1.62
	1	151	40–45	?	?
	1	87	45+	1.69	1.60
	1	44	45+	1.66	1.64
	1	65	45+	1.70	1.65
	1	154	45+	1.85	1.82
	1	49	45+	1.73	1.74
		total 10			
<b>Adult M</b>	1	182	adult	1.79	?
	1	102	adult	1.65	1.68?
	1	192	adult	1.69	?
		total 3			
?	1	80/1	AD?	?	?
	1	167/1	AD	?	?
		total 2			
<b>Infant</b>	2	107/2	newborn	?	?
	2	96	newborn	?	?
		total 2			
<b>Child 1</b>	2	98	2.5–3	?	?
	2b	84	2.5–3.5	?	0.95
	2	177	2.5–3.5	?	0.80
	2b	172/2	2.5–3.5	?	0.86?
	2	161/1	3.5–4	?	0.94
		total 5			
<b>Child 2</b>	2b	148	8–9	?	?
	2	137	8–9	?	?
	2	140	9–10	?	1.16
		total 3			
<b>Adolescent</b>	2	89/2	13–14	?	1.25
	2b	36/2	13–15	?	1.44
	2	194	14–16	?	1.70
	2b	14	14–16	?	1.50
	2	105	16–18	?	1.55

	2	36/1	16–19	?	?
		total 6			
<b>Young adult F</b>	2	22	18–20	1.63	?
	2	191	20–25	1.65	1.62
	2	67	20–25	1.59	1.68
	2	70	25–30	1.65	1.66
	2	107/1	25–30	1.68	1.60
	2b	138	25–30	1.56	1.54?
	2	197	30–35	1.56	1.50
	2	68	30–35	1.61	1.60
	2	37	30–35	1.58	1.54
	2b	187	30–35	1.61	1.66
		10			
<b>Middle adult F</b>	2b	3	35–40	1.64	?
	2b	179	35–40	1.55	1.52
	2b	95/1	35–40	1.68	1.70
	2	147	35–40	1.68	1.66
	2	85	40–45	1.64	1.65
	2	55	40–45	1.61	1.54
	2	71	40–45	1.65	1.68
	2	103	40–45	1.70	1.75
	2	145/2	40–45	1.62	1.60
	2	76	45+	1.75	1.66
		total 10			
<b>Adult</b>	2	94	ADULT	?	?
		total 1			
<b>Young adult M</b>	2	91	20–25	1.76	1.70
	2	125	20–25	1.77	1.70
	2	145/1	25–30	1.70	1.66
	2	9	25–30	1.77	1.70
	2b	155	30–35	1.73	1.70
	2	172/1	30–35	1.73	1.70?
	2b	40	30–35	1.72	1.74
	2	35	30–35	1.77	1.74
	2	57	30–35	1.79	1.82
		total 9			
<b>Middle adult M</b>	2	69	40+	1.77	1.68
	2	183	40+	1.72	1.68
	2	72	40–45	1.78	1.76
	2	104	40–45	1.72	1.70
	2	29	45+	1.67	1.65
	2	143	45+	1.69	1.62
	2	89/1	45+	1.78	1.70

	2	178	45+	1.65	1.66
	2	181	45+	1.72	1.72
		total 9			
<b>Adult M</b>	2	161/2	ADULT	1.65	?
	2	total 1			
?	2	200	?	?	?
	2	total 1			
<b>Infant</b>	U	12	NEWBORN	?	?
	U	5	NEWBORN	?	?
	U	188/2	NEWBORN	?	?
	U	198	6-7 MONTHS	?	
	U	95/2	7 MONTHS	?	?
	U	122	9-12 MONTHS	?	?
	U	129	1.25-1.5	?	0.72
		total 7			
<b>Child 1</b>	U	4	1.5-2	?	?
	U	114	1.5-2.5	?	1.00
	U	110	2.5-3	?	0.85
	U	199	3-5	?	?
		total 4			
<b>Child 2</b>	U	34	7-8	?	1.15
	U	100	7-8	?	1.10
	U	74	9-10	?	1.24
		total 3			
<b>Adolescent</b>	U	126	14-15	?	1.40
		total 1			
<b>Young adult F</b>	U	188/1	25-30	?	?
	U	186	30+	1.62	1.62
		total 2			
<b>Middle adult F</b>	U	162	40+	1.56	1.50
	U	15	40+	1.60	1.50
	U	7	40-45	1.50	1.48
	U	31	45+	1.51	1.50
	U	150	45+	1.60	1.60
	U	24	45+	1.56	1.54
		total 6			
<b>Adult F</b>	U	27	ADULT	1.65	?
		total 1			
<b>Young adult M</b>	U	121	20-25	1.83	1.80
	U	75	30-35	?	?
		total 2			
<b>Middle adult M</b>	U	149	45+	?	?
	U	139	45+	1.71	1.66

		total 2			
--	--	---------	--	--	--