

Highworth Country Park Highworth Swindon

MAGNETOMETER SURVEY REPORT

for

Swindon Borough Council

Kerry Donaldson & David Sabin February 2021

Ref. no. J844

ARCHAEOLOGICAL SURVEYS LTD

Highworth Country Park Highworth Swindon

MAGNETOMETER SURVEY REPORT

for

Swindon Borough Council

Fieldwork by David Sabin BSc (Hons) MCIfA Report by Kerry Donaldson BSc (Hons) Report checked by David Sabin Primary archive location - Archaeological Surveys Ltd, Yatesbury, Wiltshire

Survey dates – 4th & 5th February 2021 Ordnance Survey Grid Reference – **SU 19763 93480 and SU 19270 92880**



Archaeological Surveys Ltd 1 West Nolands, Nolands Road, Yatesbury, Calne, Wiltshire, SN11 8YD Tel: 01249 814231 Fax: 0871 661 8804 Email: info@archaeological-surveys.co.uk Web: www.archaeological-surveys.co.uk

Archaeological Surveys Ltd is a company registered in England and Wales under registration number 06090102, Vat Reg no. 850 4641 37. Registered office address, Unit 1 Gate Farm, Sutton Benger, Chippenham, SN15 4RE. It is a Registered Organisation with the Chartered Institute for Archaeologists.

CONTENTS

	SUM	MARY	1
1	INT	RODUCTION	1
	1.1	Survey background	1
	1.2	Survey objectives and techniques	1
	1.3	Standards, guidance and recommendations for the use of this report	1
	1.4	Site location, description and survey conditions	2
	1.5	Site history and archaeological potential	2
	1.6	Geology and soils	3
2	ME	THODOLOGY	3
	2.1	Technical synopsis	3
	2.2	Equipment configuration, data collection and survey detail	4
	2.3	Data processing and presentation	4
3	RE	SULTS	6
	3.1	General assessment of survey results	6
	3.2	Statement of data quality and factors influencing the interpretation of anomalies	6
	3.3	Data interpretation	7
	3.4	List of anomalies - Area 1	7
	3.5	List of anomalies - Area 2	8
4	СО	NCLUSION	9
5	REI	FERENCES	9
	Appe	ndix A – basic principles of magnetic survey	10
	Appe	ndix B – data processing notes	10
4	Арре	ndix C – survey and data information	.11

Archaeological Surveys Ltd	Highworth Country Park, Swindon	Magnetometer Survey Report
Appendix D – digital archiv	e	11
Appendix E – CAD layers f	or abstraction and interpretation plo	ots11
Appendix F – copyright and	l intellectual property	12

LIST OF FIGURES

- Fig 01 Map of survey area (1:25 000)
- Fig 02 Referencing information (1:4000)
- Fig 03 Greyscale plot of minimally processed magnetometer data Area 1 (1:1000)
- Fig 04 Abstraction and interpretation of magnetic anomalies Area 1 (1:1000)
- Fig 05 Greyscale plot of minimally processed magnetometer data Area 2 (1:1000)
- Fig 06 Abstraction and interpretation of magnetic anomalies Area 2 (1:1000)
- Fig 07 Digital Terrain Model (1:5000)

LIST OF TABLES

Table 1: List and description of interpretation categories	7
Table 2: Archive metadata	11
Table 3: CAD layering	12

SUMMARY

Detailed magnetometry was undertaken by Archaeological Surveys Ltd, over two areas within Highworth Country Park, ahead of proposed tree planting under the Great Western Community Forest by Swindon Borough Council. The results within Area 1 in the northern part of the site reveal a fragmented positive linear anomaly that appears to have been truncated by, and therefore pre-date the ridge and furrow at the eastern edge of the site. Elsewhere, weaker linear anomalies could relate to cut features, but they lack a coherent morphology. Both survey areas contain ridge and furrow and later land drainage, with large zones of magnetic debris indicative of dumped material within Area 2. Also within this area there are two groups of positive responses that could relate to cut features, although this is uncertain.

1 INTRODUCTION

1.1 Survey background

1.1.1 Archaeological Surveys Ltd was commissioned by Swindon Borough Council to undertake a magnetometer survey of an area of land at Highworth Country Park. The site has been outlined for proposed tree planting as part of the Great Western Community Forest and the survey forms part of an archaeological assessment.

1.2 Survey objectives and techniques

- 1.2.1 The objective of the survey was to use magnetometry to locate geophysical anomalies that may be archaeological in origin so that they may be assessed prior to development of the site. The methodology is considered an efficient and effective approach to archaeological prospection.
- 1.2.2 Geophysical survey can provide useful information on the archaeological potential of a site; however, the outcome of any survey relies on a number of factors and as a consequence results can vary. The success in meeting the aims and objectives of a survey is, therefore, often impossible to predetermine.

1.3 Standards, guidance and recommendations for the use of this report

1.3.1 The survey and report follow the recommendations set out by: European Archaeological Council (2015) *Guidelines for the Use of Geophysics in Archaeology;* Institute for Archaeologists (2002) *The use of Geophysical Techniques in Archaeological Evaluations.* The work has been carried out to the Chartered Institute for Archaeologists (2014) *Standard and Guidance for Archaeological Geophysical Survey.*

- 1.3.2 Archaeological Surveys Ltd provide a detailed geophysical survey report and it is recommended that where possible the contents should be considered in full. The Summary provides a brief overview of the results with more detail available in the Discussion and/or Conclusion. The List of anomalies within the Results provides a detailed assessment of the anomalies within separate categories which can be useful in inferring a level of confidence to the interpretation. Quality and factors influencing the interpretation of anomalies is also set out within the results.
- 1.3.3 It is recommended that the full report should always be considered when using data and interpretation plots; where this is not possible, in the field for example, the abstraction and interpretation plots should retain their colour coding and be used with a corresponding legend.
- 1.3.4 Where targeting of anomalies by excavation is to be carried out, care should be taken to place trenches over solid lines or features visible on the abstraction and interpretation plots. Archaeological Surveys abstraction and interpretation avoids the use of dashed or dotted line formats, and broken or fragmented lines used in interpretive plots may well correspond closely with truncation of archaeological features.

1.4 Site location, description and survey conditions

- 1.4.1 The site is located within two land parcels within the Highworth Country Park. Area 1 is situated in the north eastern corner of the site and is centred on Ordnance Survey National Grid Reference (OS NGR) SU 19763 93480 and Area 2 lies 550m to the south west and is centred on SU 19270 92880, see Figs 01 and 02.
- 1.4.2 The geophysical survey covers approximately 5.6ha in total, 3.1ha in Area 1 and 2.5ha within Area 2. Both survey areas contained grass cover that was verv waterlogged in Area 1 with waterlogging in some parts of Area 2. The areas are currently amenity land frequently used by walkers. Part of Area 2 crosses a small football pitch adjacent to a playground.
- The ground conditions across the site were generally considered to be 1.4.3 favourable for the collection of magnetometry data, although traversing within Area 1 was particularly difficult at times due to boggy conditions caused by severe waterlogging. Weather conditions during the survey were generally fine.

1.5 Site history and archaeological potential

1.5.1 The Wiltshire and Swindon Historic Environment Record indicates that the two survey areas do not contain any designated or undesignated heritage assets, but that ridge and furrow is recorded within the surrounding areas of the country park. A late Iron Age and Roman settlement was identified through geophysical surveys and evaluation 150m north east of Area 1 and a number

of undated pit-like and ditch-like features were recorded through geophysical survey of a new water pipeline, 80m north west of Area 2.

1.6 Geology and soils

- 1.6.1 The underlying geology is mudstone from the Oxford Clay Formation (BGS, 2017).
- 1.6.2 The overlying soil across the site is from the Evesham 2 association and is a typical calcareous pelosol. It consists of a slowly permeable, calcareous, clayey soil (Soil Survey of England and Wales, 1983).
- 1.6.3 The underlying geology and soils are frequently associated with low magnetic contrast and low levels of magnetic susceptibility. However, cut features of archaeological potential may be located where human activity has altered the magnetic characteristics of the soil sufficiently. The underlying geology and soils are, therefore, considered acceptable for magnetic survey.

2 METHODOLOGY

2.1 Technical synopsis

- 2.1.1 Magnetometry survey records localised magnetic fields that can be associated with features formed by human activity. Magnetic susceptibility and magnetic thermoremnance (also known as thermoremanence) are factors associated with the formation of localised fields.
- 2.1.2 Iron minerals within the soil may become altered by burning and the break down of biological material; effectively the magnetic susceptibility of the soil is increased, and the iron minerals become magnetic in the presence of the Earth's magnetic field. Accumulations of magnetically enhanced soils within features, such as pits and ditches, may produce magnetic anomalies that can be mapped by magnetic prospection.
- 2.1.3 Magnetic thermoremnance can occur when ferrous minerals have been heated to high temperatures such as in a kiln, hearth, oven etc. On cooling, a permanent magnetisation may be acquired due to the presence of the Earth's magnetic field. Certain natural processes associated with the formation of some igneous and metamorphic rock may also result in magnetic thermoremnance.
- 2.1.4 The localised variations in magnetism are measured as sub-units of the Tesla, which is a SI unit of magnetic flux density. These sub-units are nano Teslas (nT), which are equivalent to 10⁻⁹ Tesla (T). Additional details are set out in 2.2 below and within Appendix A.

2.2 Equipment configuration, data collection and survey detail

- 2.2.1 The detailed magnetic survey was carried out using a SENSYS MAGNETO®MXPDA 5 channel cart-based system. The instrument has 5 fluxgate gradiometers (FGM650) spaced 0.5m apart with readings recorded at 20Hz. The cart is pushed at walking speed and not towed. Each sensor is not zeroed in the field as the vertical axis alignment is precisely fixed leaving sensor offsets that are removed during data processing. The fixing of the vertical alignment ensures the sensors are not unduly influenced by localised magnetic fields and that the vertical component of a magnetic anomaly is measured. The gradiometers have a measurement range of ±8000nT, although the recorded range is ±3000nT, and resolution is around 0.1nT. They are linked to a Leica GS10 RTK GNSS with data recorded by SENSYS MAGNETO®MXPDA software on a rugged PDA computer system.
- 2.2.2 Due to the fixed offsets within the fluxgate sensors, as a result of the manufacturing and tensioning process, the survey data do not provide a visually useful dataset until a zero median traverse algorithm is applied. It is recognised that this has the potential to affect some anomalies detrimentally by removing linear features orientated parallel to survey transects. However, this has not been noted as a particular problem with the system due to the high resolution data collection, generally long length of traverses and variability within the magnetic characteristics of a linear anomaly.
- 2.2.3 Data are collected along a series of parallel survey transects to achieve 100% coverage of the surveyable land. The length of each transect is variable and relates to the size of the survey area and other factors including ground conditions. A visual display allows accurate placing of transects and helps maintain the correct separation between adjacent traverses. Data are not collected within fixed grids and data points are considered to be random even though the data are collected in a systematic manner covering all accessible areas (Aspinall, Gaffney and Schmidt, 2009).
- 2.2.4 Fluxgate sensors are highly sensitive to temperature change and this manifests as drift during the course of a survey. This can be particularly noticeable during the morning as temperatures rise and the equipment warms or cools. Sensor drift within the course of a traverse will appear as a line trending from negative to positive after processing with a zero median traverse algorithm. To remove the potential for temperature drift, data were collected after a 20 minute stabilisation period and traverses were limited to a time of generally <100s.

2.3 Data processing and presentation

2.3.1 Magnetic data collected by the MAGNETO®MXPDA cart-based system are initially prepared using SENSYS MAGNETO®DLMGPS software. The software effectively allocates a geographic position for each data point and can compensate for fixed offsets present within the FGM650 sensors. The offsets are positive or negative values present on all fluxgate gradiometer sensors. Some systems use manual or electronic balancing to effectively zero

the sensors; however, this is a short term measure that is prone to drift through temperature changes and vibration and can easily be incorrectly set due to localised magnetic fields. The FGM650 sensors are very accurately aligned to the vertical magnetic gradient and are highly stable showing negligible drift on long traverses. The offset values are removed using TerraSurveyor software.

- 2.3.2 Survey tracks are analysed and georeferenced raw data (UTM Z30N) are then exported in ASCII format for further analysis and display within TerraSurveyor. The removal of the offset values (compensation) of the sensors is also carried out in TerraSurveyor using a zero median traverse function. Data are then considered to be minimally processed. Note: without the zero median traverse function it is not possible to create a meaningful data plot as all sensors have a different offset value. Although a zero median traverse algorithm can remove anomalies aligned with the survey tracks, in practice this rarely occurs due to the use of long traverses, high resolution measurement and variability within the magnetic susceptibility of long linear features.
- 2.3.3 The minimally processed data are collected between limits of ±3000nT and clipped for display at ±3nT. Data are interpolated to a resolution of effectively 0.5m between tracks and 0.15m along each survey track.
- 2.3.4 Appendix C contains metadata concerning the survey and data attributes and is derived directly from TerraSurveyor. Reference should be made to Appendix B for further information on processing.
- 2.3.5 A TIF file is produced by TerraSurveyor software along with an associated world file (.TFW) that allows automatic georeferencing (OSGB36 datum) when using GIS or CAD software. The main form of data display used in the report is the minimally processed greyscale plot. With regard to the Sensys MXPDA, minimally processed data are considered by the manufacturer to be data that are compensated by SENSYS MAGNETO DLMGPS software, see 2.3.1 and 2.3.2. Note: traceplots are not considered to be appropriate as they do not provide an accurate or useful assessment of the magnetic anomalies due to the very high density of data collection. In addition, traceplots cannot be meaningfully plotted against base mapping and in areas of complexity traces may be lost or highly confused. Traceplots may be used to demonstrate characteristic magnetic profiles across discrete features where it is considered beneficial.
- 2.3.6 The raster images are combined with base mapping using ProgeCAD Professional 2020, creating DWG (2018) file formats. All images are externally referenced to the CAD drawing in order to maintain good graphical quality. The CAD plots are effectively georeferenced facilitating relocation of features using GNSS, resection method, etc.
- 2.3.7 An abstraction and interpretation is drawn and plotted for all geophysical anomalies located by the survey. Anomalies are abstracted using colour coded points, lines and polygons. All plots are scaled to landscape A3 for

paper printing. Appendix E sets out CAD layer names with colour and graphic content for each interpretation category, see 3.3.

- 2.3.8 A brief summary of each anomaly, with an appropriate reference number, is set out in list form within the results (Section 3) to allow a rapid and objective assessment of features within each survey area.
- 2.3.9 The abstraction and interpretation procedure has been supported by analysis of a digital terrain model plot derived from the Environment Agency's LiDAR data. Shaded relief plots and contours are created using Surfer 15 (Azimuth:85, Altitude:45, Z factor:10), (Fig 07).
- 2.3.10 A digital archive is produced with this report, see Appendix D below. The main archive is held at the offices of Archaeological Surveys Ltd.

3 RESULTS

3.1 General assessment of survey results

- 3.1.1 The detailed magnetic survey was carried out over a total of two survey areas covering approximately 5.6ha.
- 3.1.2 Magnetic anomalies located can be generally classified as positive and negative anomalies of an uncertain origin, linear anomalies of an agricultural origin, anomalies associated with land management, areas of magnetic debris and disturbance and strong discrete dipolar anomalies relating to ferrous objects.
- 3.1.3 Anomalies located within each survey area have been numbered and are described in 3.4 below.
- 3.2 Statement of data quality and factors influencing the interpretation of anomalies
- 3.2.1 Data are considered representative of the magnetic anomalies present within the site. There are no significant defects within the dataset.
- 3.2.2 The survey located very few anomalies suitable for the assessment of the suitability of the soils for magnetic survey. However, both areas produced linear anomalies typical of former ridge and furrow cultivation which would infer that magnetic contrast is possible where former cut features occur. Previous magnetometry carried out on land close to the site demonstrated useful magnetic contrast associated with former cut features of archaeological potential.

3.3 Data interpretation

3.3.1 The list of sub-headings below attempts to define a number of separate categories that reflect the range and type of features located during the survey. A general explanation of the characteristics of the magnetic anomalies is set out for each category in order to justify interpretation, see Table 1.

Interpretation category	Description and origin of anomalies
Anomalies with an uncertain origin	The category applies to a range of anomalies where there is not enough evidence to confidently suggest an origin. Anomalies in this category may well be related to archaeologically significant features, but equally relatively modern features, geological/pedological features and agricultural features should be considered. Morphology may be unclear or uncharacteristic and there may be a lack of additional supporting information. Positive anomalies are indicative of magnetically enhanced soils that may form the fill of 'cut' features or may be produced by accumulation within layers or 'earthwork' features; soils subject to burning may also produce positive anomalies. Negative anomalies are produced by material of comparatively low magnetic susceptibility such as stone and subsoil.
Anomalies relating to land management	Land drains can appear in a classic herringbone pattern of interconnected multiple dipolar linear anomalies, or as parallel linear anomalies. The multiple dipolar response indicates ceramic land drains.
Anomalies with an agricultural origin	The anomalies are often linear and form a series of parallel responses or are parallel to extant land boundaries. Where the response is broad, former ridge and furrow is likely; narrow response is often related to modern ploughing. This category <u>does not include</u> agricultural features of early date or considered to be of archaeological potential (e.g. animal stockades, enclosures, farmsteads, etc).
Anomalies associated with magnetic debris	Magnetic debris often appears as areas containing many small dipolar anomalies that may range from weak to very strong in magnitude. They often occur where there has been dumping or ground make-up and are related to magnetically thermoremnant materials such as brick or tile or other small fragments of ferrous material. This type of response is occasionally associated with kilns, furnace structures, hearths and nail spreads from former wooden structures or rooves and may, therefore, be archaeologically significant. It is also possible that the response may be caused by natural material such as certain gravels and fragments of igneous or metamorphic rock. Strong discrete dipolar anomalies are responses to ferrous objects within the topsoil.
Anomalies with a modern origin	The magnetic response is often strong and dipolar indicative of ferrous material and may be associated with extant above surface features such as wire fencing, cables, pylons etc. Often a significant area around these features has a strong magnetic flux which may create magnetic disturbance; such disturbance can effectively obscure low magnitude anomalies if they are present. Fluxgate sensors may respond erratically adjacent to strong magnetic sources.

Table 1: List and description of interpretation categories

3.4 List of anomalies - Area 1

Area centred on OS NGR419763 193480, see Figs 03 & 04.

Anomalies with an uncertain origin

(1) - A fragmented positive linear anomaly is situated at the eastern edge of the survey area. It relates to a cut, linear ditch that appears to have been truncated by furrows and preserved under the ridges of the ridge and furrow (3) and could be of archaeological potential.

(2) – The survey area contains a number of weakly positive linear and negative linear anomalies. They do not have a coherent morphology, but could relate to cut features.

Anomalies associated with land management

(3) – The survey area contains ceramic land drains within the furrows of the ridge and furrow and a number of negative linear anomalies that extend north to south through the site and relate to later land drainage.

Anomalies with an agricultural origin

(4) – A series of parallel linear anomalies relate to former ridge and furrow cultivation.

3.5 List of anomalies - Area 2

Area centred on OS NGR 419270 192880, see Figs 05 & 06.

Anomalies with an uncertain origin

(5 & 6) – A number of short, positive linear anomalies appear to form a possible small rectilinear feature in the northern part of the survey area (5). Similar anomalies can also be seen further south (6). It is possible that they relate to cut features; however, the widely distributed magnetic debris and land drainage indicates widespread ground disturbance within the site and a modern origin is possible.

Anomalies associated with land management

(7) – The survey area contains land drainage in a herringbone pattern.

Anomalies with an agricultural origin

(8) – A series of parallel linear anomalies relate to former ridge and furrow cultivation.

Anomalies associated with magnetic debris

(9 & 10) – The entire site contains numerous strong, discrete dipolar responses (9), relating to ferrous and other magnetically thermoremnant objects within the topsoil. A large patch of very strongly magnetic debris (10) can be seen at the western end, which is likely to relate to dumped material.

4 CONCLUSION

- 4.1.1 The geophysical survey has located evidence for ridge and furrow and later land drainage within the two survey areas. However, a fragmented positive linear anomaly at the eastern edge of Area 1 in the northern part of the site appears to have been truncated by ridge and furrow and could relate to a linear ditch with archaeological potential. Elsewhere within Area 1 there are a number of weakly positive linear anomalies that lack a well defined morphology, but could also relate to cut features.
- 4.1.2 Within Area 2 in the southern part of the site, there are two groups of positive anomalies forming possible small rectilinear features. However, it is not possible to determine their archaeological potential as widespread magnetic debris and large scale land drainage measures have resulted in ground disturbance.

5 REFERENCES

Aspinall, A., Gaffney, C. and Schmidt, A. 2009. *Magnetometry for Archaeologists*. Lanham (US), AltaMira Press.

British Geological Survey, 2017. *Geology of Britain 3D (Beta version),* 1:50 000 scale [online] available from http://mapapps.bgs.ac.uk/geologyofbritain3d/index.html? [accessed 8/2/2021].

Chartered Institute for Archaeologists, 2014. *Standard and Guidance for archaeological geophysical survey*. CIfA, University of Reading.

European Archaeological Council, 2015. *EAC Guidelines for the Use of Geophysics in Archaeology: Questions to Ask and Points to Consider.* Europae Archaeologia Consilium and Association Internationale sans But Lucratif, Belgium.

Historic England, 2018. Geophysical Survey Advice [online] available from https://historicengland.org.uk/advice/technical-advice/archaeological-science/ geophysics/ [accessed July 2018].

Institute for Archaeologists, 2002. *The use of Geophysical Techniques in Archaeological Evaluations*. If A Paper No. 6. If A, University of Reading.

Schmidt, A., 2013. *Geophysical Data in Archaeology: A Guide to Good Practice.* Oxbow Books.

Soil Survey of England and Wales, 1983. *Soils of England and Wales, Sheet 5 South West England.*

Appendix A – basic principles of magnetic survey

Iron minerals are always present to some degree within the topsoil and enhancement associated with human activity is related to increases in the level of magnetic susceptibility and thermoremnant material. Magnetic susceptibility is an induced magnetism within a material when it is in the presence of a magnetic field. This can be thought of as effectively permanent due to the presence of the Earth's magnetic field. Thermoremnant magnetism occurs when ferrous material is heated beyond a specific temperature known as the Curie Point. Demagnetisation occurs at this temperature with re-magnetisation by the Earth's magnetic field upon cooling.

Enhancement of magnetic susceptibility can occur in areas subject to burning and complex fermentation processes on biological material; these are frequently associated with human settlement. Thermoremnant features include ovens, hearths, and kilns. In addition thermoremnant material such as tile and brick may also be associated with human activity and settlement.

Silting and deliberate infilling of ditches and pits with magnetically enhanced soil can create an area of enhancement compared with surrounding soils and subsoils into which the feature is cut. Mapping enhanced areas will produce linear and discrete anomalies allowing an assessment and characterisation of hidden subsurface features.

It should be noted that areas of negative enhancement can be produced from material having lower magnetic properties compared to the topsoil. This is common for many sedimentary bedrocks and subsoils which were often used in the construction of banks and walls etc. Mapping these 'negative' anomalies may also reveal archaeological features.

Magnetic survey or magnetometry can be carried out using a fluxgate gradiometer and may be referred to as gradiometry. The SENSYS gradiometer is a passive instrument consisting of two fluxgate sensors mounted vertically 65cm apart. The instrument is carried about 10-20cm above the ground surface and the upper sensor measures the Earth's magnetic field as does the lower sensor but this is influenced to a greater degree by any localised buried magnetic field. The difference between the two sensors will relate to the strength of the magnetic field created by the buried feature.

There are a number of factors that may affect the magnetic survey and these include soil type, local geology and previous human activity. Situations arise where magnetic disturbance associated with modern services, metal fencing, dumped waste material etc., obscures low magnitude fields associated with archaeological features.

Appendix B – data processing notes

Clipping

Minimum and maximum values are set and replace data outside of the range with those values. Extreme values are removed improving colour or greyscale contrast associated with data values that may be archaeologically significant. Different ranges are applied to data in order to determine the most suitable for anomaly abstraction and display.

Zero Median/Mean Traverse

The median (or mean) of data from each traverse is calculated ignoring data outside a threshold value, the median (or mean) is then subtracted from the traverse. The process is used to equalise differences between the offset values of the gradiometer sensors. The process can remove archaeological features that run along a traverse but with the high resolution datasets created by the Sensys FGM650 sensors and the method of data collection this has not been a notable problem. In fact, the removal of offsets using software avoids carrying out a balancing procedure on site, which inevitably can never be done in magnetically clean conditions and results in improperly aligned fluxgate sensors and/or electronic adjustment values.

Appendix C – survey and data information

Area 1 Filename: J844-mag-Area1-proc.xcp Description: Imported as Composite from: J844-mag-Area1.asc Instrument Type: Sensys DLMGPS Units: nT	 Base Layer. Unit Conversion Layer (Lat/Long to OSGB36). DeStripe Median Traverse: Clip from -3.00 to 3.00 nT
UTM Zone: 30U	Area 2
Survey corner coordinates (X/Y):OSGB36	
Northwest corner: 419611.60, 193642.93 m	Filename: J844-mag-Area2-proc.xcp
Southeast corner: 419834.65, 193367.98 m	Northwest corner: 419134.92, 192989.42 m
Collection Method: Randomised	Southeast corner: 419363.37, 192768.62= m
Sensors: 5	Source GPS Points: 714800
Dummy Value: 32702	Dimensions
Source GPS Points: 972300	Composite Size (readings): 1523 x 1472
Dimensions	Survey Size (meters): 228 m x 221 m
Composite Size (readings): 1487 x 1833	Grid Size: 228 m x 221 m
Survey Size (meters): 223 m x 275 m	X Interval: 0.15 m
Grid Size: 223 m x 275 m	Y Interval: 0.15 m
X Interval: 0.15 m	Stats
Y Interval: 0.15 m	Max: 3.32
Stats	Min: -3.30
Max: 3.32	Std Dev: 1.16
Min: -3.30	Mean: -0.02
Std Dev: 0.68	Median: 0.00
Mean: 0.03	Composite Area: 5.0442 ha
Median: 0.00	Surveyed Area: 2.522 ha
Composite Area: 6.1328 ha	GPS based Proce4
Surveyed Area: 3.1222 ha	1 Base Layer.
PROGRAM	2 Unit Conversion Layer (Lat/Long to OSGB36).
Name: TerraSurveyor	3 DeStripe Median Traverse:
Version: 3.0.23.0	4 Clip from -3.00 to 3.00 nT
GPS based Proce4	

Appendix D – digital archive

Archaeological Surveys Ltd hold the primary digital archive at their offices in Wiltshire. Data are backed-up onto an on-site data storage drive and at the earliest opportunity data are copied to CD ROM for storage on-site and off-site.

A PDF copy will be supplied to the Wiltshire Historic Environment Record with greyscale images and abstraction layers made available on request. The report will also be uploaded to the Online AccesS to the Index of archaeological investigationS (OASIS).

Archive contents:

File type	Naming scheme	Description
Data	J844-mag- [area number/name] .asc J844-mag- [area number/name] .xcp J844-mag- [area number/name] -proc.xcp	Raw data as ASCII CSV TerraSurveyor raw data TerraSurveyor minimally processed data
Graphics	J844-mag-[area number/name]-proc.tif	Image in TIF format
Drawing	J844-[version number].dwg	CAD file in 2010 dwg format
Report	J844 report.odt	Report text in Open Office odt format

Table 2: Archive metadata

Appendix E – CAD layers for abstraction and interpretation plots

The table below sets out Archaeological Surveys Ltd CAD layer names with associated colours and graphical content. Where CAD files are available layers may be extracted for further CAD/GIS use. Note: hatched polygon boundaries are contained within layers with the RGB colour code 254, 255, 255 (near white) in order to prevent their visibility.

Magnetometer Survey Report

Report sub-heading and associated CAD layer names	Colo	ur with RGB index	Layer content			
Anomalies with archaeological potential						
Anomalies with an uncertain origin	Anomalies with an uncertain origin					
AS-ABST MAG POS LINEAR UNCERTAIN		255,127,0	Line, polyline or polygon (solid)			
Anomalies relating to land management		•				
AS-ABST MAG LAND DRAIN		Cyan 0,255,255	Line or polyline			
Anomalies with an agricultural origin		•				
AS-ABST MAG RIDGE AND FURROW		0,127,63	Line, polyline or polygon (cross hatched ANSI37)			
Anomalies associated with magnetic debris						
AS-ABST MAG DEBRIS		132, 132, 132	Polygon (cross hatched ANSI37)			
AS-ABST MAG STRONG DIPOLAR		132, 132, 132	Solid donut, point or polygon (solid)			
Anomalies with a modern origin						
AS-ABST MAG DISTURBANCE		132, 132, 132	Polygon (hatched ANSI31)			

Table 3: CAD layering

Appendix F – copyright and intellectual property

This report may contain material that is non-Archaeological Surveys Ltd copyright (eg Ordnance Survey, Crown Copyright) or the intellectual property of third parties, which we are able to provide for limited reproduction under the terms of our own copyright licences, but for which copyright itself is non-transferable by Archaeological Surveys Ltd. Users remain bound by the conditions of the Copyright, Design and Patents Act 1988 with regard to multiple copying and electronic dissemination of this report.

Archaeological Surveys Ltd shall retain intellectual property rights for the materials and records created as part of this project. A non-exclusive, transferable, sub-licensable, perpetual and royalty-free licence shall be granted to the client on full payment of works in order for them to use, reproduce and enhance the reports, documentation, graphics and illustrations produced as part of this project for the purpose for which they were commissioned. Copyright licence will also be granted to the local authority for planning use and within in the Historic Environment Record for public dissemination upon payment by the client. Any document produced to meet planning requirements may be freely copied for planning, development control, research and outreach purposes without recourse to the originator, subject to all due and appropriate acknowledgements being provided and to the terms of the original contract with the client. Archaeological Surveys Ltd shall retain the right to be identified as the author and originator of the material.


The report, data and any associated material produced by Archaeological Surveys Ltd cannot be freely used for any commercial activity other than those set out above. Any unauthorised use will be considered to be in breach of copyright.

Title of Goods remains with Archaeological Surveys Ltd until payment has cleared. Late payment may jeopardise any planning decision as there will be no transfer of title, licensing or any other right of copy or use of this report. Archaeological Surveys Ltd do not give permission for use of the report and associated data in cases of late payment. Any such use will be considered to be in breach of copyright. Late payment may also incur interest at 8% over the Bank of England base rate. Non-payment will be pursued by legal action.



www.archaeological-surveys.co.uk info@archaeological-surveys.co.uk Tel: 01249 814 231






Ν

	419000	419100	00000 00000000000000000000000000000000	419300	419400	419500	419600	419700	419800	419900	420000	420100
193700								Pent	ylands Lane			N
193600								Trees	Trees		Blackworth	
193500								Area	and a state of the	Trees		
193400								- And		Trees		
193300				Н	ighworth Countr	y Park		Trees	Fitzgerald Ave			
193200												
193100												
193000									Highworth			
192900			Tor .	the second second	Play area	Barra Close						
192800												


	Archaeological Surveys Specialist Geophysical Surveyors
D 4 	Geophysical Survey Highworth Country Park Highworth Swindon
e	Referencing information
	Referencing grid to OSGB36 datum at 100m intervals
	 Area 1 - 419700 193500 Area 2 - 419200 192900
	 Survey tracks Survey track start Survey track stop
	SCALE 1:4000 0m 40 80 120 160 200m SCALE TRUE AT A3
	DRAWN BY CHECKED BY KTD DJS FIG 02








Archaeological Surveys				
Geophysical Survey Highworth Country Park Highworth Swindon				
Abstraction and interpretation of magnetic anomalies - Area 1				
Positive linear anomaly - possible ditch-like feature				
Negative linear anomaly - material of low magnetic susceptibility				
Linear anomaly - of agricultural origin				
Linear anomaly - ridge and furrow				
Positive/weak multiple dipolar linear anomaly - possible land drain				
 Discrete positive response - possible pit-like feature 				
Magnetic disturbance from ferrous material				
 Strong dipolar anomaly - ferrous object 				
SCALE 1:1000				
SCALE TRUE AT AS				
KTD CHECKED BY FIG 04				





		aeological Sur physical Surveyors	veys
	Highwo	ohysical Surv orth Country Highworth Swindon	-
		and interpre anomalies -	
E	feature Linear a Positive anomaly Discrete pit-like f Magneti thermor	linear anomaly - pos nomaly - ridge and f /weak multiple dipola y - possible land drai e positive response - eature ic debris - spread of emnant/ferrous mate dipolar anomaly - fer	urrow ar linear n possible magnetically erial
	0m 10	ALE 1:100	0 50m
	drawin by KTD	CHECKED BY	FIG 06



E Archa Specielle	aeological Sur t Geophysicel Surveyors	veys Ltd			
Geophysical Survey Highworth Country Park Highworth Swindon					
Digita	al Terrain Mo	del			
Derived from Environment Agency's LiDAR data 1m resolution					
ктр	 	FIG 07			