Part South Garden, Walden, Fox Hill, Hollesley, Suffolk

Planning application: C/12/0507 HER Ref: HLY 114

Archaeological Evaluation Report

(© John Newman BA MIFA, 2 Pearsons Place, Henley, Ipswich, IP6 0RA)

(September 2012)

(Tel: 01473 832896 Email: johnnewman2@btinternet.com)

Site details for HER

Name: Part south garden, Walden, Fox Hill, Hollesley, Suffolk IP12 3RA Clients: Mr & Mrs J Finlay Local planning authority: Suffolk Coastal DC Planning application ref: C/12/0507 Development: Erection of new dwelling & cart lodge Date of fieldwork: 24 August, 2012 HER Ref: HLY 114 OASIS ref: johnnewm1-133193 Grid ref: TM 3514 4443 Area of Outstanding Natural Beauty

Contents

Summary

- 1. Introduction & background
- 2. Evaluation methodology
- 3. Results

Table 1: Trench details

- 4. Conclusion
- Fig. 1 Site location
- Fig. 2 Location of evaluation trench

List of appendices

Appendix I- Selected images

Appendix II- Written scheme for evaluation

Appendix III- OASIS data collection form

Summary: Hollesley, part south garden Walden, Fox Hill (HLY 114, TM 3514 4443) evaluation trenching for a single dwelling development did not reveal any archaeological features and the only finds noted in the upcast spoil were occasional small fragments of brick or tile of recent date (John Newman Archaeological Services for Mr & Mrs J Finlay).

1. Introduction & background

1.1 Mr & Mrs J Finlay commissioned John Newman Archaeological Services (JNAS) to undertake the archaeological evaluation works for a single residential dwelling and associated cart lodge development in the southern part of the extensive garden of Walden, Fox Hill, Hollesley (see Fig. 1). The evaluation requirements were set out in a Brief, following the granting of planning application C/12/0507, set by Dr J Tipper of the Suffolk CC Archaeological Service (SCCAS) with the aim of gaining a representative sample by trial trenching of the footprint area concerned. The Written Scheme of Investigation for the archaeological evaluation (see Appendix II) was subsequently prepared by JNAS in order to gain a conditional discharge and allow the trenching to go ahead before any other ground works were undertaken.

1.2 Hollesley parish is located some 5 miles south east of Woodbridge and on the coast in that part of Suffolk known as The Sandlings; a name derived from the light soils of the area that historically gave rise to extensive areas of heath land. As indicated the local drift geology is made up largely of well drained sands and gravels (deep sands of the Newport Series 20 with extensive areas distant from easily accessible water sources) giving rise to a dispersed settlement pattern scattered across various relatively large parishes. Within this settlement pattern separated by large areas of former heath land small village centres grew from the mid-late Saxon period focused on the parish church which is c200m southeast of the proposed development site (PDS). The light, well drained soils of the Sandlings also attracted settlement from the earliest prehistoric periods and this is well evidenced by the extensive record captured on aerial photographs showing in particular past field systems and rings ditches. The latter usually indicating the sites of Bronze Age burial mounds. At present the PDS, which has a southerly aspect at c15m OD some 140m north of a small stream, is in use as part of the garden on the southern side of Walden with no evidence for recent disturbance on any scale. Historic Ordnance Survey maps show development in this part of Hollesley to be of mid to late 20th century date while the earlier parish tithe map of 1842 depicts the area now containing Walden as a field called 'Sandy Hill' under arable cultivation (Suffolk RO ref. FDA/13/A1/1b).

1.3 More specifically the proposed development site in the southern part of the garden of Walden lies south of the recorded site of a Bronze Age cremation burial (HER HLY 003) in addition to being relatively close to the parish church. The site therefore had the potential to contain further evidence of past settlement and related activity of medieval and earlier date with the planned development due to cause extensive ground disturbance and the subsequent damage to any archaeological deposits that might be present in the area of the proposed new dwelling and cart lodge.

2. Evaluation methodology

2.1 The area of the proposed single dwelling and cart lodge development was trenched to a previously agreed plan (see Fig. 2) using a wheeled 180 machine equipped with a 1500mm flat bucket which was under archaeological supervision at all times with any indistinct areas being hand cleaned for better clarity. As the interface between the subsoil and underlying naturally occurring yellow sand was indistinct in some areas due to burrow and root disturbance the trench was also

carefully lowered mechanically by a further 150mm down to a fully clean sand surface to ensure that archaeological features were not being obscured by this mixed horizon.

2.2 The glaciofluvial deposits exposed in the base of the trench proved to be a soft yellow sand with small and medium flints. The sides and base of the trench and the upcast spoil were examined visually and scanned with a metal detector for any finds as the work progressed and any indistinct areas or potential features were investigated by hand. Site visibility for features and finds is considered to have been good throughout the evaluation which was undertaken under dry sunny conditions. At the end of the evaluation the location of the trench was plotted from nearby mapped features and as the evaluation progressed a full photographic record in digital format (see Appendix I) was taken of the trenching works.

3. Results

3.1 In this case the results are most easily summarised as in the table below as very little of archaeological interest was revealed (see also Fig. 2):

Trenc	h Orientation	Length (m)	Topsoil depth (mm)	Subsoil depth (mm)	Drift geology	Archaeological/ natural features & finds
1	Northwest/ southeast	20m	300	300 of a mid brown sandy subsoil (plus 150mm burrow/root disturbed natural sand)	Soft yellow sand with small & medium flints	No features, only finds: from upcast spoil occasional small frags of Pmed brick/tile & 4 iron nails of indeterminate date

Table 1: Trench details

3.2 As indicated in the table above no archaeological features were revealed during the evaluation with the 750mm deep trench revealing a deposit profile comprising an average depth (300mm) of topsoil over a similar depth (300mm) of a mid brown sandy subsoil which contained small and occasional medium sized flints (see Appendix I).

3.3 Throughout the evaluation very few stray finds were recovered from the upcast spoil with the few found being small fragments of Post medieval brick or tile (2/3g or less) plus 4 small iron nails of indeterminate date.

4. Conclusion

4.1 With such negative results regarding any significant evidence for past activity from a substantial sample of the proposed development footprint it can only be concluded that this site lies outside areas at Hollesley utilised in the past for activity of any intensity and in all probability has been only in general agricultural use.

4.2 Based on the evaluation results it is recommended that no further archaeological investigations need to be carried out on the proposed site of the new dwelling and cart lodge in the southern part of the garden of Walden, Fox Hill, Hollesley.

Archive- to be deposited with the Suffolk CC Archaeological Service under the HER ref. HLY 114.

Disclaimer- any opinions regarding the need for further archaeological work in relation to this proposed development are those of the author's alone. Formal comment regarding the need for further work must be sought from the official Archaeological Advisors to the relevant Planning Authority.

(Acknowledgements: JNAS is grateful to Mr & Mrs J Finlay for their close cooperation with regard to this evaluation)




Fig. 1: Site location (Ordnance Survey © Crown copyright 2006 All rights reserved Licence No 100049722)




Fig. 2: Location of evaluation trench (proposed footprints in blue) (Ordnance Survey © Crown copyright 2012 All rights reserved Licence no 100049722)

Appendix I- Images



General view from south



Trench from west (church in background)



Deposit profile

Part South Garden, Walden, Fox Hill, Hollesley, Suffolk

Written Scheme of Investigation for Archaeological Evaluation

(© John Newman BA MIFA, 2 Pearsons Place, Henley, Ipswich, IP6 0RA) (Tel: 01473 832896 Email: johnnewman2@btinternet.com)

Site details

Name: Part south garden, Walden, Fox Hill, Hollesley, Suffolk, IP12 3RA

Client: Mr S Burke

Local planning authority: Suffolk Coastal DC

Planning application ref: C/12/0507

Proposed development: Erection of a one and half storey dwelling & cartlodge

Proposed date for evaluation: tbc

Brief ref: 2012_05_30_SCCAS_TrenchedArchaeologicalEvaluation_Brief_ Fox Hill_ Hollesley

Grid ref: TM 3515 4441

Contents

- 1. Introduction
- 2. Location, Topography & Geology
- 3. Archaeological & Historical Background
- 4. Aims of the Site Evaluation
- 5. Methodology
- 6. Risk Assessment
- 7. Specialists

Proposed location of trial trenches

1. Introduction

1.1 Mr S Burke has commissioned John Newman Archaeological Services (JNAS) to undertake the archaeological site evaluation for a proposed small residential development that has recently received consent to go ahead. This written scheme of investigation (WSI) details the background to the archaeological requirements for planning application C/12/0507 and how JNAS will implement the requirements of the Brief for Archaeological Evaluation set by Dr J Tipper of the Suffolk CC Archaeological Service (SCCAS). The WSI will also set out how potential risks will be mitigated This proposed development concerns the construction of a one and a half storey dwelling and cartlodge on the southern part of the garden of Walden, Fox Hill, Hollelsey.

1.2 The evaluation will be carried out to the standards set regionally in the Standards for Field Archaeology in the East of England (EAA Occ. Papers 14, 2003), locally in Requirements for Trenched Archaeological Evaluation 2011 Ver. 1.1 (Suffolk CC) and nationally in Standards and Guidance for Archaeological Field Evaluation (Institute for Archaeologists 1994, revised 2001).

2. Location, Topography & Geology

2.1 Hollesley parish is located some 5 miles south east of Woodbridge and on the coast in that part of Suffolk known as The Sandlings; a name derived from the light soils of the area that historically gave rise to extensive areas of heath land. As indicated the local drift geology is made up largely of well drained sands and gravels (deep sands of the Newport Series 20 with extensive areas distant from easily accessible water sources) giving rise to a dispersed settlement pattern scattered across various relatively large parishes. Within this settlement pattern separated by large areas of former heath land small village centres grew from the mid-late Saxon period focused on the parish church which is c200m southeast of the proposed development site (PDS). The light, well drained soils of the Sandlings also attracted settlement from the earliest prehistoric periods and this is well evidenced by the extensive record captured on aerial photographs showing in particular past field systems and rings ditches. The latter usually indicating the sites of Bronze Age burial mounds. At present the PDS, which has a southerly aspect at c15m OD some 140m north of a small stream, is in use as part of the garden on the southern side of Walden with no evidence for recent disturbance on any scale. Historic Ordnance Survey maps show development in this part of Hollesley to be of 20th century date.

3. Archaeological & Historical Background

3.1 To quote from the relevant Brief '.This site is situated within an area of archaeological potential recorded in the County Historic Environment Record, to the south of a Bronze Age cremation burial (HER no. HLY 003) and to the north-west of the medieval church (HLY020). The site is also topographically favourable for early occupation, overlooking a watercourse. There is high potential for encountering heritage assets of archaeological importance at this location. Any ground-works associated with the development has the potential to cause significant damage or destruction to any underlying heritage assets' A site evaluation by trial trenching is therefore required to:

- Identify the date, approximate form and purpose of any archaeological deposit, together with its likely extent, localised depth and quality of preservation.
- Evaluate the likely impact of past land uses, and the possible presence of masking colluvial/alluvial deposits.
- Establish the potential for the survival of environmental evidence.
- Provide sufficient information to construct an archaeological conservation strategy, dealing with preservation, the recording of archaeological deposits, working practices, timetables and orders of cost.
- 4. Aims of the Site Evaluation

4.1 As outlined in section 3 above the main archaeological potential relates to the site's location where evidence for prehistoric or medieval period settlement and related activities in particular may exist; the topographic siting being relatively close to a small stream potentially favouring past use of the area. The aim of the evaluation is therefore to examine the specified sample of the proposed development area with evaluation trenching under controlled conditions so, if archaeological deposits are revealed they can be sampled and characterised. With this information a strategy can then be formulated for their possible preservation in situ or, failing that, the systematic recording of these deposits and the associated working practices, timetables and orders of cost.

5. Methodology

5.1 The proposed development is for a single dwelling and cartlodge on soft ground in the garden south of Walden.

5.2 The Brief requires 20m of 1.8m wide trench across the planned footprint area for the development. This will be undertaken using a wide toothless ditching bucket on a suitably sized machine operated by an experienced driver with a trench plan as set out below. The machine will be closely supervised by an experienced archaeologist as the overburden is removed in shallow spits to the top of any archaeological deposits that are present, where hand investigation will start, or to expose the underlying drift geology which will be further hand cleaned and examined. The spoil will be stored adjacent to the excavated trench with top and sub soil kept separate to allow for subsequent sequential backfilling. No trenches will be backfilled until the relevant officer at SCCAS has been consulted and should any modification to the trench layout be required due to any unforeseen circumstances, such as local services, then SCCAS will be contacted immediately. A metal detector search will be carried out by an experienced operator at all stages of the evaluation. The up cast spoil will also be closely examined for unstratified artefacts as evidence for past activity in rural areas in particular is often as evident via artefact scatters as by undisturbed archaeological deposits.

5.3 Site records will be made under a continuous and unique numbering system of contexts under an overall site HER number obtained from the Suffolk CC HER beforehand. All contexts will be numbered and finds recorded by context. Conventions compatible with the county HER will be used throughout the monitoring. Site plans will be drawn at 1:20 or 1:50 as appropriate and sections at 1:10 or 1:20 (all on plastic drawing film) and related to OS map cover. Sections will be levelled to a datum OD. A photographic record in monochrome film and high resolution digital images will be made of the site and exposed features.

5.4 As necessary and to define archaeological deposits exposed surfaces will be trowelled clean before appropriate hand investigation and recording. Exposed archaeological features will be sampled at standard levels with care being taken to cause minimum disturbance to the site consistent with evaluation to a level adequate to properly form a subsequent mitigation strategy. Significant features such as solid or bonded structural remains, building slots or post holes (where fills are sampled) will have their integrity maintained (and during backfilling). Otherwise for discrete, contained, features, sampling will be at 50%-possibly rising to 100% if requested, and 1m wide sampling slots across linear features. If human burial evidence is revealed the SCCAS Officer

will be informed and the clear presumption must be to preserve such remains in situ with minimum disturbance during this evaluation stage. If this is not possible then a Ministry of Justice licence will be obtained prior to full on site recording (total 100% sampling if a cremation deposit) and removal of the remains followed by examination by the relevant specialist and possibly scientific dating. If human remains do have to be recorded, removed from site and reported on then these works will add an additional cost to the evaluation works which may involve radiocarbon dating (in this case the likelihood of revealing human burial evidence is assessed as being low to medium at this location as ring ditches marking the sites of prehistoric burial mounds are recorded in the locality).

5.5 All finds will be collected and processed unless any variation is agreed with the relevant SCCAS Officer. Finds will be assessed by recognised period specialists and their interpretation will form an integral part of the overall report. Finds will be stored according to ICON guidelines with specialist advice/treatment sought for fragile ones. Every effort will be made to gain the deposit of the site finds to the SCCAS Store under their relevant HER code and site numbering for future reference. If this is not possible then the SCCAS Officer will be consulted over any requirements for additional recording (which may have an additional cost implication). Any discard policy will be discussed and agreed with the relevant SCCAS Officer.

5.6 Where appropriate palaeoenvironmental samples will be taken for processing and assessment by a specialist conversant with regional archaeological standards and research agendas. The sampling, processing and assessment will follow the guidelines as detailed in A guide to sampling archaeological deposits for environmental analysis (Murphy P L & Wiltshire P E J, 1994). In accordance with standard practice bulk samples of 40 litres (or 100% of the deposit where less) will be taken from a representative cross section of archaeological deposits of all periods (respecting defined fills within features), in consultation with the relevant SCCAS Officer (and RSA if the deposits merit more targeted advice) including deposits that cannot be immediately dated by their artefact content, so the state of preservation and full archaeological and palaeoenvironmental potential of the deposits can be assessed and any further sampling, should further field work take place, be systematically planned and fully costed. Archaeological deposits of all types may reveal valuable data through the processing and assessment of samples with high priority features including the primary fills of pits, wells and cesspits, layers of middens, occupation surfaces and structural features as well as other discrete activity areas, contents of hearths, ovens, and other craft related or industrial structures. In addition more generalised settlement and land use features such as ditches may also yield valuable and informative data when sampling is undertaken systematically as the sum of all the assessment results can add considerably to the interpretation of a site and its landscape. Through an integrated study of all the data recovered from the evaluation the results from the assessment of the samples will be reviewed in terms of:

- What is the quality and state of preservation of charred plant remains, mineralised plant and animal related remains, small vertebrates and industrial residues such as evidence for iron working (contributing to the fullest interpretation of the evaluation results and to aid the planning of any further field work- <u>if any RC</u> <u>dates are required for features containing suitable material but no</u> <u>easily dateable finds then this will incur an additional cost</u>).
- What is the concentration of macro-remains (to inform sampling strategy in any further field work), in particular how might bulk sampling inform the interpretation of burial deposits.
- Can any patterning or similarities/differences be ascertained between deposits from different periods represented on site, similarly can any useful comparisons be made with undated and unphased deposits (to aid interpretation of the evaluation results and help in the study of undated deposits which may otherwise be overlooked and which may via sampling yield material for RC dating)
- Do waterlogged deposits exist on site, if so is there potential for • palaeoenvironmental data from preserved insects or pollen and do such deposits contain organic material suitable for RC dating from samples taken as advised by the relevant soil specialist (who would also coordinate the assessment for pollen and insect remains), the RSA will also be consulted in such cases in conjunction with the relevant SCCAS Officer. Incremental column samples will be taken should waterlogged deposits be revealed in close consultation with the evaluation soils specialist with 10-20 litre sample sizes which will be sub-sampled for preserved pollen, insects, diatoms, preserved parasite eggs etc. If waterlogged wood is encountered it will ideal to leave in situ, if it has to be lifted it will be packed while wet in black polythene and stored at 5C until it can be transferred to a specialist for species identification, assessment and potential for RC dating is undertaken (should RC dating be required in the evaluation on such deposits this will incur

an additional cost and will take time to obtain, examination of the topographic location of the site indicates that the presence of waterlogged deposits is unlikely).

 Deep blanket type deposits resulting from both natural and human derived actions and events can yield valuable land use and palaeoenvironmental information. In particular such deposits can form at the base of a slope, if located in the evaluation the relevant SCCAS Officer and RSA will be consulted over monolith sampling and assessment by the relevant evaluation specialist (the composition of such deposits may give information on past land use in the area through a study of the soil matrix notwithstanding additional data if it is waterlogged)

5.7 An archive of all records and finds will be prepared consistent with the principles in *Management of Archaeological projects* (MAP2, and particularly Appendix 3). This archive will be deposited with the Suffolk CC HER within 3 months of working finishing on site under the relevant HER number and following the guidelines outlined in *'Deposition of Archaeological Archives in Suffolk'* (SCCAS Conservation Team 2008). As necessary the site digital archive will deposited with the Archaeology Data Service (ADS) within the agreed allowance for the monitoring and reporting works.

5.8 The evaluation report will be consistent with the principles of MAP2 (particularly Appendix 3.1 & Appendix 4.1) and this report will summarise the methodology employed and relate the archaeological record directly to the aims of this WSI and section 4 above in particular. The report will give an objective account of the deposits and stratigraphy recorded and finds recovered with an inventory of the latter. The report will include an assessment of palaeoenvironmental remains recovered from palaeosols and cut features in relation to both dated and undated features and in terms of patterning across the site.

5.9 Any interpretation of the evaluation will be clearly separated from the objective account of the evaluation and its results and the results will be discussed with the relevant SCCAS Officer at an early stage in the reporting process following reporting on the day of the immediately apparent conclusions. The report will give a clear statement regarding the results of the site evaluation in relation to both the more detailed aims in section 4 above and their significance in the context of local HER records and of the Regional Research Framework (EAA Occ. Papers 3, 8 & 24, 1997, 2000 & 2011). There will be no further work on site until the evaluation results have been assessed and the SCCAS Officer has

considered whether further archaeological works are required if this application receives consent. The report may give an opinion regarding the necessity for further evaluation work as appropriate. A draft copy of the report will be presented to SCCAS following completion of the site works. Once accepted a bound hard copy will be provided for the County HER with a digital version on disc. As required the site evaluation will be registered on the OASIS online archaeological record followed by submission of the final draft in .pdf format. An HER summary sheet will be completed and a summary prepared of any positive results for inclusion in the annual PSIAH round-up. A vector plan of the trench locations will be provided in .dxf format for inclusion in the County HER.

6. Risk Assessment

6.1 Protective clothing will be worn on site (hard hat, high visibility vest/coat, steel-toe cap boots, and ear muffs if required). A safe working method will be agreed with the machine operator for excavation of the trenches and examination of the up cast spoil while at the same time allowing efficient use of plant. Suitable clothing will be available to mitigate against extremes of weather.

6.2 Vehicles will be safely parked away from work areas and lines of access.

6.3 Prior to evaluation work starting on site the client will be consulted with regard to any potential contamination at the site. No overhead services impinge on the trench locations. Gloves and hand wash/wipes be available and any information on possible ground contamination revealed during the evaluation will be passed to finds and environmental specialists.

6.4 A fully charged mobile phone will be carried and a first aid kit will be taken to site.

6.5 It is unlikely that any trench plus excavated feature depth will go below c1/1.3m from the present ground level. If any excavations need to go deeper measures such as stepping in the sides will be employed.

6.6 JNAS holds full insurance cover for archaeological site works from the specialist provider Towergate Risk Solutions covering Public & Products Liability, details can be supplied on request.

7. Specialists

Conservation:Conservation ServicesFaunal remains:J Curl (Sylvanus Archaeology)

John Newman Archaeological Services

Human remains:

Metal detecting:

Palaeoenvironmental samples:

Soils specialist

Pre-historic flint:

Pre-historic pottery:

Post Roman ceramics & CBM:

Roman period small finds:

Roman period ceramics:

Medieval coins:

Post Roman small finds:

S Anderson (CFA Archaeology)

J Armes (experienced freelance)

V Fryer (Freelance)

R Macphail (UCL)

S Bates (Freelance)

S Percival (Freelance)


S Anderson (CFA Archaeology)

N Crummy (Freelance)

S Benfield (CAT)

M Allen (Fitzwilliam Museum)

JNAS



Proposed location of trial trench

OASIS DATA COLLECTION FORM: England

List of Projects | Manage Projects | Search Projects | New project | Change your details | HER coverage | Change country | Log out

Printable version

OASIS ID: johnnewm1-133193

Project details

Project name	Part South Garden, Walden, Fox Hill, Hollesley, Suffolk- Archaeological Evaluation Report
Short description of the project	Hollesley, part south garden Walden, Fox Hill (HLY 114, TM 3514 4443) evaluation trenching for a single dwelling development did not reveal any archaeological features and the only finds noted in the upcast spoil were occasional small fragments of brick or tile of recent date.
Project dates	Start: 24-08-2012 End: 24-08-2012
Previous/future work	No / No
Any associated project reference codes	HLY 114 - HER event no.
Type of project	Field evaluation
Site status	Area of Outstanding Natural Beauty (AONB)
Current Land use	Other 5 - Garden
Monument type	NONE None
Significant Finds	NONE None
Methods & techniques	"Sample Trenches"
Development type	Small-scale (e.g. single house, etc.)
Prompt	Planning condition
Position in the planning process	After full determination (eg. As a condition)

Project location

Country	England
Site location	SUFFOLK SUFFOLK COASTAL HOLLESLEY Part South Garden, Walden, Fox Hill
Postcode	IP12 3RA
Study area	90.00 Square metres
Site coordinates	TM 3515 4441 52 1 52 02 51 N 001 25 47 E Point
Height OD / Depth	Min: 15.00m Max: 16.00m

OASIS FORM - Print view

Project creators

•	
Name of Organisation	John Newman Archaeological Services
Project brief originator	Local Authority Archaeologist and/or Planning Authority/advisory body
Project design originator	John Newman
Project director/manager	John Newman
Project supervisor	John Newman
Type of sponsor/funding body	Landowner
Project archives	
Physical Archive Exists?	No
Digital Archive recipient	Suffolk CC Archaeological Service
Digital Contents	"none"
Digital Media available	"Images raster / digital photography","Text"
Paper Archive recipient	Suffolk CC Archaeological Service
Paper Contents	"none"
Paper Media available	"Report"
Dreject	

Project bibliography 1

	Grey literature (unpublished document/manuscript)
Publication type	
Title	Part South Garden, Walden, Fox Hill, Hollesley, Suffolk- Archaeological Evaluation Report
Author(s)/Editor(s)	Newman, J
Date	2012
Issuer or publisher	John Newman Archaeological Services
Place of issue or publication	Henley, Suffolk
Description	Loose bound client report
Entered by	John Newman (johnnewman2@btinternet.com)
Entered on	11 September 2012