

**Land South of 1 Lower Farm Cottages, Norwich
Road, Barham, Suffolk**

Planning application: DC/19/05789

HER Ref: BRH 089

Archaeological Evaluation Report

(© John Newman BA MCIFA, 2 Pearsons Place, Henley, Ipswich, IP6 0RA)

(April 2020)

(Tel: 01473 832896 Email: johnnewman2@btinternet.com)

Site details for HER

Name: Land south of 1 Lower Farm Cottages, Norwich Road, Barham, Suffolk, IP6 0NU

Clients: Mr & Mrs D Milward

Planning authority: Mid Suffolk DC

Planning application refs: DC/19/05789

Proposed development: Erection of two dwellings

Date of fieldwork: 9 April, 2020

HER ref: BRH 089

OASIS ref: johnnewm1-391245

Grid ref: TM 12930 50639

Development area: c2900m² (plot)

Recent land use: Grassed paddock area

Contents

Summary

1. Introduction & background
2. Evaluation methodology
3. Results

Table 1: Trench details

4. Conclusion

Fig. 1: Site location

Fig. 2: Location of evaluation trenches

Fig.3: Trench plans and sections (Sue Holden)

List of appendices

Appendix I- Images

Appendix II- Written scheme for evaluation

Appendix III- Context list

Appendix IV- OASIS data collection form

Summary: Barham, land south of 1 Lower Farm Cottages, Norwich Road (BRH 089, TM 12930 50639) evaluation trenching for a two dwelling development in an area on the sand and gravel terrace of the River Gipping and close to multi-period artefact scatters and to crop marks indicative of crofts and tofts of medieval date revealed one large ditch with another much smaller ditch, both running perpendicular to the adjacent road, and one small pit. However none of these features contained any dateable material and the only stray finds in the upcast spoil were small brick and tile fragments of later Post medieval date, many from a recent episode of raising the general ground level by depositing a mix of soil and clay debris from elsewhere (John Newman Archaeological Services for Mr & Mrs D Milward).

1. Introduction & background

1.1 Hollins Architects and Surveyors on behalf of their clients Mr & Mrs D Milward commissioned John Newman Archaeological Services (JNAS) to undertake the archaeological evaluation works for a two dwelling development that has received consent to go ahead. The evaluation requirements were set by Mr M Baker of the Suffolk CC Archaeological Service (SCCAS) with the aim of gaining a representative sample by trial trenching of the planned development area. The Written Schemes of Investigation for this archaeological evaluation (see Appendix II) was subsequently prepared by JNAS to allow the trenching to go ahead. This planned residential development comprises two new dwellings under application DC/19/05789 on land south of 1 Lower Farm Cottages, Norwich Road, Barham (see Fig. 1).

1.2 Barham parish lies on the eastern side of the Gipping valley to the north west of Ipswich with lighter soils on the sand and gravel terraces close to the river and heavier boulder clay deposits on the higher ground to the east where the land rises towards the Till dominated plateau of central Suffolk. The main settlement at Barham is located close to the valley bottom around the former main road that runs to the east of the River Gipping with the planned development site on land south of 1 Lower Farm Cottages being on the western side of this main road c900m west of the isolated parish church which is located above and to the north-east of the main village settlement. At the time of the evaluation the site was under a grass cover having been in use as a paddock.

1.3 The site is just above and to the east of the floodplain of the River Gipping close to the c15m OD contour so well drained soils above glaciofluvial sands and gravels can be anticipated and these were exposed at a recent evaluation a few metres to the north (HER BRH 083).

1.4 Archaeological interest in this development was generated by its proximity to multi-period artefact scatters from nearby arable land of Iron Age, Roman, Saxon and medieval date (HER BRH 025 & 027- see Fig. 1) and to linear cropmarks (HER BRH 037) indicative of the location of crofts and tofts (medieval period roadside settlement). However the recent evaluation noted above (HER BRH 083) to the north did not reveal any archaeological features or finds.

2. Evaluation methodology

2.1 The development area was trenched to a plan agreed with SCCAS (see Fig. 2) with the exception of trench 2 being reduced to 16m in length due to engineering test pits locating a heavily disturbed area towards the back of this footprint area. The trenching was carried out using a medium sized 360 machine equipped with a 1200mm flat bucket which was under archaeological supervision at all times and any indistinct areas were hand cleaned as necessary to improve clarity with the trenches being 1.80m wide.

2.2 The sides and base of trenches and the upcast spoil were examined visually and scanned briefly with a metal detector for any finds as the evaluation progressed. Site visibility for features and finds is considered to have been good throughout the evaluation which was undertaken under dry weather conditions with any indistinct areas being hand cleaned and exposed features being excavated and recorded in plan and section. The deep ditch exposed in trench one was excavated by machine due to its depth (2400mm+ from ground level) and potentially unstable section sides with the remaining, smaller, features being hand excavated. At the end of the evaluation the location of the trenches was plotted from nearby mapped features and as the works progressed a full photographic record in digital format (see Appendix I) was taken.

3. Results

3.1 The relevant details for the evaluation trench is summarised in the table below (see also Figs. 2 & 3 and Appendices I & III below):

Trench	Orientation	Length (m)	Topsoil depth (mm)	Subsoil depth (mm)	Drift geology	Archaeological/natural features & finds
1	North-south	20	200 (below 400 re-deposited material)	400 mid brown sandy subsoil	Pale orange/light brown sand with iron staining	One small east-west ditch (0002) with no finds, also a large, 2.20m+ wide x 1.40m+ deep east-west ditch (0004) with water in base, no finds
2	East-west	16	150 (below 350 re-deposited material)	200 As T1	Mix of orange silty sand and degraded chalk	One small pit (0006) size 600mm x 400mm, no finds, only recent debris
3	East-west	10	200 (below 300 re-deposited material)	500 as T1	Orangish-brown silty sand	No features, only recent debris
4	North-south	10	250 (below 450 re-deposited material)	700 as T1	Grey silty sand with pockets of orange silty sand	No features, only recent debris
		56 (100.80m ²)	150-250 (below 300-450 redeposited material)	200-700		One large E-W ditch (0004), one small E-W ditch (0002) and one small undated pit (0006)

Table 1: Trench details

3.2 As outlined in table 1 above the trenches revealed a 300mm to 450mm of recently redeposited material across the site comprising a mix of soil, clay and brick and tile fragments of 20th century date, this material having been lain down to level-up the area. Below this redeposited material 150mm to 250mm of buried former topsoil could be seen which in turn lay over 200mm to 700mm of clean mid brown sandy subsoil. Therefore the overall trench depth to varied between 700mm (trench

2) and 1350mm (trench 4). The natural glaciofluvial material in the base of the trenches varied between orange brown silty sand, grey or light brown silty sand and areas of degraded chalk.

3.3 The trenches revealed two east-west orientated ditches, one (0002), in trench 1 which was narrow at 600mm wide and shallow being only 250mm deep, its fill (0003), did not contain any finds or other indicators of nearby human activity. The second ditch (0004) was revealed at the southern end of trench 1 and was at least 2200mm wide as its southern edge was outside the trench end. This ditch (0004) was also deep at over 1400mm+ deep but its base could not be reached as the overlying deposits made the trench depth at this point 1000mm making the lower levels of the feature being at 2400mm from the ground level in what in its lower levels was soft and wet dark grey-brown very silty sand (0005) of an unstable nature. However the upcast spoil from this feature (0004) could be examined closely as upcast spoil and proved to be very clean again with no indicators of any past activity in terms finds or domestic debris of any sort. In trench 2 a small pit (0006) that was 400mm by 600mm and 200mm deep was revealed with a dark grey/brown silty sand fill (0007) which contained a few small fragments of degraded brick/tile or possibly daub but no dateable finds.

3.4 The metal finds seen and examined at the site were all from the upper, re-deposited, material and were stray smaller copper alloy sheet fragments and a few iron nails and sheet fragments.

4. Conclusion

4.1 With negative results from the evaluation trenching with regard to archaeological deposits of any significance a search from the County Historic Environment Record (HER) for local sites and finds was not commissioned though the location of the nearby sites noted above was noted from the Suffolk Heritage Explorer part of the Suffolk CC web site (accessed 17 April, 2020, see Fig. 1). To the west of the area examined an approximately east-west orientated curving ditch is recorded (HER BRH 057, M. Baker SCCAS pers. comm.) and this boundary line could be linked to the large ditch (0004) recorded in trench 1 though the matching alignment is not perfect.

4.2 While this small scale planned development is close to where multi-period artefact scatters of Iron Age to medieval date (HER BRH 025 & BRH 027) have been recorded, and is in the area of ditch systems (BRH 037 & BRH 057) on cropmarks possibly marking a possible medieval croft and toft system, only one large ditch (0004) was revealed in trench 1. While this ditch (0004) is at a perpendicular angle to the adjacent Norwich Road and could therefore be seen as a relic of the historic landscape no evidence was found for other significant features or any finds indicating nearby settlement of medieval date. Therefore it is more likely that this large ditch recorded on this side of the Norwich Road was a drainage feature

dividing plots of land and leading westwards towards the flood plain of the nearby River Gipping. Technically a 'toft' being 'a house site or where a house had once stood' (Coleman & Wood, 1985, 58) and a 'croft' being an associated enclosure (*ibid.* 20), that no settlement evidence of medieval date was recorded indicates that a 'croft and toft' definition for this landscape is not appropriate in this case. In all likelihood this site has only seen general agricultural use in the past as supported by another recent negative evaluation (HER BRH 083) by the author some 30m to the north. The substantial depth of top and subsoil is also notable and in all likelihood points to a roadside area that has been damp if not wet in the past.

4.3 Therefore it is recommended that no further archaeological works should be required at this two dwelling development on land south of 1 Lower Farm Cottages, Norwich Road, Barham.

Archive- to be deposited with the Suffolk CC Archaeological Service under the HER ref: BRH 083.

Disclaimer- any opinions regarding the need for further archaeological work in relation to this proposed development are those of the author's alone. Formal comment regarding the need for further work must be sought from the official Archaeological Advisors to the relevant Planning Authority.

(Acknowledgements: JNAS is grateful to every on site for their close cooperation, to Sue Holden for her specialist illustration work and to Matt Baker of SCCAS for providing HER information).

Coleman, C & Wood, J 1985 'Glossary of Terms- Historic Landscape and Archaeology,'
Bedfordshire County Council (ISBN 0 907041 25 6)




Fig. 1: Site location

(Ordnance Survey © Crown copyright 2006 All rights reserved Licence No 100049722)




Fig. 2: Location of evaluation trenches

(Light blue- planned footprint areas, red arrow- ditch 0004, inset area of BRH 057 from aerial photographs)

(Ordnance Survey © Crown copyright 2020 All rights reserved Licence No 100049722)









Fig. 3: Trench plans and sections.



Appendix I- Images



General view from north



Trench 1 from north



Trench 1 with Ditch 0002 and deposit profile



Trench 1 large ditch 0004 at southern end



Trench 2 from east



Trench 2 small pit 0006 from north



Trench 3 from east



Trench 4 from south

**Land at 1 Lower Farm Cottage, Norwich Road,
Barham, Suffolk**

**Written Scheme of Investigation for
Archaeological Evaluation**

Site details

Name: Land at 1 Lower Farm Cottage, Norwich Road, Barham, Suffolk, IP6 0NU

Client: Mr & Mrs Milward

Local planning authority: Mid Suffolk DC

Planning application ref: DC/19/05789

Proposed development: Erection of two dwellings

Proposed date for evaluation: tbc

Brief ref: SCCAS_19/05789_ Brief for a Trenched Archaeological Evaluation at Land at Lower Farm, Cottage, Norwich Road, Barham

Grid ref: TM 12930 50639

Area: 0.29 ha

Current site use: paddock

Contents

1. Introduction
2. Location, Topography & Geology
3. Archaeological & Historical Background
4. Aims of the Site Evaluation
5. Methodology
6. Risk Assessment
7. Specialists

Proposed location of trial trenches

John Newman Archaeological Services

1. Introduction

1.1 Hollins Architects and Surveyors on behalf of their clients Mr & Mrs Milward have commissioned John Newman Archaeological Services (JNAS) to undertake the archaeological site evaluation on a two dwelling development that has received consent to go ahead. This written scheme of investigation (WSI) details the background to the archaeological requirements for planning application DC/19/05789/FUL and how JNAS will implement the requirements of the Brief for Archaeological Evaluation set by Mr M Baker of the Suffolk CC Archaeological Service (SCCAS). The WSI will also set out how potential risks will be mitigated. This overall proposed development concerns the construction of two dwelling on land to the south of 1 Lower Farm Cottage, Norwich Road, Barham.

1.2 The evaluation will be carried out to the standards set regionally in the *Standards for Field Archaeology in the East of England (EAA Occ. Papers 14, 2003)*, locally in *Requirements for Trenched Archaeological Evaluation 2012 Ver. 1.3 (Suffolk CC)* and nationally in *Standards and Guidance for Archaeological Field Evaluation (Institute for Archaeologists 1994, revised 2001 & re-issued 2014)*.

1.3 The evaluation as detailed in this document is the first phase of a programme of archaeological investigation secured by negative condition on planning consent DC/19/05789. Where the results of the evaluation indicate the presence of heritage assets further archaeological works will be required to mitigate the impact of the development on the historic environment. The SCCAS officer will identify the type and extent of works in a new brief necessary to adequately mitigate the impact of the proposed development. All further archaeological works, as recommended by SCCAS, must be undertaken in accordance with an additional WSI, submitted and approved by SCCAS and the LPA. All further archaeological investigations must be undertaken prior to commencement of development, unless specifically referenced as monitoring of groundworks in the approved WSI.

2. Location, Topography & Geology

2.1 Barham parish lies on the eastern side of the Gipping valley to the north west of Ipswich with lighter soils on the sand and gravel terraces close to the river and heavier boulder clay deposits on the higher ground to the east where the land rises towards the Till dominated plateau of central Suffolk. The main settlement at Barham is located close to the valley bottom around the former main road that runs to the east of the River Gipping with the proposed development site (PDS) on land at 1 Lower Farm Cottage being on the western side of this main road c900m west of the isolated parish church which is located above and to the north-east of the main village settlement.

2.2 The PDS is just above and to the east of the floodplain of the River Gipping close to the c15m OD contour so well drained soils above glaciofluvial sands and gravels

John Newman Archaeological Services

can be anticipated as they were exposed recently at another evaluation (HER BRH 083) a few metres to the north within the same overall plot of land.

3. Archaeological & Historical Background

3.1 To quote from the relevant Brief 'This site lies in an area of archaeological potential recorded on the County Historic Environment Record, within an area of a medieval roadside settlement, visible as cropmarks (BRH 037) and in close proximity to artefact scatters dating from the Iron Age, Roman, Saxon and medieval periods (BRH 025 & BRH 027). As a result, there is high potential for the discovery of below-ground heritage assets of archaeological importance within this area, and groundworks associated with the development have the potential to damage or destroy any archaeological remains which exist.'

A site evaluation by trial trenching is therefore required to:

- Identify the date, approximate form and purpose of any archaeological deposit, together with its likely extent, localised depth and quality of preservation.
- Evaluate the likely impact of past land uses, and the possible presence of masking colluvial/alluvial deposits.
- Establish the potential for the survival of environmental evidence.
- Provide sufficient information to construct an archaeological conservation strategy, dealing with preservation, the recording of archaeological deposits, working practices, timetables and orders of cost.

4. Aims of the Site Evaluation

4.1 As outlined in section 3 above the archaeological potential of the PDS relates to its location close to recorded evidence for multi-period activity in a topographic setting close to a major river that would have been attractive for settlement related activities from the earliest prehistoric period to the present. Therefore evidence for activity of Neolithic/Bronze Age date to the earlier Post medieval period can be anticipated. In addition some evidence for the date of the cropmarks noted above might be revealed which presumably relate to water control and land management into the adjacent floodplain.

5. Methodology

5.1 The proposed development is for the construction of a two dwellings. To inform the results of the evaluation if archaeological deposits are revealed a search will be commissioned from the County HER for the area within 250m of the PDS and the relevant invoice number will be included in the report. Ten days notice of the evaluation starting will be given to SCCAS.

John Newman Archaeological Services

5.2 The Brief requires 80m of sample trenching, which will be 1.8m wide, across the area of the overall development and it is proposed that this can be divided into 60m initially with a further 20m contingency dependant on initial results as the rear garden area of the plot will not be disturbed. This will be undertaken using a wide toothless ditching bucket on a suitably sized machine operated by an experienced driver with a trench plan as set out below. The machine will be closely supervised by an experienced archaeologist as the overburden is removed in shallow spits to the top of any archaeological deposits that are present, where hand investigation will start, or to expose the underlying drift geology which will be further hand cleaned and examined as required. The spoil will be stored adjacent to the excavated trench with top and sub soil kept separate to allow for subsequent sequential backfilling. No trenches will be backfilled until the relevant officer at SCCAS has been consulted and should any modification to the trench layout be required due to any unforeseen circumstances, such as local services, then SCCAS will be contacted immediately. A metal detector search will be carried out by an experienced operator at all stages of the evaluation including before the trenches are opened. The up cast spoil will also be closely examined for unstratified artefacts as evidence for past activity in rural areas in particular is often as evident via artefact scatters as by undisturbed archaeological deposits.

5.3 Site records will be made under a continuous and unique numbering system of contexts under an overall HER number obtained from the Suffolk CC HER beforehand. All contexts will be numbered and finds recorded by context. Conventions compatible with the county HER will be used throughout the monitoring. Site plans will be drawn at 1:20 or 1:50 as appropriate and sections at 1:10 or 1:20 (all on plastic drawing film) and related to OS map cover. Sections will be levelled to a datum OD. A photographic record in high resolution digital images will be made of the site and exposed features (using a Lumix DMC-FZ5 camera with allowance for .jpeg and higher definition .tif images depending on what is revealed).

5.4 As necessary and to define archaeological deposits exposed surfaces will be trowelled clean before appropriate hand investigation and recording. Exposed archaeological features will be sampled at standard levels with care being taken to cause minimum disturbance to the site consistent with evaluation to a level adequate to properly form a subsequent mitigation strategy. Significant features such as solid or bonded structural remains, building slots or post holes (where fills are sampled) will have their integrity maintained (and during backfilling). Otherwise for discrete, contained, features, sampling will be at 50%- possibly rising to 100% if requested, and 1m wide sampling slots across linear features. If human burial evidence is revealed the SCCAS Officer will be informed and the clear presumption must be to preserve such remains in situ with minimum disturbance during this evaluation stage. If this is not possible then a Ministry of Justice licence will be obtained prior to full on site recording (total 100% sampling if a cremation deposit) and removal of the remains followed by examination by the relevant specialist and possibly scientific

John Newman Archaeological Services

dating. If human remains do have to be recorded, removed from site and reported on then these works will add an additional cost to the evaluation works which may involve radiocarbon dating (in this case the likelihood of revealing human burial evidence is assessed as being low).

5.5 All finds will be collected and processed unless any variation is agreed with the relevant SCCAS Officer. Finds will be assessed by recognised period specialists and their interpretation will form an integral part of the overall report. Finds will be stored according to ICON guidelines with specialist advice/treatment sought for fragile ones. Every effort will be made to gain the deposit of the site finds to the SCCAS Store under their relevant HER code and site numbering for future reference. If this is not possible then the SCCAS Officer will be consulted over any requirements for additional recording (which may have an additional cost implication). Any discard policy will be discussed and agreed with the relevant SCCAS Officer and any finds that qualify under the Treasure Act will be reported to the local Finds Liaison Officer within 14 days.

5.6 Where appropriate palaeoenvironmental samples will be taken for processing and assessment by a specialist conversant with regional archaeological standards and research agendas. The sampling, processing and assessment will follow the guidelines as detailed in *Environmental Archaeology: A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation* (English Heritage, 2011). In accordance with standard practice bulk samples of 40 litres (or 100% of the deposit where less) will be taken from a representative cross section of archaeological deposits of all periods (respecting defined fills within features), in consultation with the relevant SCCAS Officer (and the Historic England Regional Scientific Advisor (RSA) if the deposits merit more targeted advice) including deposits that cannot be immediately dated by their artefact content, so the state of preservation and full archaeological and palaeoenvironmental potential of the deposits can be assessed and any further sampling, should further field work take place, be systematically planned and fully costed. Archaeological deposits of all types may reveal valuable data through the processing and assessment of samples with high priority features including the primary fills of pits, wells and cesspits, layers of middens, occupation surfaces and structural features as well as other discrete activity areas, contents of hearths, ovens, and other craft related or industrial structures. In addition more generalised settlement and land use features such as ditches may also yield valuable and informative data when sampling is undertaken systematically as the sum of all the assessment results can add considerably to the interpretation of a site and its landscape. Through an integrated study of all the data recovered from the evaluation the results from the assessment of the samples will be reviewed in terms of:

- What is the quality and state of preservation of charred plant remains, mineralised plant and animal related remains, small vertebrates and industrial residues such as evidence for iron working (contributing to the fullest

John Newman Archaeological Services

interpretation of the evaluation results and to aid the planning of any further field work- if any RC dates are required for features containing suitable material but no easily dateable finds then this will incur an additional cost).

- What is the concentration of macro-remains (to inform sampling strategy in any further field work), in particular how might bulk sampling inform the interpretation of burial deposits.
- Can any patterning or similarities/differences be ascertained between deposits from different periods represented on site, similarly can any useful comparisons be made with undated and unphased deposits (to aid interpretation of the evaluation results and help in the study of undated deposits which may otherwise be overlooked and which may via sampling yield material for RC dating)
- Do waterlogged deposits exist on site, if so is there potential for palaeoenvironmental data from preserved insects or pollen and do such deposits contain organic material suitable for RC dating from samples taken as advised by the relevant soil specialist (who would also coordinate the assessment for pollen and insect remains), the RSA will also be consulted in such cases in conjunction with the relevant SCCAS Officer. Incremental column samples will be taken should waterlogged deposits be revealed in close consultation with the evaluation soils specialist with 10-20 litre sample sizes which will be sub-sampled for preserved pollen, insects, diatoms, preserved parasite eggs etc. If waterlogged wood is encountered it will ideal to leave in situ, if it has to be lifted it will be packed while wet in black polythene and stored at 5C until it can be transferred to a specialist for species identification, assessment and potential for RC dating is undertaken (should RC dating be required in the evaluation on such deposits this will incur an additional cost and will take time to obtain, examination of the topographic location of the site indicates that the presence of waterlogged deposits is unlikely unless deep deposits are revealed).
- Deep blanket type deposits resulting from both natural and human derived actions and events can yield valuable land use and palaeoenvironmental information. In particular such deposits can form at the base of a slope, if located in the evaluation the relevant SCCAS Officer and RSA will be consulted over monolith sampling and assessment by the relevant evaluation specialist (the composition of such deposits may give information on past land use in the area through a study of the soil matrix notwithstanding additional data if it is waterlogged)

5.7 An archive of all records and finds will be prepared consistent with the principles of *MoRPHE* (and the guidelines in the Archaeological Archives Forum: a guide to best practice 2007). This archive will be deposited with the Suffolk CC HER within 3

John Newman Archaeological Services

months of working finishing on site under the relevant HER number and following the guidelines outlined in '*Archaeological Archives in Suffolk- Guidelines for preparation and deposition*' (SCCAS Conservation Team revised version 2019). As necessary the site digital archive will be deposited with the Archaeology Data Service (ADS) within the agreed allowance for the monitoring and reporting works.

5.8 The evaluation report will be consistent with the principles of *MoRPHE* and this report will summarise the methodology employed and relate the archaeological record directly to the aims of this WSI and section 4 above in particular. The report will give an objective account of the deposits and stratigraphy recorded and finds recovered with an inventory of the latter. The report will include an assessment of palaeoenvironmental remains recovered from palaeosols and cut features in relation to both dated and undated features and in terms of patterning across the site.

5.9 Any interpretation of the evaluation will be clearly separated from the objective account of the evaluation and its results and the results will be discussed with the relevant SCCAS Officer at an early stage in the reporting process following reporting on the day of the immediately apparent conclusions. The report will give a clear statement regarding the results of the site evaluation in relation to both the more detailed aims in section 4 above and their significance in the context of local HER records and of the Regional Research Framework (EAA Occ. Papers 3, 8 & 24, 1997, 2000 & 2011). There will be no further work on site until the evaluation results have been assessed and the SCCAS Officer has considered whether further archaeological works are required if this application receives consent. The report may give an opinion regarding the necessity for further evaluation work as appropriate. A draft copy of the report will be presented to SCCAS following completion of the site works. Once accepted a bound hard copy will be provided for the County HER with a digital version on disc. As required the site evaluation will be registered on the OASIS online archaeological record followed by submission of the final draft in .pdf format. An HER summary sheet will be completed and a summary prepared of any positive results for inclusion in the annual PSIAH round-up.

6. Risk Assessment

6.1 Protective clothing will be worn on site (hard hat, high visibility vest/coat, steel-toe cap boots, and ear muffs if required). A safe working method will be agreed with the machine operator for excavation of the trenches and examination of the up cast spoil while at the same time allowing efficient use of plant. Suitable clothing will be available to mitigate against extremes of weather.

6.2 Vehicles will be safely parked away from work areas and lines of access.

6.3 Prior to evaluation work starting on site the client will be consulted with regard to any potential contamination at the site. No overhead services impinge on the trench locations. Gloves and hand wash/wipes be available and any information on possible

John Newman Archaeological Services

ground contamination revealed during the evaluation will be passed to finds and environmental specialists.

6.4 A fully charged mobile phone will be carried and a first aid kit will be taken to site.

6.5 It is unlikely that any trench plus excavated feature depth will go below c1/1.3m from the present ground level. If any excavations need to go deeper measures such as stepping in the sides will be employed.

6.6 JNAS holds full insurance cover for archaeological site works from the specialist provider Towergate Risk Solutions covering Public & Products Liability, details can be supplied on request.

7. Specialists

Conservation:	Conservation Services
Faunal remains:	J Curl (Sylvanus Archaeology)
Human remains:	S Anderson (Freelance)
Metal detecting:	J Armes (experienced freelance)
Palaeoenvironmental samples:	V Fryer (Freelance)
Soils specialist	tbc
Pre-historic flint:	S Bates (Freelance)
Pre-historic pottery:	S Percival (Freelance)
Post Roman ceramics & CBM:	S Anderson (Freelance)
Roman period small finds:	N Crummy (Freelance)
Roman period ceramics:	Colchester Archaeological Trust
Medieval coins:	M Allen (Fitzwilliam Museum)
Post Roman small finds:	JNAS

John Newman Archaeological Services



Proposed location of trial trenches (2x 10m & 2 x 20m plus 20m contingency)

Appendix III- Context list

Trench	Number	Type	Part of	Description	Date
1	0002	Ditch	0002	Small east-ditch, 600mm wide x 250mm deep	
1	0003	Fill	0002	Pale grey sand, no finds	?
1	0004	Ditch	0004	Large east-west ditch, 2200mm+ x 1400mm+, water in base	
1	0005	Fill	0004	Dark grey very silty sand, no finds	?
2	0006	Pit	0006	Small pit, 400mm x 600mm x 200mm deep	
2	0007	Fill	0006	Dark grey/brown silty sand containing a few small degraded brick/tile or daub fragments	?

OASIS ID: johnnewm1-391245

Project details

Project name	Land South of No 1 Lower Farm Cottages, Barham, Suffolk- Archaeological Evaluation Report
Short description of the project	Barham, land south of 1 Lower Farm Cottages, Norwich Road (BRH 089, TM 12930 50639) evaluation trenching for a two dwelling development in an area on the sand and gravel terrace of the River Gipping and close to multi-period artefact scatters and to crop marks indicative of crofts and tofts of medieval date revealed one large ditch with another much smaller ditch, both running perpendicular to the adjacent road, and one small pit. However none of these features contained any dateable material and the only stray finds in the upcast spoil were small brick and tile fragments of later Post medieval date, many from a recent episode of raising the general ground level by depositing a mix of soil and clay debris from elsewhere.
Project dates	Start: 09-04-2020 End: 09-04-2020
Previous/future work	Yes / No
Any associated project reference codes	BRH 089 - Related HER No.
Any associated project reference codes	DC/19/05789/FUL - Planning Application No.
Type of project	Field evaluation
Site status	None
Current Land use	Grassland Heathland 3 - Disturbed
Monument type	DITCH Uncertain
Monument type	PIT Uncertain
Significant Finds	NONE None
Methods & techniques	"Sample Trenches"
Development type	Rural residential
Prompt	Planning condition
Position in the planning process	After full determination (eg. As a condition)
Project location	
Country	England
Site location	SUFFOLK MID SUFFOLK BARHAM LAND AT No 1 LOWER FARM COTTAGES, NORWICH ROAD

Postcode	IP6 0NU
Study area	2900 Square metres
Site coordinates	TM 12930 50639 52.112482969608 1.110133788402 52 06 44 N 001 06 36 E Point
Height OD / Depth	Min: 13m Max: 14m
Project creators	
Name of Organisation	John Newman Archaeological Services
Project brief originator	Local Authority Archaeologist and/or Planning Authority/advisory body
Project design originator	John Newman
Project director/manager	John Newman
Project supervisor	John Newman
Type of sponsor/funding body	Landowner
Project archives	
Physical Archive Exists?	No
Digital Archive recipient	Suffolk CC Archaeological Service
Digital Contents	"none"
Digital Media available	"Images raster / digital photography","Text"
Paper Archive recipient	Suffolk CC Archaeological Service
Paper Contents	"none"
Paper Media available	"Plan","Report","Section"
Project bibliography	
1	
Publication type	Grey literature (unpublished document/manuscript)
Title	Land South of 1 Lower Farm Cottages, Norwich Road, Barham, Suffolk- Archaeological Evaluation Report
Author(s)/Editor(s)	Newman, J
Date	2020
Issuer or publisher	John Newman Archaeological Services

Place of issue or publication	Henely, Suffolk
Description	Loose bound client report and pdf
Entered by	John Newman (johnnewman2@btinternet.com)
Entered on	22 April 2020