

**Summary Table of Percentage weights for selected Saxon and Late Features**

Feature	Saxon	Oxf.	Late	C/W	Site Phase
Building 65	-	<1	8	84	VI
Building 67	13	-	2	75	VI
Building 68	11	1	2	69	VI
Building 69	2	-	2	77	VI
Pit 10782	5	-	-	56	IV
Pit 8142	1	-	2	90	V
Pit 8155	-	3	2	75	V
Ditch 25271	6	<1	8	66	IV-VI
Pit 15354	18	2	7	71	VI
Pit 24456	7	-	2	83	VI

Key: Oxf. = all Oxford red wares; Late = other late Roman fabrics; C/W = all coarse wares

**Full tables of Average Sherd Weights and Percentage Weights for Pottery in SFBs (presented individually):**

Building 65 (Area L)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
14203	ALH	1	16	<1%	16
	BB	9	96	2%	11
	BB1	2	172	3%	86
	BSW	121	1531	26%	13
	BUF	1	18	<1%	18
	BUFM	1	86	1%	86
	CGRHN	2	2	<1%	1
	CGSW	8	72	1%	9
	COLC	2	7	<1%	4
	EASTA	6	240	4%	40
	GRF	46	555	9%	12
	GROG	23	210	4%	9
	GROGC	7	140	2%	20
	GRS	261	1936	32%	7
	HAB	2	20	<1%	10
	HAR	1	12	<1%	12
	HAWO	2	10	<1%	5
	HAX	15	192	3%	13
	NVC	14	230	4%	16
	NVM	1	28	1%	28
OXRC	1	10	<1%	10	
RED	2	10	<1%	5	
STOR	7	186	3%	27	
<b>14203 Total</b>		<b>535</b>	<b>5779</b>		<b>11</b>
14298	BSW	2	6	<1%	3
	COLC	1	4	<1%	4
	GRF	1	2	<1%	2
	GRS	2	12	<1%	6
<b>14298 Total</b>		<b>6</b>	<b>24</b>		<b>4</b>
14373	BSW	1	14	<1%	14
	GRF	2	16	<1%	8
	GROG	5	34	1%	7
	GROGC	8	138	2%	17
	GRS	1	4	<1%	4
<b>14373 Total</b>		<b>17</b>	<b>206</b>		<b>12</b>
<b>Grand Total</b>		<b>558</b>	<b>6009</b>		<b>11</b>

Building 67 (Area R)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
12062	BSW	7	56	9%	8
	BUF	1	2	<1%	2
	GROG	6	100	16%	17
	GROGC	6	226	36%	38
	GRS	3	56	9%	19
	MWSRS	3	22	4%	7
	NVC	1	14	2%	14
	RED	6	38	6%	6
	<b>SAXON</b>	4	83	13%	21
	UPOT	3	26	4%	9
<b>12062 Total</b>		<b>40</b>	<b>623</b>		<b>16</b>

Building 68 (Area R)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
12191	BSW	5	42	2%	8
	GRF	6	20	1%	3
	GRS	1	8	<1%	8
	<b>SAXON</b>	1	24	1%	24
<b>12191 Total</b>		<b>13</b>	<b>94</b>		<b>7</b>
12193	GRS	4	30	1%	8
<b>12193 Total</b>		<b>4</b>	<b>30</b>		<b>8</b>
12194	<b>SAXON</b>	2	75	4%	38
<b>12194 Total</b>		<b>2</b>	<b>75</b>		<b>38</b>
12228	BB1	1	50	2%	50
	BSW	13	78	4%	6
	BUF	1	76	4%	76
	GRF	4	10	1%	3
	GRS	28	238	11%	9
	HAR	1	2	<1%	2
	NKG	4	4	<1%	1
	NVC	1	4	<1%	4
	OXRC	1	12	1%	12
	<b>SAXON</b>	7	62	3%	9
	STOR	4	62	3%	16
<b>12228 Total</b>		<b>65</b>	<b>598</b>		<b>9</b>
12230	BSW	18	491	23%	27
	BUFM	2	50	2%	25
	COLB	4	64	3%	16
	COLBM	2	142	7%	71
	EGSW	1	30	1%	30
	GRF	4	48	2%	12
	GRS	22	364	17%	17
	NVC	3	42	2%	14
	<b>SAXON</b>	3	54	3%	18
	<b>12230 Total</b>		<b>59</b>	<b>1285</b>	
12364	BSW	2	8	<1%	4
<b>12364 Total</b>		<b>2</b>	<b>8</b>		<b>4</b>
<b>Grand Total</b>		<b>145</b>	<b>2090</b>		<b>14</b>

Building 69 (Area W)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
015	ABAET	4	802	12%	201
	BSW	115	1210	18%	11
	BUF	5	30	<1%	6
	BUFM	6	148	2%	25
	CGSW	17	201	3%	12
	COLC	1	2	<1%	2
	COLSW	2	18	<1%	9
	EGSW	1	2	<1%	2
	GRF	3	10	<1%	3
	GRS	264	2451	37%	9
	HAX	1	2	<1%	2
	LSH	1	28	<1%	28
	NVC	26	62	1%	2
	RED	11	38	1%	3
	RET	1	48	1%	48
	<b>SAXON</b>	1	2	<1%	2
	STOR	39	1484	22%	38
	UCC	5	6	<1%	1
	VRWM	1	22	<1%	22
<b>015 Total</b>		<b>504</b>	<b>6566</b>		<b>13</b>
074	<b>SAXON</b>	21	159	2%	8
<b>074 Total</b>		<b>21</b>	<b>159</b>		<b>8</b>

Similarly for Area E pits-with-bodyparts, Area E inhumation, and pit 10782:

Pit 8142 (Area E)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
8141	ABAET	5	163	4%	33
	BB1	3	116	3%	39
	BSW	12	70	2%	6
	BUF	2	2	<1%	1
	CGSW	5	16	<1%	3
	COLB	8	47	1%	6
	GRF	3	8	<1%	3
	GROG	7	27	1%	4
	GROGC	4	70	2%	18
	GRS	162	2434	59%	15
	HAX	4	8	<1%	2
	MWSRS	10	32	1%	3
	NVC	15	44	1%	3
	RED	12	21	1%	2
	RET	2	8	<1%	4
	<b>SAXON</b>	1	21	1%	21
	STOR	10	995	24%	100
	UWW	1	50	1%	50
<b>8142 Total</b>		<b>266</b>	<b>4132</b>		<b>16</b>

LIA/Roman Pottery: Saxon Interface  
Archive Tables

Pit 8155 (Area E)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
8153	BB1	2	38	3%	19
	BSW	31	176	15%	6
	BUF	1	8	1%	8
	CGSW	2	4	<1%	2
	COLB	3	36	3%	12
	EGSW	1	2	<1%	2
	GRF	2	2	<1%	1
	GROG	1	12	1%	12
	GRS	81	570	49%	7
	MWSRS	1	4	<1%	4
	NVC	8	25	2%	3
	OXWM	1	38	3%	38
	RET	5	68	6%	14
	STOR	2	190	16%	95
	<b>8155 Total</b>		<b>141</b>	<b>1173</b>	

Inhumation 10776

Context	Fabric	sherd no	sherd wt	% wt	ave wt
10683	ABAET	2	134	9%	67
	AITAL	1	67	5%	67
	BSW	18	80	5%	4
	BUFM	9	402	27%	45
	CGSW	2	14	1%	7
	COLB	3	10	1%	3
	EGSW	1	6	<1%	6
	GRF	3	22	2%	7
	GROG	16	49	3%	3
	GROGC	1	52	3%	52
	GRS	44	508	34%	12
	NVC	4	41	3%	10
	RED	9	2	<1%	0
	STOR	1	94	6%	94
	UCC	1	1	<1%	1
<b>10776 Total</b>		<b>115</b>	<b>1482</b>		<b>13</b>

Pit 10782 (Area E)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
10782	ABAET	2	750	29%	375
	BSW	17	244	10%	14
	BUF	1	4	<1%	4
	BUFM	3	70	3%	23
	CGSW	4	18	1%	5
	COLB	1	4	<1%	4
	COLBM	2	138	5%	69
	ESH	2	16	1%	8
	GROG	3	5	<1%	2
	GROGC	1	22	1%	22
	GRS	46	670	26%	15
	<b>SAXON</b>	3	130	5%	43
	SGSW	1	2	<1%	2
	STOR	8	492	19%	62
	<b>10782 Total</b>		<b>94</b>	<b>2565</b>	

**Plus, Area M pits and Area R ditch:**

Pit 15354 (Area M)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
15354	BSW	46	428	10%	9
	EGSW	2	44	1%	22
	GRF	29	234	6%	8
	GRS	89	795	19%	9
	HAB	17	202	5%	12
	HAWO	3	16	<1%	5
	LSH	1	16	<1%	16
	MWSRS	9	78	2%	9
	NVC	13	38	1%	3
	NVM	1	18	<1%	18
	OXRC	9	50	1%	6
	OXSW	1	12	<1%	12
	OXSWM	1	12	<1%	12
	RED	3	6	<1%	2
	<b>SAXON</b>	11	719	18%	65
	STOR	34	1445	35%	43
<b>15354 Total</b>		<b>269</b>	<b>4113</b>		<b>15</b>

Pit 24456 (Area M)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
24456	ABAET	4	296	3%	74
	BB2	2	22	<1%	11
	BSW	143	1510	17%	11
	BUF	4	30	<1%	8
	BUFM	8	228	3%	29
	CGSW	3	16	<1%	5
	COLC	7	18	<1%	3
	COLSW	3	14	<1%	5
	EGRHN	1	2	<1%	2
	GRF	26	145	2%	6
	GROG	43	417	5%	10
	GROGC	32	2903	33%	91
	GROGRF	3	26	<1%	9
	GRS	122	1615	18%	13
	MHM	1	44	1%	44
	MWSRS	2	2	<1%	1
	NKG	2	6	<1%	3
	NKO	3	26	<1%	9
	NVC	1	140	2%	140
	RED	10	76	1%	8
	<b>SAXON</b>	31	590	7%	19
	STOR	26	729	8%	28
	VRW	3	78	1%	26
<b>24456 Total</b>		<b>480</b>	<b>8933</b>		<b>19</b>

Woodlined ditch 25271 (Area R)

Context	Fabric	sherd no	sherd wt	% wt	ave wt
12046	ABAET	3	651	7%	217
	AMISC	1	19	<1%	19
	BB1	4	54	1%	14
	BSW	108	934	10%	9
	BUF	3	1	<1%	0
	BUFM	2	112	1%	56
	CGSW	4	138	1%	35
	COLB	1	4	<1%	4
	COLBM	10	474	5%	47
	COLC	6	20	<1%	3
	EGSW	1	12	<1%	12
	GRF	46	352	4%	8
	GROGC	1	20	<1%	20
	GRS	218	1776	18%	8
	HAR	10	252	3%	25
	HAX	3	18	<1%	6
	LSH	9	70	1%	8
	NKG	2	4	<1%	2
	NVC	41	330	3%	8
	NVM	3	98	1%	33
	OXRC	2	20	<1%	10
	RED	20	294	3%	15
	RET	7	90	1%	13
	<b>SAXON</b>	43	536	6%	12
	STOR	28	3246	33%	116
	UPOT	7	230	2%	33
<b>12046 Total</b>		<b>583</b>	<b>9755</b>		<b>17</b>
12182	BUF	1	6	<1%	6
	CGSW	1	4	<1%	4
	GRF	1	6	<1%	6
	GRS	4	18	<1%	5
	RET	1	14	<1%	14
	STOR	1	18	<1%	18
<b>12182 Total</b>		<b>9</b>	<b>66</b>		<b>53</b>
<b>Grand Total</b>		<b>592</b>	<b>9821</b>		<b>17</b>

Summary Table for NVC, Oxford, GRS and Saxon pottery (% weights)

Feature	NVC	Oxf.	GRS	Saxon
Building 65	4	<1	32	-
Building 67	2	-	9	13
Building 68	<1	1	11	3
(Two fills)	2	-	17	3
Building 69	1	-	37	<1
Pit 8142	1	-	59	1
Pit 8155	2	3	49	-
Inhumation 10776	3	-	34	-
Pit 10782	-	-	26	5
Pit 15354	1	2	19	18
Pit 24446	2	-	18	7
Ditch 25271	3	<1	18	6