

**GREAT HADDON
PETERBOROUGH**

**ARCHAEOLOGICAL TRIAL TRENCH
EVALUATION (PHASE 1)**

Project: GH 1411

Document: 2008/109
Version 1.0

Compiled by	Checked by	Approved by
David Ingham	Joe Abrams	Drew Shotliff

6th November 2008

Produced for:
CgMs Ltd

© Copyright Albion Archaeology 2008, *all rights reserved*



Contents

Preface	5
Version History	5
Structure of the Report	5
Key Terms	6
Non-Technical Summary	7
1. INTRODUCTION	8
1.1 Project Background	8
1.2 Site Location and Description	8
1.3 Archaeological Background	8
1.4 Project Objectives	9
2. METHODOLOGY	10
3. RESULTS	11
3.1 Introduction	11
3.2 Area A (Figs 2–4)	11
Table 1: Environmental samples from Area A	11
3.3 Area B (Figs 5–7)	12
Table 2: Area B: Finds summary	12
3.4 Area C (Figs 8–16)	13
Table 3: Area C: Finds summary	17
Table 4: Area C: registered artefact summary	19
Table 5: Environmental samples from Area C	20
3.5 Area D (Figs 17–23)	20
Table 6: Area D: Finds summary	22
Table 7: Environmental samples from Area D	24
3.6 Area E (Figs 24–35)	24
Table 8: Area E: Finds summary	26
Table 9: Environmental samples from Area E	27



Preface

Every effort has been made in the preparation of this document to provide as complete a summary as possible within the terms of the method statement. All statements and opinions in this document are offered in good faith. Albion Archaeology cannot accept responsibility for errors of fact or opinion resulting from data supplied by a third party, or for any loss or other consequence arising from decisions or actions made upon the basis of facts or opinions expressed in this document.

Albion was commissioned to undertake the project by Greg Pugh of CgMs Ltd. Close co-operation was maintained with both Greg and Hannah Heard (Archaeological Researcher) of CgMs Ltd, throughout the project. Fieldwork was monitored by Ben Robinson of the Peterborough City Council Archaeological Service (PCCAS).

Albion's management team comprised David Ingham (Project Officer) and Joe Abrams (Project Manager). All Albion projects are under the overall management of Drew Shotliff (Operations Manager).

Fieldwork was supervised by James Newbould (Project Officer), Richard Gregson and Lennard Anderson (Archaeological Supervisors), with excavation and recording carried out by: Adam Lodoen (Archaeological Supervisor); Kathy Pilkinton, Anna Rebisz-Niziolek, Jerry Stone and Adrian Woolmer (Assistant Archaeological Supervisors); and Kerry Ashworth, Jan-Michael Janulewicz, Gyorgy Nemes and Jennifer White (Archaeological Technicians). Finds and sample processing were undertaken by Ian Beswick, Sharon Gerber-Parfitt, Kathy Pilkinton, Anna Rebisz-Niziolek, Jerry Stone and Slawomir Utrata. This report has been prepared by David Ingham, with contributions from Holly Duncan (Artefacts Manager), Joan Lighting (CAD Technician) and Jackie Wells (Finds Officer). It was checked by Joe Abrams and approved by Drew Shotliff.

*Albion Archaeology
St Mary's Church
St Mary's Street
Bedford, MK42 0AS
☎: 01234 294017
Fax: 01234 294008
e-mail: office@albion-arch.com*

Version History

Version	Issue date	Reason for re-issue
1.0	6/11/08	n/a

Structure of the Report

Section 1 is an introduction to the project, the methodology for which is described in Section 2. The results of the fieldwork and detailed descriptions of the artefacts and ecofacts that were recovered are presented in Section 3. Section 4 contains a synthesis of the results, and assesses their significance. Section 5 is a bibliography.

Detailed descriptions of the archaeological deposits recorded on the site can be found in Appendix 1, while Appendix 2 contains a pottery type series.



Key Terms

The following terms or abbreviations are used throughout this report:

ALGAO	Association of Local Government Archaeological Officers
CHER	Cambridgeshire Historic Environment Record
Client	CgMs Ltd
IFA	Institute of Field Archaeologists
LPA	Local Planning Authority
PCCAS	Peterborough City Council Archaeological Service
PCHER	Peterborough City Historic Environment Record
<i>Procedures Manual</i>	<i>Procedures Manual Volume 1: Fieldwork</i> , 2nd edition (Albion Archaeology 2001)
SAM	Scheduled Ancient Monument
WSI	Written Scheme of Investigation (Albion Archaeology 2008)



Non-Technical Summary

A range of residential, commercial and recreational developments are planned for the Proposed Southern Expansion Land south of Peterborough. Due to the archaeological potential of the proposed development area, a programme of archaeological fieldwork was agreed between CgMs Ltd and Ben Robinson of the Peterborough City Council Archaeological Service (PCCAS) in order to support the planning application, and to help determine an appropriate mitigation strategy.

An initial programme of geophysical scanning led to the identification of five areas (A–E) which would be subject to detailed geophysical survey and trial trench evaluation (Phase 1). Further trenching (Phase 2) may subsequently be required, dependent on the results of a fieldwalking survey, to be carried out at a later date.

Albion Archaeology was commissioned by CgMs Ltd to produce a Written Scheme of Investigation (WSI) for the Phase 1 trial trench evaluation (Albion Archaeology 2008), and to carry out the evaluation, the results of which are presented in this report.

The development area lies to the west of Yaxley, centred on (NGR) TL 165 915, and comprised predominantly agricultural land at the time of fieldwork. Neolithic implements (PCHER 1428 and 50440) have been found immediately west of Yaxley. Roman pottery and coins (PCHER 1390, 1636 and 50399) have all been found within the evaluation area, the western edge of which is defined by the line of the former Roman road later known as Ermine Street. Immediately south of the evaluation area lies the site of a Napoleonic prisoner of war camp at Norman Cross, a Scheduled Ancient Monument (SAM 268).

The results of the evaluation can be summarised as follow:

- Area A (7 trenches): undated remains, of low archaeological significance
- Area B (6 trenches): Iron Age enclosures and settlement activity, of regional significance
- Area C (28 trenches): dense Roman settlement remains with Iron Age origins, of regional significance
- Area D (39 trenches): Iron Age and Roman enclosures and settlement remains, of regional significance
- Area E (39 trenches): Iron Age remains, of local to regional significance; Saxon sunken-featured building, of local to regional significance; post-medieval activity possibly related to SAM, of local to regional significance



1. INTRODUCTION

1.1 *Project Background*

A range of residential, commercial and recreational developments are planned for the Proposed Southern Expansion Land south of Peterborough. Due to the archaeological potential of the proposed development area, a programme of archaeological fieldwork was agreed between CgMs Ltd and Ben Robinson of the Peterborough City Council Archaeological Service (PCCAS) in order to support the planning application, and to help determine an appropriate mitigation strategy.

An initial programme of geophysical scanning led to the identification of five parts of the development area (Fig. 1, Areas A–E) which would be subject to detailed geophysical survey and trial trench evaluation (Phase 1). In addition, it was agreed that fieldwalking would take place on all available areas that were not subject to geophysical survey, as well as on some of the areas that had been surveyed. Dependent on the results of the fieldwalking, which will be carried out at a later date, further trenching (Phase 2) may subsequently take place.

Albion Archaeology was commissioned by CgMs Ltd to produce a Written Scheme of Investigation (WSI) for the Phase 1 trial trench evaluation (Albion Archaeology 2008), and to carry out the evaluation, the results of which are presented in this report.

1.2 *Site Location and Description*

The Proposed Southern Expansion Land is located on the southern side of Peterborough between the villages of Stilton, Yaxley, and the former villages (now suburbs of Peterborough) of Orton Malborne and Orton Southgate. It is centred at (NGR) TL 165 915 (Fig. 1).

The area mostly comprises fairly flat agricultural land at an average height of c. 20m OD, within the Oxford Clay area of the north Cambridgeshire Fen. The land rises to a height of c. 35m OD at the southern end of the evaluation area, where there is an outcrop of Cornbrash.

1.3 *Archaeological Background*

The archaeological background of the development area has been described in a separate document (Dawson 2005).

In summary, there is evidence for archaeological remains within the vicinity of the development area dating to the prehistoric, Roman, Saxon, medieval and post-medieval periods. Neolithic implements (PCHER 1428 and 50440) have been found immediately west of Yaxley, although little evidence for Bronze Age or Iron Age activity has previously been found south of the suburbs of Peterborough.

Roman pottery and coins (PCHER 1390, 1636 and 50399) have all been found within the evaluation area, the western edge of which is defined by the line of the former Roman road Ermine Street. A Roman bath house lay to the west of



Ermine Street, to the south of a Roman farmstead with Iron Age origins near Haddon (Hinman 2003). The Roman town of *Durobrivae* lay just a few kilometres to the north, surrounding which an extensive landscape of villas, burial grounds and industrial complexes has been identified. There is less evidence for medieval activity within the evaluation area, although the surrounding villages all seem to have been established by the 11th century.

Immediately south of the evaluation area lies a Napoleonic prisoner of war camp at Norman Cross (CHER 2803), a Scheduled Ancient Monument (SAM 268). Historical research suggests that although a guard house, shed and military hospital were located along the northern edge of the camp, no structures were present outside the SAM boundary (LDA Design 2007). The main cemetery is thought to lie to the north-west of the camp, on the opposite side of the A1 (M) to the development area.

1.4 Project Objectives

The principal objective of the evaluation was to test for the survival of buried archaeological remains which might be threatened by the proposed development, and to establish their extent, depth, character, significance, function, state of preservation, and date. The identification of these remains provides further information on the historic character of the development area. This helps to place the remains within their local, regional and national context, and to inform the process of designing an appropriate mitigation strategy.

UNION, SEVERAL STATIONS
WERE MARKED
NORTH OF THE
PRISON, OUTSIDE
OF THE SCHEDULED
AREA. THE
FARMER CHURCH
IS MARKED
ON THE MAPS.
RECORD OFFICE
PLANNING THIS
AREA.



2. METHODOLOGY

Trial trenching took place between 26th August and 9th October 2008. An initial layout of 112 trenches, all but one 30m long, was agreed with the PCCAS, covering a total area of 7,056m² (Fig. 1). Seven further trenches (441m²) were opened at PCCAS's request, in order to help determine an appropriate mitigation strategy. The trenches were distributed as follow:

- Area A: 7 trenches
- Area B: 6 trenches
- Area C: 28 trenches
- Area D: 39 trenches
- Area E: 39 trenches

Trenches were opened by a mechanical excavator fitted with a toothless bucket, under close archaeological supervision. Overburden was removed down to the top of the archaeological deposits or undisturbed geological deposits, whichever were encountered first. The spoil heaps were scanned for artefacts both visually and with a metal detector.

The bases and sides of all trenches were cleaned by hand. Any potential archaeological features were noted, cleaned, excavated by hand and recorded using Albion Archaeology's *pro forma* sheets. Each trench was subsequently drawn and photographed as appropriate. All deposits were recorded using a unique number sequence, commencing at 100 for Trench 1, 200 for Trench 2 *etc.* A range of features were excavated in order to clarify the archaeological remains present; surface finds were collected from unexcavated features.

A full methodology is provided in the Project Design (Albion Archaeology 2008).

The project adhered throughout to the standards set out in the following documents:

- | | |
|----------------------|---|
| • IFA | <i>Code of Conduct</i> |
| | <i>Standard and Guidance for Archaeological Field Evaluation</i> |
| • Albion Archaeology | <i>Procedures Manual: Volume 1 Fieldwork</i> (2nd edition, 2001). |
| • ALGAO (east) | <i>Standards for Field Archaeology in the East of England</i> |
| • English Heritage | <i>The Management of Archaeological Projects</i> , 2nd edition |

Trenches were inspected by the PCCAS prior to their backfilling.



3. RESULTS

3.1 Introduction

All the deposits and features of archaeological interest are summarised below in chronological order and by Area. Their location and extent are shown on Figures 2 (Area A), 5 (Area B), 8 (Area C), 17–18 (Area D) and 24–25 (Area E). Detailed technical information on all archaeological features / deposits can be found in Appendix 1.

3.1.1 Overburden and undisturbed geological deposits

All the trenches were located in areas that had recently been cultivated, with the ploughsoil ranging in depth from 0.25m to 0.4m. The subsoil varied considerably in depth; it was completely absent from a few of the trenches in Areas C, E and the northern part of D, but was up to 0.55m thick in Area A. In general, however, the subsoil was mostly *c.* 0.1–0.2m thick, increasing to 0.2–0.45m in the central to north-eastern part of Area D, where, as in Area A, its character suggests it to be alluvial in origin.

Subsoil was largely derived from the underlying geology, which was primarily clay. The main exceptions were in Area E, with the outcrop of cornbrash on the higher ground around the SAM, and in parts of Area D, where a silty gravel predominated.

3.2 Area A (Figs 2–4)

Trenches in Area A produced few remains of archaeological origin. Aside from modern remains (Fig. 2), and the edge of a possible palaeochannel at the southern end of Trench 94, only two tree-throws in Trench 100 and one in Trench 94 (Fig. 4), and a series of three small, parallel, undated ditches on a north–south alignment in Trench 97 were recorded.

No physical evidence of ridge and furrow cultivation was revealed in the trenches although the geophysical survey plot (Fig. 03) shows a number of possible furrows on a roughly E-W alignment. However, remnants of a number of furrows survive as earthworks in the wooded, central part of Area A, where their alignment matches that indicated by the geophysical survey.

3.2.1 Finds summary

Two amorphous, sand-tempered fired clay fragments (2g) were recovered from undated tree-throws [9405] and [10003]. Two ten litre soil samples taken from the tree-throws produced moderate to abundant charcoal and sparse charred grain/seeds, as summarised below.

Sample	Feature	Context	Date	Summary contents of flot
4	9405	9407	Undated	Moderate charcoal, sparse charred grain/seeds, abundant root
5	10003	10004	Undated	Abundant charcoal, moderate root

Table 1: Environmental samples from Area A



3.3 Area B (Figs 5–7)

3.3.1 Middle to late Iron Age

Trenches 88–93 revealed the remains of middle to late Iron Age settlement in Area B, although it is unclear whether it is a single, extended settlement or the remains of two: the geophysical survey suggests a gap between the eastern and western halves (Fig. 6).

Settlement activity seems primarily to have been enclosed by substantial ditches, up to 3m wide and 0.9m deep. Two sub-rectangular enclosures measuring roughly 20m by 15m were suggested by the geophysical survey in Trenches 92 and 93 (Fig. 6). Both were identified by the trial trenching (Fig. 5), along with the spinal ditch linking the two enclosures. The plan of the remains in Trenches 88 and 89 is less regular, but the trial trenching again supported the layout of ditches suggested by the geophysical survey. In addition, two pits and a post-hole were identified in Trench 89, with a further pit in Trench 88. Not all of the Iron Age remains revealed were located within these two areas of settlement activity; *e.g.* the terminus of a small ditch, or possibly an elongated pit, was recorded in Trench 91.

3.3.2 Medieval / post-medieval

Traces of ridge and furrow cultivation were identified by the geophysical survey on a broadly E-W alignment. This alignment was confirmed within (Trench 88, Fig. 05).

3.3.3 Finds summary

Area B yielded a small assemblage comprising pottery, fired clay, animal bone and an iron timber nail (Table 2).

Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
88	8803	Ditch	8804	Mid-late Iron Age	21	344	Animal bone (4g)
			8805	Mid-late Iron Age	2	45	Animal bone (44g)
	8806	Furrow	8807	Undated	-	-	Iron nail x1
	8812	Pit	8813	Mid-late Iron Age	7	106	
89	8905	Ditch	8906	Mid-late Iron Age	3	13	Fired clay (16g)
			8907	Mid-late Iron Age	3	25	Animal bone (10g); fired clay (35g)
	8908	Ditch	8910	Mid-late Iron Age	3	18	Animal bone (6g)
			8912	Undated	-	-	Animal bone (41g); fired clay (19g)
			8914	Mid-late Iron Age	1	15	
	8915	Pit	8916	Iron Age	1	11	Animal bone (37g)
	8917	Post-hole	8918	Mid-late Iron Age	2	7	
92	9203	Ditch	9205	Mid-late Iron Age	7	107	Animal bone (72g)
			9206	Mid-late Iron Age	26	268	Animal bone (926g)
	9208	Ditch	9209	Mid-late Iron Age	4	9	Animal bone (58g)
93	9303	Ditch	9305	Iron Age	2	51	Animal bone (31g)
			9307	Iron Age	7	48	Animal bone (243g)

Table 2: Area B: Finds summary

Ceramics

Eighty-nine pottery sherds (1.1kg) of middle to late Iron Age date were recovered. The assemblage is fragmented, with an average sherd weight of 12g, and moderately abraded. Sherds are tempered with a range of shell (types F16, F16A), sand (F28) and argillaceous inclusions (F14, F15). An ovoid



vessel is the only diagnostic form, although a number of sherds are scored, characteristic of later Iron Age coarse wares in the region (Evans 2003, 73).

Amorphous sand-tempered fired clay fragments weighing 70g were recovered from ditches [8905] and [8908]. Most derive from the sieved residues of environmental samples.

Non-ceramics

Furrow [8806] yielded an incomplete iron nail shank with a clenched tip.

Ecofacts

The animal bone assemblage from Area B comprises 159 fragments (1.5kg). The pieces are small, with an average weight of 9g, but survive in fair to good condition. Diagnostic elements are long bone, rib, mandible, skull, teeth and horn core fragments, deriving from sheep/goat and cattle. Three long bone fragments are burnt.

Environmental samples

A ten litre sample (No. 3) from Iron Age ditch [8905] produced moderate charcoal and sparse charred seeds/grain.

3.4 Area C (Figs 8–16)

3.4.1 Iron Age to early Roman

Evidence of Iron Age activity was revealed in the north-eastern quarter of Area C, with Trenches 40, 42 and 44 all containing ditches that can be dated artefactually to the middle to late Iron Age (Table 3).

Ditch [4010] was one of the largest excavated in Area C, measuring 3.3m wide and 1.2m deep (Fig. 13), although there was no evidence of waterlogged material in its base. Middle to late Iron Age pottery was also recovered from the surface of unexcavated ditch [4215]. The geophysical survey plot (Fig. 16) suggests this may have been a continuation of the same feature, forming a large enclosure along with [4419], although they may have formed two or more smaller enclosures; the original layout of the Iron Age remains is obscured by subsequent features.

Those Roman remains that could be refined in date to the early Roman period were concentrated in the same area as those dating to the Iron Age; primarily in Trenches 39, 40 and 43 (Table 3). A large volume of pottery was recovered from ditch [4309], suggesting that settlement-related activity was the most plausible explanation.

3.4.2 Roman

The majority of remains recorded in Area C cannot (at this stage) be refined significantly in date beyond their being Roman. Activity in the 3rd/4th centuries can be confidently identified, but the majority of the exceptionally large pottery assemblage recovered is of local origin and cannot be dated precisely.



The remains identified comprise a series of square or sub-rectangular enclosures, roughly 30m², all with sub-divisions (Fig. 16). The enclosures appear to be arranged in two parallel lines on a N-S alignment, although this may be a false impression created by the restricted opportunity to evaluate the central part of Area C.

Ditches defining the enclosures varied considerably in size, though without any exceptionally large examples: the largest excavated [5203] (Fig. 10) was 2.4m wide and at least 0.8m deep, whilst numerous others were less than 1m wide. Some of the large enclosure ditches suggested by the geophysical results were found to be series of smaller, intercutting ditches (*cf.* photograph on Fig. 14). A significant level of re-cutting appears to have taken place, but the relative regularity of the geophysical survey plot, particularly for the western half of Area C, suggests that re-cutting related to the reinstatement of boundaries, not their alteration.

Despite the depth of the larger ditches, there was no visible evidence of waterlogged deposits in any of them. The insect remains from [5203] and [5313] are therefore likely to be intrusive (Table 5). However, it is possible that waterlogged deposits may occur within large, discrete features such as ponds or water pits; the geophysical survey plot suggests a number of possible such features, and pond [5503] (which did not appear on the plot) was excavated to a depth of nearly 1m without reaching its base (Fig. 9).

No *in situ* masonry structures were recorded, although quantities of irregularly shaped blocks of limestone were present in several features, forming a surface in at least one (Fig. 10, [5008]). The nearest source of limestone, however, is roughly five miles to the west (Ben Robinson, pers. comm.), and its presence in significant quantities may be an indication of masonry structures lying beyond the limits of the trial trenches. Similarly, no kilns were identified within the trenches, but the recovery of kiln furniture from Trenches 40, 46 and 55 (Table 3), combined with the quantity of locally made pottery that was recovered, strongly suggests the presence of kilns within Area C.

Although no buildings or other structures were positively identified, a number of the small gullies such as [4918] and [4920] (Fig. 10) or [4209] (Fig. 12) may have had a structural function. No post-holes were recorded; this may be the result of truncation by ploughing, but the presence of stone surfaces and apparent erosional hollows caused by trampling (*e.g.* [5414]) suggests they should survive.

The trenches contained a relatively high number of pits, most of which were small or medium in size; they were particularly numerous in Trenches 37 and 49 (Figs 14 and 10 respectively). Most of the pits were small to medium in size (up to 1.5m across), but it is possible that some of the larger features that were interpreted as ditches may turn out to be pits once their full extent is observed. Further pits may also be identified upon excavation of some of the more complex areas of intercutting features, such as [4809] (Fig. 10).



A single inhumation (4029) was uncovered in the top of ditch [4024] (Fig. 13). The majority of the skeleton had already been truncated by a furrow, and the remainder was excavated and removed due to its proximity to the modern ploughing horizon.

3.4.3 Medieval / post-medieval

Traces of ridge and furrow cultivation were identified by the geophysical survey on a roughly N-S alignment; this alignment was confirmed within the trial trenches (Fig. 08). Not as many furrows were identified as the geophysical survey suggests; however, it is possible that some may not have been distinguishable within the trenches, their location coinciding with that of earlier ditches.

3.4.4 Finds summary

Features in Area C yielded an assemblage comprising pottery, ceramic building material (including kiln furniture), animal bone, shell and a range of non-ceramic artefacts including ferrous slag and metal objects (Table 3). A small quantity of human bone was also recovered.

Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
34	3403	Ditch	3404	Roman	4	34	Animal bone (7g)
			3405	Roman	33	990	Animal bone (57g); shell (20g)
	3406	Ditch	3407	Roman	4	38	
	3408	Ditch	3409	Roman	6	111	Animal bone (38g)
35	3503	Furrow	3504	Roman	1	2	
	3505	Ditch	3506	Roman	1	4	
36	3600	Ploughsoil	3600	Roman	34	423	Animal bone (41g); roof tile (227g); iron knife
	3603	Pit	3604	Roman	15	272	Animal bone (1g)
	3611	Ditch	3612	Roman	11	160	Animal bone (15g)
	3613	Pit	3614	Post-medieval	7	94	Land drain (37g)
	3615	Ditch	3616	Roman	21	256	Animal bone (26g)
	3617	Ditch	3619	Roman	47	564	Animal bone (5g)
			3620	Roman	78	1,136	Animal bone (35g); iron strip
			3621	Roman	237	4,117	Animal bone (818g)
			3626	Roman	292	7,131	Animal bone (15g); fired clay (2,113g); burnt flint (4g)
	3625	Ditch					
37	3700	Ploughsoil	3700	Roman	1	35	
	3703	Pit	3704	Roman	1	3	
	3707	Ditch	3708	Roman	20	442	Animal bone (49g)
	3709	Ditch	3710	Roman	1	3	
38	3800	Ploughsoil	3800	Roman	2	29	
	3803	Ditch	3805	Roman	8	285	
	3806	Ditch	3808	Roman	47	1,703	Roof tile (22g)
	3809	Ditch	3810	Roman	12	264	Animal bone (31g)
			3811	Roman	12	385	Animal bone (41g); roof tile (156g)
39	3903	Pit	3904	Roman	6	76	
	3907	Ditch	3908	Roman	23	272	Animal bone (6g)
	3909	Ditch	3910	Roman	15	475	
	3911	Pit	3912	Roman	13	297	Animal bone (9g)
	3913	Pit	3914	Roman	307	5,031	Animal bone (806g); shell (47g)
	3917	Ditch	3920	Roman	48	684	Animal bone (169g); iron nail x1; loomweight; fired clay (1g); flint (2g)
			3921	Undated	-	-	Iron nail x1
			3922	LIA / early Roman	1	2	Animal bone (13g)
	4000	Ploughsoil	4000	Roman	-	-	Kiln furniture (482g)
40	4003	Ditch	4004	Early Roman	116	2,115	Animal bone (1,436g); slag (4g); bobbin
	4007	Ditch	4008	Roman	1	9	Animal bone (1g); iron nails x7



Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
	4010	Ditch	4012	Mid-late Iron Age	7	122	Animal bone (225g)
			4030	Undated	-	-	Animal bone (198g)
	4024	Ditch	4029	Undated	-	-	Human bone (684g)
	4026	Ditch	4028	Early Roman	6	55	Animal bone (39g)
41	4103	Ditch	4104	Roman	41	587	Animal bone (59g)
	4105	Ditch	4106	Undated	-	-	Animal bone (38g)
	4109	Ditch	4110	Roman	5	130	
	4111	Ditch	4112	Roman	10	102	
	4121	Ditch	4122	Late Roman			Coin
42	4203	Furrow	4204	Late medieval			Iron horseshoe
	4205	Ditch	4206	Undated			Animal bone (6g)
	4211	Ditch	4212	Mid-late Iron Age	1	11	Animal bone (9g)
	4215	Ditch	4216	Mid-late Iron Age	8	242	Animal bone (79g)
43	4303	Ditch	4304	Early Roman	3	25	Animal bone (112g)
	4305	Ditch	4306	LIA / early Roman	1	21	
	4309	Ditch	4310	Early Roman	6	95	
			4311	Early Roman	131	2,745	Animal bone (242g)
44	4403	Ditch	4404	Mid-late Iron Age	3	16	
	4405	Ditch	4406	Mid-late Iron Age	3	65	Animal bone (517g)
	4407	Ditch	4408	Roman	8	208	Animal bone (14g)
	4415	Ditch	4416	Undated	-	-	Animal bone (100g)
	4419	Ditch	4420	Roman	3	45	
	4421	Ditch	4422	Roman	1	19	Animal bone (144g)
45	4500	Ploughsoil	4500	Undated	-	-	Iron hook
	4503	Ditch	4504	Roman	29	473	Animal bone (147g); roof tile (96g)
	4505	Furrow	4506	Undated	-	-	Animal bone (30g)
	4507	Ditch	4508	Roman	5	12	
	4509	Ditch	4510	Roman	5	20	
	4511	Ditch	4512	Roman	28	700	Animal bone (222g); fired clay (12g)
			4513	Roman	303	6,377	Animal bone (494g); roof tile (25g); iron nail x1; hair pin; shell (19g)
46	4603	Ditch	4604	Roman	16	474	Animal bone (13g); fired clay (77g)
	4609	Ditch	4610	Roman	9	54	Animal bone (53g); kiln furniture (222g)
47	4703	Ditch	4704	Roman	39	511	Animal bone (181g)
48	4807	Ditch	4808	Roman	4	20	
	4809	Spread	4810	Roman	18	632	Animal bone (250g)
	4811	Ditch	4812	Roman	7	63	
49	4903	Pit	4904	Undated	-	-	Animal bone (36g)
	4905	Ditch	4906	Roman	2	24	Animal bone (28g)
	4905	Ditch	4908	Roman	28	432	Animal bone (94g)
	4914	Pit	4915	Roman	1	6	
	4916	Pit	4917	Roman	1	52	
	4918	Ditch	4919	Undated	-	-	Animal bone (132g)
	4924	Pit	4925	Roman	5	60	
	4930	Ditch	4931	Roman	2	43	
	4934	Ditch	4907	Roman	27	1,327	Animal bone (140g); charcoal (6g)
50	5002	Ditch	5003	Roman	3	49	
	5005	Ditch	5005	Roman	6	30	Animal bone (5g)
	5006	Ditch	5007	Roman	6	101	
	5008	Spread	5009	Roman	125	2,000	Animal bone (285g); brick and roof tile (164g); iron nails x3; iron objects x2; coin
			5014	Roman	46	1,299	Animal bone (586g); iron nail x1
	5010	Ditch	5011	Roman	8	65	Brick (138g); iron nail x1; coin
	5012	Ditch	5013	Roman	6	20	Animal bone (1g)
51	5103	Ditch	5104	Roman	35	785	Animal bone (312g); shell (12g)
	5103	Ditch	5105	Roman	122	2,590	Animal bone (360g); iron nails x2; iron strip, coin
	5106	Ditch	5107	Roman	17	234	
	5108	Ditch	5109	Roman	9	163	Animal bone (69g)
	5110	Ditch	5111	Roman	10	59	
	5112	Ditch	5113	Roman	17	216	Animal bone (65g)
	5118	Pit	5119	Roman	3	36	



Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
52	5203	Ditch	5204	Roman	290	3,434	Animal bone (288g); fired clay (9g); coin; hobnail
			5205	Roman	13	87	Animal bone (20g); roof tile (39g)
			5206	Roman	10	94	Animal bone (151g)
			5207	Roman	186	2,587	Animal bone (236g); iron nail x1; roof tile (26g)
	5208	Ditch	5210	Roman	10	93	Animal bone (372g); fired clay (99g)
	5211	Ditch	5212	Undated	-	-	Animal bone (12g)
53	5303	Pit	5304	Roman	8	108	
	5305	Furrow	5306	Roman	1	6	
	5307	Ditch	5308	Roman	4	13	
	5309	Ditch	5310	Roman	9	69	Roof tile (59g)
	5311	Ditch	5312	Roman	5	71	Iron nail x1
	5313	Ditch	5314	Roman	12	590	Animal bone (30g); fired clay (1g)
			5315	Roman	49	1,122	Animal bone (42g); brick and roof tile (729g); iron nail x1; fired clay (9g); copper-alloy strip
	5316	Ditch	5317	Roman	2	30	Animal bone (298g)
	5320	Ditch	5321	Roman	3	16	
54	5403	Ditch	5404	Roman	3	4	Animal bone (2g); fired clay (1g)
			5405	Roman	15	339	Animal bone (39g); roof tile (45g); iron nail x1
	5414	Spread	5415	Roman	68	1,965	Animal bone (632g); roof tile (101g); shell (37g)
	5416	Ditch	5417	Roman	9	39	Animal bone (1g); iron nail x1; fired clay (1g); slag (2g); hobnail
			5418	Roman	36	837	Animal bone (234g)
	5419	Ditch	5421	Roman	15	256	Animal bone (336g)
55	5503	Pond	5504	Roman	1	2	
			5505	Roman	3	14	Animal bone (24g)
			5506	Roman	13	282	Animal bone (9g); roof tile (99g)
	5509	Ditch	5510	Roman	10	429	
	5513	Ditch	5514	Roman	2	32	
	5515	Ditch	5516	Roman	16	169	Kiln furniture (10g); iron nail x1; slag (32g)
117	11703	Ditch	5519	Ditch	1	8	Vitrified clay (4g)
			11704	LIA / early Roman	2	5	

Table 3: Area C: Finds summary

Ceramics

Pottery

Area C features yielded 3,400 pottery sherds, weighing 63.6kg, the majority of which are datable to the Roman period. The assemblage is moderately abraded and fragmented, with a fairly low average sherd weight of 19g. However, numerous large individual sherds are present within the assemblage, and a number of vessels are represented by more than single sherds. Of the ninety-one features yielding pottery, only forty were excavated; pottery was collected from the surface of the remainder. Fourteen of the excavated features yielded assemblages weighing more than 1kg, with more than 5kg recovered from five of them.

Iron Age

Pre-Roman pottery comprises 173 sherds (2.6kg) of middle to late Iron Age date. Twenty-two hand made sherds tempered with shell (type F16) and argillaceous inclusions (F14, F15, F17) derived from ditches [4010], [4211], [4215], [4403] and [4405]. No diagnostic forms occur, although a number of shelly body sherds have combed and scored decoration frequently found on later Iron Age coarse wares in the region (Evans 2003, 73). Late Iron



Age/early Roman pottery (151 sherds) in grog- and/or shell-tempered fabrics (types F05, F06A/B/C, F07 and F09) was recovered from features in Trenches 38–40, 43, 46, 54 and 117. No diagnostic forms survive.

Roman

The Roman pottery (3,227 sherds) is broadly datable to the 2nd to early 4th centuries, and comprises a comparable range of vessel forms and fabric types to that recovered from recent excavations at Haddon (Hinman *et. al.* 2003).

Over 80% of the assemblage (by sherd count) comprises shell-tempered wares in a coarse oxidised fabric (type R13). A range of domestic, utilitarian forms occur, dominated by jars of varying sizes, many with rilled or combed decoration. A proportion of the shelly pottery is overfired, brittle and reduced, and may be broadly classified as waster material, although it would clearly still have been usable. Some may conceivably be associated with Area D kiln [8409], although this remains to be demonstrated. Reduced and oxidised sand-tempered coarse wares of probable local manufacture (types R05, R06, R07, R14) constitute a small proportion of the remaining assemblage, which is dominated by products of the Nene Valley industries, namely grey wares (R06A), colour-coated wares (R12B), white/cream wares (R03, R12C) and mortaria (R12A, R12D). Diagnostic vessel forms comprise a standard range of kitchen and table wares associated with the production, consumption and storage of food.

Non-local pottery comprises single, abraded sherds of Oxford colour-coat with stamped decoration and of a Mancetter-Hartshill mortarium (R20), and eleven undiagnostic sherds of samian ware (R01), provisionally thought to be of central and south Gaulish origin.

Ceramic building material

Sand-tempered Roman building material comprises eight *tegulae* (one combed) and two pieces of brick (total weight 1.2kg), recovered from pond [5503] and ditches in Trenches 50, 53 and 54. The *tegulae* range from 18–25mm in thickness and the bricks 40–45mm. Seven shell-tempered fragments (396g) have been provisionally classified as roof tiles. However, as they occur in the same coarse, oxidised fabric as the shelly pottery, it is possible they represent exceptionally thick body sherds from large vessels.

Amorphous fired clay fragments (2.3kg) in a range of sand- and coarse shell-tempered fabrics occurred as redeposited finds in a number of the ditches. Ditch [3625] contained 2.1kg, including a number of fragments with deliberately smoothed surfaces and wattle impressions. Eight sand-tempered cigar-shaped kiln bar fragments (232g) derived from ditches [4609] and [5515], and ploughsoil (4000) yielded a fragmentary perforated kiln plate or support (thickness 28mm) in a coarse shell-tempered fabric. A piece of modern land drain (37g) was recovered from the surface of pit [3613].

Other finds

Nineteen registered artefacts were recovered, ranging in date from the Iron Age to the late Roman period (Table 4). The fragmentary remains of twenty-



four iron timber nails, including flat-headed and dome-headed examples, were collected from features in Trenches 39, 40, 45 and 50–55, with a concentration in ditch [4007]. Metalworking residues are represented by 34g of ferrous smithing (?) slag, recovered from ditches [4516] and [5515]. Fuel ash slag (4g) derived from ditch [4003].

Tr.	Feature	Type	Context	Description	Date range
36	3600	Ploughsoil	3600	Iron knife (RA 58)	1st–2nd century
	3617	Ditch	3620	Iron strip or horseshoe branch (RA 49)	-
39	3917	Ditch	3920	Ceramic triangular loomweight (RA 50)	Iron Age
40	4003	Ditch	4004	Bone sheep metapodial weaving bobbin (RA 51)	Iron Age
41	4121	Ditch	4122	Copper alloy coin: Constantine II (?)	AD 337–340
42	4203	Furrow	4204	Iron horseshoe branch (RA 7)	14th–15th century
45	4500	Ploughsoil	4500	Iron hook (RA 33)	-
	4511	Ditch	4513	Copper alloy axe-headed hair pin (RA 27)	4th century
50	5008	Spread	5009	Iron looped over harness buckle pin (?) (RA 34)	-
			5009	Copper alloy coin: Constans (RA 35)	AD 333–337
			5009	Iron strip fragment (RA 43)	-
			5009	Iron strip fragment (RA 44)	-
	5010	Ditch	5011	Copper alloy coin: Constans (RA 42)	AD 333–337
51	5103	Ditch	5105	Iron strip/bar fragment (RA 21)	-
			5105	Copper alloy coin: Constantine I	AD 307–337
52	5203	Ditch	5204	Copper alloy coin: House of Constantine (RA 19)	4th century
			5204	Iron hobnail (RA 52)	Roman
53	5313	Ditch	5315	Copper alloy off-cut or strip fragment (RA 24)	-
54	5416	Ditch	5417	Iron hobnail (RA 53)	Roman

Table 4: Area C: registered artefact summary

Ecofacts

Animal bone was recovered from Iron Age, Roman and undated features in Trenches 34 and 36–55. The assemblage comprises 1,223 fragments (11.6kg), with early Roman ditch [4003] producing the largest assemblage from a single feature. The pieces are small (average weight 10g) but survive in good condition, with little surface erosion. Diagnostic elements are long bone, rib, vertebrae, pelvis, scapulae, phalange, horn core, sacrum, skull, mandible and miscellaneous teeth fragments from large mammals, including horse, pig, cattle and sheep/goat. A number of long bone fragments bear cut marks, and several are burnt.

Ten oyster shell fragments (135g) were recovered from ditches [3403], [4511], [5103], pit [3913] and spread [5414].

The fill of ditch [4024] yielded articulated human bone fragments weighing 684g (Fig. 13). They comprise the partial remains of the left and right feet and lower limbs.

Environmental samples

Nine samples of varying volume were taken from eight ditches. The contents of the scanned flots are summarised below.

Sample	Volume (l)	Feature	Context	Date	Summary contents of flot
7	10	3625	3626	Roman	Abundant root; moderate charcoal, sparse charred seed and snails
10	20	5313	5314	Roman	Abundant root, sparse charcoal
11	10	5313	5315	Roman	Abundant root, sparse charcoal and snails, sparse insect remains
12	20	3917	3920	Roman	Abundant root, moderate snails, sparse charcoal



Sample	Volume (l)	Feature	Context	Date	Summary contents of flot
13	20	5203	5204	Roman	Abundant root, moderate snails, sparse insect remains
14	20	5403	5404	Undated	Sparse charcoal and charred seeds
17	20	4511	4512	Roman	Abundant straw, abundant snails, sparse charred grain
18	10	5416	5417	Roman	Abundant plant fibres, moderate charcoal, sparse snails and charred grain
19	20	4010	4030	Roman	Abundant plant fibres, abundant snails, moderate charcoal

Table 5: Environmental samples from Area C

3.5 Area D (Figs 17–23)

3.5.1 Iron Age

The earliest feature identified in Area D was a pond [7005]/[7011], which was 17m wide and at least 1.2m deep, and contained waterlogged deposits (Fig. 20). No evidence of its continuation into any of the adjacent trenches was recorded, but difficulty in distinguishing its infill from the undisturbed geology means this possibility cannot be ruled out. There was no obvious indication of this feature on the geophysical survey plot (Fig. 23).

A number of ditches were dug through the infill of the pond, forming part of an Iron Age settlement revealed in Trenches 70–73. Pits and ditches were also revealed in Trench 68, but the date of these appears slightly later, perhaps contemporary with the late Iron Age / early Roman activity in Trenches 62–67. The remains in Trenches 70–73 mostly comprised ditches or gullies, with [7309] and [7306]/[7315] representing two sides of an enclosure, with an entrance on its western side. This was the largest of the excavated ditches in this area, measuring 2.65m wide and 0.7m deep.

Trench 72 contained a roundhouse gulley [7213]/[7226], which encircled an area c. 10m in diameter. A pit and six post-holes were revealed in its interior (Fig. 20), including one [7224] which contained packing material and one [7217] which may have been a post-pad.

3.5.2 Late Iron Age to early Roman

In addition to the pits and ditches in Trench 68 mentioned above, a series of linked, sub-rectangular enclosures dating to the late Iron Age / early Roman period was identified in Trenches 62–67 (Fig. 19). Evidence of settlement activity was confined to the western enclosure, which contained a number of pits, gullies and possible beam slots.

The enclosures, of which there appear to have been five (Fig. 23), ranged in size from 13m by 25m (the easternmost, Trench 63) to roughly 35m square (the westernmost, Trenches 66–67). The latter was defined by the largest ditch, its re-cut [6709] measuring 3.3m wide and 1.2m deep where excavated, though without any evidence of waterlogged deposits in its base. The ditches in these trenches all had steep profiles, with the width usually measuring little more, and sometimes less, than twice the depth.

3.5.3 Roman

The geophysical survey and trial trenching revealed an extensive spread of Roman activity in the northern half of Area D, primarily in Trenches 74–86



(Figs 20–23). These remains are broadly datable to the 2nd to 4th centuries, although a small quantity of late Iron Age / early Roman pottery may indicate a slightly earlier origin. The layout of these features currently appears less regular than that of the other remains in Area D, although the shapes of several enclosures can perhaps be traced.

Most of the features in these trenches were ditches, but a number of pits, post-holes (particularly in Trench 75), gullies and a possible pond [8103] were also encountered. Although several ditches were more than 2.5m wide, they mostly had shallow profiles; only two of the excavated examples were more than 0.5m deep, with no indication of waterlogged deposits. Not many pits were identified (the ones that were varied considerably in size, from 0.55m wide to more than 5m), but it is possible that some of the features that were interpreted as large ditches may turn out to be pits once their full extent is observed. In addition, a keyhole-shaped kiln [8409] with a lining of fired clay was identified; its entire length including the flue was 3m, and the kiln itself measured *c.* 1.1m in diameter.

No buildings were conclusively identified, either within the trenches or by the geophysical survey. However, it is possible that some of the gullies may have had a structural function or were roundhouse eaves-drip gullies, particularly in the area of Trenches 74 and 75 (Figs 21 and 23).

3.5.4 Medieval / post-medieval

Traces of ridge and furrow cultivation were identified by the geophysical survey in the southern part of Area D on a roughly NW-SE alignment (Fig. 23), although no furrows were identified in the trenches. The area of the furrows shown on Figure 23 is bordered to the north-east and south-east by a ditch, which anecdotal evidence suggests was backfilled within living memory.

3.5.5 Finds summary

Features in Area D yielded an assemblage comprising pottery, ceramic building material (including kiln furniture), animal bone, and a range of non-ceramic artefacts including worked flint, vessel glass, ferrous slag and metal objects (Table 6).

Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
63	6303	Ditch	6305	Iron Age	1	18	
	6306	Ditch	6308	LIA / early Roman	7	44	
64	6406	Ditch	6408	LIA / early Roman	1	3	Animal bone (41g); worked flint (14g)
66	6602	Natural	6602	Undated	-	-	Animal bone (4g)
67	6707	Ditch	6708	Undated	-	-	Fired clay (2g); slag (1g)
	6709	Ditch	6710	Early Roman	5	40	Animal bone (8g); belt plate; brooch
			6711	Early Roman	20	346	Animal bone (9g)
			6713	Early Roman	59	587	Animal bone (60g)
			6714	LIA / early Roman	6	115	
	6716	Ditch	6717	Undated	5	40	Animal bone (1g); slag (1g)
	6721	Ditch	6722	Undated	-	-	Animal bone (151g)
			6723	Roman	5	47	Animal bone (5g)
68	6803	Ditch	6804	LIA / early Roman	41	328	Animal bone (84g); fired clay (8g)
			6809	LIA / early Roman	1	3	
	6805	Pit	6806	Iron Age	1	11	Animal bone (10g)



Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
	6807	Pit	6808	Undated	-	-	Animal bone (19g)
70	7003	Ditch	7004	Undated	-	-	Animal bone (3g); fired clay (57g)
	7005	Pond	7006	Iron Age	1	3	
	7007	Ditch	7008	Iron Age	3	16	Animal bone (6g); slag (140g)
	7009	Ditch	7010	Iron Age	20	74	
	7011	Pond	7012	Iron Age	4	43	Animal bone (9g)
			7013	Undated	-	-	Animal bone (31g)
71	7103	Ditch	7104	Undated	-	-	Fired clay (252g); burnt flint (7g)
72	7203	Pit	7204	Iron Age	1	27	Animal bone (14g)
	7207	Ditch	7208	Iron Age	4	18	
	7209	Ditch	7210	Iron Age	2	2	
	7223	Post-hole	7224	Undated	-	-	Animal bone (5g)
73	7302	Ditch	7305	Undated	1	3	
	7306	Ditch	7308	Undated	-	-	Animal bone (9g)
	7309	Ditch	7312	Iron Age	1	14	Animal bone (31g)
			7314	Undated	-	-	Animal bone (30g)
77	7700	Ploughsoil	7700	Roman	9	185	
	7703	Ditch	7704	Roman	42	571	Animal bone (1g); brick (153g); iron nail x1; burnt flint (4g)
			7705	Roman	12	58	Animal bone (30g)
			7706	Roman	73	1,390	Animal bone (8g); brick (58g); iron nail x1; vessel glass
78	7803	Ditch	7804	Roman	2	5	Animal bone (18g)
79	7903	Ditch	7905	Roman	8	51	
80	8005	Ditch	8007	Roman	4	23	Kiln furniture (144g); animal bone (65g)
	8017	Ditch	8019	Undated	2	9	Animal bone (4g)
	8020	Ditch	8023	LIA / early Roman	9	208	Animal bone (13g)
			8024	Roman	2	39	Animal bone (30g)
81	8103	Pond	8104	Roman	14	51	Worked flint (12g)
82	8200	Ploughsoil	8200	Roman	6	310	
	8205	Ditch	8207	Early Roman	10	93	Animal bone (177g)
83	8303	Ditch	8304	Roman	27	388	Animal bone (112g); hobnail
			8305	Early Roman	21	472	Animal bone (74g)
	8309	Ditch	8310	Roman	6	42	Animal bone (320g)
84	8405	Ditch	8406	Early Roman	5	19	Animal bone (7g)
	8409	Kiln	8410	Roman	2	16	Kiln furniture (284g); fired clay (115g)
	8411	Ditch	8412	LIA / early Roman	2	16	Animal bone (3g)
			8413	LIA / early Roman	1	5	
			8414	Undated	-	-	Animal bone (4g)
	8417	Ditch	8418	Roman	5	20	
			8419	Roman	3	9	Animal bone (445g)
86	8603	Gulley	8604	Roman	17	515	
	8605	Ditch	8606	Roman	5	330	Animal bone (17g); iron nail x1
87	8703	Ditch	8704	Roman	16	265	Animal bone (160g); iron nails x2; iron strip; vessel glass
105	10503	Ditch	10504	Undated	-	-	Animal bone (1g)

Table 6: Area D: Finds summary

Ceramics

Pottery

Pottery comprises 492 sherds, weighing 6.9kg, with concentrations from ditches [6709], [7703] and [8303]. The assemblage is moderately abraded, and slightly more fragmentary than the Area C material, with an average sherd weight of 14g, although a number of vessels are represented by more than single sherds.

Late Iron Age and transitional early Roman pottery comprises 187 sherds (1.8kg) in sand-, grog- and/or shell-tempered fabrics (types F03, F05, F06A/B/C, F07, F09, F16, F17, F18, F28, F34, F39), recovered from features



in Trenches 63, 64, 67, 68, 70, 72, 73, 80 and 82. Diagnostic vessel forms are cordoned and lid-seated jars, the latter with combed and/or scored decoration.

Roman pottery (305 sherds) is broadly comparable in date to that recovered from Area C. Fabrics are predominantly reduced and oxidised sand-tempered coarse wares (types R05, R06, R07, R10 and R14) and shell-tempered wares (R13) of probable local manufacture. The assemblage includes products of the Nene Valley industries, namely grey wares (R06A), colour-coated wares (R12B), white/cream wares (R03, R12C) and mortaria (R12A, R12D), although these are less prevalent than in the Area C assemblage. Diagnostic vessel forms comprise a standard range of kitchen and table wares associated with the production, consumption and storage of food. Two abraded samian ware sherds (R01) represent the only imports to the site.

Ceramic building material

Two abraded pieces of sand-tempered Roman brick (211g) derived from ditch [7703]. Sand-tempered fired clay fragments (434g) were recovered from kiln [8409] and ditches [6707], [6803], [7003] and [7103]. The majority derive from the sieved residues of environmental samples and are amorphous, with the exception of eleven pieces from the kiln, which have finger-smoothed surfaces. Six sand-tempered kiln bar fragments (284g) derived from the kiln and a single piece (144g) from ditch [8005]. Although incomplete, they appear to be cigar-shaped in form, with a square section tapering at each end.

Non-ceramics

Ditch [6709] contained an incomplete copper alloy military belt plate with hinged dagger frog and white metal plating (RA 13), datable to the later 1st century AD (*cf.* Bishop and Coulston, 1993; fig. 42). It also contained a broken copper alloy Colchester brooch (RA 14) from the early to mid-1st century. A pyramidal-headed iron hobnail (RA 54), broadly datable to the Roman period, and a tapering iron strip (RA 57) respectively derived from ditches [8303] and [8703]. The fragmentary remains of five iron timber nails, including a flat-headed Manning (1985) type 1B, derived from Roman ditches [7703], [8605] and [8703]. Ditch [8703] also contained a small fragment of translucent blue-green Roman vessel glass. The partial base and portion of lower body from a blue-green prismatic glass bottle (*c.* AD 43–199) was recovered from ditch [7703].

Metalworking residues are represented by a small quantity of flake hammerscale (1g) indicative of smithing, and ferrous smelting tap slag (140g), recovered respectively from ditches [6707] and [7007]. Fuel ash slag weighing 1g derived from ditch [6716].

Residual worked flint comprises a side scraper and secondary flake recovered respectively from ditch [6406] and pond [8103]. Both have sustained extensive post-depositional damage.

Ecofacts

The animal bone assemblage, recovered from the majority of trenches that contained archaeological features, comprises 306 fragments (2.0kg), with



concentrations from Roman ditches [8309] and [8417]. The pieces are small, with an average weight of 7g, and are moderately abraded. Diagnostic elements are long bone, rib, phalange, mandible and miscellaneous teeth fragments, some deriving from a horse, and the others of indeterminate species.

Environmental samples

Eight samples of varying volume were taken from seven ditches, for the extraction of charred plant remains. The contents of the scanned flots are summarised below.

Sample	Volume (l)	Feature	Context	Date	Summary contents of flot
6	40	6709	6710	Roman	Abundant root, moderate charcoal and charred seed/grain
8	8	6707	6708	Undated	Moderate root, sparse charcoal and insect remains
9	10	6716	6717	Undated	Sparse charcoal, uncharred seed, occasional root
15	10	6803	6804	LIA / early Roman	Abundant root, moderate charcoal and charred seed
16	10	6803	6809	Undated	Abundant root, moderate charcoal, moderate snails
20	10	7503	7504	Undated	Abundant straw, sparse uncharred seed
21	5	7103	7104	Undated	Abundant root, sparse charcoal
22	5	7011	7012	Iron Age	Abundant root, sparse charcoal, sparse snails

Table 7: Environmental samples from Area D

3.6 Area E (Figs 24–35)

3.6.1 Iron Age

Two areas of Iron Age activity were identified in Area A, one in Trenches 3 and 4 (Figs 26 and 35), the other in Trenches 24 and 26 (Figs 32 and 34).

The geophysical survey plot shows that ditch [307]/[310] formed part of an enclosure that extends beyond the development area; although it produced no finds, the tree-throw next to it contained Iron Age pottery, as did pit [403] in Trench 4. The geophysical survey results suggest further features in this area, although the presence of silty bands within the natural suggests that some of the anomalies may be geological in origin.

Ditch [2605]/[2609] was the gully of a middle to late Iron Age roundhouse, encircling an area roughly 11m in diameter. The gully was relatively well preserved, measuring 0.3m deep where excavated (Fig. 32, photograph), and appeared to lie within an enclosure that was defined by ditch [2403]/[2607].

3.6.2 Saxon

The sole evidence for activity within the development area during the Saxon period was confined to a small sunken-featured building (SFB) which was partially revealed in Trench 112 (Fig. 28). The pit associated with the building was 3.25m long and only 0.1m deep, with a post-hole at either end. Trenches 113 and 114 were subsequently targeted on nearby geophysical anomalies that were identified as possible further SFBs, but no more were found.



3.6.3 Medieval / post-medieval

The remains of ridge and furrow cultivation were indicated by the geophysical survey, and confirmed by the trial trenching, across the majority of Area E (Fig. 35). The furrows were predominantly aligned roughly north–south, veering towards NW–SE at the eastern end of Area E, although two areas along Area E's south-eastern boundary contained furrows that were aligned perpendicular to the others. The north–south furrows are visible as earthworks in the triangular piece of land north of Trench 28, which was grassland at the time of the fieldwork.

The geophysical survey plot in the area of Trenches 12–14 appears to show an overlap between the two alignments, suggesting separate episodes of ploughing. It also shows a gap in the furrows, the location of which corresponds with probable roadside ditches in Trench 13, defining an area *c.* 8–9m wide (Fig. 28). This possible trackway may correspond with a linear anomaly seen on an aerial photograph of this area (LDA Design 2007).

3.6.4 Post-medieval / modern

An extensive area of relatively shallow quarrying was revealed in Trenches 14–17 and 113–114 to the east of the Napoleonic prisoner of war camp at Norman Cross. The quarrying appeared to be targeting the gravelly material nearer the surface, stopping at the level of the underlying clay. The backfill of the quarrying frequently comprised fine gravel that closely resembled a natural deposit, and it is possible that the quarrying was even more extensive than recorded. The majority of the finds recovered from the backfill came from Trench 113, nearest the camp, which suggests contemporaneity.

A single post-hole in Trench 101 was the only structural feature of this date that was identified, although an undated one in Trench 13 may have been contemporary. It is possible that these two post-holes were associated with outbuildings relating to the prisoner of war camp. A line of bricks was identified in Trench 16 (Fig. 30); they may have constituted the foundations of a wall, but are more likely to have been associated with some form of drainage.

3.6.5 Undated

A number of small ditches were identified in Trenches 7, 11, 14, 19, 21, 103 and 115. Some of these are probably post-medieval — [1405] had a ceramic land drain in its base, which is likely (although not certain) to have been contemporaneous, and [1905] contained a fragment of clay pipe and some clinker. However, it is likely that some are older in date — [2105] and [10303], for example, are on a different alignment to that of the furrows, suggesting that they may predate them.

3.6.6 Finds Summary

Features in Area E yielded an assemblage comprising pottery, ceramic building material, animal bone, clay pipe and a range of non-ceramic artefacts including window glass, fuel ash slag and metal objects (Table 8).



Tr.	Feature	Type	Context	Spot date	Pottery		Other finds
					Sherd	Wt (g)	
1	100	Ploughsoil	100	Undated	1	3	
3	315	Tree-throw	316	LIA / early Roman	6	32	Animal bone (7g); slag (4g); pin
4	403	Pit	405	Mid-late Iron Age	14	77	Animal bone (75g); iron nail x1; burnt flint (1g); fired clay (34g)
12	1204	Sunken-featured building	1205	Saxon	28	379	Animal bone (435); slag (1g); bone pin; iron pin; loomweight
13	1303	Ditch	1304	Post-medieval	-	-	Brick (449g)
			1305	Undated	-	-	Animal bone (5g); horseshoe
	1310	Post-hole	1312	Undated	-	-	Animal bone (123g)
14	1405	Ditch	1406	Post-medieval	1	11	Clay pipe (2g); brick (40g)
	1407	Quarry pit	1408	Modern	-	-	Animal bone (3g); roof tile (55g)
15	1503	Quarry pit	1504	Roman	1	2	
16	1602	Quarry pit	1603	Modern	-	-	Brick (6g); window glass
	1608	Foundation trench	1609	Post-medieval	-	-	Brick (1,832g)
17	1702	Quarry pit	1703	Post-medieval	1	1	
19	1905	Ditch	1906	Post-medieval	-	-	Clay pipe (2g); clinker (11g)
21	2105	Ditch	2106	Undated	-	-	Animal bone (26g)
24	2403	Ditch	2404	Mid-late Iron Age	4	9	Animal bone (33g)
			2405	Mid-late Iron Age	3	25	Animal bone (154g)
26	2605	Ditch	2606	Mid-late Iron Age	17	256	Animal bone (86g)
101	10103	Post-hole	10104	Modern	1	1	Clay pipe (1g)
113	11302	Dump material	11302	Undated	-	-	Iron nail x1; iron buckle pin; iron rod and collar
	11303	Quarry pit	11304	Modern	1	30	Animal bone (31g); iron nails x2; land drain (17g); iron sheet frag
	11305	Quarry pit	11306	Modern	6	126	Animal bone (179g); roof tile (21g);
114	11402	Quarry pit	11403	Undated	-	-	Animal bone (7g); iron sheet frag
115	11500	Ploughsoil	11500	Modern	-	-	Coin/jetton/token

Table 8: Area E: Finds summary

Ceramics

Eighty-four pottery sherds (952g) were recovered. The assemblage is fragmented, with an average sherd weight of 11g, but survives in good condition. The earliest pottery comprises thirty-eight middle to late Iron Age sherds (385g), recovered from ditches [2403] and [2605] and pit [403], which are contemporary with the Area B material. The sherds are tempered with shell (type F16) and argillaceous inclusions (F14, F15), and include a jar with a rounded upright rim, and nine sherds from a large, thick-walled vessel. Six undiagnostic, grog-tempered sherds (types F05, F06B; 32g) of late Iron Age date derived from tree-throw [315], and a sherd of Roman shelly ware (type R13; 2g) from quarry pit [1503].

Twenty-eight reduced sand-tempered sherds (types A16, A18, A19, A23) of early to middle Saxon date were recovered from the fill of sunken-featured building [1204]. Diagnostic forms are vessels with simple everted rims; a number of sherds are burnished or have wiped surfaces.

Seven sand-tempered brick and tile fragments (2.4kg) of post-medieval and modern date were recovered from ditches [1303], [1405], quarry pits [1407], [1602], [11305] and possible foundation trench [1608]. A complete brick recovered from the latter measures L220 x W100 x T62mm. A piece of modern land drain (17g) was recovered from quarry pit [11303]. In addition,



the fill of middle to late Iron Age pit [403] yielded a sand-tempered daub fragment (34g) with a 15mm diameter wattle impression.

Eight stem fragments of clay tobacco pipe (21g) were recovered from post-medieval ditches [1405], [1905] and from modern post-hole and quarry pit [10103] and [11305] respectively.

Other finds

The fill of sunken-featured building [1204] yielded a fragmentary stamped Saxon annular ceramic loomweight (RA 2), an incomplete perforated pig fibula bone dress pin (RA 1) of Saxon/Saxo-Norman date, and the head from an undatable loop-headed iron pin or needle (RA 4). The feature also contained 1g of fuel ash slag.

A copper alloy wire-wound-headed pin (RA 6) of 16th–17th century date occurred as a probably intrusive find in tree-throw [315], and an unstratified copper alloy coin, jetton or token (RA 12) of probable 18th–19th century date derived from ploughsoil [11500]. A fragment of late medieval-post medieval clear window glass was recovered from modern quarry pit [1602]. The fragmentary remains of five iron timber nails derived from modern quarry pit [11303], [11305], undated layer (11302) and Iron Age pit [403].

An undatable iron sheet fragment (RA 45) and an iron pinned hinge or sheet fragment (RA 31) were recovered from quarry pits [11303] and [11402] respectively, and an iron horseshoe branch (RA 5) of uncertain date from ditch [1303]. Dump material [11302] yielded a rectangular iron (?harness) buckle with a looped over pin (RA 28), a cylindrical penannular iron collar (RA 29) and a triangular-sectioned iron bar/rod fragment (RA 30), all of uncertain date.

Ecofacts

Animal bone was recovered from Iron Age, Saxon and modern features in Trenches 3, 4, 12–14, 21, 24, 26, 113 and 114, and comprises 306 fragments (2.0kg), the majority deriving from sunken-featured building [1204]. The pieces are small, with an average weight of 5g, and are moderately abraded. Diagnostic elements are long bone, rib, vertebrae, scapulae, phalange, mandible and miscellaneous teeth fragments of indeterminate species. Two pieces of oyster shell (39g) were collected from modern quarry pit [11305].

Environmental samples

Two ten litre samples were taken from sunken-featured building [1204] and pit [403], the contents of the scanned flots from which are summarised below.

Sample	Feature	Context	Date	Summary contents of flot
1	1204	1205	Saxon	Abundant root, moderate charcoal, moderate charred seed/grain
2	403	405	Iron Age	Abundant root, sparse charcoal

Table 9: Environmental samples from Area E



4. SYNTHESIS

4.1 Discussion of Archaeological Remains

Remains date primarily to the Iron Age and Roman periods. The remainder comprise a Saxon sunken-featured building in Area E, medieval or post-medieval ridge and furrow cultivation across the site, post-medieval or modern features in Area E that may be related to the scheduled prisoner of war camp at Norman Cross, and a number of undated remains in Areas A and E.

Area A has little archaeological potential, due not least to the absence of dating evidence for the few features that were revealed. The three ditches in Trench 97 (Fig. 2) are likely to be the remains of medieval or post-medieval field systems, with their alignment matching that of modern field boundaries, although the possibility that they are older in date should be considered.

The farmstead in Area B (Fig. 5) produced sufficient artefactual material to infer settlement activity, even though no buildings were identified. A key question to the understanding of this site is whether the two halves (east and west) functioned as a single unit, or whether they were separate — either with different activities taking place in the two halves, or perhaps with settlement migration between the two.

Area C contained the dense remains of a substantial Roman settlement (Fig. 8), which initially appears to have had a significant industrial component. The pottery assemblage of 3,400 sherds is exceptionally large for an evaluation, over 80% of it comprising coarse, oxidised shell-tempered wares, many of which are poorly fired. The added presence of kiln furniture recovered from three separate trenches suggests the presence of several kilns within the settlement, and it is possible that it supplied some of the larger Roman settlements to the north, in the vicinity of *Durobrivae*.

Area D contained an extensive area of Iron Age and Roman settlement remains (Figs 17–18), but it is unlikely that they were all in use at the same time. The series of late Iron Age / early Roman enclosures to the west appears to have been separate from those to the east, although there is a suggestion from the geophysical survey plot (Fig. 23) that remains in the north of Area D may have been part of the same complex as the Iron Age ones revealed to the south in Trenches 71–73. Small quantities of late Iron Age / early Roman pottery were recovered from some of the northern trenches, but the modern presence of a stream between the two areas makes it impossible to tell for certain at this stage whether the two areas were part of the same settlement.

Areas C and D both contain evidence for continuity of occupation across the transition between the Iron Age and the Roman period, although in both it remains to be determined whether the occupation was continuous throughout the Roman period. Both sites also seem to have existed contemporaneously in the Roman period, with kilns almost certainly present on both (although the contemporaneity of the kilns is yet to be established). Their proximity, only a few hundred metres apart, raises the question of whether there was a link between the two sites, particularly as no other Roman remains were identified



within the trial trenches. Furthermore, a good supply of water and wood would have been required to operate the presumed kilns in Area C, both of which are likely to have been available at Area D, where a wood and stream are located in the present day. Area C produced less evidence of domestic activity than might perhaps be expected for a settlement of this size; was the high, exposed location of Area C used primarily for industrial purposes, while people lived primarily in Area D?

The Iron Age remains in Area E were on a smaller scale (Figs 26 and 32). The settlement in Trenches 24–26 comprised a single enclosure, or two at most, with a roundhouse; no buildings were identified in the other, but pit [403] is evidence of at least some level of settlement-related activity. No Roman remains were identified at all in Area E, and just one Saxon building (Fig. 28); there is little evidence for how the majority of this area was used prior to the medieval or post-medieval establishment of ridge and furrow cultivation.

Despite the proximity of the scheduled prisoner of war camp at Norman Cross to a number of the trenches, no conclusive indication of any buildings associated with the camp was identified; a post-hole in Trench 13 and another in Trench 101 were the only structural features revealed. Quarrying was recorded across an extensive area to the east of the camp; it may have been associated with the construction of the camp, or it may just relate to the construction of a road along the course of the A15 (albeit potentially carried out by prisoners from the camp). Probable roadside ditches in Trench 13 (Fig. 28) probably mark the line of an earlier road between Yaxley and Norman Cross; they match the line of the modern A15 as it heads south-west from Yaxley, before it kinks to the south in order to go round the prisoner of war camp at Norman Cross.

4.2 **Significance of Archaeological Remains**

The initial programme of geophysical scanning that was undertaken across more than half of the overall development area identified five areas of potentially higher archaeological potential. The more detailed geophysical survey work that was subsequently carried out has essentially been shown by the trial trench evaluation to have provided an accurate indication of the remains lying within these five areas (Going and Plouviez 2000, 22: 'Rural settlements'). The scanning has also largely been shown to have been successful in determining the limits of greater archaeological activity within the five areas. It is therefore possible to be reasonably confident that the geophysical scanning has succeeded in identifying which areas have higher archaeological potential, and that the remainder of the scanned area has low potential.

Iron Age and Roman settlements uncovered in Areas B, C and D are all regionally significant. The farmstead in Area B will add to the growing *corpus* of middle to late Iron Age settlements known in this region, providing further evidence of settlement in areas of clay geology (Bryant 2000, 14: 'The location and distribution of settlements'). Examination of the settlements in Areas C and D and their pottery assemblages may help to illuminate the character of the transition from the Iron Age to the Roman period in this area



(Bryant 2000, 14–15: ‘The full analysis and publication of pottery assemblages’). Evidence of links between the two sites, in both the Iron Age and the Roman period, may also enable a reconstruction of the wider landscape and a study of how the neighbouring sites interacted (Haselgrove *et al.* 2001, 10–11; Taylor 2006, 157–8).

Area C contains the remains of a substantial Roman settlement, which may have been a significant source of shelly coarse ware pottery in the region. Analysis of the pottery from this site may help to refine ceramic dating sequences and to examine trading patterns (Going and Plouviez 2000, 19: paragraph 9; Taylor 2006, 151). The presence of a kiln in Area D suggests that this site was also involved in manufacturing pottery.

Iron Age remains in Area E are smaller in scale, and are of local to regional significance. The Saxon sunken-featured building is currently of local significance, but the presence of further buildings would be of regional interest. The quarrying in Area E and the post-holes in Trenches 13 and 101 may also be of regional significance, but this depends on whether or not they were associated with the scheduled prisoner of war camp. The possible road or track-way to the east of the camp is provisionally of local significance.

Furrows identified across the evaluation area are intrinsically of little importance; their value lies instead in being able to map the pattern of medieval or post-medieval ridge and furrow cultivation across the area. The other post-medieval remains in Area E and the undated ones in A and E are currently of little archaeological significance, although dating evidence would potentially change this.



5. BIBLIOGRAPHY

- Albion Archaeology, 2001. *Procedures Manual Volume 1 Fieldwork*, 2nd edition
- Albion Archaeology, 2008. *Great Haddon, Peterborough: Written Scheme of Investigation for Archaeological Evaluation*
- ALGAO (east), 2002. *Standards for Field Archaeology in the East of England*, East Anglian Archaeology Occasional Paper 14
- Bishop, M., and Coulston, J.C.N., 1993. *Roman Military Equipment*
- Brown, N. and Glazebrook, J., 2000. *Research and Archaeology: a Framework for the Eastern Counties, 2. Research Agenda and Strategy*, EAA Occasional Paper 8
- Bryant, S., 2000. 'The Iron Age', in Brown and Glazebrook (eds), 14–8
- Dawson, M., 2005. *Archaeology Desk Based Assessment: Proposed Southern Expansion Land*, CgMs Ltd
- English Heritage, 1991. *The Management of Archaeological Projects*, 2nd edition (London)
- Evans, J., 2003. 'The Later Iron Age and Roman Pottery', in Hinman, M. *et. al.*, 68–107
- Going, C. and Plouviez, J. 2000. 'Roman', in Brown and Glazebrook (eds), 19–22
- Haselgrove, C., Armit, I., Champion, T., Creighton, J., Gwilt, A., Hill, J.D., Hunter, F. and Woodward, A., 2001. *Understanding the British Iron Age: An Agenda for Action*
- Hinman, M., 2003. *A Late Iron Age Farmstead and Romano-British Site at Haddon, Peterborough*, BAR British Series 358
- IFA, 1999a. *Code of Conduct*
- IFA, 1999b. *Standard and Guidance for Archaeological Evaluations*
- LDA Design, 2007. *Great Haddon: Scheduled Ancient Monument Assessment*
- Manning, W.H., 1985. *Catalogue of the Romano-British Iron Tools, Fittings and Weapons in the British Museum*
- Taylor, J., 2006. 'The Roman Period', in Cooper, N. (ed.), *The Archaeology of the East Midlands: An Archaeological Resource Assessment and Research Agenda*, 137–59



6. APPENDIX 1

6.1 Context Summary



Trench: 1

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15980: Northing: 91290)

OS Grid Ref.: TL (Easting: 15980: Northing: 91320)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
100	Ploughsoil	Friable dark brown grey sandy clay moderate small-medium stones 0.30m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
101	Subsoil	Friable mid orange brown sandy clay moderate small-medium stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
102	Natural	Compact mid brown orange sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 2

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.53 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16078: Northing: 91359)

OS Grid Ref.: TL (Easting: 16104: Northing: 91374)

Reason: Test for presence of road from north gate of prisoner of war camp

Context:	Type:	Description:	Excavated:	Finds Present:
200	Ploughsoil	Firm dark green grey silty clay 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
201	Subsoil	Firm mid orange brown silty clay 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
202	Natural	Firm mid green grey silty clay frequent flecks chalk	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 3**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.33 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16020: Northing: 91424)

OS Grid Ref.: TL (Easting: 15990: Northing: 91424)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
300	Ploughsoil	Friable dark brown grey sandy clay moderate medium stones, moderate small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
301	Subsoil	Friable mid orange brown sandy clay moderate medium stones, moderate small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
302	Natural	Loose light orange yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>
303	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.5m, max depth 0.43m, min length 2.7m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
304	Fill	Friable mid brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
305	Fill	Friable dark brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
306	Fill	Friable mid orange brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
307	Ditch	Same ditch as [310]	<input checked="" type="checkbox"/>	<input type="checkbox"/>
308	Fill	Friable mid orange brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
309	Fill	Friable dark brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
310	Ditch	Linear NE-SW profile: 45 degrees dimensions: max breadth 1.9m, max depth 0.94m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
311	Fill	Friable mid orange brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
312	Fill	Loose mid brown silty clay frequent medium-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
313	Fill	Friable dark brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
314	Fill	Friable light orange brown sandy clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
315	Treethrow	Sub-circular profile: irregular base: uneven dimensions: max depth 0.2m, max diameter 1.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
316	Fill	Friable mid orange brown silty clay moderate medium stones, moderate small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 4**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.49 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16040: Northing: 91468)

OS Grid Ref.: TL (Easting: 16040: Northing: 91438)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
400	Ploughsoil	Firm dark green grey silty clay 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
401	Subsoil	Firm mid orange brown sandy clay moderate small-medium stones 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402	Natural	Loose light yellow brown sandy gravel frequent flecks chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
403	Pit	Oval profile: concave base: concave dimensions: max breadth 2.37m, max depth 0.46m, max diameter 1.52m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
404	Primary fill	Firm mid grey brown clay gravel moderate medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
405	Main fill	Firm dark grey brown silty clay occasional medium-large burnt stones, moderate flecks charcoal, moderate small-medium stones, occasional large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
406	Natural	Sub-circular profile: concave base: concave dimensions: max breadth 2.03m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
407	Lower fill	Friable dark brown grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
408	Upper fill	Friable mid grey brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
409	Subsoil	Firm mid brown sandy clay frequent small stones 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 5

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.46 m. Max: 0.65 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16075; Northing: 91481)

OS Grid Ref.: TL (Easting: 16105; Northing: 91480)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
500	Ploughsoil	Friable dark green grey silty clay 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
501	Subsoil	Loose mid orange brown clay gravel 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
502	Natural	Loose light brown yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 6****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.31 m. Max: 0.34 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 16121; Northing: 91446)

OS Grid Ref.: TL (Easting: 16121; Northing: 91476)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
600	Ploughsoil	Firm dark green grey silty clay 0.33m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
601	Natural	Loose light brown yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 7**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.39 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16195: Northing: 91432)

OS Grid Ref.: TL (Easting: 16195: Northing: 91461)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
700	Ploughsoil	Firm dark green grey sandy clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
701	Subsoil	Firm mid orange brown silty clay 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
702	Natural	Loose light brown yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>
703	Ditch	Linear NNW-SSE profile: near vertical base: flat dimensions: max breadth 0.72m, max depth 0.27m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
704	Fill	Firm mid grey silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 8****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.23 m. Max: 0.37 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 16216; Northing: 91456)

OS Grid Ref.: TL (Easting: 16246; Northing: 91456)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
800	Ploughsoil	Firm dark green grey silty clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
801	Natural	Loose light brown yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 9

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.47 m. Max: 0.56 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16255: Northing: 91490)

OS Grid Ref.: TL (Easting: 16225: Northing: 91490)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
900	Ploughsoil	Firm dark green grey silty clay 0.3m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
901	Subsoil	Loose mid orange brown clay gravel 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
902	Natural	Loose light brown yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 10****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.32 m. Max: 0.36 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 16180: Northing: 91563)

OS Grid Ref.: TL (Easting: 16210: Northing: 91563)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1000	Ploughsoil	Firm dark green grey silty clay 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1001	Natural	Loose light brown grey sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 11**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.54 m. Max: 0.66 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16311; Northing: 91487)

OS Grid Ref.: TL (Easting: 16341; Northing: 91487)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1100	Ploughsoil	Firm dark brown grey clay silt occasional small stones 0.4m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1101	Subsoil	Firm mid orange brown clay silt 0.22m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1102	Natural	Firm mid brown orange clay gravel	<input type="checkbox"/>	<input type="checkbox"/>
1103	Ditch	Linear N-S profile: near vertical base: flat dimensions: max breadth 0.56m, max depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1104	Lower fill	Firm dark brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1105	Upper fill	Firm dark grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 12

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16449: Northing: 91384)

OS Grid Ref.: TL (Easting: 16419: Northing: 91384)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1200	Ploughsoil	Firm dark grey brown clay silt 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1201	Subsoil	Firm mid grey brown clay silt 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1202	Natural	Firm mid brown orange clay gravel	<input type="checkbox"/>	<input type="checkbox"/>
1204	Sunken-featured buil	Sub-rectangular NW-SE profile: concave base: flat dimensions: min breadth 1.75m, min depth 0.09m, max length 3.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1205	Backfill	Friable dark grey brown clay silt frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1206	Furrow	Linear N-S dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
1207	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
1208	Posthole	Circular dimensions: max diameter 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
1209	Fill	Friable dark grey brown clay silt moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
1210	Posthole	Circular dimensions: max diameter 0.2m	<input type="checkbox"/>	<input type="checkbox"/>
1211	Fill	Friable dark grey brown clay silt moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 13**

Max Dimensions: Length: 60.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.39 m. Max: 0.51 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16462: Northing: 91307)

OS Grid Ref.: TL (Easting: 16434: Northing: 91360)

Reason: Test for presence of road from north gate of prisoner of war camp

Context:	Type:	Description:	Excavated:	Finds Present:
1300	Ploughsoil	Firm dark grey brown clay silt frequent small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1301	Subsoil	Firm light brown silty clay frequent small stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1302	Natural	Firm mid brown clay gravel	<input type="checkbox"/>	<input type="checkbox"/>
1303	Ditch	Linear NE-SW profile: convex base: concave dimensions: max breadth 1.13m, max depth 0.33m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1304	Primary fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1305	Upper fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1306	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.35m, max depth 0.06m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1307	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1308	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.79m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1309	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1310	Posthole	Sub-circular profile: near vertical base: concave dimensions: max depth 0.38m, max diameter 0.6m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1311	Primary fill	Firm mid grey brown silty clay frequent small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1312	Upper fill	Firm dark grey clay silt frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1313	Furrow	Linear E-W dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
1314	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1315	Furrow	Linear E-W dimensions: max breadth 2.2m	<input type="checkbox"/>	<input type="checkbox"/>
1316	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 14**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.43 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16538; Northing: 91390)

OS Grid Ref.: TL (Easting: 16538; Northing: 91360)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1400	Ploughsoil	Firm dark grey clay silt moderate small stones 0.43m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1402	Natural	Firm mid yellow brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>
1403	Ditch	Linear NW-SE profile: convex dimensions: max breadth 0.34m, max depth 0.37m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1404	Fill	Firm mid yellow brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1405	Ditch	Linear NW-SE profile: near vertical base: v-shaped dimensions: max breadth 0.65m, min depth 0.66m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1406	Fill	Firm mid grey brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1407	Quarry	Irregular profile: near vertical base: uneven dimensions: min breadth 2.1m, max depth 0.8m, max length 13.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1408	Backfill	Loose light yellow sandy gravel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1409	Quarry	Irregular dimensions: min breadth 2.1m, max length 4.3m	<input type="checkbox"/>	<input type="checkbox"/>
1410	Backfill	Loose light yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 15

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.33 m. Max: 0.36 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16522: Northing: 91449)

OS Grid Ref.: TL (Easting: 16552: Northing: 91449)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1500	Ploughsoil	Firm dark grey clay silt frequent small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1501	Subsoil	Firm mid brown silty clay frequent small chalk 0.07m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1502	Natural	Firm mid brown clay gravel frequent small-medium chalk	<input type="checkbox"/>	<input type="checkbox"/>
1503	Quarry	Linear N-S profile: concave base: flat dimensions: max breadth 1.79m, max depth 0.29m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1504	Backfill	Firm mid grey brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 16**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.29 m. Max: 0.29 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16524; Northing: 91524)

OS Grid Ref.: TL (Easting: 16554; Northing: 91524)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1600	Ploughsoil	Firm dark grey clay silt frequent small stones 0.29m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1601	Natural	Loose light yellow brown sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>
1602	Quarry	Irregular profile: irregular dimensions: max breadth 2.6m, min depth 0.38m, min length 2.45m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1603	Lower fill	Loose light brown yellow gravel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1604	Backfill	Friable mid grey brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1605	Quarry	Irregular dimensions: min breadth 2.6m, min depth 0.3m, max length 2.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1606	Backfill	Friable mid grey brown sandy clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1607	Dump material	Firm mid orange brown sandy clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1608	Foundation trench	Linear NW-SE profile: vertical base: flat dimensions: max breadth 0.3m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1609	Wall	Two courses of loosely bonded red and grey coloured bricks (190mm x 100mm x 70mm)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1610	Fill	Firm mid grey brown clay silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1611	Quarry	Irregular profile: near vertical base: uneven dimensions: min breadth 2.1m, max depth 0.4m, max length 2.7m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1612	Backfill	Firm mid grey brown clay silt frequent small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1613	Quarry	Irregular base: uneven dimensions: min breadth 2.1m, max depth 0.24m, min length 2.65m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1614	Primary fill	Firm light yellow brown silty clay frequent small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1615	Backfill	Firm mid grey brown clay silt frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1616	Quarry	Irregular dimensions: min breadth 2.1m, max length 2.65m	<input type="checkbox"/>	<input type="checkbox"/>
1617	Backfill	Loose light yellow sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 17

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.3 m. Max: 0.32 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16578: Northing: 91465)

OS Grid Ref.: TL (Easting: 16578: Northing: 91435)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1700	Ploughsoil	Firm dark grey clay silt frequent small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1701	Natural	Loose light yellow orange sandy gravel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1702	Quarry	Sub-rectangular N-S profile: near vertical base: flat dimensions: max breadth 1.75m, max depth 0.33m, max length 1.9m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1703	Backfill	Friable mid orange brown sandy clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1704	Quarry	Irregular base: flat dimensions: min breadth 2.1m, max depth 0.17m, max length 7.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1705	Backfill	Loose mid orange brown sandy gravel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1706	Quarry	Sub-oval N-S dimensions: min breadth 1.25m, max length 3.m	<input type="checkbox"/>	<input type="checkbox"/>
1707	Backfill	Friable mid grey brown sandy clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1708	Quarry	Sub-oval N-S dimensions: min breadth 1.m, max length 2.5m	<input type="checkbox"/>	<input type="checkbox"/>
1709	Backfill	Friable mid grey brown sandy clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1710	Quarry	Sub-oval N-S dimensions: min breadth 0.25m, max length 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
1711	Backfill	Friable mid grey brown sandy clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 18

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16646: Northing: 91421)

OS Grid Ref.: TL (Easting: 16646: Northing: 91391)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1800	Ploughsoil	Firm dark brown grey clay silt occasional small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1801	Subsoil	Firm mid grey brown clay silt 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1802	Natural	Firm light brown grey silty clay frequent flecks chalk, frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
1803	Furrow	Linear NNW-SSE dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
1804	Fill	Firm mid grey brown clay silt occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 19

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.27 m. Max: 0.43 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16574: Northing: 91300)

OS Grid Ref.: TL (Easting: 16604: Northing: 91300)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
1900	Ploughsoil	Friable dark grey brown clay silt moderate small stones, occasional medium-large stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1901	Subsoil	Firm mid grey brown sandy clay occasional small-medium stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1902	Natural	Loose mid orange brown sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>
1903	Ditch	Linear NNW-SSE dimensions: max breadth 1.85m	<input type="checkbox"/>	<input type="checkbox"/>
1904	Fill	Firm mid grey brown sandy silt occasional flecks ceramic building material, occasional flecks charcoal, moderate small stones, occasional medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1905	Gulley	Linear NNW-SSE profile: 45 degrees base: concave dimensions: max breadth 0.35m, max depth 0.08m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1906	Fill	Firm mid grey brown sandy silt occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1907	Gulley	Linear NNW-SSE dimensions: max breadth 0.35m	<input type="checkbox"/>	<input type="checkbox"/>
1908	Fill	Firm mid grey brown sandy silt occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1909	Furrow	Linear NNW-SSE dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
1910	Fill	Firm mid grey brown clay silt moderate small stones, occasional medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 20

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.39 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16693: Northing: 91641)

OS Grid Ref.: TL (Easting: 16723: Northing: 91641)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2000	Ploughsoil	Firm dark green grey silty clay 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2001	Subsoil	Firm mid orange brown silty clay 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2002	Natural	Firm mid green grey silty clay frequent flecks chalk	<input type="checkbox"/>	<input type="checkbox"/>
2003	Furrow	Linear NW-SE dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
2004	Fill	Firm light brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 21**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.46 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16906; Northing: 91612)

OS Grid Ref.: TL (Easting: 16875; Northing: 91612)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2100	Ploughsoil	Firm dark brown sandy clay 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2101	Subsoil	Firm mid brown sandy clay 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2102	Natural	Firm mid green brown sandy clay frequent small chalk, moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
2103	Furrow	Linear NW-SE dimensions: min breadth 2.5m	<input type="checkbox"/>	<input type="checkbox"/>
2104	Fill	Firm mid brown sandy clay moderate flecks chalk, moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
2105	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 1.3m, max depth 0.42m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2106	Primary fill	Firm mid orange brown sandy clay occasional flecks charcoal, moderate large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2107	Upper fill	Firm mid orange grey sandy clay occasional flecks charcoal, occasional large stones, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2108	Natural	Firm mid brown orange sandy clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2109	Furrow	Linear NW-SE dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
2110	Fill	Firm light brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 22**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.42 m. Max: 0.48 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16912: Northing: 91711)

OS Grid Ref.: TL (Easting: 16942: Northing: 91711)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2200	Ploughsoil	Firm dark green grey silty clay 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2201	Subsoil	Firm mid orange brown silty clay 0.16m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2202	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2203	Furrow	Linear NE-SW dimensions: max breadth 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
2204	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 23

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.48 m. Max: 0.54 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16989: Northing: 91833)

OS Grid Ref.: TL (Easting: 16989: Northing: 91803)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2300	Ploughsoil	Firm dark green grey silty clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2301	Subsoil	Firm mid orange brown silty clay 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2302	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 24**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16755: Northing: 91884)

OS Grid Ref.: TL (Easting: 16785: Northing: 91884)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2400	Ploughsoil	Firm dark green grey silty clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2401	Subsoil	Firm mid orange brown silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2402	Natural	Firm mid brown orange silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2403	Ditch	Linear NNW-SSE profile: 45 degrees base: v-shaped dimensions: max breadth 1.49m, max depth 0.46m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2404	Primary fill	Firm mid grey brown silty clay frequent small chalk, frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2405	Upper fill	Firm dark grey brown silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2406	Furrow	Linear N-S dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
2407	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 25**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.39 m. Max: 0.63 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16748; Northing: 91898)

OS Grid Ref.: TL (Easting: 16724; Northing: 91880)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2500	Ploughsoil	Firm dark green grey silty clay 0.37m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2501	Subsoil	Firm mid orange brown silty clay 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2502	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2503	Furrow	Linear N-S dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
2504	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2505	Furrow	Linear N-S profile: convex base: concave dimensions: max breadth 0.8m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2506	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 26**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.42 m. Max: 0.46 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16745: Northing: 91882)

OS Grid Ref.: TL (Easting: 16745: Northing: 91852)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2600	Ploughsoil	Firm dark green grey silty clay 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2601	Subsoil	Firm mid orange brown silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2602	Natural	Firm light orange brown silty clay frequent flecks chalk, frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2603	Furrow	Linear N-S dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
2604	Fill	Firm light brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
2605	Ditch	Linear E-W profile: 45 degrees base: concave dimensions: max breadth 0.86m, max depth 0.29m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2606	Fill	Firm dark brown grey sandy clay moderate flecks chalk, occasional flecks charcoal, moderate small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2607	Ditch	Linear E-W dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
2608	Fill	Firm mid brown grey sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
2609	Ditch	Linear E-W dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
2610	Fill	Firm dark brown grey sandy clay occasional flecks chalk, occasional flecks charcoal, moderate small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2611	Natural	Sub-circular profile: near vertical base: v-shaped dimensions: max depth 0.52m, max diameter 0.68m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2612	Lower fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2613	Upper fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 27**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.25 m. Max: 0.31 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16600: Northing: 91824)

OS Grid Ref.: TL (Easting: 16600: Northing: 91854)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2700	Ploughsoil	Firm dark green grey silty clay 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2701	Subsoil	Firm mid orange brown silty clay 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2702	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2703	Furrow	Linear N-S dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
2704	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 28**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.41 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16564; Northing: 91885)

OS Grid Ref.: TL (Easting: 16534; Northing: 91885)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2800	Ploughsoil	Firm dark green grey silty clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2801	Subsoil	Firm mid orange brown silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2802	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2803	Furrow	Linear NW-SE dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
2804	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 29

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.44 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16427; Northing: 91851)

OS Grid Ref.: TL (Easting: 16427; Northing: 91821)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
2900	Ploughsoil	Firm dark green grey silty clay 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2901	Subsoil	Firm mid orange brown silty clay 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2902	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
2903	Furrow	Linear NW-SE dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
2904	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 30

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.36 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16361: Northing: 91882)

OS Grid Ref.: TL (Easting: 16391: Northing: 91882)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3000	Ploughsoil	Friable dark green grey silty clay 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3001	Subsoil	Firm mid orange brown silty clay 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3002	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3003	Furrow	Linear NW-SE dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
3004	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 31

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.33 m. Max: 0.38 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16191; Northing: 91836)

OS Grid Ref.: TL (Easting: 16221; Northing: 91836)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3100	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3101	Natural	Firm mid yellow brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3102	Furrow	Linear NW-SE dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
3103	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 32

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.37 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16265: Northing: 91718)

OS Grid Ref.: TL (Easting: 16295: Northing: 91718)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3200	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.37m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3201	Natural	Firm mid yellow brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3202	Furrow	Linear NW-SE dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
3203	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 33**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16495: Northing: 91722)

OS Grid Ref.: TL (Easting: 16465: Northing: 91722)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3300	Ploughsoil	Firm dark green grey silty clay 0.37m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3301	Subsoil	Firm mid orange brown silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3302	Natural	Firm mid green grey silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3303	Furrow	Linear NNW-SSE dimensions: max breadth 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
3304	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 34

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.56 m. Max: 0.58 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16518: Northing: 92104)

OS Grid Ref.: TL (Easting: 16488: Northing: 92104)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3400	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.39m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3401	Subsoil	Firm mid grey brown silty clay moderate small stones 0.18m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3402	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3403	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 1.4m, max depth 0.51m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3404	Primary fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3405	Upper fill	Firm dark grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3406	Ditch	Linear N-S dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
3407	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3408	Ditch	Linear N-S dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
3409	Fill	Firm dark grey silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 35**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.54 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16555: Northing: 92146)

OS Grid Ref.: TL (Easting: 16525: Northing: 92146)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3500	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3501	Subsoil	Firm mid brown silty clay moderate small chalk 0.16m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3502	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3503	Furrow	Linear N-S profile: convex base: flat dimensions: max breadth 1.96m, max depth 0.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3504	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3505	Ditch	Linear NW-SE dimensions: max breadth 2.55m	<input type="checkbox"/>	<input type="checkbox"/>
3506	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 36

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16483; Northing: 92147)

OS Grid Ref.: TL (Easting: 16499; Northing: 92163)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3600	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.28m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3601	Subsoil	Firm mid grey brown silty clay moderate small stones 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3602	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3603	Pit	Sub-circular dimensions: min breadth 1.75m, min length 2.m	<input type="checkbox"/>	<input type="checkbox"/>
3604	Fill	Friable dark brown grey silty clay occasional small-medium burnt stones, occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3605	Pit	Sub-circular dimensions: max breadth 1.4m, max length 1.45m	<input type="checkbox"/>	<input type="checkbox"/>
3606	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
3607	Pit	Sub-circular dimensions: max breadth 0.8m, max length 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
3608	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
3609	Ditch	Linear E-W dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3610	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3611	Ditch	Linear N-S dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
3612	Fill	Firm mid brown grey silty clay moderate small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3613	Pit	Sub-circular dimensions: max breadth 0.55m, min length 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
3614	Fill	Firm light brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3615	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 1.45m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3616	Fill	Firm mid green grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3617	Ditch	Linear E-W profile: convex base: concave dimensions: max breadth 1.67m, max depth 0.88m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3618	Primary fill	Hard mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3619	Fill	Hard mid orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3620	Fill	Firm mid green grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3621	Fill	Friable mid red grey silty clay frequent flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3622	Upper fill	Firm mid grey brown silty clay occasional flecks chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3623	Ditch	Linear E-W profile: concave base: flat dimensions: max breadth 1.63m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3624	Fill	Friable mid green grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3625	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.8m, max depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3626	Fill	Friable mid brown grey silty clay frequent flecks charcoal, frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3627	Ditch	Linear E-W dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3628	Fill	Firm dark grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 37**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.44 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16518: Northing: 92172)

OS Grid Ref.: TL (Easting: 16488: Northing: 92172)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3700	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.29m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3701	Subsoil	Firm mid grey brown silty clay moderate small stones 0.16m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3702	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3703	Pit	Oval NW-SE profile: concave base: concave dimensions: min breadth 1.66m, max depth 0.26m, max length 1.97m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3704	Fill	Firm dark grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3705	Treethrow	Irregular dimensions: max depth 0.1m, max length 1.3m General number to describe several tree-throws	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3706	Fill	Firm mid grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3707	Ditch	Linear N-S dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
3708	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3709	Ditch	Linear N-S dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
3710	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3711	Ditch	Linear N-S dimensions: max breadth 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
3712	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3713	Ditch	Linear N-S dimensions: max breadth 2.3m	<input type="checkbox"/>	<input type="checkbox"/>
3714	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3715	Pit	Oval NE-SW dimensions: max breadth 1.3m, max length 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
3716	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3717	Pit	Oval N-S dimensions: max breadth 0.6m, max length 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
3718	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3719	Pit	Oval N-S dimensions: max breadth 0.55m, max length 1.35m	<input type="checkbox"/>	<input type="checkbox"/>
3720	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3721	Pit	Oval NW-SE dimensions: max breadth 1.35m, max length 2.m	<input type="checkbox"/>	<input type="checkbox"/>
3722	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3723	Pit	Sub-oval N-S dimensions: max breadth 0.6m, max length 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
3724	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 38**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.34 m. Max: 0.48 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16520: Northing: 92199)

OS Grid Ref.: TL (Easting: 16550: Northing: 92199)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3800	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.24m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3801	Subsoil	Firm mid grey brown silty clay moderate small stones 0.23m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3802	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3803	Ditch	Linear NNE-SSW profile: concave base: concave dimensions: max breadth 0.4m, max depth 0.21m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3804	Primary fill	Loose mid yellow grey sandy clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3805	Main fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3806	Ditch	Linear NNE-SSW profile: concave base: concave dimensions: max breadth 1.18m, max depth 0.58m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3807	Primary fill	Firm mid grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3808	Main fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3809	Ditch	Linear NNE-SSW profile: concave base: concave dimensions: max breadth 0.53m, max depth 0.33m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3810	Primary fill	Firm light grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3811	Main fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3812	Furrow	Linear N-S dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
3813	Fill	Firm mid brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>
3814	Ditch	Linear N-S dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
3815	Fill	Firm mid brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>
3816	Furrow	Linear N-S dimensions: max breadth 2.2m	<input type="checkbox"/>	<input type="checkbox"/>
3817	Fill	Firm mid brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>
3818	Furrow	Linear N-S dimensions: max breadth 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
3819	Fill	Firm mid brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>
3820	Furrow	Linear N-S dimensions: max breadth 2.9m	<input type="checkbox"/>	<input type="checkbox"/>
3821	Fill	Firm mid brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 39**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.46 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16466: Northing: 92202)

OS Grid Ref.: TL (Easting: 16482: Northing: 92218)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
3900	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3901	Subsoil	Firm mid brown silty clay moderate small stones 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3902	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
3903	Pit	Sub-circular dimensions: max breadth 0.55m, max length 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
3904	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3905	Ditch	Linear N-S dimensions: max breadth 1.05m	<input type="checkbox"/>	<input type="checkbox"/>
3906	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3907	Ditch	Linear N-S dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
3908	Fill	Firm dark brown grey silty clay occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3909	Ditch	Linear N-S dimensions: max breadth 4.85m	<input type="checkbox"/>	<input type="checkbox"/>
3910	Fill	Firm mid brown grey silty clay occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3911	Pit	Sub-circular dimensions: max breadth 0.7m, max length 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
3912	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3913	Pit	Sub-circular profile: concave base: flat dimensions: min breadth 1.65m, max depth 0.09m, min length 1.9m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3914	Fill	Firm dark brown grey silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3915	Ditch	Linear N-S dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
3916	Fill	Firm mid green grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
3917	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 1.32m, max depth 0.49m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3918	Primary fill	Firm mid brown orange silty clay occasional flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3919	Primary fill	Firm light green yellow silty clay occasional flecks chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3920	Lower fill	Hard mid green brown silty clay moderate flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3921	Fill	Firm mid orange brown silty clay moderate flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3922	Upper fill	Firm mid grey brown clay silt occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3923	Furrow	Linear NNW-SSE profile: concave base: flat dimensions: max breadth 1.3m, min depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3924	Fill	Friable dark brown grey clay silt occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 40

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.42 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16499; Northing: 92254)

OS Grid Ref.: TL (Easting: 16499; Northing: 92224)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4000	Ploughsoil	Firm dark brown clay silt 0.23m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4001	Subsoil	Firm mid orange brown silty clay 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4002	Natural	Firm light brown yellow silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4003	Ditch	Linear E-W profile: stepped base: concave dimensions: max breadth 1.72m, max depth 0.6m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4004	Fill	Firm dark grey silty clay frequent small chalk, occasional flecks charcoal, moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4005	Ditch	Linear E-W profile: stepped base: concave dimensions: max breadth 0.6m, max depth 0.42m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4006	Fill	Firm mid grey silty clay moderate small chalk, moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4007	Ditch	Linear NW-SE profile: stepped dimensions: max breadth 1.6m, min depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4008	Lower fill	Firm light grey silty clay moderate flecks chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4009	Upper fill	Firm dark grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4010	Ditch	Linear NE-SW profile: 45 degrees base: concave dimensions: max breadth 3.3m, max depth 1.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4011	Secondary fill	Hard mid green grey silty clay moderate flecks chalk, moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4012	Fill	Firm mid green grey silty clay moderate flecks chalk, moderate large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4013	Upper fill	Friable black clay silt occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4030	Primary fill	Hard mid grey silty clay moderate small chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4014	Furrow	Linear NNW-SSE dimensions: max breadth 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
4015	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4016	Ditch	Linear E-W dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
4017	Fill	Firm black silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4018	Pit	Oval N-S dimensions: max breadth 0.7m, max length 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
4019	Fill	Firm black silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4022	Ditch	Linear E-W dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
4023	Fill	Firm black silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4024	Ditch	Linear E-W dimensions: min breadth 2.4m	<input type="checkbox"/>	<input type="checkbox"/>
4025	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4029	Human skeleton	Articulated lower leg bones of E-W orientated human skeleton deposited in the top of the ditch.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4026	Ditch	Curving linear NE-SW profile: concave base: flat dimensions: max breadth 0.7m, max depth 0.34m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4027	Primary fill	Firm mid brown grey silty clay occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4028	Fill	Friable dark grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 41**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.46 m. Max: 0.52 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16492: Northing: 92291)

OS Grid Ref.: TL (Easting: 16492: Northing: 92261)

Reason: Evaluate results of detailed geophysical survey and test the area beyond

Context:	Type:	Description:	Excavated:	Finds Present:
4100	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4101	Subsoil	Firm mid brown silty clay moderate small stones 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4102	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4103	Ditch	Linear E-W profile: convex base: concave dimensions: max breadth 1.25m, max depth 0.32m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4104	Fill	Firm mid orange brown silty clay occasional small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4105	Ditch	Linear E-W dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
4106	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4107	Gulley	Linear E-W dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
4108	Fill	Firm dark brown grey silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4109	Gulley	Linear E-W dimensions: max breadth 0.35m	<input type="checkbox"/>	<input type="checkbox"/>
4110	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4111	Gulley	Linear E-W dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
4112	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4113	Pit	Irregular dimensions: min breadth 2.1m, min length 4.75m	<input type="checkbox"/>	<input type="checkbox"/>
4114	Fill	Firm dark orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4115	Gulley	Linear NNW-SSE dimensions: max breadth 0.65m	<input type="checkbox"/>	<input type="checkbox"/>
4116	Fill	Firm dark orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4117	Ditch	Linear ENE-WSW dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
4118	Fill	Firm dark orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4119	Ditch	Linear E-W dimensions: max breadth 6m	<input type="checkbox"/>	<input type="checkbox"/>
4120	Fill	Firm dark grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4121	Ditch	Linear E-W dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
4122	Fill	Firm dark brown grey clay silt occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4123	Gulley	Linear N-S dimensions: max breadth 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
4124	Fill	Firm dark orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4125	Ditch	Linear ENE-WSW dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
4126	Fill	Friable dark brown grey clay silt occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
4127	Ditch	Linear E-W dimensions: max breadth 2.2m	<input type="checkbox"/>	<input type="checkbox"/>
4128	Fill	Firm mid orange brown silty clay moderate flecks chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 42

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16525: Northing: 92283)

OS Grid Ref.: TL (Easting: 16525: Northing: 92253)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4200	Ploughsoil	Friable dark grey brown clay silt moderate small stones 0.23m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4201	Subsoil	Firm mid brown silty clay moderate small stones 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4202	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4203	Furrow	Linear NNW-SSE dimensions: max breadth 2.15m	<input type="checkbox"/>	<input type="checkbox"/>
4204	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4205	Gulley	Linear E-W profile: convex base: concave dimensions: max breadth 0.75m, max depth 0.13m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4206	Fill	Firm mid brown grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4207	Furrow	Linear NNW-SSE profile: convex base: uneven dimensions: max breadth 0.85m, max depth 0.06m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4208	Fill	Firm dark orange brown clay silt occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4209	Gulley	Curving linear NNE-SSW profile: convex base: concave dimensions: max breadth 0.35m, max depth 0.06m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4210	Fill	Firm dark brown grey clay silt occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4211	Ditch	Linear E-W dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
4212	Fill	Firm dark grey brown clay silt occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4213	Ditch	Linear NE-SW dimensions: max breadth 1.35m	<input type="checkbox"/>	<input type="checkbox"/>
4214	Fill	Firm dark grey brown clay silt occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4215	Ditch	Linear E-W dimensions: max breadth 3.5m	<input type="checkbox"/>	<input type="checkbox"/>
4216	Fill	Firm dark brown grey clay silt occasional small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4217	Ditch	Linear ENE-WSW dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
4218	Fill	Firm dark orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4219	Ditch	Linear ENE-WSW dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
4220	Fill	Friable dark brown grey clay silt occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 43****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.42 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 16552: Northing: 92278)

OS Grid Ref.: TL (Easting: 16552: Northing: 92248)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4300	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4301	Subsoil	Firm mid brown silty clay moderate small stones 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4302	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4303	Ditch	Linear NE-SW dimensions: max breadth 4.m	<input type="checkbox"/>	<input type="checkbox"/>
4304	Fill	Firm dark grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4305	Ditch	Linear NW-SE dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
4306	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4307	Furrow	Linear NW-SE dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
4308	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4309	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.95m, max depth 0.35m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4310	Primary fill	Firm dark green grey silty clay moderate flecks chalk, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4311	Main fill	Firm dark grey black silty clay occasional medium-large burnt stones, frequent flecks charcoal, occasional small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 44

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.44 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16521; Northing: 92235)

OS Grid Ref.: TL (Easting: 16551; Northing: 92235)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4400	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4401	Subsoil	Firm mid grey brown silty clay moderate small stones 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4402	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4403	Gulley	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.47m, max depth 0.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4404	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4405	Gulley	Curving linear E-W profile: 45 degrees base: flat dimensions: max breadth 0.49m, max depth 0.26m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4406	Fill	Firm dark grey silty clay occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4407	Ditch	Linear N-S dimensions: min breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
4408	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4409	Ditch	Linear N-S dimensions: max breadth 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
4410	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4411	Ditch	Linear NW-SE dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
4412	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4413	Pit	Sub-circular dimensions: min breadth 0.65m, max length 1.05m	<input type="checkbox"/>	<input type="checkbox"/>
4414	Fill	Firm dark grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4415	Gulley	Linear NE-SW dimensions: max breadth 0.35m	<input type="checkbox"/>	<input type="checkbox"/>
4416	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4417	Furrow	Linear N-S dimensions: max breadth 2.05m	<input type="checkbox"/>	<input type="checkbox"/>
4418	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4419	Ditch	Linear N-S dimensions: max breadth 4.2m	<input type="checkbox"/>	<input type="checkbox"/>
4420	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4421	Ditch	Linear N-S dimensions: max breadth 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
4422	Fill	Firm dark grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 45**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.44 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16464: Northing: 92119)

OS Grid Ref.: TL (Easting: 16434: Northing: 92119)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4500	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4501	Subsoil	Firm mid grey brown silty clay moderate small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4502	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4503	Ditch	Linear N-S dimensions: max breadth 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
4504	Fill	Firm mid brown grey silty clay occasional large stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4505	Ditch	Linear NW-SE dimensions: max breadth 1.3m	<input type="checkbox"/>	<input type="checkbox"/>
4506	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4507	Ditch	Linear N-S dimensions: max breadth 3.9m	<input type="checkbox"/>	<input type="checkbox"/>
4508	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4509	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.85m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4510	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4511	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 2.26m, max depth 0.82m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4512	Primary fill	Firm mid blue grey silty clay occasional medium burnt stones, occasional flecks charcoal, occasional small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4513	Upper fill	Firm mid brown grey silty clay occasional medium-large burnt stones, moderate flecks charcoal, moderate small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 46

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.3 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16382; Northing: 92136)

OS Grid Ref.: TL (Easting: 16412; Northing: 92136)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4600	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4601	Subsoil	Firm mid grey brown silty clay moderate small stones 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4602	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4603	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.97m, max depth 0.21m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4604	Fill	Firm mid orange grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4605	Ditch	Linear N-S dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
4606	Fill	Firm light grey brown silty clay moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
4607	Ditch	Linear N-S dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
4608	Fill	Firm light grey brown silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
4609	Ditch	Linear N-S dimensions: max breadth 2.95m	<input type="checkbox"/>	<input type="checkbox"/>
4610	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 47

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16366: Northing: 92167)

OS Grid Ref.: TL (Easting: 16366: Northing: 92137)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4700	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.33m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4701	Subsoil	Firm mid brown silty clay moderate small stones 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4702	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4703	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 1.83m, max depth 0.66m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4704	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 48

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.31 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16423; Northing: 92151)

OS Grid Ref.: TL (Easting: 16453; Northing: 92151)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4800	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.36m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4801	Subsoil	Firm mid grey brown silty clay moderate small stones 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4802	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4803	Pit	Sub-oval NW-SE dimensions: max breadth 0.75m, min length 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
4804	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4805	Ditch	Linear N-S dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
4806	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
4807	Ditch	Linear N-S dimensions: max breadth 2.75m	<input type="checkbox"/>	<input type="checkbox"/>
4808	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4809	Spread	Irregular dimensions: max length 15.25m Probable area of trampling.	<input type="checkbox"/>	<input type="checkbox"/>
4810	Fill	Firm dark brown grey silty clay occasional large stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4811	Ditch	Linear N-S dimensions: min breadth 3.4m	<input type="checkbox"/>	<input type="checkbox"/>
4812	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 49

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.43 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16408; Northing: 92151)

OS Grid Ref.: TL (Easting: 16408; Northing: 92181)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4900	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.31m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4901	Subsoil	Firm mid brown silty clay moderate small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4902	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
4903	Pit	Oval N-S profile: concave base: concave dimensions: max breadth 0.51m, max depth 0.14m, max length 0.7m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4904	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4905	Ditch	Linear E-W profile: concave base: flat dimensions: max breadth 1.98m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4906	Primary fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4908	Fill	Firm dark grey brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4909	Upper fill	Firm dark grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4936	Main fill	Firm mid grey brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4910	Furrow	Linear N-S dimensions: max breadth 0.5m	<input type="checkbox"/>	<input type="checkbox"/>
4911	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4912	Pit	dimensions: min breadth 0.9m, min length 1.65m	<input type="checkbox"/>	<input type="checkbox"/>
4913	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4914	Pit	dimensions: max breadth 0.5m, max length 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
4915	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4916	Pit	dimensions: max breadth 1.25m, max length 1.8m	<input type="checkbox"/>	<input type="checkbox"/>
4917	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4918	Gulley	Linear E-W dimensions: max breadth 0.25m	<input type="checkbox"/>	<input type="checkbox"/>
4919	Fill	Firm mid brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4920	Gulley	Linear NW-SE dimensions: max breadth 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
4921	Fill	Firm mid brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4922	Pit	Sub-circular dimensions: min breadth 1.55m, max length 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
4923	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4924	Pit	Sub-circular dimensions: min breadth 1.7m, max length 2.m	<input type="checkbox"/>	<input type="checkbox"/>
4925	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4926	Ditch	Linear NW-SE dimensions: max breadth 1.45m	<input type="checkbox"/>	<input type="checkbox"/>
4927	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4928	Pit	Sub-circular dimensions: min breadth 1.65m, max length 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
4929	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4930	Ditch	Linear NW-SE dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
4931	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4932	Pit	Sub-circular dimensions: max breadth 0.8m, max length 0.85m	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 49

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.43 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16408: Northing: 92151)

OS Grid Ref.: TL (Easting: 16408: Northing: 92181)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
4933	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
4934	Ditch	Linear E-W profile: convex base: concave dimensions: max breadth 0.81m, max depth 0.31m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4907	Main fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4935	Primary fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 50**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.29 m. Max: 0.42 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16418: Northing: 92176)

OS Grid Ref.: TL (Easting: 16448: Northing: 92176)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5000	Ploughsoil	Firm dark grey brown silty clay moderate small stones 0.40m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5001	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5002	Ditch	Linear N-S dimensions: min breadth 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
5003	Fill	Firm mid grey brown silty clay moderate small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5004	Furrow	Linear N-S dimensions: max breadth 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
5005	Fill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5006	Ditch	Linear N-S dimensions: max breadth 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
5007	Fill	Firm mid grey brown silty clay frequent small-medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5008	Spread	Linear N-S dimensions: max breadth 6.1m, max depth 0.2m Probable area of trample with irregular limestone slabs providing ground reinforcement in places.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5009	Fill	Firm dark grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5014	External surface	Metalled surface comprising irregular, flat, limestone and flint pieces from (70mm x 60mm x 40mm) to (250mm x 240mm x 80mm)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5010	Ditch	Linear N-S dimensions: max breadth 3.95m	<input type="checkbox"/>	<input type="checkbox"/>
5011	Fill	Firm mid grey brown silty clay moderate small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5012	Ditch	Linear N-S dimensions: min breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
5013	Fill	Firm mid grey brown silty clay moderate small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 51

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.34 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16422: Northing: 92216)

OS Grid Ref.: TL (Easting: 16422: Northing: 92186)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5100	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.22m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5101	Subsoil	Firm mid grey brown silty clay moderate small stones 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5102	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5103	Ditch	Linear E-W profile: concave base: flat dimensions: max breadth 1.11m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5104	Primary fill	Firm mid green grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5105	Upper fill	Firm dark brown grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5106	Ditch	Linear E-W dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
5107	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5108	Ditch	Linear NE-SW dimensions: max breadth 2.m	<input type="checkbox"/>	<input type="checkbox"/>
5109	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5110	Gulley	Linear E-W dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
5111	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5112	Ditch	Linear E-W dimensions: max breadth 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
5113	Fill	Friable mid brown grey silty clay moderate medium stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5114	Pit	Sub-circular dimensions: max diameter 0.5m	<input type="checkbox"/>	<input type="checkbox"/>
5115	Fill	Firm mid grey silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
5116	Pit	Sub-circular dimensions: max diameter 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
5117	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5118	Pit	Sub-circular dimensions: max diameter 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
5119	Fill	Firm mid green grey silty clay occasional large stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5120	Furrow	Linear N-S dimensions: max breadth 0.35m, min length 22.m	<input type="checkbox"/>	<input type="checkbox"/>
5121	Fill	Firm mid brown grey silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 52**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.39 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16405; Northing: 92200)

OS Grid Ref.: TL (Easting: 16376; Northing: 92200)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5200	Ploughsoil	Firm dark brown clay silt moderate small stones 0.33m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5201	Subsoil	Firm mid brown silty clay moderate small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5202	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5203	Ditch	Linear N-S profile: near vertical dimensions: max breadth 2.43m, min depth 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5204	Lower fill	Firm mid grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5205	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5206	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5207	Upper fill	Firm dark grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5208	Ditch	Linear N-S profile: stepped dimensions: max breadth 1.53m, min depth 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5209	Lower fill	Firm mid grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5210	Upper fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5211	Ditch	Linear profile: concave base: concave dimensions: max breadth 1.44m, max depth 0.44m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5212	Primary fill	Firm light brown silty clay frequent small chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5213	Upper fill	Firm mid brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 53

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.34 m. Max: 0.42 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16451: Northing: 92227)

OS Grid Ref.: TL (Easting: 16421: Northing: 92227)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5300	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5301	Subsoil	Firm mid grey brown silty clay moderate small stones 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5302	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5303	Pit	Oval E-W profile: 45 degrees base: concave dimensions: max breadth 0.6m, max depth 0.17m, max length 0.85m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5304	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5305	Ditch	Linear N-S dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
5306	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5307	Ditch	Linear N-S dimensions: max breadth 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
5308	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5309	Ditch	Linear N-S dimensions: max breadth 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
5310	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5311	Ditch	Linear N-S dimensions: max breadth 2.25m	<input type="checkbox"/>	<input type="checkbox"/>
5312	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5313	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 2.4m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5314	Primary fill	Firm mid brown grey silty clay moderate flecks chalk, occasional flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5315	Main fill	Firm dark brown grey silty clay occasional small-medium burnt stones, moderate flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5316	Ditch	Linear N-S dimensions: max breadth 1.65m	<input type="checkbox"/>	<input type="checkbox"/>
5317	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5318	Gulley	Linear NE-SW dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
5319	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5320	Ditch	Linear N-S dimensions: max breadth 2.15m	<input type="checkbox"/>	<input type="checkbox"/>
5321	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5322	Ditch	Linear N-S dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
5323	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5324	Ditch	Linear N-S dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
5325	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5326	Ditch	Linear N-S dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
5327	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 54**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.39 m. Max: 0.46 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16441: Northing: 92260)

OS Grid Ref.: TL (Easting: 16411: Northing: 92260)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5400	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5401	Subsoil	Firm mid grey brown silty clay moderate small stones 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5402	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5403	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 0.95m, max depth 0.37m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5404	Primary fill	Firm mid orange grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5405	Upper fill	Firm mid grey silty clay occasional large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5406	Ditch	Linear N-S dimensions: max breadth 3.4m	<input type="checkbox"/>	<input type="checkbox"/>
5407	Fill	Firm mid brown clay silt occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
5408	Ditch	Linear N-S dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
5409	Fill	Firm dark brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5410	Ditch	Linear N-S dimensions: max breadth 3.6m	<input type="checkbox"/>	<input type="checkbox"/>
5411	Fill	Firm dark brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5412	Ditch	Linear N-S dimensions: max breadth 2.4m	<input type="checkbox"/>	<input type="checkbox"/>
5413	Fill	Firm dark brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5414	Spread	Irregular E-W profile: irregular base: flat dimensions: min breadth 0.35m, max depth 0.31m, min length 3.m Probable area of trampling.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5415	Fill	Firm dark brown clay silt occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5416	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 1.4m, max depth 0.47m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5417	Primary fill	Firm mid orange grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5418	Main fill	Firm dark grey silty clay frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5419	Ditch	Linear N-S profile: irregular base: concave dimensions: max breadth 1.64m, max depth 0.54m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5420	Primary fill	Firm mid brown orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5421	Secondary fill	Firm dark grey silty clay occasional flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5422	Fill	Firm mid grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5423	Furrow	Linear N-S profile: concave base: flat dimensions: max breadth 1.9m, max depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5424	Fill	Firm mid brown grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 55

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.48 m. Max: 0.53 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16402: Northing: 92287)

OS Grid Ref.: TL (Easting: 16402: Northing: 92257)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5500	Ploughsoil	Firm dark grey brown silty clay moderate small stones 0.42m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5501	Subsoil	Firm mid brown silty clay moderate small stones 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5502	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>
5503	Pond	Linear E-W profile: convex dimensions: max breadth 9.m, min depth 0.96m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5504	Primary fill	Firm mid blue grey silty clay moderate flecks chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5505	Secondary fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5506	Upper fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5507	Pit	Sub-rectangular N-S dimensions: min breadth 0.35m, max depth 0.13m, max length 1.85m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5508	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5509	Ditch	Linear E-W dimensions: max breadth 2.m	<input type="checkbox"/>	<input type="checkbox"/>
5510	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5511	Pit	Sub-oval E-W dimensions: max breadth 0.5m, max length 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
5512	Fill	Firm dark brown grey silty clay occasional flecks charcoal, occasional flecks fired clay	<input type="checkbox"/>	<input type="checkbox"/>
5513	Ditch	Linear E-W dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
5514	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5515	Ditch	Linear E-W dimensions: max breadth 2.3m	<input type="checkbox"/>	<input type="checkbox"/>
5516	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5517	Ditch	Linear E-W dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
5518	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5519	Ditch	Linear E-W dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
5520	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5521	Furrow	Linear N-S dimensions: min breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
5522	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 56

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.41 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16367; Northing: 92280)

OS Grid Ref.: TL (Easting: 16367; Northing: 92250)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5600	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5601	Subsoil	Firm mid brown silty clay moderate small stones 0.09m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5602	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 57****Max Dimensions:** Length: 23.40 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.45 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 15819; Northing: 92374)

OS Grid Ref.: TL (Easting: 15789; Northing: 92374)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5700	Ploughsoil	Friable mid grey clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
5701	Subsoil	Hard light orange clay frequent small stones 0.10m thick	<input type="checkbox"/>	<input type="checkbox"/>
5702	Natural	Hard brown orange clay silt frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 58

Max Dimensions: Length: 29.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15670: Northing: 92431)

OS Grid Ref.: TL (Easting: 15670: Northing: 92401)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
5800	Ploughsoil	Firm light grey clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
5801	Subsoil	Friable light yellow brown sandy clay 0.10m thick	<input type="checkbox"/>	<input type="checkbox"/>
5802	Natural	Light yellow orange silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 59****Max Dimensions: Length: 29.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.****Co-ordinates: OS Grid Ref.: TL** (Easting: 15797: Northing: 92438)**OS Grid Ref.: TL** (Easting: 15797: Northing: 92408)**Reason: Evaluate results of detailed geophysical survey**

Context:	Type:	Description:	Excavated:	Finds Present:
5900	Ploughsoil	Firm light grey clay silt 0.35m thick	<input type="checkbox"/>	<input type="checkbox"/>
5901	Subsoil	Hard light brown yellow sandy clay 0.20m thick	<input type="checkbox"/>	<input type="checkbox"/>
5902	Natural	Orange silty clay frequent small sand	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 61****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.5 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 15890: Northing: 92472)

OS Grid Ref.: TL (Easting: 15890: Northing: 92442)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6100	Ploughsoil	Firm grey brown clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
6101	Subsoil	Friable light brown sandy clay 0.20m thick	<input type="checkbox"/>	<input type="checkbox"/>
6102	Natural	Light orange blue clay gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 60

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.25 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15912; Northing: 92418)

OS Grid Ref.: TL (Easting: 15882; Northing: 92418)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6000	Ploughsoil	Friable mid grey clay silt 0.25m thick	<input type="checkbox"/>	<input type="checkbox"/>
6001	Subsoil	Firm light yellow clay silt 0.35m thick	<input type="checkbox"/>	<input type="checkbox"/>
6002	Natural	Light yellow clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6003	Ditch	Linear NE-SW dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
6004	Ditch	Friable mid grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 62**

Max Dimensions: Length: 29.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.58 m. Max: 0.7 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15793: Northing: 92473)

OS Grid Ref.: TL (Easting: 15763: Northing: 92473)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6200	Ploughsoil	Firm dark grey brown silty clay occasional small stones 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6201	Subsoil	Firm light orange brown silty clay occasional small-medium stones 0.39m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6202	Natural	Firm mid orange brown silty clay occasional small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6203	Ditch	Linear dimensions: max breadth 0.75m, min depth 0.45m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
6204	Main fill	Firm light grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
6205	Ditch	Linear dimensions: max breadth 0.65m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
6206	Fill	Firm dark grey black silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
6207	Ditch	Linear dimensions: max breadth 1.m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
6208	Fill	Firm mid grey brown silty clay occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
6209	Ditch	Linear N-S dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
6210	Fill	Firm light orange brown sandy silt	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 63**

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15807: Northing: 92498)

OS Grid Ref.: TL (Easting: 15776: Northing: 92498)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6300	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6301	Subsoil	Firm mid orange brown silty clay moderate small stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6302	Natural	Firm mid brown orange sandy clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6303	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.92m, max depth 0.41m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6304	Lower fill	Firm mid orange brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6305	Main fill	Firm mid yellow brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6306	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 1.65m, max depth 0.59m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6307	Lower fill	Firm mid brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6308	Main fill	Firm mid brown yellow silty clay frequent small-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6309	Ditch	Linear NE-SW dimensions: min breadth 1.6m, min length 3.3m	<input type="checkbox"/>	<input type="checkbox"/>
6310	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 64**

Max Dimensions: Length: 29.10 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.47 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15767; Northing: 92496)

OS Grid Ref.: TL (Easting: 15737; Northing: 92496)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6400	Ploughsoil	Friable dark brown grey silty clay occasional small stones 0.29m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6401	Subsoil	Friable mid orange brown silty clay occasional small stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6402	Natural	Firm mid brown orange silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6403	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 0.8m, max depth 0.54m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6404	Lower fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6405	Main fill	Friable mid brown grey sandy silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6406	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 1.15m, max depth 0.41m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6407	Lower fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6408	Main fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6409	Posthole	Oval profile: near vertical base: concave dimensions: max breadth 0.24m, max depth 0.14m, max length 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6410	Fill	Friable mid brown grey sandy silt occasional flecks stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6411	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.82m, max depth 0.32m, min length 1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6412	Fill	Friable dark brown grey sandy silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 65****Max Dimensions: Length: 29.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.58 m. Max: 0.6 m.****Co-ordinates: OS Grid Ref.: TL** (Easting: 15636; Northing: 92500)**OS Grid Ref.: TL** (Easting: 15606; Northing: 92500)**Reason: Evaluate results of detailed geophysical survey**

Context:	Type:	Description:	Excavated:	Finds Present:
6500	Ploughsoil	Firm light grey clay silt 0.38m thick	<input type="checkbox"/>	<input type="checkbox"/>
6501	Subsoil	Hard light yellow sandy clay 0.20m thick	<input type="checkbox"/>	<input type="checkbox"/>
6502	Natural	Light red grey sandy clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 66

Max Dimensions: Length: 30.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.63 m. Max: 0.67 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15706: Northing: 92529)

OS Grid Ref.: TL (Easting: 15706: Northing: 92544)

OS Grid Ref.: TL (Easting: 15690: Northing: 92528)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6600	Ploughsoil	Friable dark grey grey clay silt 0.43m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6601	Subsoil	Firm mid red brown silty clay 0.24m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6602	Natural	Firm mid red brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6603	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.34m, max depth 0.15m, min length 1.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6604	Fill	Friable dark grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6605	Gulley	Linear profile: irregular base: concave dimensions: max breadth 0.83m, max depth 0.15m, min length 1.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6606	Fill	Firm dark blue brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6607	Pit	Sub-circular profile: concave base: concave dimensions: max breadth 0.67m, max depth 0.1m, max length 0.7m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6608	Fill	Friable light yellow brown sandy silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6609	Pit	Oval profile: concave base: concave dimensions: max breadth 1.1m, max depth 0.15m, max length 1.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6610	Fill	Firm light yellow brown silty silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6611	Ditch	Linear dimensions: max breadth 4.2m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
6612	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6613	Ditch	Linear dimensions: max breadth 0.85m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
6614	Fill	Firm dark grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 67**

Max Dimensions: Length: 29.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.42 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15710: Northing: 92519)

OS Grid Ref.: TL (Easting: 15710: Northing: 92489)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6700	Ploughsoil	Friable dark grey brown clay silt 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6701	Subsoil	Firm mid red brown silty clay 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6702	Natural	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6703	Beamslot	Linear N-S profile: concave base: concave dimensions: max breadth 0.37m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6704	Fill	Firm light grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6705	Beamslot	Linear N-S profile: concave base: concave dimensions: max breadth 0.55m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6706	Fill	Firm dark grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6707	Beamslot	Linear N-S profile: concave base: concave dimensions: max breadth 0.42m, max depth 0.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6708	Fill	Firm dark grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6709	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 3.3m, max depth 1.2m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6710	Backfill	Firm dark brown grey silty clay occasional flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6711	Backfill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6712	Backfill	Firm mid grey green silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6713	Backfill	Firm mid orange brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6714	Backfill	Firm mid orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6715	Primary fill	Friable mid blue brown silty sand occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6716	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.7m, max depth 0.4m, min length 1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6717	Backfill	Firm light brown grey silt occasional medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6718	Primary fill	Firm light brown grey silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6719	Gulley	Linear E-W profile: concave base: concave dimensions: max breadth 0.6m, max depth 0.17m, min length 1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6720	Fill	Friable light yellow brown silty sand	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6721	Ditch	Linear E-W profile: near vertical base: concave dimensions: min breadth 0.7m, max depth 1.45m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6722	Primary fill	Firm mid blue grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6723	Backfill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6724	Backfill	Firm light blue grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 68

Max Dimensions: Length: 18.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15896: Northing: 92544)

OS Grid Ref.: TL (Easting: 15866: Northing: 92544)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
6800	Ploughsoil	Firm mid brown grey silty clay 0.40m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6801	Subsoil	Firm mid brown grey silty clay 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6802	Natural	Firm light blue grey clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6803	Ditch	Linear N-S profile: near vertical base: concave dimensions: max breadth 1.8m, max depth 0.8m, min length 2.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6804	Upper fill	Firm dark grey clay silt occasional small-medium burnt stones, occasional flecks charcoal, moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6809	Fill	Firm mid grey orange clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6805	Pit	profile: irregular base: uneven dimensions: min breadth 0.5m, max depth 0.27m, max length 2.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6806	Fill	Firm dark blue grey clay silt moderate medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6807	Pit	Sub-circular profile: concave base: concave dimensions: max diameter 0.35m, min length 1.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6808	Fill	Firm mid grey silt occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6810	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 1.05m, max depth 0.25m, min length 1.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6811	Fill	Firm light grey orange clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 69****Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.****Co-ordinates: OS Grid Ref.: TL** (Easting: 16003: Northing: 92540)**OS Grid Ref.: TL** (Easting: 15974: Northing: 92540)**Reason: Evaluate results of detailed geophysical survey**

Context:	Type:	Description:	Excavated:	Finds Present:
6900	Ploughsoil	Hard grey black silty clay 0.42m thick	<input type="checkbox"/>	<input type="checkbox"/>
6901	Subsoil	Firm grey blue clay 0.15m thick	<input type="checkbox"/>	<input type="checkbox"/>
6902	Natural	Light orange blue clay gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 70

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15953: Northing: 92589)

OS Grid Ref.: TL (Easting: 15953: Northing: 92559)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7000	Ploughsoil	Firm dark brown grey silty clay 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7001	Subsoil	Firm mid orange brown silty clay 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7002	Natural	Firm mid red brown clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7003	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.56m, max depth 0.18m, min length 0.43m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7004	Fill	Firm dark red grey silty clay moderate flecks manganese staining	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7005	Pond	Same feature as [7011]	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7006	Fill	Firm dark red grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7007	Ditch	Linear E-W profile: 45 degrees base: flat dimensions: max breadth 1.32m, max depth 0.31m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7008	Fill	Firm dark red grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7009	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.77m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7010	Fill	Firm dark red grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7011	Pond	Linear NW-SE profile: concave dimensions: max breadth 17m, min depth 1.2m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7012	Lower fill	Firm mid blue grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7013	Main fill	Friable dark blue grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7014	Upper fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7015	Ditch	Linear E-W dimensions: max breadth 2m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7016	Fill	Firm dark red grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
7017	Ditch	Linear dimensions: max breadth 1m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7018	Fill	Firm mid red grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 71

Max Dimensions: Length: 29.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.65 m. Max: 0.7 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15995; Northing: 92596)

OS Grid Ref.: TL (Easting: 15965; Northing: 92596)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7100	Ploughsoil	Firm dark grey silty clay 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7101	Subsoil	Firm mid brown silty clay 0.44m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7102	Natural	Firm mid brown sandy clay frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7103	Ditch	Linear NE-SW profile: stepped base: concave dimensions: max breadth 1.4m, max depth 0.32m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7104	Primary fill	Firm dark grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7105	Upper fill	Hard mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7106	Pit	Linear NE-SW dimensions: max breadth 1.55m, min length 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
7107	Fill	Firm dark brown grey	<input type="checkbox"/>	<input type="checkbox"/>
7108	Pit	Oval E-W dimensions: max breadth 0.75m, max length 7m	<input type="checkbox"/>	<input type="checkbox"/>
7109	Fill	Firm dark brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 72

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15912; Northing: 92582)

OS Grid Ref.: TL (Easting: 15912; Northing: 92552)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7200	Ploughsoil	Firm dark brown clay silt occasional small-medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7201	Subsoil	Firm light orange brown silty clay 0.24m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7202	Natural	Firm mid orange brown silty clay occasional small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7203	Pit	Sub-oval profile: 45 degrees base: uneven dimensions: max breadth 1.77m, max depth 0.47m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7204	Lower fill	Firm light blue orange silty clay moderate small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7205	Main fill	Firm dark orange brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7206	Upper fill	Firm dark grey black silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7207	Ditch	Irregular E-W profile: 45 degrees base: flat dimensions: max breadth 0.82m, max depth 0.31m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7208	Lower fill	Firm light yellow brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7209	Main fill	Firm dark orange brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7210	Ditch	Linear E-W profile: 45 degrees base: v-shaped dimensions: max breadth 0.95m, max depth 0.45m, min length 0.8m	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7211	Lower fill	Firm mid blue grey silty clay moderate medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7212	Main fill	Firm light yellow brown silty clay moderate small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7213	Ditch	Irregular E-W profile: 45 degrees base: v-shaped dimensions: max breadth 0.89m, max depth 0.52m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7214	Primary fill	Firm mid orange brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7215	Main fill	Firm mid blue grey silty clay moderate small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7216	Upper fill	Firm dark grey black silty clay occasional medium-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7217	Posthole	Oval N-S profile: concave base: concave dimensions: max breadth 1.06m, max depth 0.18m, max length 0.95m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7218	Fill	Hard dark orange brown silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7219	Stone setting	Loose rubble moderate large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7220	Ditch	Linear E-W profile: 45 degrees base: uneven dimensions: max breadth 1.77m, max depth 0.47m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7221	Main fill	Hard dark orange brown silty clay moderate small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7222	Posthole	Oval profile: concave base: concave dimensions: max breadth 0.31m, max depth 0.14m, max length 0.69m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7223	Fill	Firm dark grey black silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7224	Posthole	Oval profile: concave base: concave dimensions: max breadth 0.45m, max depth 0.07m, max length 1m	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7225	Fill	Firm mid orange brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7234	Packing	Compact frequent large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7226	Ditch	Linear E-W dimensions: max breadth 2.15m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7227	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7228	Posthole	Oval dimensions: max breadth 0.25m, max length 0.3m	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 72**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15912: Northing: 92582)

OS Grid Ref.: TL (Easting: 15912: Northing: 92552)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7229	Fill	Firm light grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
7230	Posthole	Oval profile: concave base: concave dimensions: max breadth 0.3m, max depth 0.08m, max length 0.4m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7231	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7232	Posthole	Circular profile: concave base: concave dimensions: max breadth 0.28m, max depth 0.04m, max length 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7233	Fill	Firm dark grey brown silty clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>


Trench: 73
Max Dimensions: Length: 29.15 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15913: Northing: 92590)

OS Grid Ref.: TL (Easting: 15883: Northing: 92590)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7300	Ploughsoil	Firm mid grey brown silty clay occasional small-medium stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7301	Subsoil	Firm dark orange brown silty clay occasional small-large stones 0.15m thick	<input type="checkbox"/>	<input type="checkbox"/>
7302	Ditch	Linear N-S profile: convex base: concave dimensions: max breadth 2.m, max depth 0.74m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7303	Primary fill	Firm mid orange grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7304	Fill	Firm mid grey brown silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7305	Main fill	Firm light grey brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7306	Ditch	Linear NW-SE profile: convex base: concave dimensions: max breadth 1.68m, max depth 0.55m, min length 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7307	Main fill	Firm mid orange grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7308	Upper fill	Firm dark grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7309	Ditch	Linear NE-SW profile: 45 degrees base: concave dimensions: max breadth 2.65m, max depth 0.7m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7310	Fill	Firm dark blue brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7311	Lower fill	Firm dark orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7312	Fill	Firm dark grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7313	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7314	Upper fill	Firm mid orange grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7315	Ditch	Linear NW-SE dimensions: max breadth 1.7m, min length 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
7316	Fill	Firm mid grey orange silty clay	<input type="checkbox"/>	<input type="checkbox"/>
7317	Pit	Oval profile: concave base: concave dimensions: min breadth 0.8m, max depth 0.25m, max length 1.43m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7318	Fill	Firm dark orange grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7319	Natural	Firm mid orange brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7320	Posthole	Circular profile: concave base: concave dimensions: max breadth 0.3m, max depth 0.03m, max length 0.32m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7321	Fill	Firm dark grey orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 74

Max Dimensions: Length: 18.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15776: Northing: 92607)

OS Grid Ref.: TL (Easting: 15746: Northing: 92607)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7400	Ploughsoil	Friable dark grey brown clay silt occasional medium stones 0.37m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7401	Subsoil	Firm mid brown grey silty clay occasional small-medium stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7402	Natural	Firm mid orange blue clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7403	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 2.25m, max depth 0.38m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7404	Lower fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7405	Main fill	Firm mid orange grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7406	Ditch	Linear profile: concave base: concave dimensions: min breadth 0.5m, max depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7407	Fill	Firm dark grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7408	Ditch	Linear N-S dimensions: max breadth 1.55m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7409	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
7410	Ditch	Linear N-S dimensions: max breadth 1.54m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7411	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>


Trench: 75
Max Dimensions: Length: 33.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.58 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15735: Northing: 92610)

OS Grid Ref.: TL (Easting: 15735: Northing: 92626)

OS Grid Ref.: TL (Easting: 15719: Northing: 92610)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7500	Ploughsoil	Firm dark grey brown silty clay occasional small-medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7501	Subsoil	Firm mid orange brown silty clay occasional small stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7502	Natural	Firm mid orange silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7503	Ditch	Linear profile: 45 degrees base: v-shaped dimensions: max breadth 2.3m, max depth 0.77m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7504	Lower fill	Firm light orange brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7505	Main fill	Firm dark grey silty clay moderate small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7506	Upper fill	Firm mid grey orange silty clay moderate small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7507	Posthole	Circular profile: concave base: concave dimensions: max breadth 0.37m, max depth 0.07m, max length 0.41m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7508	Fill	Firm mid grey black silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7509	Pit	Assymetrical dimensions: min breadth 2.1m, min length 4.m	<input type="checkbox"/>	<input type="checkbox"/>
7510	Fill	Firm light grey brown silty clay occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
7511	Ditch	Linear dimensions: max breadth 1.75m, min length 2.15m	<input type="checkbox"/>	<input type="checkbox"/>
7512	Fill	Firm dark grey brown silty clay occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
7513	Posthole	Oval dimensions: max breadth 0.25m, max length 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
7514	Fill	Firm light grey brown silty clay moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
7515	Posthole	Circular dimensions: max breadth 0.41m, max length 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
7516	Fill	Firm light grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
7517	Posthole	Circular dimensions: max breadth 0.25m, max length 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
7518	Fill	Firm dark grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 76

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15697: Northing: 92688)

OS Grid Ref.: TL (Easting: 15667: Northing: 92688)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7600	Ploughsoil	Firm dark brown silty clay occasional small-medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7601	Subsoil	Firm mid orange brown silty clay occasional small-medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7602	Natural	Firm dark orange brown silty clay occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
7603	Posthole	Circular profile: concave base: concave dimensions: max breadth 0.39m, max depth 0.08m, max length 0.41m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7604	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>


Trench: 77
Max Dimensions: Length: 29.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15814; Northing: 92648)

OS Grid Ref.: TL (Easting: 15784; Northing: 92648)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7700	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.32m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7701	Subsoil	Firm mid brown grey silty clay occasional small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7702	Natural	Firm light orange grey silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7703	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 3.55m, max depth 0.54m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7704	Lower fill	Firm mid brown grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7705	Fill	Firm mid brown grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7706	Main fill	Firm dark brown grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7707	Posthole	Sub-circular profile: concave base: concave dimensions: max breadth 0.27m, max depth 0.24m, max length 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7708	Fill	Firm mid orange grey silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7709	Ditch	Linear dimensions: max breadth 1.1m, min length 8m	<input type="checkbox"/>	<input type="checkbox"/>
7710	Fill	Firm mid brown grey silty clay occasional small-medium sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 78

Max Dimensions: Length: 33.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15828: Northing: 92660)

OS Grid Ref.: TL (Easting: 15812: Northing: 92676)

OS Grid Ref.: TL (Easting: 15812: Northing: 92660)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7800	Ploughsoil	Firm dark brown grey clay silt occasional small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7801	Subsoil	Firm mid orange brown clay silt occasional small-medium stones 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7802	Natural	Firm mid grey orange clay gravel frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7803	Ditch	Linear E-W profile: 45 degrees base: concave dimensions: max breadth 1.4m, max depth 0.39m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7804	Fill	Firm mid orange grey clay silt moderate small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7805	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.9m, max depth 0.32m, min length 0.9m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7806	Fill	Firm mid orange grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7807	Ditch	Linear N-S dimensions: max breadth 2.2m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7808	Fill	Hard mid orange grey silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 79

Max Dimensions: Length: 29.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.6 m. Max: 0.7 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15867: Northing: 92694)

OS Grid Ref.: TL (Easting: 15837: Northing: 92694)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
7900	Ploughsoil	Firm dark brown occasional small-medium stones 0.31m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7901	Subsoil	Firm mid orange brown silty clay moderate small-medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7902	Natural	Firm dark orange brown silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7903	Ditch	Linear profile: concave base: concave dimensions: max breadth 2.86m, max depth 0.33m, min length 1.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7904	Main fill	Firm mid grey brown silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7905	Fill	Loose light orange brown sandy silt frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7906	Land drain	Linear profile: near vertical base: concave dimensions: max breadth 0.47m, max depth 0.53m, min length 0.45m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7907	Backfill		<input checked="" type="checkbox"/>	<input type="checkbox"/>
7908	Ditch	Linear dimensions: max breadth 3.m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7909	Fill	Firm dark orange silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
7910	Ditch	Linear dimensions: max breadth 1.05m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7911	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7912	Ditch	Linear dimensions: min breadth 1.3m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7913	Fill	Firm dark grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
7914	Ditch	Linear dimensions: max breadth 1.9m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
7915	Fill	Hard dark orange brown silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 80

Max Dimensions: Length: 29.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15874: Northing: 92670)

OS Grid Ref.: TL (Easting: 15844: Northing: 92670)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8000	Ploughsoil	Hard dark grey black clay silt 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8001	Subsoil	Hard light yellow brown clay silt occasional large stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8002	Natural	Friable orange gravel 0.58m thick	<input type="checkbox"/>	<input type="checkbox"/>
8003	Ditch	Curving linear NE-SW dimensions: max breadth 7.7m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
8004	Fill		<input type="checkbox"/>	<input type="checkbox"/>
8005	Ditch	Linear profile: concave base: concave dimensions: min breadth 1.2m, max depth 0.55m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8006	Fill	Friable mid grey brown sandy silt frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8007	Fill	Hard dark grey brown clay silt moderate medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8008	Fill	Hard mid brown grey sandy clay frequent medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8009	Upper fill	Hard mid grey brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8010	Ditch	Linear profile: concave base: concave dimensions: min breadth 0.8m, max depth 0.48m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8011	Fill	Firm mid grey clay silt occasional large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8012	Fill	Firm mid grey brown clay gravel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8013	Fill	Hard light grey clay silt frequent medium stones, occasional large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8014	Ditch	Linear profile: near vertical base: flat dimensions: max breadth 0.85m, max depth 0.5m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8015	Fill	Hard light grey clay silt moderate medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8016	Fill	Firm mid grey brown clay gravel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8025	Upper fill	Hard mid grey clay silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8017	Ditch	Linear profile: concave base: flat dimensions: max breadth 0.9m, max depth 0.44m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8018	Fill	Firm light yellow grey clay silt frequent medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8019	Backfill	Firm mid grey clay silt occasional large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8020	Ditch	Linear profile: concave base: flat dimensions: max breadth 2.65m, max depth 0.57m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8021	Fill	Hard light grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8022	Fill	Friable mid grey clay frequent small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8023	Fill	Hard mid red grey clay silt moderate small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8024	Fill	Firm dark red brown silty gravel frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 81**

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.7 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15839: Northing: 92670)

OS Grid Ref.: TL (Easting: 15839: Northing: 92640)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8100	Ploughsoil	Firm dark brown silty clay occasional small-medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8101	Subsoil	Firm mid orange brown silty clay occasional small-medium stones 0.40m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8102	Natural	Firm dark orange brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
8103	Pond	Irregular profile: 45 degrees base: uneven dimensions: min breadth 12.3m, max depth 0.39m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8104	Fill	Friable mid grey orange silty clay frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8105	Pit	Irregular dimensions: min breadth 0.65m, max length 1.9m	<input type="checkbox"/>	<input type="checkbox"/>
8106	Fill	Firm dark orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
8107	Ditch	Linear profile: concave base: concave dimensions: min breadth 2.3m, max depth 0.7m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8108	Fill	Firm light brown clay silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 82

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15880: Northing: 92631)

OS Grid Ref.: TL (Easting: 15850: Northing: 92631)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8200	Ploughsoil	Firm dark grey brown silty clay occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8201	Subsoil	Firm mid orange brown silty clay occasional small-medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8202	Natural	Firm mid orange silty clay frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
8203	Ditch	Irregular N-S profile: near vertical base: concave dimensions: max breadth 0.93m, max depth 0.63m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8204	Fill	Firm dark blue brown sandy silt frequent small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8205	Ditch	Linear profile: concave base: flat dimensions: max breadth 2.7m, max depth 0.5m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8206	Lower fill	Firm dark grey brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8207	Main fill	Firm mid grey brown silty clay frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8208	Pit	Irregular dimensions: min breadth 2.2m, min length 5.4m	<input type="checkbox"/>	<input type="checkbox"/>
8209	Fill	Firm light grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
8210	Ditch	Linear dimensions: max breadth 3.8m, min length 2.2m	<input type="checkbox"/>	<input type="checkbox"/>
8211	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 83

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.54 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15889: Northing: 92661)

OS Grid Ref.: TL (Easting: 15889: Northing: 92631)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8300	Ploughsoil	Firm mid grey silty silt occasional large stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8301	Subsoil	Hard light brown clay silt moderate small-large stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8302	Natural	Friable light orange yellow gravel	<input type="checkbox"/>	<input type="checkbox"/>
8303	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 2.65m, max depth 0.44m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8304	Fill	Firm dark grey clay silt occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8305	Fill	Friable mid yellow orange gravel frequent small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8306	Fill	Friable yellow orange gravel frequent small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8307	Gulley	Linear profile: convex base: concave dimensions: max breadth 0.4m, max depth 0.15m, min length 3.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8308	Fill	Friable red brown clay silt frequent small stones, moderate medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8309	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 1.85m, max depth 0.33m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8310	Fill	Firm dark grey clay silt frequent small stones, occasional medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8311	Pit	Oval profile: 45 degrees base: v-shaped dimensions: max breadth 0.53m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8312	Fill	Friable light grey clay silt moderate medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 84**

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15932: Northing: 92627)

OS Grid Ref.: TL (Easting: 15902: Northing: 92627)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8400	Ploughsoil	Firm dark brown grey silty clay 0.27m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8401	Subsoil	Firm mid brown grey silty clay 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8402	Natural	Firm mid orange brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
8403	Ditch	Linear N-S dimensions: max breadth 1.6m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
8404	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
8405	Ditch	Linear NW-SE dimensions: max breadth 2.55m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
8406	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8407	Ditch	Linear N-S dimensions: max breadth 1.45m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
8408	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
8409	Kiln	Assymetrical E-W dimensions: max breadth 1.1m, max length 3.m	<input type="checkbox"/>	<input type="checkbox"/>
8410	Fill	Firm dark grey black silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8411	Ditch	Linear N-S dimensions: max breadth 2.m, min length 1.3m	<input type="checkbox"/>	<input type="checkbox"/>
8412	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8413	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8414	Fill	Firm light brown white silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8415	Ditch	Linear N-S profile: concave base: uneven dimensions: max breadth 1.35m, max depth 0.18m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8416	Fill	Firm mid brown grey silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8417	Ditch	Linear N-S profile: concave base: concave dimensions: min breadth 1.12m, max depth 0.4m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8418	Lower fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8419	Upper fill	Firm mid brown grey silty clay moderate medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 85

Max Dimensions: Length: 29.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.37 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15941: Northing: 92649)

OS Grid Ref.: TL (Easting: 15941: Northing: 92619)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8500	Ploughsoil	Friable mid grey clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
8501	Subsoil	Firm light brown clay silt occasional small stones 0.05m thick	<input type="checkbox"/>	<input type="checkbox"/>
8502	Natural	Red yellow silty clay frequent small sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 86

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.51 m. Max: 0.58 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15931: Northing: 92720)

OS Grid Ref.: TL (Easting: 15931: Northing: 92690)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8600	Ploughsoil	Firm dark brown grey silty clay 0.31m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8601	Subsoil	Firm mid grey brown silty clay 0.22m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8602	Natural	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
8603	Gulley	Linear E-W profile: concave base: concave dimensions: max breadth 0.51m, max depth 0.4m, min length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8604	Backfill	Firm dark brown grey silty clay occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8605	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.9m, max depth 0.29m, max length 24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8606	Fill	Firm mid grey brown silty clay frequent small-medium stones, moderate large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 87

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15910: Northing: 92714)

OS Grid Ref.: TL (Easting: 15880: Northing: 92714)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8700	Ploughsoil	Friable dark brown grey silty clay 0.44m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8701	Subsoil	Firm mid grey brown silty clay 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8702	Natural	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
8703	Ditch	Curving linear NW-SE profile: concave base: uneven dimensions: max breadth 2.1m, max depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8704	Backfill	Firm dark yellow grey silty clay occasional medium burnt stones, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 88****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.53 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 17151: Northing: 92867)

OS Grid Ref.: TL (Easting: 17121: Northing: 92867)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8800	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8801	Subsoil	Firm mid brown grey silty clay 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8802	Natural	Firm light green grey clay	<input type="checkbox"/>	<input type="checkbox"/>
8803	Ditch	Curving linear NNE-SSW profile: concave base: concave dimensions: max breadth 1.2m, max depth 0.2m, max length 3.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8804	Lower fill	Hard mid brown yellow clay occasional small burnt stones, occasional medium stones, occasional small stones 0.08m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8805	Backfill	Firm mid yellow grey silty clay occasional small stones 0.14m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8806	Furrow	Linear ENE-WSW profile: concave base: concave dimensions: max breadth 1.05m, max depth 0.08m, min length 18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8807	Fill	Firm mid brown silty clay occasional small stones 0.08m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8808	Ditch	Linear NNW-SSE dimensions: max breadth 1.5m, min length 2m	<input type="checkbox"/>	<input type="checkbox"/>
8809	Fill	Firm dark brown grey silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
8810	Ditch	Linear E-W dimensions: max breadth 0.35m, min length 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
8811	Fill	Firm mid brown grey silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
8812	Pit	Irregular N-S dimensions: min breadth 1m, max length 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
8813	Fill	Firm mid brown grey silty clay occasional small stones	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench: 89**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 17161: Northing: 92905)

OS Grid Ref.: TL (Easting: 17161: Northing: 92875)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
8900	Ploughsoil	Firm dark brown grey silty clay moderate small stones 0.3m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8901	Subsoil	Firm light brown grey silty clay 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8902	Natural	Firm mid green grey clay	<input type="checkbox"/>	<input type="checkbox"/>
8903	Pit	Sub-oval E-W dimensions: max breadth 1.5m, min length 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
8904	Fill	Firm dark grey yellow clay moderate flecks manganese staining, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
8905	Ditch	Linear ENE-WSW profile: 45 degrees base: concave dimensions: min breadth 0.8m, max depth 0.46m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8906	Primary fill	Hard mid grey grey clay moderate flecks manganese staining, occasional small stones 0.16m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8907	Backfill	Firm dark grey clay moderate flecks manganese staining, occasional small-medium stones 0.31m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8908	Ditch	Linear ENE-WSW profile: 45 degrees base: concave dimensions: max breadth 2.5m, max depth 0.83m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8909	Fill	Hard mid grey yellow clay occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8910	Backfill	Spongy dark grey silty clay moderate flecks charcoal, moderate small stones 0.24m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8911	Fill	Hard mid grey yellow clay frequent small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8912	Backfill	Hard dark grey clay occasional flecks charcoal, occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8913	Fill	Firm mid yellow grey clay occasional small-medium stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8914	Upper fill	Firm mid brown silty clay occasional small stones 0.19m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8915	Pit	Sub-circular profile: concave base: flat dimensions: max breadth 1.23m, max depth 0.15m, max length 1.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8916	Fill	Firm dark grey yellow clay moderate flecks manganese staining, occasional small stones 0.15m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8917	Posthole	Sub-circular profile: near vertical base: concave dimensions: max breadth 0.22m, max depth 0.08m, max length 0.24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8918	Fill	Firm dark grey yellow clay occasional flecks manganese staining, occasional small stones 0.08m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 90

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.42 m. Max: 0.43 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 17177; Northing: 92955)

OS Grid Ref.: TL (Easting: 17147; Northing: 92955)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9000	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9001	Subsoil	Firm mid brown grey silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9002	Natural	Firm mid green grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 91

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.44 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 17212: Northing: 92890)

OS Grid Ref.: TL (Easting: 17212: Northing: 92860)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9100	Ploughsoil	Firm mid grey brown silty clay 0.32m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9101	Subsoil	Firm mid brown grey silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9102	Natural	Firm mid green grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
9103	Ditch	Linear NE-SW dimensions: max breadth 0.55m, max depth 0.15m, min length 2.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9104	Primary fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9105	Secondary fill	Friable dark brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 92**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.6 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 17231; Northing: 92936)

OS Grid Ref.: TL (Easting: 17231; Northing: 92906)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9200	Ploughsoil	Firm dark brown silt 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9201	Subsoil	Friable mid orange brown clay silt 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9202	Natural	Firm mid grey yellow clay	<input type="checkbox"/>	<input type="checkbox"/>
9203	Ditch	Linear profile: stepped dimensions: max breadth 3.1m, min depth 0.9m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9204	Primary fill	Compact light grey brown silty clay occasional medium-large stones 0.60m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9205	Secondary fill	Compact mid grey brown silty clay moderate small-medium stones 0.71m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9206	Tertiary fill	Firm dark black silty clay moderate small stones 0.45m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9207	Tertiary fill	Firm mid grey yellow clay 0.30m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9208	Ditch	Linear E-W profile: irregular base: concave dimensions: max breadth 1.95m, max depth 0.51m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9209	Backfill	Compact mid grey silty clay occasional medium-large stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9210	Gulley	Curving linear profile: near vertical base: concave dimensions: max breadth 0.5m, max depth 0.22m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9211	Backfill	Friable mid red brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9212	Ditch	Linear NW-SE dimensions: max breadth 2.3m	<input type="checkbox"/>	<input type="checkbox"/>
9213	Backfill	Friable dark red brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 93**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.39 m. Max: 0.48 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 17276: Northing: 92935)

OS Grid Ref.: TL (Easting: 17246: Northing: 92935)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9300	Ploughsoil	Friable dark brown grey silty clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9301	Subsoil	Firm mid orange brown silty clay 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9302	Natural	Firm mid brown orange sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
9303	Ditch	Linear N-S dimensions: max breadth 2.85m, min depth 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9304	Primary fill	Firm mid brown yellow clay 0.55m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9305	Primary fill	Firm mid brown grey silty clay 80mm thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9306	Secondary fill	Firm mid blue grey clay 70mm thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9307	Tertiary fill	Firm dark brown grey silty clay 0.26m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9308	Land drain	Linear N-S dimensions: max breadth 0.41m, max depth 0.45m, min length 2.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9309	Backfill	Firm mid yellow blue clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9310	Ditch	Linear N-S dimensions: max breadth 1.75m, max length 1.9m	<input type="checkbox"/>	<input type="checkbox"/>
9311	Backfill	Firm mid blue grey clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 94**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15774; Northing: 93180)

OS Grid Ref.: TL (Easting: 15774; Northing: 93180)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9400	Ploughsoil	Firm dark brown silt 0.30m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9401	Subsoil	Firm mid red brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9402	Natural	Friable light grey brown silty clay frequent flecks manganese staining	<input type="checkbox"/>	<input type="checkbox"/>
9403	Natural	Firm light grey clay frequent flecks manganese staining	<input type="checkbox"/>	<input type="checkbox"/>
9404	Natural	Friable mid orange clay sand	<input type="checkbox"/>	<input type="checkbox"/>
9405	Treethrow	Curving linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.48m, max depth 0.43m, max length 1.55m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9406	Primary fill	Firm light grey clay moderate flecks charcoal 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9407	Secondary fill	Firm dark black clay silt frequent flecks charcoal 0.16m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9408	Tertiary fill	Firm mid orange clay occasional flecks charcoal 70mm thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 95

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15846: Northing: 93215)

OS Grid Ref.: TL (Easting: 15816: Northing: 93215)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9500	Ploughsoil	Friable dark brown silt 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9501	Subsoil	Plastic mid orange brown silty clay 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9502	Natural	Firm mid orange clay sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 96

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15653; Northing: 93300)

OS Grid Ref.: TL (Easting: 15653; Northing: 93270)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9600	Ploughsoil	Firm dark brown silt 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9601	Subsoil	Firm mid orange brown silty clay frequent flecks manganese staining 0.20m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9602	Natural	Firm mid grey orange clay sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 97

Max Dimensions: Length: 29.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15722: Northing: 93275)

OS Grid Ref.: TL (Easting: 15692: Northing: 93275)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9700	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9701	Subsoil	Firm mid orange grey silty clay 0.21m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9702	Natural	Firm mid orange grey silty loam	<input type="checkbox"/>	<input type="checkbox"/>
9703	Ditch	Linear N-S profile: 45 degrees base: v-shaped dimensions: max breadth 0.5m, max depth 0.35m, min length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9704	Backfill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9705	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 0.6m, max depth 0.25m, max length 2.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9706	Backfill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9707	Ditch	Linear N-S	<input type="checkbox"/>	<input type="checkbox"/>
9708	Backfill	Firm mid grey brown silty clay occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 98

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15744; Northing: 93290)

OS Grid Ref.: TL (Easting: 15744; Northing: 93290)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9800	Ploughsoil	Firm dark brown silt 0.30m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9801	Subsoil	Firm mid orange brown silty clay moderate flecks manganese staining 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9802	Natural	Firm mid orange sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 99

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.61 m. Max: 0.61 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15798: Northing: 93283)

OS Grid Ref.: TL (Easting: 15768: Northing: 93283)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
9900	Ploughsoil	Firm dark brown silt 0.36m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9901	Subsoil	Friable mid grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9902	Natural	Firm mid orange sand	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 100

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.91 m. Max: 1.04 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15807: Northing: 93333)

OS Grid Ref.: TL (Easting: 15807: Northing: 93303)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10000	Ploughsoil	Firm dark brown grey silty clay occasional small stones 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10001	Subsoil	Firm mid orange grey clay 0.55m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10002	Natural	Firm light yellow grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
10003	Treethrow	Irregular profile: irregular base: uneven dimensions: max depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10004	Secondary fill	Friable dark grey black silty clay frequent small charcoal 0.16m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
10005	Primary fill	Friable dark red brown silty clay 70mm thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10006	Treethrow	Irregular	<input type="checkbox"/>	<input type="checkbox"/>
10007	Backfill		<input type="checkbox"/>	<input type="checkbox"/>



Trench: 101

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.56 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16008: Northing: 91350)

OS Grid Ref.: TL (Easting: 16037: Northing: 91340)

Reason: Test for remains associated with prisoner of war camp

Context:	Type:	Description:	Excavated:	Finds Present:
10100	Ploughsoil	Firm dark grey brown clay silt 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10101	Subsoil	Firm mid yellow brown silty clay 0.18m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10102	Natural	Firm light yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
10103	Posthole	profile: irregular base: v-shaped dimensions: max breadth 0.37m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10104	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Trench:** 102**Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.38 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 16149: Northing: 91428)

OS Grid Ref.: TL (Easting: 16149: Northing: 91398)

Reason: Test for remains associated with prisoner of war camp

Context:	Type:	Description:	Excavated:	Finds Present:
10200	Ploughsoil	Firm dark green grey silty clay 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10201	Natural	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 103

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.48 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16649; Northing: 91481)

OS Grid Ref.: TL (Easting: 16649; Northing: 91453)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10300	Ploughsoil	Firm dark grey clay silt frequent small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10301	Subsoil	Friable mid orange brown silty clay occasional medium stones 0.23m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10302	Natural	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
10303	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.66m, max depth 0.21m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10304	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10305	Furrow	Linear NE-SW dimensions: max breadth 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
10306	Fill	Firm mid grey brown clay silt occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench:** 104**Max Dimensions:** Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.56 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 15554: Northing: 92535)

OS Grid Ref.: TL (Easting: 15524: Northing: 92535)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10400	Ploughsoil	Firm mid grey clay silt 0.35m thick	<input type="checkbox"/>	<input type="checkbox"/>
10401	Subsoil	Firm light yellow clay silt 0.15m thick	<input type="checkbox"/>	<input type="checkbox"/>
10402	Natural	Brown clay silt frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 105**

Max Dimensions: Length: 29.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.7 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15631: Northing: 92594)

OS Grid Ref.: TL (Easting: 15631: Northing: 92564)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10500	Ploughsoil	Friable dark grey brown clay silt occasional medium stones 0.27m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10501	Subsoil	Hard light grey brown clay silt occasional small-medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10502	Natural	Hard light yellow clay occasional medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10503	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.9m, max depth 0.13m, min length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
10504	Fill	Friable mid grey brown clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
10505	Ditch	Linear NW-SE profile: concave base: concave dimensions: min breadth 1.7m, max depth 0.32m, min length 2.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10506	Fill	Firm light yellow blue clay occasional medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 106

Max Dimensions: Length: 29.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.6 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15797: Northing: 92539)

OS Grid Ref.: TL (Easting: 15767: Northing: 92539)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10600	Ploughsoil	Firm light grey clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
10601	Subsoil	Hard light orange clay silt frequent small sand 0.20m thick	<input type="checkbox"/>	<input type="checkbox"/>
10602	Natural	Light blue orange clay frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 108****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.65 m. Max: 0.65 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 15752: Northing: 92432)

OS Grid Ref.: TL (Easting: 15722: Northing: 92432)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10800	Ploughsoil	Firm brown clay silt 0.35m thick	<input type="checkbox"/>	<input type="checkbox"/>
10801	Subsoil	Friable light yellow clay silt 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
10802	Natural	Light orange clay silt	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 107****Max Dimensions:** Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.52 m.**Co-ordinates:** OS Grid Ref.: TL (Easting: 15973: Northing: 92500)

OS Grid Ref.: TL (Easting: 15943: Northing: 92500)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10700	Ploughsoil	Firm dark grey brown clay silt 0.32m thick	<input type="checkbox"/>	<input type="checkbox"/>
10701	Subsoil	Friable light brown yellow clay 0.20m thick	<input type="checkbox"/>	<input type="checkbox"/>
10702	Natural	Light orange sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 109

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.55 m. Max: 0.65 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15738: Northing: 92357)

OS Grid Ref.: TL (Easting: 15708: Northing: 92356)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
10900	Ploughsoil	Firm light grey clay silt 0.25m thick	<input type="checkbox"/>	<input type="checkbox"/>
10901	Subsoil	Friable light brown clay silt frequent flecks sand 0.30m thick	<input type="checkbox"/>	<input type="checkbox"/>
10902	Natural	Light orange white clay silt frequent small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 110

Max Dimensions: Length: 29.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.5 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15804: Northing: 92743)

OS Grid Ref.: TL (Easting: 15774: Northing: 92743)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
11000	Ploughsoil	Firm mid grey clay silt, occasional small-medium stones 0.40m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11002	Natural	Hard mid yellow orange gravel	<input type="checkbox"/>	<input type="checkbox"/>
11003	Ditch	Linear NW-SE profile: 45 degrees base: v-shaped dimensions: max breadth 1.65m, max depth 0.2m, min length 2.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11004	Fill	Hard mid orange grey clay silt moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 111

Max Dimensions: Length: 29.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 15677: Northing: 92649)

OS Grid Ref.: TL (Easting: 15677: Northing: 92619)

Reason: Evaluate results of detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
11100	Ploughsoil	Firm dark brown silty clay occasional small-large stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11101	Subsoil	Firm mid orange brown silty clay moderate small-medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11102	Natural	Firm dark orange brown silty clay moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
11103	Ditch	Curving linear profile: near vertical base: concave dimensions: max breadth 0.38m, max depth 0.13m, min length 3.35m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11104	Fill	Firm mid grey brown silty clay moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 112

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.39 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16349: Northing: 92248)

OS Grid Ref.: TL (Easting: 16349: Northing: 92218)

Reason: Test area beyond detailed geophysical survey

Context:	Type:	Description:	Excavated:	Finds Present:
11200	Ploughsoil	Firm dark grey brown clay silt moderate small stones 0.33m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11201	Subsoil	Firm mid brown silty clay moderate small stones 0.07m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11202	Natural	Firm light brown silty clay frequent small chalk	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 113

Max Dimensions: Length: 15.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.4 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16376: Northing: 91384)

OS Grid Ref.: TL (Easting: 16376: Northing: 91369)

Reason: Test geophysical anomalies for possible sunken-featured buildings

Context:	Type:	Description:	Excavated:	Finds Present:
11300	Ploughsoil	Friable dark brown clay silt 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11301	Natural	Loose mid yellow brown sandy gravel	<input type="checkbox"/>	<input type="checkbox"/>
11302	Dump material	Friable dark brown clay silt occasional flecks charcoal, frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11303	Quarry	Irregular profile: near vertical base: flat dimensions: max breadth 0.7m, max depth 0.11m, max length 1.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11304	Backfill	Friable dark brown clay silt occasional flecks charcoal, frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11305	Quarry	Irregular profile: near vertical base: flat dimensions: max breadth 0.6m, max depth 0.11m, max length 1.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11306	Backfill	Friable dark brown clay silt occasional flecks charcoal, frequent small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11307	Quarry	Irregular dimensions: min breadth 2.1m, min length 7.7m	<input type="checkbox"/>	<input type="checkbox"/>
11308	Backfill	Firm dark brown clay silt occasional flecks charcoal, frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 114

Max Dimensions: Length: 15.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.23 m. Max: 0.24 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16397; Northing: 91388)

OS Grid Ref.: TL (Easting: 16409; Northing: 91381)

Reason: Test geophysical anomalies for possible sunken-featured buildings

Context:	Type:	Description:	Excavated:	Finds Present:
11400	Ploughsoil	Firm dark grey clay silt frequent small stones 0.24m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11401	Natural	Loose light orange yellow sandy gravel moderate large stones	<input type="checkbox"/>	<input type="checkbox"/>
11402	Quarry	Irregular profile: irregular base: uneven dimensions: max breadth 5.5m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11403	Backfill	Friable mid orange brown sandy clay occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11404	Quarry	Irregular dimensions: max breadth 3.75m	<input type="checkbox"/>	<input type="checkbox"/>
11405	Backfill	Friable mid orange brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 115

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.41 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16419: Northing: 91287)

OS Grid Ref.: TL (Easting: 16434: Northing: 91261)

Reason: Test for remains associated with prisoner of war camp

Context:	Type:	Description:	Excavated:	Finds Present:
11500	Ploughsoil	Loose dark brown clay silt occasional small-medium stones 0.25m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11501	Subsoil	Firm mid orange brown silty clay 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11502	Natural	Firm light yellow brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
11503	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.85m, max depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11504	Fill	Firm mid grey brown silty clay moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11505	Furrow	Linear NW-SE dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
11506	Fill	Firm mid grey brown clay silt occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 116**

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.45 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16450; Northing: 92329)

OS Grid Ref.: TL (Easting: 16480; Northing: 92329)

Reason: Establish limits of settlement in Area C

Context:	Type:	Description:	Excavated:	Finds Present:
11600	Ploughsoil	Firm dark grey brown clay silt 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11601	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small chalk 0.15m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11602	Natural	Firm light green grey clay occasional flecks chalk, occasional small chalk	<input type="checkbox"/>	<input type="checkbox"/>
11603	Furrow	Linear NNW-SSE dimensions: max breadth 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
11604	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 117

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.49 m. Max: 0.57 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16537: Northing: 92314)

OS Grid Ref.: TL (Easting: 16567: Northing: 92314)

Reason: Establish limits of settlement in Area C

Context:	Type:	Description:	Excavated:	Finds Present:
11700	Ploughsoil	Firm dark brown grey clay silt 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11701	Subsoil	Firm mid orange brown clay silt 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11702	Natural	Firm light green grey clay occasional flecks chalk, occasional small chalk	<input type="checkbox"/>	<input type="checkbox"/>
11703	Gulley	Linear N-S profile: near vertical base: flat dimensions: max breadth 0.45m, max depth 0.34m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11704	Fill	Hard dark green brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11705	Gulley	Linear N-S profile: concave base: concave dimensions: max breadth 0.85m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11706	Fill	Hard mid green brown silty clay occasional small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11707	Pit	Sub-circular profile: 45 degrees base: concave dimensions: max depth 0.23m, max diameter 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11708	Fill	Firm dark brown grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11709	Furrow	Linear NNW-SSE dimensions: max breadth 1.75m	<input type="checkbox"/>	<input type="checkbox"/>
11710	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 118

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.52 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16591: Northing: 92302)

OS Grid Ref.: TL (Easting: 16591: Northing: 92272)

Reason: Establish limits of settlement in Area C

Context:	Type:	Description:	Excavated:	Finds Present:
11800	Ploughsoil	Firm dark brown grey clay silt occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11801	Subsoil	Firm mid orange brown clay silt occasional small-medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11802	Natural	Firm light green grey clay occasional flecks chalk, occasional small chalk	<input type="checkbox"/>	<input type="checkbox"/>
11803	Furrow	Linear NNW-SSE dimensions: max breadth 1.25m	<input type="checkbox"/>	<input type="checkbox"/>
11804	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 119

Max Dimensions: Length: 30.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.55 m.

Co-ordinates: OS Grid Ref.: TL (Easting: 16591: Northing: 92220)

OS Grid Ref.: TL (Easting: 16591: Northing: 92190)

Reason: Establish limits of settlement in Area C

Context:	Type:	Description:	Excavated:	Finds Present:
11900	Ploughsoil	Firm dark brown grey clay silt occasional small stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11901	Subsoil	Firm mid grey brown clay silt occasional small-medium stones 0.18m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11902	Natural	Firm light green grey clay occasional flecks chalk, occasional small chalk	<input type="checkbox"/>	<input type="checkbox"/>
11903	Furrow	Linear NNW-SSE dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
11904	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
11905	Treethrow	Irregular dimensions: max breadth 0.8m, max length 1.4m General number to describe three tree-throws	<input type="checkbox"/>	<input type="checkbox"/>
11906	Fill	Firm dark grey brown silty clay moderate small stones, occasional medium stones	<input type="checkbox"/>	<input type="checkbox"/>



7. APPENDIX 2: POTTERY TYPE SERIES


A total of 4,065 pottery sherds (72.5kg) were recovered. These were examined by context and quantified using minimum sherd count and weight. In the absence of a local type series, the fifty-eight fabric types were identified using common names and type codes in accordance with the Bedfordshire Ceramic Type Series, currently maintained by Albion Archaeology. Fabrics are listed below (Table 10) in chronological order.

Fabric type	Common name	Sherd No.	Trench:Sherd No.
Iron Age			
F03	Grog and sand	20	T70:20
F14	Fine mixed inclusions	24	T4:7, T24:2, T26:8, T40:1, T44:1, T89:2, T92:3
F15	Coarse mixed inclusions	13	T4:1, T24:4, T40:3, T42:1, T88:4
F16	Coarse shell	111	T4:6, T24:1, T26:9, T40:2, T42:8, T44:5, T70:4, T72:1, T88:26, T89:6, T92:34, T93:9
F16A	Vesicular shell	1	T89:1
F17	Grog	2	T40:1, T68:1
F18	Fine sand and shell	1	T73:1
F28	Fine sand	3	T63:1, T89:2
Late Iron Age			
F05	Grog and shell	12	T3:5, T38:2, T67:3, T82:2
F06A	Fine grog	12	T67:2, T68:8, T117:2
F06B	Medium grog	88	T316:1, T34:1, T39:1, T40:1, T46:1, T63:3, T64:1, T67:57, T68:14, T83:8
F06C	Coarse grog	16	T43:1, T67:6, T80:9
F07	Shell	85	T40:4, T43:53, T54:7, T67:6, T68:15
F09	Sand and grog	85	T40:8, T43:69, T67:2, T68:1, T83:1, T84:4
F34	Sand	2	T68:2
F39	Grog and mica	2	T40:1, T68:1
F	Non-specific Iron Age	15	T63:4, T70:4, T72:6, T89:1
Saxon			
A16	Mixed coarse quartz	5	T12:5
A18	Fine quartz	2	T12:2
A19	Quartz and organic	5	T12:5
A23	Sandstone	16	T12:16
Roman			
R01	Samian ware	13	T38:6, T44:1, T52:1, T53:1, T54:1, T55:1, T83:1, T86:1
R03	White ware	17	T50:1, T52:1, T55:1, T77:9, T79:4, T86:1
R03A	Verulamium white ware	2	T38:2
R03C	Smooth white ware	7	T34:1, T38:6
R05A	Orange sandy	8	T39:1, T47:4, T54:1, T84:2
R05B	Fine orange	4	T38:2, T47:1, T52:1
R05C	Orange micaceous	1	T36:1
R06A	Nene Valley grey ware	102	T36:2, T37:1, T38:1, T41:1, T44:1, T45:3, T49:6, T51:5, T52:7, T53:13, T54:15, T55:2, T77:33, T80:1, T82:1, T83:4, T86:3, T87:3
R06B	Coarse grey ware	102	T34:1, T36:1, T38:4, T39:2, T40:5, T44:2, T45:1, T46:3, T47:14, T49:2, T50:1, T51:8, T52:2, T53:1, T54:2, T55:4, T67:1, T77:22, T78:2, T79:1, T80:3, T81:2, T82:6, T83:3, T84:5, T86:4
R06C	Fine grey ware	42	T40:3, T44:1, T45:2, T47:2, T50:3, T51:6, T52:5, T53:1, T54:2, T55:2, T77:10, T80:1, T84:1, T87:3
R06D	Micaceous grey ware	7	T38:1, T39:2, T45:1, T50:1, T54:1, T80:1
R06E	Calcareous grey ware	41	T39:38, T40:1, T44:1, T82:1
R06F	Grey ware grog and sand	2	T43:1, T51:1
R06G	Silty grey ware	3	T83:3
R06H	White-slipped grey ware	6	T51:6
R06I	Black-slipped grey ware	2	T47:1, T87:1
R07B	Sandy black ware	22	T53:1, T81:12, T86:9



Fabric type	Common name	Sherd No.	Trench:Sherd No.
R07C	Gritty black ware	7	T39:5, T51:1, T53:1
R10A	Buff gritty	2	T77:2
R10B	Fine buff	4	T39:3, T53:1
R11D	Oxford colour coat	1	T39:1
R12A	Nene Valley mortaria	13	T38:5, T39:1, T50:2, T53:1, T55:3, T83:1
R12B	Nene Valley colour coat	413	T34:1, T36:41, T37:2, T38:37, T39:28, T40:1, T41:5, T45:44, T46:3, T48:3, T49:4, T50:57, T51:51, T52:30, T53:24, T54:29, T55:8, T77:32, T82:3, T83:7, T86:2, T87:1
R12C	Nene Valley parchment ware	5	T45:4, T50:1
R12D	Lower Nene Valley mortaria	4	T39:2, T82:2
R13	Shell	2,659	T15:1, T34:43, T35:2, T36:689, T37:19, T38:7, T39:329, T40:96, T41:49, T43:17, T44:6, T45:314, T46:18, T47:16, T48:26, T49:54, T50:134, T51:134, T52:462, T53:49, T54:88, T55:25, T67:16, T77:28, T79:2, T82:1, T83:12, T84:3, T86:2, T87:8
R14	Sand (red-brown harsh)	9	T38:1, T40:1, T41:1, T67:2, T79:1, T83:1, T84:2
R18B	Fine pink	1	T37:1
R31	Lumpy white ware	13	T83:13
R35	Roman grog	7	T38:7
R	Non-specific Roman	3	T40:2, T47:1
Post-medieval			
P01	Fine glazed red earthenware	2	T17:1, T113:1
P03	Black-glazed earthenware	2	T113:2
P25	Frechen stoneware	1	T51:1
Modern			
P38	Cream ware	4	T113:4
P45	Transfer-printed ware	1	T101:1
UNID	Unidentified ware	13	T1:1, T14:1, T67:5, T68:1, T73:1, T80:2, T84:1, T89:1


Table 10: Pottery Type Series



- Archaeological feature
- Archaeological feature; excavated feature
- Modern feature
- Tree-throw
- Geological feature



Trench 94 detail



Section 1



Trench 100 detail




Section 1

Trench 97 detail

Figure 2: Area A trenches

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.



- Archaeological feature
- Archaeological feature; excavated feature
- Modern feature
- Tree-throw
- Geological feature






Figure 2: Area A trenches

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.





Figure 3: Area A trenches overlain on to geophysical survey plot



Figure 4: Photograph of tree-throw [9405]
Scale 1m






100 m

Figure 6: Area B trenches overlain on to geophysical survey plot



Figure 7: Photograph of ditch [9203]
Scale 1m



- Archaeological feature
- Modern feature
- Tree-throw
- Furrow

Figure 8: Area C trenches

Base map reproduced from the Ordnance Survey Land-line Map (2004 PAI), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.




Figure 9: Area C in detail: Trenches 53–56 and 112




Figure 10: Area C in detail: Trenches 47–52





Figure 11: Area C in detail: Trenches 34, 45 and 46




Figure 12: Area C in detail: Trenches 41–43




Figure 13: Area C in detail: Trenches 38-40 and 44








Figure 14: Area C in detail: Trenches 36 and 37




Trench 116; Looking west, Scale 1m

- Archaeological feature
- Archaeological feature; excavated feature
- Furrow
- Tree-throw



Trench 117 detail



Section 13




Figure 15: Area C in detail: Trenches 116–119




Figure 16: Area C trenches overlain on to geophysical survey plot

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.




Figure 17: Area D trenches (west)

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.





Figure 18: Area D trenches (east)

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.






Figure 20: Area D in detail: Trenches 68, 70-73 and 82-85




Figure 21: Area D in detail: Trenches 74–78 and 111




Figure 22: Area D in detail: Trenches 77–81, 83, 86–87 and 110





Figure 23: Area D trenches overlain on to geophysical survey plot






Figure 26: Area E in detail: Trenches 3-4 and 101





Figure 27: Area E in detail: Trenches 7–9 and 11




Figure 29: Area E in detail: Trenches 14 and 18-19




Figure 30: Area E in detail: Trenches 15–17 and 103






Figure 31: Area E in detail: Trenches 27–33



Trench 26; Ditch [2605].
Looking west, Scale 1m




Figure 32: Area E in detail: Trenches 24–26





Figure 33: Area E in detail: Trenches 20–22






Figure 35: Area E trenches (south) overlain on to geophysical survey plot

Base map reproduced from the Ordnance Survey Land-line Map (2004 PA1), with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 100017358(LA). © Crown Copyright.