

| | 550 | 600 | 750 | 1050 | 1100 | 1150 | 1200 | 1300 | 1400 | 1500 | 1700 | | | | | | |
|----|-------------|---------------|-----|----------|-----------|------------|-------------------|-------------------|-----------|-------------------|-------------------------------|-------------------|-----------------------|--|-------------------|-----------|--|
| | Earlier 6th | Later 6th–7th | | Mid-11th | Late 11th | Early 12th | Early to mid-12th | Mid- to late 12th | Late 12th | Early to mid-13th | Mid- to late 13th to mid-14th | Mid- to late 14th | Late 14th to mid-15th | Mid- to late 15th to mid- to late 16th | Late 16th to 1700 | c 1700 on | |
| S | 3.1 | 3.2 | MS | 4.1 | 4.2 | 4.3 | E5.1 | L5.1 | 5.2 | 5.3 | 5.4 | 5.5 | 5.6 | 6.1 | 6.2 | 7 | Suggested function |
| 1 | | | | | | | | | | | | | | | | | Sunken-featured building |
| 2 | | | | | | | | | | | | | | | | | Sunken-featured building |
| 3 | | | | | | | | | | | | | | | | | Sunken-featured building |
| 4 | | | ? | | | | | | | | | | | | | | Sunken-featured building |
| 5 | | | | | | | | | | | | | | | | | Sunken-featured building |
| 6 | | | | | | | | | | | | | | | | | Hall underlying 97 |
| 7 | | | ? | | | | | | | | | | | | | | Kitchen or hall |
| 8 | | | ? | | | | | | | | | | | | | | ? Hall |
| 9 | | | ? | | | | | | | | | | | | | | ? Domestic |
| 10 | | | ? | | | | | | | | | | | | | | Hall or barn |
| 11 | | | ? | | | | | | | | | | | | | | Hall |
| 12 | | | | | | | | | | | | | | | | | ? Hall |
| 13 | | | | | | | | | | | | | | | | | Hall |
| 14 | | | ? | | | | | | | | | | | | | | Hall |
| 15 | | | ? | | | | | | | | | | | | | | Bridge |
| 16 | | | | | | | | | | | | | | | | | Chamber, chapel |
| 17 | | | | | | | | | | | | | | | | | Hall |
| 18 | | | | | | | | | | | | | | | | | Workshop superseding 14 and preceding 86 |
| 19 | | | | | | | | | | | | | | | | | Prior's lodgings over 13 |
| 20 | | | | | | | | | | | | | | | | | Guest hall underlying 29 |
| 21 | | | | | | | | | | | | | | | | | Service underlying 96 |
| 22 | | | | | | | | | | | | | | | | | Latrine |
| 23 | | | | | | | | | | | | | | | | | Industrial kitchen overlying 86 |
| 24 | | | | | | | | | | | | | | | | | ? Agricultural underlying 35 |
| 25 | | | | | | | | | | | | | | | | | ? Agricultural underlying 35 |
| 26 | | | | | | | | | | | | | | | | | Bridge underlying 53 |
| 27 | | | | | | | | | | | | | | | | | Latrine block |
| 28 | | | | | | | | | | | | | | | | | Prior's kitchen |
| 29 | | | | | | | | | | | | | | | | | Guest hall |
| 30 | | | | | | | | | | | | | | | | | ? Staff quarters |
| 31 | | | | | | | | | | | | | | | | | Gatehouse |
| 32 | | | | | | | | | | | | | | | | | Bridge serving 19 |
| 33 | | | | | | | | | | | | | | | | | Gatehouse |
| 34 | | | | | | | | | | | | | | | | | Eastern gatehouse |
| 35 | | | | | | | | | | | | | | | | | Barn overlying 24, 25 |
| 36 | | | | | | | | | | | | | | | | | Granary |
| 37 | | | | | | | | | | | | | | | | | Barn |
| 38 | | | | | | | | | | | | | | | | | Multi-purpose barn |
| 39 | | | | | | | | | | | | | | | | | Bell or watch tower |
| 40 | | | | | | | | | | | | | | | | | ? Cart barn |
| 41 | | | | | | | | | | | | | | | | | House, byre, paddock |
| 42 | | | | | | | | | | | | | | | | | Stables |
| 43 | | | | | | | | | | | | | | | | | Kitchen dairy |
| 44 | | | | | | | | | | | | | | | | | Lower court dam |
| 45 | | | | | | | | | | | | | | | | | Agricultural |
| 46 | | | | | | | | | | | | | | | | | Agricultural |
| 47 | | | | | | | | | | | | | | | | | Agricultural |
| 48 | | | | | | | | | | | | | | | | | Agricultural |
| 49 | | | | | | | | | | | | | | | | | Agricultural |
| 50 | | | | | | | | | | | | | | | | | Well house |
| 51 | | | | | | | | | | | | | | | | | Pigeoncote |
| 52 | | | | | | | | | | | | | | | | | Agricultural |
| 53 | | | | | | | | | | | | | | | | | West bridge superseding 26 |
| 54 | | | | | | | | | | | | | | | | | Later prior's lodgings |
| 55 | | | | | | | | | | | | | | | | | Multi-room block overlying CF29 |
| 56 | | | | | | | | | | | | | | | | | ? Bailiff's house & garden |
| 57 | | | | | | | | | | | | | | | | | Workshop |
| 58 | | | | | | | | | | | | | | | | | Bridge servicing 19 |
| 59 | | | | | | | | | | | | | | | | | ? Dairy |
| 60 | | | | | | | | | | | | | | | | | Service |
| 61 | | | | | | | | | | | | | | | | | ? Store attached to 23 |

| | 550 | | 600 | 750 | 1050 | | 1100 | | 1150 | | 1200 | | 1300 | | 1400 | | 1500 | | 1700 | | |
|-----|------------------|------------------|-----|--------------|--------------|---------------|----------------------|----------------------|--------------|--------------------------|--|-------------------------|-----------------------------|---|-------------------------|--------------|-----------------------------|--|------|--|--|
| | Earlier 6th | Later 6th–7th | | Mid- 11th | Late 11th | Early 12th | Early to mid-12th | Mid- to late 12th | Late 12th | Early to mid- 13th | Mid- to late 13th to mid- 14th | Mid- to late 14th | Late 14th to mid-15th | Mid- to late 15th to mid- to late 16th | Late 16th to 1700 | c 1700 on | | | | | |
| S | 3.1 | 3.2 | MS | 4.1 | 4.2 | 4.3 | E5.1 | L5.1 | 5.2 | 5.3 | 5.4 | 5.5 | 5.6 | 6.1 | 6.2 | 7 | Suggested function | | | | |
| 62 | | | | | | | | | | | | | | | | | Eastern gatehouse | | | | |
| 63 | | | | | | | | | | | | | | | | | Hall complex superseding 17 | | | | |
| 64 | | | | | | | | | | | | | | | | | Gatehouse overlying 31 | | | | |
| 65 | | | | | | | | | | | | | | | | | Eastern workshop | | | | |
| 66 | | | | | | | | | | | | | | | | | Agricultural | | | | |
| 67 | | | | | | | | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | | | | ? Granary | | | | |
| 69 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 70 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 71 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 72 | | | ? | | | | | | | | | | | | | | Outlier complex | | | | |
| 73 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 74 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 75 | | | ? | | | | | | | | | | | | | | Outlier | | | | |
| 76 | | | | | | | | | | | | | | | | | Service | | | | |
| 77 | | | | | | | | | | | | | | | | | Drain & wall overlying CF29 | | | | |
| 78 | | | | | | | | | | | | | | | | | Service | | | | |
| 79 | | | | | | | | | | | | | | | | | North gate | | | | |
| 80 | | | | | | | | | | | | | | | | | ? Chamber block | | | | |
| 81 | | | | | | | | | | | | | | | | | Service | | | | |
| 82 | | | ? | | | | | | | | | | | | | | Agricultural | | | | |
| 83 | | | ? | | | | | | | | | | | | | | Agricultural | | | | |
| 84 | | | ? | | | | | | | | | | | | | | Agricultural | | | | |
| 85 | | | | | | | | | | | | | | | | | Service | | | | |
| 86 | | | | | | | | | | | | | | | | | Service | | | | |
| 87 | | | | | | | | | | | | | | | | | Hall | | | | |
| 88 | | | ? | | | | | | | | | | | | | | Hall | | | | |
| 89 | ? | | | | | | | | | | | | | | | | | | | | |
| 90 | ? | | | | | | | | | | | | | | | | | | | | |
| 91 | ? | | | | | | | | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | | | | | Bridge | | | | |
| 93 | | | | | | | | | | | | | | | | | Bridge | | | | |
| 94 | | | | | | | | | | | | | | | | | Bridge | | | | |
| 95 | | | | | | | | | | | | | | | | | Bridge | | | | |
| 96 | | | | | | | | | | | | | | | | | Service underlying 28 | | | | |
| 97 | | | ? | | | | | | | | | | | | | | ? Service | | | | |
| 98 | ? | | | | | | | | | | | | | | | | | | | | |
| 99 | ? | | | | | | | | | | | | | | | | | | | | |
| 100 | ? | | | | | | | | | | | | | | | | | | | | |
| 101 | ? | | | | | | | | | | | | | | | | | | | | |
| 102 | | | | | | | | | | | | | | | | | Rick ventilator | | | | |
| 103 | | | | | | | | | | | | | | | | | House | | | | |
| 104 | | | | | | | | | | | | | | | | | | | | | |
| 105 | ? | | | | | | | | | | | | | | | | | | | | |
| 106 | | | | | | | | | | | | | | | | | Hitching rail | | | | |
| 107 | | | | | | | | | | | | | | | | | Rick ventilator | | | | |
| 108 | | | | | | | | | | | | | | | | | | | | | |
| 109 | | | | | | | | | | | | | | | | | | | | | |
| | ? Possible start | | | | | | Duration | | | | | | | | | | | | | | |

13.16 Chart showing all structures in structure number order and suggested functions¹

¹ Editor's note: this chart has been checked as fully as possible for consistency with text in both printed volume and digital supplement. It can also be found as 1.08 in the printed volume.