
**English Martyrs School
Hamilton Drive, York**

Archaeological Risk Appraisal



**July 2009
SLR Ref: 415-2776-00001**

CONTENTS

1.0	INTRODUCTION AND NON-TECHNICAL SUMMARY	3
2.0	ACKNOWLEDGEMENTS.....	4
3.0	SITE LOCATION AND DESCRIPTION	5
4.0	METHODOLOGY.....	6
5.0	ARCHAEOLOGICAL BACKGROUND	7
5.1	Geological Background	7
5.2	Prehistoric & Roman.....	7
5.3	Early Medieval	7
5.4	Medieval	8
5.5	Post-Medieval	8
6.0	SITE VISIT	12
7.0	CONCLUSIONS.....	13
8.0	RECOMMENDATIONS.....	14
9.0	CLOSURE.....	15

APPENDICES

Appendix A – Bibliography.....	16
Appendix B – Search Report from York City Council HER.....	17

FIGURES

Figure 1 Site Location	
Figure 2 Site photographs	
Figure 3 Site photographs	
Figure 4 Site photographs	
Figure 5 Historic Map Regression.....	

1.0 INTRODUCTION AND NON-TECHNICAL SUMMARY

A desk-based assessment and walkover survey of English Martyrs Primary School, Hamilton Drive, York, was commissioned by the Diocese of Middlesbrough to examine the potential for preserved archaeological remains within the grounds of the school. The work is part of pre-planning investigations being carried out in advance of an application to construct a new primary school within the grounds of the current school.

The information gathered in this report is primarily a synthesis of the available information held by York City Historic Environment Record, together with the results of a site inspection.

There are no known features within the site boundary; however a review of the Historic Environment Record showed that an aerial photograph of the area may show the presence of a feature within the site boundary, suggesting that there is limited possibility of the discovery of previously unrecorded archaeology within the site. This would probably be in the form of relict field boundaries or other landscape features, possibly of Iron Age or Roman date.

Discussions with the City Archaeologist, John Oxley, suggest that the area may contain the remains of Roman and prehistoric field systems, with an associated villa site having been located in the vicinity. A number of stone cist burials also exist within 500m of the site.

Furthermore, there is the potential for the preservation of paleoenvironmental deposits in the valley of the Holgate Beck. The site lies on the eastern bank of Holgate Beck, on low-lying ground which is prone to flooding, and with the correspondingly wet ground conditions required for good preservation of paleoenvironmental remains.

Within 500m of the site boundary, no scheduled monuments, registered parks and gardens or battlefields were noted. Two Grade II* listed buildings were found, along with a further 35 Grade II listed. 18 further HER entries were noted, relating mainly to site investigations undertaken over the last 20 years in the area. These were not considered to be of note in the context of the proposed development.

The archaeological risk to the scheme is likely to take the form of a Local Authority-required programme of work for the identification and mitigation of the development impact upon any remains directly affected by the development.

2.0 ACKNOWLEDGEMENTS

The SLR staff involved in the preparation of this report are:

Damian Hind	Associate Archaeologist	Report Text
-------------	-------------------------	-------------

Sue O'Connell	Landscape Architect	Project Management
---------------	---------------------	--------------------

SLR acknowledge the assistance of Glen Parker (Diocese of Middlesbrough) and John Oxley (York City Council) in the execution of the assessment.

SLR is a Registered Organisation (RO) with the Institute for Archaeologists (IfA). SLR undertakes work to the highest professional standards. This report has been produced with reference to the IfA's *Standard and Guidance for Field Evaluation* (revised 2008).

SLR operates a quality management system to help ensure all projects are managed in a professional and transparent manner, which enables it to qualify for ISO 9001.

3.0 SITE LOCATION AND DESCRIPTION

The site lies on the north side of Hamilton Drive, Holgate, and is centred on NGR SJ 587510. The site is a primary school, currently in operation, within a clearly defined, hedged boundary on a flat area of ground

The current school buildings were constructed as single storey units on a 1m raised foundation, owing to the location of the school close to the Holgate Beck, which is susceptible to periodic flooding. All the buildings are concentrated in the south-western quadrant of the site, with the remaining ground being either a hard play area (to west of the buildings) or grass playing field. The grounds are predominantly flat, with slight undulations across the area. The site is still bounded to north by allotments, situated behind high hedging. Housing extends in other directions and the school lies within a suburban district, consisting of semi-detached and detached housing dating from the 1960-70s.

4.0 METHODOLOGY

A desk-based assessment of readily available online resources, together with information held in the York City Council Historic Environment Record was conducted to establish the known cultural heritage within and surrounding the site in an effort to understand more fully the likely potential for encountering archaeological remains on the site during the proposed development and the likely impact upon remains both within and surrounding the site. Sites or records within approximately 500m of the proposed site were included, to take in possibly wide-ranging sites and to help assess the potential for extended remains beyond the locations noted in the National Monument Record (NMR) and Historic Environment Record (HER).

A site walkover was undertaken on 1st July 2009, to identify any landscape features and to gain a greater understanding of the site and its environment.

The central source for the information in this assessment was the HER, with further information being provided by the NMR, including listing data available therein. Full descriptions of the sites, including location, descriptions, and cross-referenced monument numbers are included in the appendices.

5.0 ARCHAEOLOGICAL BACKGROUND

5.1 Geological Background

The site lies on the glacial till which covers much of the Vale of York, which in turn overlies Triassic sandstone. It is likely that more locally, the site is influenced by being on the Holgate Beck floodplain, with clay and silt probably forming the majority of the soil type lying beneath the school.

5.2 Prehistoric & Roman

No known Prehistoric or Roman activity is known within the site boundary. However, the closest HER record to the site refers to a rectangular cropmark feature (EYO1148) noted on a cricket pitch during reconnaissance carried out by Cambridge University. The map regression (see Figure 5) suggests that the plotted position is possibly wrong, in that allotments have occupied that spot since before aerial reconnaissance began: it is much more likely that given they were recorded “on a cricket pitch”, they are likely to be within the school grounds and therefore worthy of note. It was not possible within the scope of this document to view the aerial photograph, however it would be required to ascertain the location and extent before its importance can be wholly ascertained.

The site occupies a position south of the main Roman road to Aldborough, which ran roughly along the line of the Holgate Road, and is west of the other main Roman thoroughfare of Tadcaster road, along which the *colonia* was situated (RCHME 1962, 2)¹. The *colonia* was sited on the southern bank of the Ouse, south through the area now known as Micklegate and along the Tadcaster road. The Roman tradition of cemeteries lining major routes has led to many burials, headstones and sarcophagi being recorded alongside these roads. This is borne out further west of the site, in the area around the Mount School, where stone sarcophagi and human remains were found during the late 19th and early 20th century, and were reported in the Yorkshire Archaeological Journal (1957). This broadly corresponds to the known extents of the Roman *colonia* and occupies a site close to the Tadcaster Road (Johnson 1998; RCHME 1962, xxxiv).

Similarly, further burials were discovered (as evidenced on the 1st edition mapping) to west of the site at West Bank Park – formerly the Great Nursery. Latterly, a geophysical survey and accompanying archaeological evaluation was carried out in the same area (EYO17). Ten trenches were opened, although no archaeological features of note were discovered. The report concluded that significant landscaping had been carried out on the site, particularly in the northern part of the investigated area. There had been significant amounts of landscaping, presumably as part of the work to create the landscaped West Bank Park during the early 20th century, and which later became used as a council plant nursery, with associated glasshouses. The soil morphology showed that below modern overburden the site consisted of relatively undisturbed clayey sand – a naturally deposited alluvium.

It is considered that there is a moderate risk of discovery of Medieval remains within the development area. Remains would probably consist of field boundaries or other landscape features. The risk of discovery of human remains is thought to be low to negligible.

5.3 Early Medieval

No known evidence of Early Medieval activity is known within the study area.

¹ Road 9, after Margary (1973)

It is considered that there is a low risk of discovery of Early Medieval remains within the development area.

5.4 Medieval

No specific evidence of Medieval activity is known within the study area, although it is likely that much of this area was under cultivation, as it lay relatively close to the Medieval town. Certainly areas such as Hob Moor would have their placename origins in the Medieval period, and are therefore likely to have been established areas for common grazing or other activities. It is therefore possible that the field boundaries thought to exist within the development area may relate to Medieval land use, rather than earlier activity.

It is considered that there is a low risk of discovery of Medieval remains within the development area.

5.5 Post-Medieval

A suite of archaeological works was carried out at Hob Moor (EYO219), to south of the site, which investigated an area of ridge and furrow and the line of a historic track crossing the moor (Pearson 2003). Several sherds of Roman pottery were discovered, although these appeared to be imported finds, probably brought in during manuring – Hob Moor was used as arable ground prior to it becoming a golf course in the 20th century. An area of ridge and furrow – also associated with its use as cultivable ground during the late 18th and early 19th centuries, was also investigated. The work concluded that there was little in the way of evidence of pre-modern human activity on the site.

A large number of listed buildings were noted within the development area. These tend to cluster around the Holgate and Tadcaster Roads, approximately 300m or more from the site. No listed buildings are within very close proximity to the site. The vast majority of these listed buildings are residential, and have been accorded the lowest level of listing, which recognises them as being of local importance.

A limited map regression exercise was undertaken, studying the Ordnance Survey mapping of the area from the 1st Edition (c. 1860) onwards.

The 1st Edition map of the area shows the site as one of a number of open fields, bounded to east by Holgate Beck. There appears to be a path between the fields affording access to the south-west corner of the site, formed by an eastwards-running branch of the lane running north from Red House to Severus' Place, along the eastern edge of the Great Nursery. Noted on the map is the site of where stone coffins and roman pottery were found, which correspond to HER record EYO17. The Holgate Beck is also shown forming the western administrative boundary of the County of York. The railway is recorded, running north-east – south-west to east of the site on the eastern side of Holgate Beck and with a footpath running along a broadly similar alignment, closer towards the site and continuing south-west towards Hob Moor. A footbridge is noted to south of the site, possibly suggesting that a crossing point may have been in use for some time.

The 2nd Edition (1897) map of the area shows that the site consisted of one of several open fields in a generally open area, although development has continued to north. Holgate Beck appears to have wooded banks, and the site is bounded to north by a nursery in the neighbouring field. The field numbers are recorded for the site and its neighbours. To north, Holgate Road is built up with a mixture of large Victorian/ Georgian villas and terraces, such as Falconer Street. The nurseries to west appear also to have expanded.

The 1937 OS map shows considerable expansion of the city, with an increase in the number of terraces running south off Holgate Road. Holgate House is clearly shown, with allotment gardens to south, in the adjoining field to the site where previously the nursery had been recorded. More allotment gardens are noted to east of the site, on the far bank of Holgate Beck. The site itself is recorded as a school sports field, although it is unclear as to the location of the school to which it refers. Given that the allotments have been in existence since then, it is likely that the cropmarks (more likely to be parchmarks) referred to in HER record EYO1148 are most likely situated within the boundary of the site.

It is considered that there is a low risk of discovery of Post Medieval remains within the development area. It is also considered that the development will not have a significant impact on any of the listed buildings in the vicinity.

Table 1
Summary list of all HER records within 500m of the site

HER no	Name	Summary	Status	NGR
EYO1148	? Rectangular cropmark	Remote sensing survey		SE 5880 5120
EYO130	The Mount School	Arch intervention/excavation		SE 5913 510
EYO164	15 Wilton Rise	Building survey		SE 5906 5148
EYO165	Carriage Works, Holgate	Field survey/measured		SE 5880 515
EYO17	West Bank, Holgate	Geophysical trench		SE 5830 5120
EYO177	St. Paul's Green, Holgate	Non arch intervention		SE 5909 5136
EYO219	Hob Moor Cycle Path	Archive interpretation		SE 5850 5062
EYO2752	-	GARDENING WORK ?		SE 5915 5110
EYO2824	-	CONSTRUCTION WORK		SE 5915 5118
EYO2825	-	CONSTRUCTION WORK		SE 5911 5108
EYO352	96 Holgate Road	Arch intervention/watching brief		SE 5914 5127
EYO4048	Land at Hob Moor, York	Geophysical survey		SE 58627 50647
EYO462	Holmwood House Hotel,	Watching brief		SE 5908 5127
EYO469	The Mount School, Love Lane	Arch intervention/watching brief		SE 5913 5108
EYO712	Mount School Love Lane	Watching Brief		SE 5908 5091
EYO773	1 St Paul's Square	Arch intervention/watching brief		SE 5910 5130
EYO91	Carriage Works Holgate	Building survey		SE 5880 5150
EYO96	Kilima Hotel	Field survey/geophysical		SE 5899 5123
MYO1089	218 Mount Vale	Listed building	II	SE 5915 5071
MYO1344	Collingwood Hotel	Listed building	II*	SE5875051344
MYO1345	163 Holgate Road	Listed building	II	SE 5871 5137
MYO1346	The Fox Inn	Listed building	II	SE 5874 5139
MYO1347	169 Holgate Road	Listed building	II	SE 5870 5138
MYO1348	171 Holgate Road	Listed building	II	SE 5870 5138
MYO1367	98, 106-110 Holgate Road	Listed building	II	SE 5909 5126
MYO1368	112-118 Holgate Road	Listed building	II	SE 5908 5126
MYO1369	120-124 Holgate Road	Listed building	II	SE 5904 5128
MYO1370	Holgate Hill Hotel	Listed building	II	SE 5904 5128
MYO1371	126 Holgate Road	Listed building	II	SE 5900 5127
MYO1372	130 Holgate Road	Listed building	II	SE 5896 5128
MYO1373	137 Holgate Road	Listed building	II	SE 5889 5126

HER no	Name	Summary	Status	NGR
MYO1374	Gate, gate piers and front garden wall to No 137 Holgate Road	Listed building	II	SE 5886 5132
MYO1375	139 Holgate Road	Listed building	II	SE 5886 5128
MYO1876	7 & 9 Acomb Road and attached wall	Listed building	II	SE 5866 5139
MYO1877	11 Acomb Road and attached wall and railings	Listed building	II	SE 5865 5139
MYO2033	Line of roman road	Listed building	II	SE 56918 4885
MYO655	Queen Victoria Statue	Listed building	II	SE 5837 5126
MYO657	Holgate Windmill	Listed building	II	SE 5841 5147
MYO794	Mounting block	Listed building	II	SE 5913 5058
MYO921	1, 2 & 3 St Pauls Square & attached walls and railings	Listed building	II	SE 5910 5131
MYO922	4-7 St Paul's Square (consecutive) and attached walls and railings	Listed building	II	SE 5912 5134
MYO923	8-11 St Paul's Square (consecutive) and attached walls and railings	Listed building	II	SE 5913 5136
MYO924	12 St Paul's Square and attached walls and railings	Listed building	II	SE 5913 5137
MYO925	15-17 St Paul's Square (consecutive) and attached walls and railings	Listed building	II	SE 5912 5139
MYO926	18 St Paul's Square and attached walls and railings	Listed building	II	SE 5910 5141
MYO927	19-25 St Paul's Square (consecutive) and attached walls and railings	Listed building	II	SE 5907 5143
MYO928	28-29 St Paul's Square and attached walls and railings	Listed building	II	SE 5904 5141
MYO929	30-31 St Paul's Square and attached walls and railings	Listed building	II	SE 5904 5138
MYO930	32-33 St Paul's Square and attached walls and railings	Listed building	II	SE 5904 5138
MYO931	34 St Paul's Square and attached walls and railings	Listed building	II	SE 5904 5136
MYO932	35-37 St Paul's Square and attached walls and railings	Listed building	II	SE 5904 5136
MYO933	38-39 St Paul's Square and attached walls and railings	Listed building	II	SE 5903 5133
MYO934	Priory House	Listed building	II	SE 5901 5128
MYO935	Railings, gates and piers enclosing central garden, 1 St Pauls Square	Listed building	II	SE 5911 5137
MYO952	Bishopsbarns, garden wall and gates, 27 St Georges	Listed building	II*	SE 5895 5066

HER no	Name	Summary	Status	NGR
	Place			

6.0 SITE VISIT

The site was visited on July 1st, 2009 in fair, slightly overcast conditions.

The area of the proposed new buildings is currently in use as a hard play area, on predominantly flat ground adjacent to the Holgate Burn. No clearly defined cultural heritage features were noted. The ground was predominantly flat with gentle undulations over the grassed portion which makes up the majority of the area. No discernible features could be derived from the undulations, suggesting that they were naturally occurring and related to the field's proximity to the Holgate Beck.

A rectangular area of ground which appeared to be slightly recessed below the level of the surrounding field was noted to north east of the school buildings. This was approximately 20m square and aligned with the other buildings and appeared to be the remains of a fairly recently removed foundation, due to being about 200mm lower than the surrounding ground. It had been subject to natural regeneration and waterlogging and was not recorded as a cultural heritage feature.

It is likely that the area is susceptible to flooding, as evidenced by the current school buildings, which sit on raised foundations about 1m higher than the surrounding ground. This may have formed an important factor in the historic land use of the area, given that it would have been suitable for very few activities – namely seasonal grazing or possibly arable cultivation.

The listed buildings along the Holgate Road are a considerable distance to north, and the setting of the school, within a suburban area, reduces visibility substantially towards them, particularly since the hedge bounding the north of the site is moderately high and thick, very effectively screening the allotments beyond. Although the ground rises gradually to north, it is not considered that there are any views of note towards these receptors.

7.0 CONCLUSIONS

No visible cultural heritage features within the school grounds were discerned: no landscape features or other remains pointing to the former agricultural land use of the site were noted, although its proximity to Holgate Beck and its liability to flood may well suggest that the possibility for paleoenvironmental deposits exists. It is probable that the site was originally conceived as a water meadow, which would explain the lack of development – owing to a propensity to flood.

The aerial photograph mentioned earlier (EYO1148) is considered to refer to a parchmark within the site boundary, and as such requires some research to identify the accurate location of the feature and to establish a possible function.

It appears that prior to the 20th century, the site and its surroundings were predominantly farmland which extended south to Hob Moor, incorporating the nurseries to north and west. No evidence of human activity in the area points to anything but funerary purposes, suggesting that if evidence is to be found, it is likely to be related to less intensive activity, such as would be associated with farming or isolated occupation.

The reference to the site being a “school sports field” on the 1935 OS map may refer to its function as such for the original English Martyrs school, which was founded in the late 19th century and was situated on the Holgate Road close to the Roman Catholic church of the same name. If this is the case, there has been a relatively undisturbed continuity of use for the majority of the site, and any remains which may survive may well be early post-medieval or earlier, given the lack of recorded development around the site prior to the 20th century.

Early occupation in this area of York has also tended to concentrate around areas above the flood risk zone. For example, the Roman cemetery finds on Love Lane, at the Mount School, occupy an area of higher ground to west of the site and considerably further away from Holgate Beck. It is likely that Roman urban/ suburban occupation did not extend as far east as the site, especially if avoiding flooding was a priority to the residents. The find spot of a cist and associated human remains in the area of West Park may suggest another focus of activity away from the main routes out of York during the Roman period, suggesting the possibility of a villa site or similarly isolated site.

8.0 RECOMMENDATIONS

It is likely that an intrusive archaeological site investigation will be required to satisfy any planning conditions connected with an application for development of the site, given its open nature and the generally high potential sensitivity of York. The scope of any further phases of work should be formulated in discussion with the City Archaeologist who will be able to advise on the specific issues that need to be addressed.

The aerial photograph noted above suggests that there is some limited potential on the site for the preservation of archaeological remains, although this is very poorly provenanced. If further work is required by the City Archaeologist, a priority should be to source a copy of the aerial photograph of the parchmarks noted above, so that any site investigations can accurately target this feature.

There is also the potential for surviving paleoenvironmental deposits within the site, given its proximity to Holgate Beck and the likelihood of encountering waterlogged material. Consequently, it may be necessary to discuss any requirement for modelling and analysing remains that the City Archaeologist may have. Without data relating to the depositional morphology, it is difficult to go further in recommending a level or scope for further work. It will therefore be necessary to analyse and discuss the findings of any geotechnical work at the first opportunity with the City Archaeologist to establish possible requirements for further work.

9.0 CLOSURE

This report has been prepared by SLR Consulting Limited with all reasonable skill, care and diligence, and taking account of the manpower and resources devoted to it by agreement with the client. Information reported herein is based on the interpretation of data collected and has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Diocese of Middlesbrough and their agents; no warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the client and others in respect of any matters outside the agreed scope of the work.

APPENDICES

Appendix A – Bibliography

Bruce G 2005, *Hob Moor Cycle Path – Report on an archaeological evaluation*, OSA report No:OSA02EV05, On-Site Archaeology

Finlayson R 1995 *An archaeological evaluation at West Bank, Holgate, York* Evaluation report 7 York Archaeological Trust

Johnson M n.d., *The Mount School, York – Report on an Archaeological Evaluation* YAT Field Report 27

Margary, I.D. 1973 *Roman Roads of Britain*

Appendix B – Search Report from York City Council HER

Event: EYO1148

Event details

EvUID: EYO1148

Name: ?RECTANGULAR CROPMARKS ON CRICKET PITCH

Ref: CUCAGF19 20

Organisation:

Last updated: 03/01/2008

Event Dates

Start dateEnd dateQualifier

. Remote sensing survey/aerial photography

Event/Activity Types (1)

SMR Number: 2147483647

Photo Number: 1

Form: Cropmark

From: Unknown period

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5880 5120 (point)

Spatial type: Point

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (0)

Finds (0)

Contacts (0)

Event: EYO130

Event details

EvUID: EYO130

Name: The Mount School

Ref: YORYM 1998.41

Organisation: YAT

Last updated: 09/02/2009 13:16:50

Event Dates

Date description Start date End date Qualifier

May - 1998 01/05/1998 31/05/1998

. Arch intervention/excavation

Event/Activity Types (1)

Three trenches were dug under the tennis courts on this site as part of an archaeological evaluation. Apart from evidence that this site was used as a quarry in the past this site proved to be sterile archaeologically certainly from the evidence recovered from these trenches.

Description

Reference Nos.

YCC (York City Council Ref no):132

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5913 5108 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO340 Unpublished document: YAT. 1998. The Mount School.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO164

Event details

EvUID: EYO164

Name: 15 Wilton Rise

Ref:

Organisation: RCHME

Last updated: 09/02/2009 16:25:30

Event Dates

Date description Start date End date Qualifier

Jul - 1996 01/07/1996 31/07/1996

Event/Activity Types (1)

Field survey/measured building survey - A building report was conducted on this site which is a two storey terraced house. The house built in 1877 is of interest because of the survival of the internal decoration dating to the late 19th or possible early 20th century. Of particular interest is the preservation of a landscape frieze executed in a naive style interspersed with stencilled motifs in the rear ground-floor room as well as stencilling found in the entrance hall.

Description

Reference Nos.

YCC (York City Council Ref no):166

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5906 5148 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO374 Unpublished document: RCHME. 1996. 15 Wilton Rise.

Finds (0)

Contacts (1)

OYO43 RCHME

Event: EYO165

Event details

EvUID: EYO165

Name: Carriage Works, Holgate Road

Ref:

Organisation: RCHME

Last updated: 09/02/2009 16:26:34

Event Dates

Date description Start date End date Qualifier

Jun - 1996 01/06/1996 30/06/1996

. Field survey/measured

Event/Activity Types (1)

building survey

Description

An historic building report was conducted on the site of the York Carriage Works. A very detailed historic record was conducted and a discussion on the various aspects of this sites development and use throughout time was included.

Reference Nos.

YCC (York City Council Ref no):167

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5880 5150 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO375 Unpublished document: RCHME. 1996. Carriage Works Holgate Road.

Finds (0)

Contacts (1)

OYO43 RCHME

Event: EYO170

Event details

EvUID: EYO170

Name: West Bank, Holgate

Ref: YAT 1995: PO335

Organisation: YAT

Last updated: 09/02/2009 16:35:08

Event Dates

Date description Start date End date Qualifier

Sep - 1995 01/09/1995 30/09/1995

Event/Activity Types (1)

Geophysical trench - In advance of a development a geophysical survey was undertaken which was followed by a series of 10 evaluation trenches. In all of these trenches it was concluded that nothing of archaeological significance was seen and that the visible cut contexts were all modern in date. This was seen as been due to the landscaping of the site in recent times which may have removed any archaeological deposits.

Description

Reference Nos.

YCC (York City Council Ref no):172

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5830 5120 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO380 Unpublished document: YAT. 1995. West Bank Holgate.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO177

Event details

EvUID: EYO177

Name: St. Paul's Green, Holgate

Ref:

Organisation: YAT

Last updated: 09/02/2009 16:46:12

Event Dates

Date description Start date End date Qualifier

Sep - 1999 01/09/1999 30/09/1999

. Non arch intervention/subsoil survey/borehole

Event/Activity Types (1)

probe-hole survey, A watching brief was carried out during ground works associated with a housing development. The results of this work was the recovery of well preserved peat deposits which yielded a number of finds associated with prehistoric activity. In the northern area of the site extensive deposits were recorded which was possibly as a result of an attempt to raise the ground level during the Roman period. Subsequent to this work a series of boreholes were taken to determine the nature and extent of the archaeological deposits. The results of these holes were found to largely confirm the results of the watching brief. The peat deposits across the site appear to be extensive but irregular with two large concentrations. The report concluded that these peat deposits are under threat of drying out due to trenching activity on this site.

Description

Reference Nos.

YCC (York City Council Ref no):179

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5909 5136 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO387 Unpublished document: YAT. 1999. St. Paul's Green, Holgate.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO219

Event details

EvUID: EYO219

Name: Hob Moor Cycle Path

Ref: OSA02EV05

Organisation: On Site Archaeology

Last updated: 10/02/2009 16:26:35

Event Dates

Date description Start date End date Qualifier

January - 2003 01/01/200331/01/2003

. Archive interpretation/Evaluation

Event/Activity Types (1)

Archaeological Evaluation

Description

Reference Nos.

YCC (York City Council Ref no):468

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5850 5062 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO428

Unpublished document: On-Site Archaeology. 2003. Hob Moor Cycle Path.

Finds (0)

Contacts (1)

OYO39 On Site Archaeology

Event: EYO2752

Event details

EvUID: EYO2752

Name: Ref:

Organisation:

Last updated: 10/01/2008

Event Dates

Start dateEnd dateQualifier

Event/Activity Types (0)

Description

GARDENING WORK ?

No details of height

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5915 5110 (point)

Spatial type: Point

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (2)

--- SYO62 Monograph: RCHMY I. 63

--- SYO74 Article in Journal: YAJ. 295-6

Finds (0)

Contacts (0)

Event: EYO2824

Event details

EvUID: EYO2824

Name: Ref:

Organisation:

Last updated: 10/01/2008

Event Dates

Start dateEnd dateQualifier

Event/Activity Types (0)

Description

CONSTRUCTION WORK

Includes area bounded by records 889-891 and burials l/i-xi and m/i-xxiii [RCHMY 1, 95-101]

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5915 5118 (point)

Spatial type: Point

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO62 Monograph: RCHMY I. 95-101 and fig.70

Finds (0)

Contacts (0)

Event: EYO2825

Event details

EvUID: EYO2825

Name: Ref:

Organisation:

Last updated: 10/01/2008

Event Dates

Start dateEnd dateQualifier

Event/Activity Types (0)

Description

CONSTRUCTION WORK

Includes area bounded by records 888, 890-91 and burials l/i-xi and m/i-xxiii [RCHMY 1, 95-101]

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5911 5108 (point)

Spatial type: Point

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO62 Monograph: RCHMY I. 95-101 and fig.70

Finds (0)

Contacts (0)

Event: EYO352

Event details

EvUID: EYO352

Name: 96 Holgate Road

Ref: YORYM:2004.404

Organisation: YAT

Last updated: 17/02/2009 14:15:29

Event Dates

Date description Start date End date Qualifier

Jan - 2005 01/01/2005 31/01/2005

. Arch intervention/watching brief

Event/Activity Types (1)

Watching Brief

Description

Reference Nos.

YCC (York City Council Ref no): 706

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5914 5127 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO557 Unpublished document: YAT. 2005. 96 Holgate Road.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO4048

Event details

EvUID: EYO4048

Name: Land at Hob Moor, York, geophysical survey

Ref:

Organisation: Archaeological Services Durham University

Last updated: 20/03/2008 11:33:07

Event Dates

Date description Start date End date Qualifier

2008 31/01/2008 31/01/2008

. Field survey/geophysical/systematic magnetometry

Event/Activity Types (1)

Description

This geophysical survey was conducted on land at Hob Moor in York. The works comprised geomagnetic survey of the northeastern part of the moor, an ancient common. The Friends of Hob Moor (FOHM) commissioned this geomagnetic survey through On-Site Archaeology in order to further research the history of Hob Moor, an ancient common, and specifically to try to establish the location of a 16th-century watermill in this part of the common.

Location

Location:

Map Sheet: SE55SE

Grid Reference: Centroid SE 58627 50647 (MBR: 53m by 97m)

Spatial type: Area

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO179 Unpublished document: 2008. Land at Hob Moor York geophysical survey.

Finds (0)

Contacts (0)

Event: EYO462

Event details

EvUID: EYO462

Name: Holmwood House Hotel, 112-114 Holgate Road, York

Ref: YORYM:2000.567

Organisation: YAT

Last updated: 19/02/2009 10:33:25

Event Dates

Date description Start date End date Qualifier

2000 01/01/2000 31/12/2000

Event/Activity Types (1)

. Arch intervention/watching brief

Description

Watching brief

Reference Nos.

YCC (York City Council Ref no):282

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5908 5127 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO668

Unpublished document: YAT. 2000. Holmwood House 112-114 Holgate

Road York.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO469

Event details

EvUID: EYO469

Name: The Mount School, Love Lane, York

Ref: YORYM:2000.501

Organisation: YAT

Last updated: 19/02/2009 10:40:23

Event Dates

Date description Start date End date Qualifier

2000 01/01/2000 31/12/2000

. Arch intervention/watching brief

Event/Activity Types (1)

Watching brief

Description

A watching brief was conducted during construction work on a new sports hall at the Mount School. Stone coffins and human remains have been found in this area from the 19th century onwards. Observation of initial trenches suggested that the construction of the initial tennis court in 1985 had destroyed and archaeological remains. A small, concentrated group of disarticulated human bone found, which may have come from a burial disturbed during construction of the tennis court and reburied immediately. Further north-east, a gravel-pit has destroyed archaeology. Although very little was found, Roman burials may still be intact in apparently undisturbed areas to the east of the site.

Description

Reference Nos.

YCC (York City Council Ref no):289

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5913 5108 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO675 Unpublished document: YAT. 2000. The Mount School Love Lane York.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO712

Event details

EvUID: EYO712

Name: Mount School Love Lane

Ref: YORAT:2005.6

Organisation: YAT

Last updated: 09/03/2009 16:14:31

Event Dates

Date description Start date End date Qualifier

May - 2005 01/05/2005 31/05/2005

. Arch intervention/watching brief

Event/Activity Types (1)

Watching Brief

Description

Reference Nos.

YCC (York City Council Ref no):719

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5908 5091 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO918 Unpublished document: YAT. 2005. Mount School Love Lane.

Finds (0)

Contacts (1)

OYO54 YAT

Event: EYO773

Event details

EvUID: EYO773

Name: 1 St Paul's Square

Ref: OSAS06WB01

Organisation: On Site Archaeology

Last updated: 11/03/2009 13:53:20

Event Dates

Date description Start date End date Qualifier

Jan - 2006 01/01/2006 31/01/2006

. Arch intervention/watching brief

Event/Activity Types (1)

Description

Watching Brief

Reference Nos.

YCC (York City Council Ref no): 777

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5910 5130 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO978 Unpublished document: On-Site Archaeology. 2006. 1 St Paul's Square.

Finds (0)

Contacts (1)

OYO39 On Site Archaeology

Event: EYO91

Event details

EvUID: EYO91

Name: Carriage Works Holgate Road

Ref: NBR 94376

Organisation: RCHME

Last updated: 28/01/2009 16:43:04

Event Dates

Date description Start date End date Qualifier

1996 01/01/1996 31/12/1996

. Field survey/measured

Event/Activity Types (1)

building survey

Description

Reference Nos.

YCC (York City Council Ref no):92

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5880 5150 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO301 Unpublished document: RCHME. 1996. Carriage Works Holgate Road.

Finds (0)

Contacts (1)

OYO43 RCHME

Event: EYO96

Event details

EvUID: EYO96

Name: Kilima Hotel

Ref:

Organisation: GSB

Last updated: 28/01/2009 16:48:14

Event Dates

Date description Start date End date Qualifier

1991 01/01/1991 31/12/1991

. Field survey/geophysical

Event/Activity Types (1)

geophysical

Description

Reference Nos.

YCC (York City Council Ref no):97

Location

Location:

Map Sheet: SE55SE

Grid Reference: SE 5899 5123 (point)

Spatial type: Point

Unitary Authority: City of York, North Yorkshire

Parent Events/Activities (0)

Child Events/Activities (0)

Associated Monuments/Buildings (0)

Sources (1)

--- SYO306 Unpublished document: GSB. 1991. Kilma Hotel.

Finds (0)

Contacts (1)

OYO23 GSB

Monument: MYO1089

Monument / Building record details

MonUID: MYO1089

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House. c1820, with later C19 alterations. Front of stucco, return of painted brick; timber eaves guttering on paired modillions; shallow pitched slate roof with painted brick and rendered stacks. EXTERIOR: 2-storey 3-bay front. Panelled front door and overlight with curvilinear glazing bars in doorcase of detached reeded columns and entablature. On each side is 2-storey canted bay window with 1-pane sashes on both floors and moulded cornice at the head. Window over door is 1-pane sash. INTERIOR: not inspected. (An Inventory of the Historical Monuments of the City of York: RCHME: South-west of the Ouse: HMSO: 1972-: 128).

Listing NGR: SE5915050717

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5915 5071 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 218 Mount Vale, , York, YO24 1DL

Current / Historic Names and Addresses

. HOUSE (c1820 Late C18 to Mid C19 - 1800 AD to 1840 AD)

. HOUSE (Later C19 Mid C19 to Late C19 - 1841 AD to 1899 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO668 Listed Building (II) 464196

Monoument: MYO1344

Monument / Building record details

MonUID: MYO1344

Type of record: Building

Name: COLLINGWOOD HOTEL

Last updated: 23/12/2007

Full description

House, now hotel. c1775 with early and late C19 alterations. Brick in Flemish bond with hipped plain tile roofs. EXTERIOR: main block symmetrical, of 3 storeys and 3 bays, with 2-storey one bay wings to left and right. The main block has 2 brick storey bands. Its windows are glazing bar sashes. On the ground floor there are canted bay windows with cornices, on brick bases. The upper windows have painted brick flat arches. The late C19 brick porch has round-headed windows in its side walls, and a cornice and blocking course. It has a re-set C18 doorcase which has fluted Doric pilasters with attached narrow pilaster strips, console brackets, a cornice hood, and a semicircular overlight. The door has 6 raised and fielded panels. The gutter cornice is dentilled and modillioned.

The left-hand (east) wing has a sashed window on the ground floor and a glazing bar sash on the 1st floor. It appears to be an early C19 rebuilding of an earlier annexe. The right-hand wing has glazing bar sashes, the head of the ground-floor one cutting through a brick band. To the right is a narrow late C19 addition under a separate hipped slate roof. Its front wall is blind, but has a recess at ground-floor level. Chimneys with rebuilt stacks to left of main block and placed axially to right of ridge. Other chimneys visible to right of main block, towards left of ridge, and to right of ridge of right-hand wing. INTERIOR: a central stair hall at the front of the building contains an elliptical geometrical staircase in 3 flights with turned balusters and a mahogany handrail. Also recorded by RCHM as containing a re-set door and doorcase of c1770, and, on the first floor, two fireplaces of a similar date with pilastered surrounds. Lindley Murrey, the Anglo-American lawyer and grammarian, lived in the house for over 39 years until his death in 1826. (RCHME: City of York: London: 1972-: MONUMENT 52).

Listing NGR: SE5875051344

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5875 5134 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 163 Holgate Road, , York, YO24 4DF

Current / Historic Names and Addresses

. HOTEL (Now Undated)

. HOUSE (c1775 Mid C18 to Late C18 - 1755 AD to 1795 AD)

. HOUSE (Early C19 Late C18 to Early C19 - 1800 AD to 1832 AD)

. HOUSE (Late C19 Late C19 - 1867 AD to 1899 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO923 Listed Building (II*) 463730: COLLINGWOOD HOTEL

Monoument: MYO1345

Monument / Building record details

MonUID: MYO1345

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House, now doctors' surgery. Mid/late C18 with late C19 alterations. Brick in Flemish bond with some painted stone dressings. Concrete tile roof. EXTERIOR: 2 storeys plus attic. 5 bays. On the 1st floor there are glazing bar sash windows with rubbed brick flat arches. On the ground floor there are brick projections to left and right of the central doorway, under a lean-to roof. Each side has a sashed canted brick bay window with painted stone lintels and sills and a hipped roof. Near the centre of the roof there is an attic dormer which has a shallow-pitched roof and a horizontal glazing bar sash. The doorway, now recessed between C19 additions, has a doorcase with fluted Doric pilasters, a frieze with swags and festoons, and a moulded dentilled pediment. The door has 6 panels and a plain rectangular overlight. Modillion gutter cornice, with a lead rainwater hopper to the right of the 2nd bay. The gables are coped. 2 axial ridge chimneys. The left-hand return gable wall is of 2 bays and includes a late C19 timber canted oriel at 1st floor level to the right. It is supported on elaborate brackets, is sashed with moulded mullions, and has a dentilled modillion cornice and a hipped slate roof. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: MONUMENT 53).

Listing NGR: SE5871951375

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5871 5137 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 163 Holgate Road, , York, YO24 4DF

Current / Historic Names and Addresses

. SURGERY (Now Undated)

. HOUSE (Mid-Late C18 Early C18 to Late C18 - 1733 AD to 1799 AD)

. HOUSE (Late C19 Late C19 - 1867 AD to 1899 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO924 Listed Building (II) 463733

Monoument: MYO1346

Monument / Building record details

MonUID: MYO1346

Type of record: Building

Name: THE FOX INN

Last updated: 23/12/2007

Full description

Public house. 1878, restored 1985. Brick in Flemish bond. Plain tile roof. EXTERIOR: 2 storeys and 3 bays. To each side of the outer bays and around the windows bricks project slightly to give a quoined effect. The window surrounds have roll-moulded edges and segmental heads. The upper sashes are divided into small panes (6 wide by 5 deep). On the 1st floor the lower sashes have a single vertical division and on the ground floor they have embossed glass. To the left of the lefthand window on the ground floor there is an area of rebuilt brickwork, and a divided 6-panel door with overlight. Formerly the entrance to the 'Jug and Bottle', this doorway now serves no function - its opening is blocked internally and cannot be detected. Above the central bay there is a gable with a stone coping and finial, with volutes to left and right. A central panel is inscribed: 'THE FOX INN REBUILT 1878'. It has an architrave with a carved brick border. Above, there is a small round window. The brick porch has an outer doorway with a semicircular brick arch, a plain overlight and an impost band. The gable is treated as an open pediment. It has a finial, and within the pediment there is a carved figure of a fox. The verges project at the eaves and the gable chimneys have moulded cornices. INTERIOR: the original compartmented interior and servery arrangement survive with original fittings including bar, benches, fireplaces and wooden staircase. (Dissertation for MA in Architectural Building Conservation: Davison Andrew P: "A Good House, fit for the purpose: Public House Design in York": De Montfort University: 1993-: 62-3).

Listing NGR: SE5874651399

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5874 5139 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, 168 Holgate Road, , York, YO24 4DQ

Current / Historic Names and Addresses

. PUBLIC HOUSE (1878 Late C19 - 1878 AD)

. PUBLIC HOUSE (1985 C20 - 1985 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO925 Listed Building (II) 463734: THE FOX INN

Monument: MYO1347

Monument / Building record details

MonUID: MYO1347

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House, now shop and flat. Early/mid C18 with C20 alterations. Mottled red brick laid in a variant of English garden wall bond. Steep slate roof. EXTERIOR: 2 storeys plus attic. 3 bays. The ground floor has been entirely altered by the insertion of a C20 shopfront. On the 1st floor there are sashes without glazing bars with painted flat arches. Brick dentil course at the eaves. 2 large axial chimney stacks on ridge. The left-hand (east) gable wall has an attic window which is sashed with 3 over 3 panes. INTERIOR: not inspected. Included for group value as an integral part of Holgate Street.

Listing NGR: SE5870851382

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5870 5138 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 169 Holgate Road, , York, YO24 4DF

Current / Historic Names and Addresses

. HOUSE (Early-Mid C18 Late C17 to Mid C18 - 1700 AD to 1766 AD)

. APARTMENT (C20 Late C19 to C20 - 1900 AD to 1999 AD)

. SHOP (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO926 Listed Building (II) 463735

Monument: MYO1348

Monument / Building record details

MonUID: MYO1348

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House. c1830. Brick with some painted stone dressings. Hipped pantiled roof. EXTERIOR: 2 storeys and 2 bays. The windows are glazing bar sashes. 1st floor sill band. The doorway, in the lefthand bay, has a timber surround with sunken panels, plain frieze, cornice, and panelled reveals. The door has 6 raised and fielded panels and a plain rectangular overlight. The right-hand return wall, facing Falconer Street, has 2 corbelled brick chimney stacks and includes a round-headed glazing bar sash lighting the stair. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5870151384

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5870 5138 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 171 Holgate Road, , York, YO24 4DF

Current / Historic Names and Addresses

. HOUSE (c1830 Early C19 to Mid C19 - 1810 AD to 1850 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO927 Listed Building (II) 463736

Monoument: MYO1367

Monument / Building record details

MonUID: MYO1367

Type of record: Building

Name: HOLGATE TERRACE (PART)

Last updated: 23/12/2007

Full description

Eight houses forming part of a terrace; now houses, guesthouses and shop. 1846-51. Brick with painted stone dressings. Slate roofs. EXTERIOR: 3 storeys. Each house 2 bays, with 1st floor sill band and modillion gutter cornice. Each house has a single-storey canted bay window at the left and a doorway at the right. The windows are mostly sashes divided into horizontal rectangular panes, and the doorways have doorcases with panelled pilasters, modillion cornices, panelled reveals, and an overlight with a central vertical division. No 100 has 1st floor windows with margin panes to their upper sashes, and tilting C20 second floor windows. The door has 2 tall round-headed panels. Nos 108 and 106 have similar panelled doors. No.104 has casements to the upper parts of the 1st floor windows and to the 2nd floor. It has a C20 glazed front door. No.102 has top-hung casements to the 1st floor and casements to the 2nd floor. Its front door has 2 round-headed panels. Nos 100 and 98 are similar, except that No.98 has a C20 glazed front door. No.96 has a C20 shopfront on the ground floor, sashes with tall lower leaves on the 1st floor, a casement at the left on the 2nd floor and a blind recess at the right. Chimneys to left of each house. The right-hand return gable wall of No.96 is of 3 bays with unequal sashes on the ground and 1st floors, and casements on the 2nd floor. The C20 shopfront occupies the left-hand bay on the ground floor. The central doorway has a doorcase of engaged Tuscan columns with a modillion cornice and panelled reveals. Above the 2- panel door there is an overlight. INTERIOR: not inspected. (RCHME: City of York: London: 1972-:126).

Listing NGR: SE5909451262

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5909 5126 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 110 Holgate Road, , York, YO24 4BB

. , 106-108 Holgate Road, , York, YO24 4BB

. , 96 Holgate Road, , York, YO24 4BB

Current / Historic Names and Addresses

. GUEST HOUSE (Now Undated)

. TERRACE (1846-1851 Mid C19 - 1846 AD to 1851 AD)

. TERRACED HOUSE (1846-1851 Mid C19 - 1846 AD to 1851 AD)

. SHOP (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO946 Listed Building (II) 463719: HOLGATE TERRACE (PART)

Monument: MYO1368

Monument / Building record details

MonUID: MYO1368

Type of record: Building

Name: HOLGATE TERRACE (PART)

Last updated: 23/12/2007

Full description

Four houses forming part of terrace, now houses and guesthouses. 1846-51. Brick with some painted stone dressings. Slate roofs. EXTERIOR: 3 storeys above cellars, with attic window to No.116. Each house of 2 bays, with a canted bay window at the left on the ground floor with a painted base containing a cellar window. The bay windows are sashed, those to Nos 116 and 118 without glazing bars. The 1st and 2nd floor windows have upper sliding sashes which are smaller than the lower ones. The 1st floor windows have a sill band. No.116 has a C20 flat-roofed dormer. The doorcases, at the right, have pilasters with sunken panels, panelled reveals, and overlights with single vertical divisions. The doors each have 2 tall round-headed panels. Chimneys, with truncated caps, in front of ridge between Nos 112 and 114 and between Nos 116 and 118. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5908551267

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5908 5126 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 112-114 Holgate Road, , York, YO24 4BB

. , 116 Holgate Road, , York, YO24 4BB

. , 118 Holgate Road, , York, YO24 4BB

Current / Historic Names and Addresses

. GUEST HOUSE (Now Undated)

. TERRACED HOUSE (Now Undated)

. TERRACE (1846-1851 Mid C19 - 1846 AD to 1851 AD)

. TERRACED HOUSE (1846-1851 Mid C19 - 1846 AD to 1851 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO947 Listed Building (II) 463720: HOLGATE TERRACE (PART)

Monument: MYO1369

Monument / Building record details

MonUID: MYO1369

Type of record: Building

Name: Last updated: 23/12/2007

Full description

Pair of houses, now guesthouses. Brick with hipped slate roof. EXTERIOR: main block symmetrical, of 3 storeys and 4 bays. Recessed side wings to left and right contain entrances and are of 2 storeys. The main block has 2 canted bay windows on the ground floor, glazed in square panes. These carry a 1st floor balcony, with anthemion railings remaining to No.122. The windows to the upper storeys have painted rusticated lintels and are sashed in large square panes with shallow upper sashes. The right-hand wing, to No.120, has 3 round-headed 1st floor windows with a sill band, an attic dormer, a window at the right on the ground floor, and a painted stuccoed entrance at the left. This has a 3-panel door with overlight, flanking lights with pilasters, and a porch with cornice. The left-hand entrance wing is similar, except that it has 2 round-headed 1st floor windows, and a parapet with cast-iron cresting. Chimneys to left and right of main block. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5904151287

Derived from English Heritage LB download dated: 22/08/2005

Description

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5128 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 122-124 Holgate Road, , York, YO24 4BB

. , 120 Holgate Road, , York, YO24 4BB

Current / Historic Names and Addresses

. GUEST HOUSE (Now Undated)

. HOUSE (Undated)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO948 Listed Building (II) 463721

Monoument: MYO1370

Monument / Building record details

MonUID: MYO1370

Type of record: Building

Name: HOLGATE HILL HOTEL

Last updated: 23/12/2007

Full description

House, now hotel. c1850. Brick with stone dressings. Hipped slate roof. Italianate style. EXTERIOR: 2 storeys plus attic. 3 bays, with stone plinth. The outer bays on the ground floor have single-storey canted bay windows which have sashes without glazing bars and cornices on brackets. The central window on the ground floor, and the 1st floor windows, are sashed without glazing bars. The 1st floor windows have stone panels below their sills, above a storey band, and have louvred shutters. The attic is lit by a lead-covered dormer. The eaves project on prominent timber brackets. In the angle between the right-hand return wall and a rear wing there is a porch with curved entablature and 2 Tuscan columns in antis. It is now enclosed by C20 glazing. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5904151287

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5128 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, 122-124 Holgate Road, , York, YO24 4BB

Current / Historic Names and Addresses

. HOTEL (Now Undated)

. HOUSE (c1850 Early C19 to Late C19 - 1830 AD to 1870 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO949 Listed Building (II) 463723: HOLGATE HILL HOTEL

Monument: MYO1371

Monument / Building record details

MonUID: MYO1371

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House. c1835-40. Brick with concrete tile roof. EXTERIOR: 2 storeys and 3 bays. The ground-floor windows are casements with geometrical glazing bars and margin panes. The 1st floor windows are sashed. The central Tuscan pilaster doorcase has a modillion cornice. Above the 4-panel door is an overlight with margin panes. The gables are coped and have chimneys. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5900551279

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5900 5127 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 126 Holgate Road, , York, YO24 4DL

Current / Historic Names and Addresses

, HOUSE (c1835-1840 Mid C19 - 1835 AD to 1840 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO950 Listed Building (II) 463724

Monument: MYO1372

Monument / Building record details

MonUID: MYO1372

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House. c1835. Brick with some painted stucco dressings. Hipped slate roof. EXTERIOR: 2 storeys plus attic, with symmetrical 2-bay facade. The windows are sashed, with painted rusticated lintels. The single-storey gabled porch has a 6-panel outer door, a fanlight, ornamented bargeboards, and a finial. Chimneys at left and behind ridge towards right. INTERIOR: not inspected. (RCHME: City of York: London: 1972-: 126).

Listing NGR: SE5896751284

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5896 5128 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 130 Holgate Road, , York, YO24 4DL

Current / Historic Names and Addresses

Monument/Component Types

. HOUSE (c1835 Early C19 to Mid C19 - 1815 AD to 1855 AD)

Finds (0)

Related Monuments (0)

Designations (1)

DYO951 Listed Building (II) 463725

Monoument: MYO1373

Monument / Building record details

MonUID: MYO1373

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House, now private college. Mid C19. White brick with ashlar dressings. Hipped slate roof. EXTERIOR: 2 storeys above cellar. 3 bays. The facade has 2 sill bands. The windows of the lefthand bay, and the right-hand first-floor window, are tripartite sashes without glazing bars under elliptical brick arches with keystones. The middle sashes of each window are wider; the lights are separated by engaged shafts with moulded caps and have semicircular heads. The central window on the 1st floor is sashed without glazing bars and has a semicircular head, and engaged shafts to left and right. At the right on the ground floor there is a canted bay window on a brick base. Its sashes have rounded upper corners and there are columns at the angles and a bracketed cornice. The ashlar porch is supported on 2 Tuscan columns and has a bracketed cornice and brick pilaster responds. The divided door has partly-glazed round-headed panels. The overlight is divided into 2 panes. The sprocketed overhanging eaves are decorated with bobbin-like projections at intervals. Chimneys to left and right. To the left there is a lower 2-storey blank wall to an attached wing. It has pilaster strips to left and right and a parapet wall with coping which is swept downwards in the centre. INTERIOR: not inspected.

Listing NGR: SE5889451266

Derived from English Heritage LB download dated: 22/08/2005

Description

Location

Map Sheet: SE55SE

Grid Reference: SE 5889 5126 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 137 Holgate Road, , York, YO24 4DH

Current / Historic Names and Addresses

. PRIVATE SCHOOL (Now Undated)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO952 Listed Building (II) 463726

Monoument: MYO1374

Monument / Building record details

MonUID: MYO1374

Type of record: Building

Name: GATE, GATE PIERS AND FRONT GARDEN WALL TO NUMBER 137

Last updated: 23/12/2007

Full description

Gate, gate piers and wall approximately 30 metres long forming boundary to front garden. Mid C19. Wrought and cast-iron gate; gate piers of white brick in stretcher bond, wall of red brick in stretcher bond: dressings of ashlar. Wall is stepped, approximately 2 metres high and has brick dentil course beneath flat coping. Gate piers are square on plan with chamfered plinths and moulded cornices: caps have segmental pediments flanked by antefixae to each face, all decorated with incised anthemion and palmette ornament. Single carriage gate has bars with twisted finials in the lower part, the upper of scrollwork panels.

Listing NGR: SE5886451322

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5886 5132 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 137 Holgate Road, , York, YO24 4DH

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO953

Listed Building (II) 463727: GATE, GATE PIERS AND FRONT GARDEN

WALL TO NUMBER 137

Monument: MYO1375

Monument / Building record details

MonUID: MYO1375

Type of record: Building

Name: Last updated: 23/12/2007

Full description

House. Mid/late C19. White brick with hipped slate roof. EXTERIOR: facade symmetrical, of 2 storeys plus attic and 3 bays, with projecting brickwork to left and right giving quoin strips with channelled rustication. On the ground floor there are canted bay windows with brick bases and slate roofs. They have sashes without glazing bars, with rounded upper corners and moulded surrounds with engaged shafts at the angles which have foliated caps. The 1st floor windows are sashed with segmental heads and with raised plain surrounds with hoods which continue as a moulded string course. The attic is lit by a central gabled attic dormer. The doorway has a painted surround with engaged columns which have shaft rings and foliated caps, a basket arch with edge roll moulding, and a frieze enriched with stepped battlemented decoration. The door has 6 panels with raised fields and there is a plain overlight. A glazed inner door has an architrave and console brackets. The overhanging eaves have a timber valance. Chimneys to left and right. To the right there is a single storey wing with a window between 2 glazed doors. At the left there is a lean-to wing with C20 alterations. INTERIOR: not inspected.

Listing NGR: SE5886751283

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5886 5128 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 139 Holgate Road, , York, YO24 4DF

Current / Historic Names and Addresses

. HOUSE (Mid-Late C19 Early C19 to Late C19 - 1833 AD to 1899 AD)

. HOUSE (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Monument: MYO1876

Monument / Building record details

MonUID: MYO1876

Type of record: Building

Name: NUMBERS 7 AND 9 AND ATTACHED WALL AND RAILINGS

Last updated: 23/12/2007

Full description

2 houses. c1860. Brick with slate roof. EXTERIOR: 2 storeys. Each house 2 bays. The windows are glazing bar sashes with brick flat arches which have slightly cambered soffits. No.7 has its doorway to the right of the left-hand bay, and No.9 has its doorway in the 3rd bay. Both have plain pilaster doorcases with cornices, and doors with 2 recessed panels above 2 flush panels. The overlights have margin panes. Below the 1st and 2nd bays there are blocked cellar openings. The timber gutter is carried on paired rectangular brackets. Ridge chimneys on gables and to right of No.7. INTERIOR: not inspected. SUBSIDIARY FEATURES: in front of No.9, and attached to the house at the lefthand end, is a low brick wall. Set into the stone coping are iron railings with cast-iron spikes. Near the centre there is an iron gate.

Listing NGR: SE5866551398

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5866 5139 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 9 Acomb Road, , York, YO24 4EN

. , 7 Acomb Road, , York, YO24 4EN

Current / Historic Names and Addresses

. HOUSE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. RAILINGS (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. WALL (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO1455

Listed Building (II) 462769: NUMBERS 7 AND 9 AND ATTACHED WALL
AND RAILINGS

Monument: MYO1877

Monument / Building record details

MonUID: MYO1877

Type of record: Building

Name: NUMBER 11 AND ATTACHED WALL AND RAILINGS

Last updated: 23/12/2007

Full description

House. c1820, altered c1880. Painted brick with hipped slate roof. EXTERIOR: symmetrical, of 2 storeys and 3 bays. On the ground floor there are brick canted bay windows which have cornices, and sashes with segmental heads. On the 1st floor the windows are also sashed and have painted rusticated lintels partly hidden by a C20 timber gutter fascia. The doorway has a projecting plain brick surround with a cornice. The door has 4 glazed panels above 2 raised and fielded panels, and the overlight has a segmental top. Chimney to right of ridge. INTERIOR: not inspected. SUBSIDIARY FEATURES: a low wall in front of the house is rendered and carries railings with cast-iron fleur-de-lys finials. The gate has cast-iron openwork gate piers of square plan with honeysuckle decoration. Included for group value with buildings at junction with Acomb Road and Poppleton Road. (RCHME: City of York: London: 1972-: 123).

Listing NGR: SE5865451399

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5865 5139 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 9 Acomb Road, , York, YO24 4EN

Current / Historic Names and Addresses

. GATE PIER (Undated)

. RAILINGS (Undated)

. WALL (Undated)

. HOUSE (c1820 Late C18 to Mid C19 - 1800 AD to 1840 AD)

. HOUSE (c1880 Mid C19 to Late C19 - 1860 AD to 1900 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO1456

Listed Building (II) 462770: NUMBER 11 AND ATTACHED WALL AND RAILINGS

Monoument: MYO2033

Monument / Building record details

MonUID: MYO2033

Type of record: Route

Name: Roman Road (RCHME Road 10)

Last updated: 19/12/2008 17:11:00

Summary

Road approaching York from the south-west from Tadcaster, Calcaria.

Full description

Location

Map Sheet: SE54NE

Grid Reference: Centroid SE 56918 48855 (MBR: 6298m by 5986m)

Area: .000 (ha)

Spatial type: Line

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (0)

Monument: MYO655

Monument / Building record details

MonUID: MYO655

Type of record: Building

Name: QUEEN VICTORIA STATUE

Last updated: 23/12/2007

Full description

Statue of Queen Victoria. Dated 1901. Sculptor GW Milburn of York. White marble on red sandstone base. Figure life-size, seated, with sceptre, orb and crown. Nose now missing. Base of rectangular plan, concave-sided on elevation. Front inscribed: 'ERECTED BY PUBLIC SUBSCRIPTION... QUEEN VICTORIA... BORN 1819. ASCENDED THE THRONE 1837. DIED 1901.' The left-hand side has a panel carved with a shield of arms of the City of York. (Murray H: Heraldry and the Buildings of York: York: 1985-: 11).

Listing NGR: SE5837151264

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5837 5126 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. STATUE (1901 C20 - 1901 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO234 Listed Building (II) 465120: QUEEN VICTORIA STATUE

Monoument: MYO657

Monument / Building record details

MonUID: MYO657

Type of record: Building

Name: HOLGATE WINDMILL

Last updated: 23/12/2007

Full description

Wind-powered corn mill, now disused. Built between 1770 and 1792 on a site occupied by windmills since the C15; repaired as a landmark in 1939 after milling ceased. Brick, painted with bitumen. Cap covered with painted steel plates. PLAN: circular EXTERIOR: 5 storeys high, battered up to the level of the 3rd stage. At ground-floor level there are doorways with segmental arches on the west and east sides, the western doorway now blocked internally. Most of the windows have segmental heads. To the left of each doorway there is a blocked ground-floor window. The upper storeys have 6 staggered windows. The brickwork is corbelled below the round cap, which has a ball finial. The mill was unusual in having 5 sails, but these were removed following gale damage in 1930 and only the wooden stocks remain. The fantail was also removed, but projecting main timbers remain. INTERIOR: recorded by RCHM as having plastered internal walls, softwood ladders, and 4 upper floors with pine beams and stop-chamfered joists but with floorboards removed. Also recorded as having machinery largely intact, with a pair of millstones of gritstone and a second pair of French Burr stones, an iron main drive, and stone-nuts with a metal frame carrying wooden cogs. This is the last surviving windmill of the many which once functioned around the City of York. (RCHME: City of York: London: 1972-: 57).

Listing NGR: SE5841951477

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5841 5147 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. CORN MILL (1770-1792 Late C18 - 1770 AD to 1792 AD)

Monument/Component Types

. WINDMILL (1770-1792 Late C18 - 1770 AD to 1792 AD)

. WINDMILL (1939 C20 - 1939 AD)

Finds (0)

Related Monuments (0)

Designations (1)

DYO236 Listed Building (II) 465125: HOLGATE WINDMILL

Monument: MYO794

Monument / Building record details

MonUID: MYO794

Type of record: Building

**Name: MOUNTING BLOCK APPROXIMATELY 66 METRES SOUTH OF
JUNCTION WITH ST GEORGES PLACE**

Last updated: 23/12/2007

Full description

Mounting block, also used as milestone and boundary stone. Probably C18. Limestone. Of rectangular plan, cut into 3 steps. A metal pin which formerly held an inscription plate remains on the west side. Formerly used as the first milestone from York, measured from Ouse Bridge. Also served as a boundary stone, marking a re-entrant angle of the city boundary of 1832. (An Inventory of the Historical Monuments of the City of York: RCHME: South-west of the Ouse: HMSO: 1972-:58).

Listing NGR: SE5913550580

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5913 5058 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 294 Tadcaster Road, , York, YO24 1GP

Current / Historic Names and Addresses

. MILESTONE (C18 Late C17 to Late C18 - 1700 AD to 1799 AD)

. MOUNTING BLOCK (C18 Late C17 to Late C18 - 1700 AD to 1799 AD)

. BOUNDARY STONE (1832 Early C19 - 1832 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO373

Listed Building (II) 464854: MOUNTING BLOCK APPROXIMATELY 66
METRES SOUTH OF JUNCTION WITH ST GEORGES PLACE

Monument: MYO921

Monument / Building record details

MonUID: MYO921

Type of record: Building

Name: NUMBERS 1, 2 AND 3 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Three houses. c1860. Brick with some painted stone dressings. Slate roof. EXTERIOR: 3 storeys. Each house one bay. The windows have sashes divided into horizontal-rectangular panes. Nos 2 and 3 each have a doorway to the right with a doorcase which has pilasters with sunken panels, a door with 4 panels, and an overlight. No.1 has one bay facing St Paul's Square, and a right-hand return gable wall of 3 storeys and 3 bays facing Watson Terrace. This return wall has recesses painted to imitate windows with glazing bars, except at the right on the ground floor where there is a sashed window divided into rectangular panes, and in the centre at 1st floor level where there is a glazing bar sash window. In the centre there is a doorcase with panelled pilasters, an overlight, and a 4-panel door. INTERIORS: not inspected. SUBSIDIARY FEATURES: the front walls of the gardens are of brick with stone and artificial stone copings. Each garden has a gate of cast-iron with castiron gateposts. The walls to No.3 carry railings with cast finials. At the north end the front wall returns to divide the gardens of Nos 3 and 4. The south return wall shows evidence of rebuilding, and the garden gate to No.1 is set between the wall and the Watson Terrace facade.

Listing NGR: SE5910751319

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5910 5131 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 1 St. Pauls Square, , York, YO24 4BD

. , 2 St. Pauls Square, , York, YO24 4BD

. , 3 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE PIER (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. HOUSE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. RAILINGS (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO500

Listed Building (II) 464582: NUMBERS 1, 2 AND 3 AND ATTACHED WALLS
AND RAILINGS

Monoument: MYO922

Monument / Building record details

MonUID: MYO922

Type of record: Building

Name: NUMBERS 4-7 (CONSECUTIVE) AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Four houses. Mid C19. Brick with some painted stone dressings. Slate roof. EXTERIOR: 2 storeys above basement. Each house 2 bays. At the left each has a canted bay window on the ground floor with a modillioned cornice and with a brick base which contains basement windows. The canted bay windows have sashes without glazing bars, except for No 4 where the upper sashes have small panes of coloured glass. The 1st floor windows have a sill band. Those to Nos 4 and 5 are sashed without glazing bars, and those to Nos 6 and 7 have sashes divided into square panes, 4 above 4. At the right each house has a doorcase with a mutuled cornice and with pilasters which have sunken panels. The doors have 4 panels with overlights. The gutters are supported on rectangular timber brackets. Chimneys between houses. INTERIORS: not inspected. SUBSIDIARY FEATURES: the garden front walls are of brick with stone copings. Nos 4 and 5 have cast-iron railings, gateposts and gates. Nos 6 and 7 have low walls without railings and have cast-iron gates and gateposts; one gatepost to each house is truncated. Return walls with railings separate the gardens of Nos 5 and 6 and Nos 7 and 8.

Listing NGR: SE5912251349

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5912 5134 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 7 St. Pauls Square, , York, YO24 4BD

. , 4 St. Pauls Square, , York, YO24 4BD

. , 5 St. Pauls Square, , York, YO24 4BD

. , 6 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO501

Listed Building (II) 464583: NUMBERS 4-7 (CONSECUTIVE) AND ATTACHED WALLS AND RAILINGS

Monoument: MYO923

Monument / Building record details

MonUID: MYO923

Type of record: Building

Name: NUMBER 8-11 (CONSECUTIVE) AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Four houses. Mid C19. Brick with some painted stone dressings. Slate roof. EXTERIOR: 2 storeys with attics and basements. Each house 2 bays. The windows have sashes divided into square panes, 4 over 4. The 1st floor windows have a sill band. The cellar windows are mostly glazing bar sashes. Nos 9, 10 and 11 each have an attic dormer with shaped and pierced bargeboards. Each house has a pilaster doorcase in the right-hand bay and a 4-panel door with overlight. The pilasters to Nos 8 and 9 have sunken panels and their overlights have margin panes. Chimneys between houses. INTERIORS: not inspected. SUBSIDIARY FEATURES: the garden front walls are of brick with stone copings; they support railings with cast finials. Walls between the gardens of Nos 9 and 10 and Nos 11 and 12 also carry iron railings. Each house has an iron gate, and iron gateposts with ball finials.

Listing NGR: SE5913351368

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5913 5136 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 11 St. Pauls Square, , York, YO24 4BD

. , 10 St. Pauls Square, , York, YO24 4BD

. , 8 St. Pauls Square, , York, YO24 4BD

. , 9 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO502

Listed Building (II) 464585: NUMBER 8-11 (CONSECUTIVE) AND ATTACHED WALLS AND RAILINGS

Monoument: MYO924

Monument / Building record details

MonUID: MYO924

Type of record: Building

Name: NUMBER 12 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

House, now nursery school. Mid C19, altered C20. Brick with painted stone dressings. Slate roof. EXTERIOR: 2 storeys and 3 bays. The outer bays have 2-storey canted bay windows which have a cornice between storeys and are sashed without glazing bars. The 1st floor windows have a sill band, and the central window has sashes divided into large square panes. The central doorway is covered by a C20 lean-to porch with a roof of corrugated sheeting. The modillioned gutter cornice continues around the bay windows. Chimneys to left and right. INTERIOR: not inspected. SUBSIDIARY FEATURES: the garden front wall is of brick with a stone coping. The wall and coping returns at the left-hand side, where it carries iron railings with cast finials. Included for group value as an integral part of this important historic mid C19 square.

Listing NGR: SE5913651375

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5913 5137 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 1 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. NURSERY SCHOOL (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO503

Listed Building (II) 464586: NUMBER 12 AND ATTACHED WALLS AND RAILINGS

Monoument: MYO925

Monument / Building record details

MonUID: MYO925

Type of record: Building

Name: NUMBERS 15, 16 AND 17 AND ATTACHED WALLS AND
RAILINGS

Last updated: 23/12/2007

Full description

Terrace of 3 houses. Mid C19. Brick with painted stone dressings. Slate roof. EXTERIOR: 2 storeys with attics and cellars. Each house 2 bays. Sashes throughout, those to Nos 15 and 17, 4-pane with glazing bars, those to No.16, 2-pane. Each house has a canted bay window on the ground floor, with a modillion cornice and with a brick base which has a casement cellar window. The 1st floor windows have a sill band. No.17 has an attic dormer. Nos 16 and 17 have doorways in their righthand bays, with pilaster doorcases which have modillioned cornices, 4-panel doors, and overlights. The overlight to No.17 has margin panes. The gutter is carried on rectangular timber brackets. Chimneys at left, and between houses in front of ridge. The right-hand return wall of No.15 has 4 bays and is treated similarly. In its 3rd bay it has a single-storey canted bay window with modillioned cornice, and in its 2nd bay a doorcase and 4-panel door similar to those to Nos 16 and 17. The attic is lit by a shallow flat-roofed C20 dormer. Chimney to right. INTERIORS: not inspected. SUBSIDIARY FEATURES: the garden front wall is of brick with stone and artificial stone copings. The wall to No.15 carries iron railings with cast finials and terminates at the east end against an iron gate with cast-iron gateposts. No.16 has a similar gate, and restored railings. No.17 has a low iron gate and gateposts, and a wall and coping without railings which returns at the northwest end to form the division between the gardens of Nos 17 and 18.

Listing NGR: SE5912351396

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5912 5139 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 15 St. Pauls Square, , York, YO24 4BD

. , 16 St. Pauls Square, , York, YO24 4BD

. , 17 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. TERRACE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. TERRACED HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO504

Listed Building (II) 464588: NUMBERS 15, 16 AND 17 AND ATTACHED
WALLS AND RAILINGS

Monument: MYO926

Monument / Building record details

MonUID: MYO926

Type of record: Building

Name: NUMBER 18 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

House. c1860. Brick with painted stone or stucco dressings. Slate roof. EXTERIOR: 3 storeys plus attic. 3 bays. The outer bays have 2-storey canted bay windows with painted mullions and cornices. On the ground floor they have glazing bar sash windows and on the 1st floor sashed windows. There is a 1st floor sill band. The 2nd floor windows, and the central window on the 1st floor, are glazing bar sashes. The attic is lit by 2 flat-roofed dormers. The single-storey porch has canted sides of exposed brick, and paired pilasters supporting a plain entablature with cornice and blocking course. The door has 6 panels. The boxed timber gutter appears to be a C20 renewal and is carried on shaped brackets. Chimneys to left and right. INTERIOR: not inspected. SUBSIDIARY FEATURES: the front garden is enclosed by brick walls with stone copings. In line with the central doorway there is an iron gate with cast-iron gateposts.

Listing NGR: SE5910851414

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5910 5141 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 1 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE PIER (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. HOUSE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO505

Listed Building (II) 464589: NUMBER 18 AND ATTACHED WALLS AND RAILINGS

Monoument: MYO927

Monument / Building record details

MonUID: MYO927

Type of record: Building

Name: NUMBERS 19-25 (CONSECUTIVE) AND ATTCHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Seven houses. Mid C19. Brick with some painted stone dressings. Slate roof. Built as part of a curved terrace. EXTERIOR: 3 storeys and 3 storeys plus attic. Each house 2 bays, with a 1st floor sill band and a gutter carried on rectangular brackets. The windows are sashed, except for the 1st floor windows of No.23 and the 2nd floor windows of Nos 22, 23 and 24, which are glazing bar sashes. Each house has a single-storey canted bay window at the left with a modillioned cornice. At the right each has a doorcase with panelled pilasters, panelled reveals, and a modillioned cornice. The doors have 4 panels and plain rectangular overlights. No.21 has 2 gabled attic dormers, and Nos 20 and 19 have one dormer each. Chimneys in front of ridge to left and right of each house. INTERIORS: not inspected. SUBSIDIARY FEATURES: all the gardens are enclosed by low brick walls with stone copings. Nos 20, 21 and 24 have cast-iron gates and gateposts, and No.19 has a low iron gate and posts. No.25 has no gate but has an iron gatepost and one similar truncated post. Its front and side walls carry iron railings with cast spear finials. The front wall of No.24 carries similar railings. The front wall to No.22 has a widened entrance with brick piers.

Listing NGR: SE5907851439

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5907 5143 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 23 St. Pauls Square, , York, YO24 4BD

. , 25 St. Pauls Square, , York, YO24 4BD

. , 24 St. Pauls Square, , York, YO24 4BD

. , 21 St. Pauls Square, , York, YO24 4BD

. , 20 St. Pauls Square, , York, YO24 4BD

. , 19 St. Pauls Square, , York, YO24 4BD

. , 22 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. TERRACE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. TERRACED HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO506

Listed Building (II) 464591: NUMBERS 19-25 (CONSECUTIVE) AND ATTCHED WALLS AND RAILINGS

Monument: MYO928

Monument / Building record details

MonUID: MYO928

Type of record: Building

Name: NUMBERS 28 AND 29 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Two houses. Mid C19. Brick with painted stone dressings. Slate roof. EXTERIOR: 3 storeys. Each house 2 bays, with a sashed canted bay window on the ground floor with modillioned cornice. The 1st floor windows have a sill band. Those to No.28 are sashed and those to No.29 are glazing bar sashes. The 2nd floor windows are glazing bar sashes. The doorways have doorcases with pilasters which have sunken panels, modillioned cornices, and panelled reveals. The doors have 4 panels, and overlights. The overlight to No.29 is divided into 2 square panes. The timber gutter is carried on rectangular brackets. Chimneys in front of ridge at left and between houses. INTERIORS: not inspected. SUBSIDIARY FEATURES: the garden front walls are of brick with stone copings, and the right-hand return wall to No.28 is similar. No.29 has an iron gate with cast-iron gate piers. The left-hand return wall of No.29, shared with No.30 (qv) carries iron railings with cast finials.

Listing NGR: SE5904951410

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5141 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 28 St. Pauls Square, , York, YO24 4BD

. , 29 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO507

Listed Building (II) 464592: NUMBERS 28 AND 29 AND ATTACHED WALLS
AND RAILINGS

Monoument: MYO929

Monument / Building record details

MonUID: MYO929

Type of record: Building

Name: NUMBERS 30 AND 31 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Two houses. Mid C19. Brick with painted stone dressings. EXTERIOR: 3 storeys. Each house 2 bays. On the ground floor each house has a sashed timber canted bay window at the right, with a modillioned cornice. The 1st floor windows are casements, glazed in a cross pattern, with a sill band. The 2nd floor windows are glazing bar sashes. Each house has a doorcase at the left, with panelled pilasters, modillioned cornice, and panelled reveals. The doors have 4 panels, and the overlights are both divided into 2 square panes. Timber cornice gutter. Shared chimneys in front of ridge to left and right of each house. INTERIORS: not inspected. SUBSIDIARY FEATURES: the garden front wall to No.30 is of brick with a stone coping and carries iron railings with cast finials. The gate is of iron, with iron gateposts which have ball finials. The right-hand return wall, shared with No.29 (qv) is also of brick with stone copings and similar iron railings. The front and side garden walls to No.31 are a C20 rebuilding, of brick with terracotta copings.

Listing NGR: SE5904651389

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5138 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 31 St. Pauls Square, , York, YO24 4BD

. , 30 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. GATE PIER (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

. RAILINGS (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO508

Listed Building (II) 464594: NUMBERS 30 AND 31 AND ATTACHED WALLS
AND RAILINGS

Monoument: MYO930

Monument / Building record details

MonUID: MYO930

Type of record: Building

Name: NUMBERS 32 AND 33 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Two houses. c1860. Brick with some painted stone dressings. Slate roof. EXTERIOR: 3 storeys. Each house 2 bays. On the ground floor each house has a sashed canted bay window. The bay window to No.32 has a base of exposed stone which contains a cellar window. The windows to the upper storeys are glazing bar sashes, and there is a 1st floor sill band. The doorways are adjacent, in a shared doorcase with panelled pilasters, the doors have 4 panels and the overlights are both divided into 2 square panels. Timber cornice gutter. Shared chimneys to left and right in front of ridge. INTERIORS: not inspected. SUBSIDIARY FEATURES: the front garden of No.33 is enclosed on 3 sides by low brick walls with stone copings which carry iron railings with cast finials. No.33 also has an iron gate with turned iron gateposts with ball finials. The front and right-hand return walls of No.32 are a C20 rebuilding in brick with terracotta copings.

Listing NGR: SE5904551384

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5138 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 32 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

, , 33 St. Pauls Square, , York, YO24 4BD

. GARDEN WALL (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE PIER (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. HOUSE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. RAILINGS (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GARDEN WALL (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO509

Listed Building (II) 464595: NUMBERS 32 AND 33 AND ATTACHED WALLS AND RAILINGS

Monument: MYO931

Monument / Building record details

MonUID: MYO931

Type of record: Building

Name: NUMBER 34 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

House. c1860. Brick with painted stone dressings. Slate roof. EXTERIOR: 3 storeys and 2 bays. At the left on the ground floor there is a canted bay window which is sashed and has a modillioned cornice. The windows to the upper floors have sashes divided into large square panes, and the 1st floor windows have a sill band. The doorway, at the right, has a doorcase with sunken panels, panelled reveals, a modillioned cornice, a 4-panel door, and an overlight, divided into 2 square panes. The gutter is carried on rectangular brackets. Chimneys in front of ridge at left and shared at right. INTERIOR: not inspected. SUBSIDIARY FEATURES: the front garden is enclosed by brick walls with stone copings which carry iron railings with cast finials. The gate is also of iron and has turned iron gateposts.

Listing NGR: SE5904551368

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5136 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 1 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. GATE PIER (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. HOUSE (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

. RAILINGS (c1860 Mid C19 to Late C19 - 1840 AD to 1880 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO510

Listed Building (II) 464596: NUMBER 34 AND ATTACHED WALLS AND RAILINGS

Monument: MYO932

Monument / Building record details

MonUID: MYO932

Type of record: Building

Name: NUMBERS 35, 36 AND 37 AND ATTACHED WALLS AND RAILINGS

Last updated: 23/12/2007

Full description

Three houses. c1870, altered C20. Yellow brick with some painted stone or artificial stone dressings. Slate mansard roof. EXTERIOR: 2 storeys plus attic. No.37 is symmetrical and of 3 bays. Nos 35 and 36 form a mirrored pair of one bay each with their windows adjoining and with their doorways to the outside. The windows are sashed without glazing bars. On the ground floor there are canted bay windows of brick with painted sills and lintels and with cast-iron cresting. The first floor windows have segmental brick arches: each bay contains paired windows except for the 2nd bay of No.37, which has a single window. The attic is lit by dormers: 2 to No.37 and one each to Nos 35 and 36. They are of brick with painted lintels and gable copings and finials, except for No.35, which has a rebuilt flat coping. The doors have 4 raised fielded and bevelled-moulded panels and have overlights. The surrounds have brick pilasters with painted caps with foliated decoration and carved heads, and cornices with cast-iron cresting, carried on paired brackets. The eaves have brick corbelling. Chimneys to left and between houses. INTERIORS: not inspected. SUBSIDIARY FEATURES: the walls enclosing the front gardens of Nos 36 and 37, and the front garden wall of No.35, are of brick with chamfered stone copings. The walls to Nos 35 and 36 have railings of cast-iron imitating wrought-iron, with standards linked by an upper horizontal rail and with semi-circles springing from a lower rail which has cast rosettes at the intersection with shorter intermediate uprights. No.37 has no railings to its left-hand return wall. The front wall carries reused cast-iron panels decorated with ellipses, rectangles and diagonals. The cast-iron gate piers are of square plan, chamfered to octagons, with ball finials. The gate repeats the pattern of the railings and appears to be C20 and of mild steel.

Listing NGR: SE5904551366

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5904 5136 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 35 St. Pauls Square, , York, YO24 4BD

. , 36 St. Pauls Square, , York, YO24 4BD

. , 37 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GARDEN WALL (c1870 Mid C19 to Late C19 - 1850 AD to 1890 AD)

. GATE (c1870 Mid C19 to Late C19 - 1850 AD to 1890 AD)

. GATE PIER (c1870 Mid C19 to Late C19 - 1850 AD to 1890 AD)

. HOUSE (c1870 Mid C19 to Late C19 - 1850 AD to 1890 AD)

. RAILINGS (c1870 Mid C19 to Late C19 - 1850 AD to 1890 AD)

. GATE (C20 Late C19 to C20 - 1900 AD to 1999 AD)

. HOUSE (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

Listed Building (II) 464597: NUMBERS 35, 36 AND 37 AND ATTACHED
DYO511 WALLS AND RAILINGS

Monument: MYO933

Monument / Building record details

MonUID: MYO933

Type of record: Building

Name: Last updated: 23/12/2007

Full description

Two houses. Mid C19. Brick with some painted stone dressings. Slate roof. EXTERIOR: 2 storeys above cellars. Each house 2 bays. On the ground floor each house has a canted bay window with modillioned cornice to the right, on a stone base which contains a cellar window opening. The 1st floor windows have a sill band, and sashes divided into square panes. The doorways, at the left of each house, have doorcases with panelled pilasters, panelled reveals, modillioned cornices, and doors of 4 panels with overlights, divided into 2 square panes. No.39 has a boxed timber gutter carried on square brackets, and No.38 has a plastic gutter. Chimneys in front of ridge to the right of each house. INTERIORS: not inspected.

Listing NGR: SE5903251337

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5903 5133 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

. , 38 St. Pauls Square, , York, YO24 4BD

. , 39 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

Monument/Component Types

. HOUSE (Mid C19 Early C19 to Mid C19 - 1833 AD to 1866 AD)

Finds (0)

Related Monuments (0)

Designations (1)

DYO512 Listed Building (II) 464599

Monoument: MYO934

Monument / Building record details

MonUID: MYO934

Type of record: Building

Name: PRIORY HOUSE

Last updated: 23/12/2007

Full description

House. c1835-40. Brick, now sandblasted. Hipped slate roof. EXTERIOR: main block 2 storeys and 4 bays, with 3-storey one-bay block projecting at right (north-east). The main block has casement windows with margin panes. In the 3rd bay there is a single-storey canted bay window with a modillioned cornice. In the 2nd bay there is a doorway with an inner painted stone or stucco surround with pilaster reveals, a recessed doorway, and an outer timber pilaster doorcase with a modillioned cornice. One chimney visible behind ridge. The left-hand return wall, facing Holgate Road, is of one bay and has a sashed window with no glazing bars on the ground floor and a sashed window on the 1st floor. The 3-storey block has one bay facing St Paul's Square, with a blind window recess on the ground floor, and a left-hand return wall of one bay. INTERIOR: not inspected. (An Inventory of the Historical Monuments of the City of York: RCHME: South-west of the Ouse: HMSO: 1972-: 129).

Listing NGR: SE5901651281

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5901 5128 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 1 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

, HOUSE (c1835-1840 Mid C19 - 1835 AD to 1840 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO513 Listed Building (II) 464600: PRIORY HOUSE

Monoument: MYO935

Monument / Building record details

MonUID: MYO935

Type of record: Building

Name: RAILINGS, GATES AND PIERS ENCLOSING CENTRAL GARDEN

Last updated: 23/12/2007

Full description

Railings, gates and piers. Mid/late C19 and C20. Original railings by William Walker. Ashlar, concrete, cast-iron and steel. At the south side there are 2 ashlar corner piers of square plan, linked by iron railings with cast finials, set into concrete copings. The other sides have flat steel railings with twisted pointed tops. There are 5 cast-iron gates with gateposts: one towards the southern end of the straight east side, one at each end of the straight north-east side, one near the centre of the curved west side, and one near its southern end. (York Historian: Malden J: The Walker Ironfoundry, York, c.1825-1923: York: 1976-: 51).

Listing NGR: SE5911051373

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5911 5137 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 1 St. Pauls Square, , York, YO24 4BD

Current / Historic Names and Addresses

. GATE (Mid-Late C19 Early C19 to Late C19 - 1833 AD to 1899 AD)

. GATE PIER (Mid-Late C19 Early C19 to Late C19 - 1833 AD to 1899 AD)

. RAILINGS (Mid-Late C19 Early C19 to Late C19 - 1833 AD to 1899 AD)

. GATE (C20 Late C19 to C20 - 1900 AD to 1999 AD)

. GATE PIER (C20 Late C19 to C20 - 1900 AD to 1999 AD)

. RAILINGS (C20 Late C19 to C20 - 1900 AD to 1999 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO514

Listed Building (II) 464602: RAILINGS, GATES AND PIERS ENCLOSING CENTRAL GARDEN

Monoument: MYO952

Monument / Building record details

MonUID: MYO952

Type of record: Building

Name: BISHOPSBARNES AND GARDEN WALL AND GATES ATTACHED AT FRONT

Last updated: 23/12/2007

Full description

House; garden wall and gates attached at front. 1905. By WH Brierley for himself; plasterwork by G Bankart; gardens by Gertrude Jekyll. MATERIALS: handmade red-orange brick in English bond with moulded brick and tile dressings; roofs of handmade tile, steeply pitched over centre range at front with 4 segment gabled dormers; tall brick stacks are banded, quoined, corniced, some conjoined and diagonally set. Garden wall is handmade English bonded brick. Garden gate and other woodwork is of untreated oak: windows in wooden pegged oak frames. EXTERIOR: front: centre range of 2 storeys and attics; 5 windows irregularly disposed: to left is 2-storey gabled crosswing, to right cross-gabled wing of 2 storeys with attic. Off-centre double front doors with inset glazing beneath shallow segment-arched porch on flat brackets. In centre range windows are of 1, 2 or 3 diamond-latticed mullioned lights, except for staircase window which is transomed and has decorative glazing bars. Left wing has two 1-light windows on both floors and extruded stack at gable apex over sunk brick panel in moulded brick surround. Right wing has 4-light mullioned and transomed window on ground floor; on first floor tripartite window with segment-arched centre casements beneath full-width hoodmould. Gable with tiny square-headed window in apex beneath stepped-up hoodmould, filled with raised bands and panels of decorative brickwork. Rear: 1 low storey; left end has attic with 3-light window in gabled dormer; attic to right of centre has 6-light raking dormer window; left of centre is 2-storey cross-gabled wing; gabled crosswing at right end. At right of centre is canted trabeated loggia; deeply recessed at rear are glazed and panelled doors and 4-light and 2-light mullioned windows to left and right respectively. Wing to left has 6-light transomed window on ground floor; on first floor, similar window over dentilled sill band, beneath soldier brick arch and triple-arched hoodmould. Gable above is filled with bands and strings of cogged brick with tiny pointed window in apex. Right wing has 5-light mullioned window on ground floor, similar 4-light window on first floor. Left return: 2 storeys, 2 bays, left one gabled and filled with bands and panels of decorative brickwork. Gabled bay has canted bay on ground floor with 6-light Ipswich window: on first floor, 5-light mullioned window, centre light arched, with brick dentilled sill band and hood. Gable above filled with decorative brickwork. To right are 5-light mullioned windows on both floors, ground floor one with pent hood. Windows except where indicated otherwise are square-latticed casements, some with top-hung lights. INTERIOR: the only alteration to Brierley's original arrangements has been some modernisation of the kitchen and bathroom. Ground floor only inspected. Outer lobby lined with original Delft tiles collected by Brierley. Inner front door screen is of linenfold panelling. Inner and outer halls and drawing room are panelled in square wainscotting: dining room retains original wallpaper. Drawing and dining rooms have moulded plaster ceilings: drawing room ceiling is barrel-vaulted with isolated flower motifs, incorporating the initials WHB and GB, and a guardian angel holding a model of the house; dining room ceiling is divided into 3 bays by heavy plaster eams, each division having a zodiac sign in each corner; inner hall has moulded cornice. Drawing and dining rooms and inner hall have stone fireplaces, the former in carved wood surrounds, the drawing room one with tiled slips. Drawing room and staircase windows incorporate original painted glass. Main staircase has open string, stocky turned balusters and square newels. Original light fittings survive throughout ground floor. Built-in cupboards, pantry shelving, stone sink and other fittings retained in service rooms. SUBSIDIARY FEATURES: garden wall fronts the full width of the site, returning at the each end of the centre range to form a forecourt of small cobbled squares. Wall is approximately 2 metres high, incorporating lozenge panels of raised brickwork and has dentilled cornice beneath sloped coping. Piers are square on plan with flat caps and ball finials. Garden gate at far left end is boarded, on strap hinges and has segment-arched timber overthrow. Back

gate at far right end is of turned timber bars and dog bars, in segment-headed frame. (Weaver L: Small Country Houses of Today: London: 1922-: 145; Nuttgens P: Brierley in Yorkshire: York: 1984-: 13-16).

Listing NGR: SE5895750665

Derived from English Heritage LB download dated: 22/08/2005

Location

Map Sheet: SE55SE

Grid Reference: SE 5895 5066 (point)

Spatial type: Point

Civil Parish: York, City of York, North Yorkshire

, , 27 St. Georges Place, , York, YO24 1DT

Current / Historic Names and Addresses

. GARDEN WALL (1905 C20 - 1905 AD)

. GATE (1905 C20 - 1905 AD)

. HOUSE (1905 C20 - 1905 AD)

. LOGGIA (1905 C20 - 1905 AD)

Monument/Component Types

Finds (0)

Related Monuments (0)

Designations (1)

DYO531

Listed Building (II*) 464551: BISHOPSBARNES AND GARDEN WALL AND
GATES ATTACHED AT FRONT

Associated Events/Activities (0)

Sources (0)

Other statuses and references (0)

Land classifications (0)

Related HLC (0)

Scores (0)

Contacts (0)