Our ref.: Project No.:	2907 ^{Contact} Roberts	Your ref.: - PARISH 8/045 ARCHAEOLOG Date: 13.3.2006 N.Y.C.C. SERVICES	
Gail Falkingham North Yorkshire Heritage Unit County Hall Northallerton North Yorkshire		ENVIRONMENTAL CLE WYAS	CHER
		Pass to SNY	10907 3145
DL7 8AH Dear Gail		Ansoland CNY	4756
PLOT 3. WENT EDGE ROAD. KIRK SMEA			3045

8/45/1010/00

Archaeological Services WYAS has recently carried out a Watching Brief at the above site on behalf of Mrs Rebecca Morton. Observations were made on the 7th March 2006, after the foundation trenches for the new dwelling had been mechanically

A plan of the monitored foundation is attached. The stratigraphic sequence recorded across the site is as follows:

Topsoil:c.0.1m thick (dark brown silty loam)Subsoil:c.0.4m thick (mid orange-brown silty loam)Bedrock:Magnesian limestone

The trenches were c 0.8m wide and were excavated to a depth of c.0.75m, thus they penetrated the natural rock to a depth of about 0.25m.

No archaeological features or deposits were in evidence and no artefacts were recovered.

Following our conversation on the 8th March, and in view of the negative results, I trust that this letter will be sufficient for you to discharge the planning condition.

Yours sincerely


excavated.

lan Roberts Principal Archaeologist

SE51552 16642.



PO BOX 30, NEPSHAW LANE SOUTH MORLEY, LEEDS, LS27 0UG Tel.: 0113 383 7500 Fax: 0113 383 7501 E-mail: wyas@aswyas.demon.co.uk Web: www.arch.wyjs.org.uk



.

Fig. 1. Site location showing monitored foundations