

**Howsham Hall
Howsham
York
North Yorkshire
SE 7340 6315**

Archaeological Watching Brief

Authorised by

Date:.....

**Howsham Hall
Howsham
York
North Yorkshire
SE 7340 6315**

Archaeological Strip and Record Report

Contents	Page
Figure List	2
Plate List	2
Non-Technical Summary	3
1. Introduction	3
2. Site Description	4
3. Archaeological and Historical Background	4
4. Aims and Objectives	5
5. Methodology	5
6. Results	6
7. Conclusions	6
8. References	7

Appendices

1. Context Listing
2. Photographic Listing
3. Project Team Details

Figure List

Page

- | | | |
|----|---------------------------------------|---|
| 1. | Area of Watching Brief (Scale 1:2000) | 8 |
|----|---------------------------------------|---|

Plate List

- | | | |
|----|---|---|
| 1. | Excavation of Gas Tank Pit. Facing West | 9 |
| 2. | Post-Excavation shot of Gas Tank Pit. Facing North-West | 9 |

**Howsham Hall
Howsham
York
North Yorkshire
SE 7340 6315**

Archaeological Strip and Record Report

Non-technical Summary

An Archaeological Strip and Record was conducted by MAP Archaeological Consultancy Ltd. at Howsham Hall, Howsham, York, North Yorkshire (SE 7340 6315) on the 8th of February 2010. The work involved monitoring the groundworks associated with the Excavation of a pit to accommodate two gas tanks. No archaeological features, deposits or finds were recorded during the groundworks.

1. Introduction

- 1.1 This report sets out the results of an Archaeological Strip and Record that was conducted on the 8th of February 2010 by MAP Archaeological, Consultancy Ltd. at Howsham Hall, Howsham, York, North Yorkshire (SE 7340 6315). The archaeological work was undertaken in order to fulfil an archaeological condition attached to a Planning Application Consent for the installation of underground LPG tanks (Planning Application 08/00997/FUL).
- 1.2 The Archaeological work was designed to provide an appropriate level of recording for archaeological remains, deposits or finds that might be affected by the development, following the archaeology policy issued by the Secretary of State for the Environment contained in *Planning Policy Guidance 16 'Archaeology and Planning'* (PPG 16).
- 1.3 The site code for the project was MAP 05.01.10.
- 1.4 All work was funded by GL50 Properties Ltd.

- 1.5 All maps within this report have been produced from the Ordnance Survey with the permission of the Controller of Her Majesty's Stationery Office, Crown Copyright, Licence No. AL 50453A.

2. Site Description

- 2.1 The site is located at Howsham Hall, Howsham, York, YO60 7PH (Fig 1). The area of groundworks was located on the western side of the hall, on flat ground of lawn and shrubs (Fig 2, Pl. 1).
- 2.2 The site lies on soils of the Bishampton 1 association. Deep fine loamy soils with slowly permeable subsoils and slight seasonal waterlogging associated with well drained fine and coarse loamy soils in an undulating landscape. Some slowly permeable seasonally waterlogged fine loamy soils. (Mackney 1984).

3. Archaeological and Historical Background

- 3.1 The site is located in an area of archaeological interest relating to Howsham Hall and its development including landscape features and structures within the grounds and a deserted medieval settlement and associated earthworks.
- 3.2 The medieval settlement is located to the south of Howsham Hall, visible as earthworks comprising of track-ways and hut platforms, which appear to be running towards the hall.
- 3.3 Howsham Hall is a Registered Park and Garden – No GD4182 and Grade II listed building. The site belonged to Kirkham Abbey before the dissolution and stone from the abbey may have been re-used in the construction of the hall. The hall itself is of early 16th century date with a Jacobean stone front added to the earlier structure after 1593 giving the hall its present form. A series of enclosed formal gardens were laid out between 1689 and 1720 but were removed by 1776 by which time the grounds had been extended. This Landscape Park was laid out by Lancelot Brown and partly covers the archaeological remains of a medieval village and earlier 18th century

formal gardens. A water mill was built in 1755 and a stable block was also added in 1770 arranged around a square yard.

- 3.4 The hall was used as a school, opening in 1958 and operational until Howsham Hall was sold leading to these most recent developments of the building and grounds (www.heritagegateway.org.uk)

4. Aims and Objectives

- 4.1 The aims and objectives of the archaeological work are to determine by means of targeted archaeological excavation the character, extent and nature of the archaeological remains within the development area.
- 4.2 To locate, recover, identify, assess and conserve (as appropriate) any archaeological artefacts exposed during the course of the excavation.
- 4.3 Where appropriate, to undertake a post-excavation assessment after completion of fieldwork and site archive to assess the potential for further analysis and publication as appropriate.

5. Methodology

- 5.1 The monitored groundworks consisted of the stripping of topsoil and ground reduction where the gas tanks were to be located. All groundworks were carried out under archaeological supervision.
- 5.2 All work was carried out in line with the Institute of Field Archaeologists Code of Conduct (IFA 1998).
- 5.3 All deposits were recorded according to correct principles of stratigraphic excavation on MAP's *pro forma* context sheets, which are compatible with the MoLAS recording system.

5.4 A photographic record of the monitored groundworks was maintained throughout the recording brief on digital format.

6. Results

6.1 Initially two tank pits were to be excavated, on opposing eastern and western sides of Howsham Hall. The tank pit to the east of the hall was not excavated. An existing tank was left in place in this location and was not replaced.

6.2 The tank pit on the western side of the hall, measured 5.7m long, 5.2m wide and 2m deep and no archaeological features, deposits or finds were recorded during the groundworks. The only deposits recorded from the base of the pit upward was 0.2m of natural clay (context 3), sealed by 1.4m of natural sands and gravels (context 2) with the top 0.35m made up of topsoil (context 1 - Pl. 2).

7. Conclusions

7.1 As Howsham Hall and its grounds had developed considerably from the 16th to 19th centuries including the formal gardens by Lancelot Brown in the 18th century and various alterations and additions to the hall itself, it may have been expected that the groundworks would have encountered some of these features and structures. However none were identified in the small area covered by the groundworks nor anything associated with the Medieval settlement earthworks of Howsham Village.

7.3 The remnants of a collapsed or partly demolished brick ice-house was located a few metres to the west of the groundworks but nothing associated with this structure was seen during the works, such as a connecting pathway to the hall.

7.4 The Archaeological Strip and Record only identified topsoil and natural deposits within the area affected by the groundworks.

8. References

Mackney, D. 1984 Soils of England and Wales-Sheet 1, Northern England.

MAP 2010 Written Scheme of Investigation for Archaeological Strip and Record, Howsham Hall, Howsham, York, YO60 7PH SE 7340 6315

www.heritagegateway.org.uk




Figure 1. Area of Archaeological Watching Brief.



Plate 1 Excavation of Gas Tank Pit. Facing West



Plate 2 Post-Excavation shot of Gas Tank Pit. Facing North-West

APPENDIX 1

Howsham Hall, Howsham, York, 05.01.10

Context Listing

Context	Description
1	Deposit 10YR 4/3 clay loam topsoil
2	Deposit 10YR 4/2 sand and gravel natural
3	Deposit 2.5YR4/4 clay natural

APPENDIX 2

Photographic Archive Listing

Digital

Frame	Description	Scale	Facing
1	Excavation of gas tank pit	N/A	West
2	Excavation of gas tank pit	N/A	West
3	North-west facing section of gas tank pit	3m	South-east
4	North-west facing section of gas tank pit	3m	South-east
5	South-east facing section of gas tank pit	3m	North-west
6	Overall shot of gas tank pit	N/A	North-east
7	Overall shot of gas tank pit	N/A	North
8	Overall shot of gas tank pit	N/A	North-east
9	Overall shot of excavation area	N/A	South-east
9	Post-excavation shot of gas tank pit	N/A	North-west

APPENDIX 3

Project Team Details

Fieldwork

Charlie Morris

Post-excavation

Charlie Morris *report*

Mark Stevens *editorial*

Tom Silversides *CAD and illustrations*

**WRITTEN SCHEME OF INVESTIGATION FOR ARCHAEOLOGICAL STRIP
AND RECORD**

**Howsham Hall
Howsham
YORK
YO60 7PH
SE 7340 6315**

Prepared for GL50 Properties

by

**MAP Archaeological Consultancy Ltd
Showfield Lane
Malton
North Yorkshire
YO17 6BT
Tel. 01653 697752
Fax. 01653 694747**

26th January 2010

**Howsham Hall
Howsham
YORK
YO60 7PH
SE 7340 6315**

**WRITTEN SCHEME OF INVESTIGATION FOR
ARCHAEOLOGICAL STRIP AND RECORD**

1. Summary

- 1.1 The topsoil, overburden strip and archaeological recording is to take place during the installation of two 4000 litre underground LPG tanks on east side of dwelling and two 4000 litre underground LPG tanks on the west side of the dwelling on all areas of ground disturbance associated with the planning application (Planning Application 08/00997/FUL).

2. Purpose

- 2.1 This written scheme of investigation (WSI) represents a summary of the broad archaeological requirements to mitigate the impact of development proposals upon the archaeological resource and to comply with the archaeological planning condition. This is in accordance with the guidance of Planning Policy Guidance note 16 on *Archaeology and Planning*, 1990. No work on site should commence until the implementation of the scheme is the subject of a standard ICE Conditions of Contract for Archaeological Investigation agreement between the Client and the selected archaeological contractor.

3. Location and Description (centred at SE 473409,463154)

- 3.1 The proposed development area is located at Howsham Hall, Howsham, York, YO60 7PH.

4. Archaeological and Historical Background

- 4.1 The application site is in an area of archaeological interest. To the south of Howsham Hall is a deserted medieval settlement, with the earthworks comprising of trackways and hut platforms, which appear to

be running towards the hall. Howsham hall itself is of early 16th century origins built on the site of a former manor house.

5. Objectives

5.1 The objectives of the archaeological work are:

1. to determine by means of targeted archaeological excavation the character, extent and nature of the archaeological remains within the development area,
2. to locate, recover, identify, assess and conserve (as appropriate) any archaeological artefacts exposed during the course of the excavation,
3. where appropriate, to undertake a post-excavation assessment after completion of fieldwork and site archive to assess the potential for further analysis and publication, and to undertake such analysis and publication as appropriate,
4. to prepare and submit a suitable archive to the appropriate museum.

6. Access, Safety and Monitoring

6.1 Access to the site should be arranged through the commissioning body.

6.2 It is the archaeological contractor's responsibility to ensure that Health and Safety requirements are fulfilled. Necessary precautions should be taken near underground services and overhead lines. A risk assessment should be provided to the commissioning body before the commencement of works.

- 6.3 The project will be monitored by the Historic Environment Team, NYCC, to whom written documentation should be sent ten days before the start of the excavation including:
1. the date of commencement,
 2. an opportunity to monitor the works.
- 6.4 Where appropriate, the advice of the English Heritage Regional Advisor for Archaeological Science, (Yorkshire and Humber Region) may be called upon to monitor the archaeological science components of the project. Archaeological contractors may wish to contact him to discuss the science components of the project before submission of tenders.
- 6.5 It is the archaeological contractor's responsibility to ensure that monitoring takes place by arranging monitoring points as follows:
1. a preliminary meeting or discussion at the commencement of the contract.
 2. progress meeting(s) during the fieldwork phase at appropriate points in the work schedule, to be agreed.
 3. a meeting during the post-fieldwork phase to discuss the draft report and archive before completion.
- 6.6 It is the responsibility of the archaeological contractor to ensure that any significant results are brought to the attention of the Historic Environment Team, NYCC and the commissioning body as soon as is practically possible. This is particularly important where there is any likelihood of contingency arrangements being required.

7. Brief

- 7.1 The archaeological contractor should be informed in advance of the correct timing and schedule of site preparation and preliminary excavation works associated with the construction of the proposed development. A specified timetable should be agreed within which the archaeological excavation may be carried out prior to further construction commencing.

- 7.2 Archaeological work within the area of proposed development should include the initial supervision of the preliminary site/topsoil strip areas down to the top of archaeological deposits. Overburden such as turf, topsoil, made ground, rubble or other superficial fill materials may be removed by machine using a back-acting excavator which should be fitted with a toothless or ditching bucket. Mechanical excavation equipment shall be used judiciously, under archaeological supervision down to the top of archaeological deposits, or the natural subsoil (C Horizon or soil parent material), whichever appears first. Bulldozers or wheeled scraper buckets should not be used to remove overburden above archaeological deposits. Topsoil should be kept separate from subsoil or fill materials.
- 7.3 Once overburden/topsoil has been removed, any further machine or hand excavation should be halted to allow the archaeological contractor to observe, clean and assess any archaeological remains on the site. Using the information and artefacts collected to this stage, all features and deposits should be assessed as to their origin or function, probable date, and importance for further recording. Features and layers identified as having potential for further recording should be excavated by hand, sampled, and recorded as set out below. This is in order to fulfil Objectives 5.1.1 and 5.1.2 above and in order to understand the full stratigraphic sequence. In case of query as to the extent of investigation, a site meeting shall be convened with the Historic Environment Team Leader, NYCC.
- 7.4 The character, information content and stratigraphic relationships of features and deposits should be determined. All linear features, such as ditches, should have their shape, character, and depth determined by hand excavation of sections. A minimum sample of 20% of each linear feature of less than 5m in length and a minimum sample of 10% of each linear feature greater than 5m in length (each section will be not less than 1m wide) should be excavated. All junctions of linear

features should have their stratigraphic relationships determined, if necessary using box sections. A 100% sample of all stake-holes should be excavated, and all pits, post-holes and other discrete features should be half-sectioned by hand to record a minimum of 50% of their fills, and their shape. Any other unknown or enigmatic features should be investigated similarly. Large pits, post-holes or deposits of over 1.5m diameter should be excavated sufficiently to define their extent and to achieve the objectives of the investigation, but should not be less than 25%. All intersections should be investigated to determine the relationship(s) between features.

7.5 The project should be undertaken in a manner consistent with the guidance of MAP2 (English Heritage 1991) and professional standards and guidance (IFA 2001). Scientific investigations should be undertaken in a manner consistent with the English Heritage best-practice guidelines (2003). An outline strategy of sampling for scientific dating, geoarchaeology and soil science (Canti 1996), biological analysis (English Heritage 2002), artefact conservation and analysis (Watkinson and Neal 1998), and analysis of technological residues (English Heritage 2001), ceramics, and stone should be agreed with the Local Authority, in consultation with the English Heritage Regional Advisor for Archaeological Science (RA) before commencement of site work. This strategy should be based on the results of previous archaeological work in the area. The strategy will be subject to variation as appears necessary during the excavation, following consultation with the Local Authority and the RA.

7.6 All specialists in Archaeological Science (both those employed in-house by the archaeological contractor or those sub-contracted) should be named in project documents. Agreement of specialists must always be obtained before their names are listed. Their competence to undertake proposed investigations, and the availability of adequate laboratory facilities and reference collections should be demonstrated.

There should be agreement in writing on timetables and deadlines for all stages of work.

- 7.7 All deposits should be fully recorded on standard context sheets, photographs and conventionally-scaled plans and sections. Each excavation area should be recorded to show the horizontal and vertical distribution of contexts. The elevation of the underlying natural subsoil where encountered should be recorded. The limits of excavation should be shown in all plans and sections, including where these limits are coterminous with context boundaries.
- 7.8 Any significant unstratified artefacts or small finds should be collected. Metal detecting, including the scanning of topsoil and spoil heaps, should only be permitted subject to archaeological supervision and recording so that metal finds are properly located, identified, and conserved.
- 7.9 Using the information and artefacts collected to this stage, all features and deposits should be assessed as to their origin or function, probable date, and importance for further excavation. Features and layers identified as having potential for further recording should be fully excavated, sampled, and recorded. Full excavation should be carried out on features and deposits of limited potential where the stratigraphic relationships, phasing or origin of these are still unclear. Further excavation may also be needed to expose the full stratigraphic sequence across the site.
- 7.10 All artefacts and ecofacts visible during excavation should be collected and processed, unless variations in this principle are agreed with the Senior Archaeologist, NYCC. In some cases, sampling may be most appropriate. Finds should be appropriately packaged and stored under optimum conditions, as detailed in *First Aid for Finds* (Watkinson & Neal, 1998). A regular transfer of finds from the site to the conservation laboratory is desirable, particularly in the case of long term excavations

- 7.11 Where there is evidence for industrial activity, macroscopic technological residues (or a sample of them) should be collected by hand. Separate samples (c. 10ml) should be collected for micro-slugs hammer-scale and spherical droplets). In these instances, the guidance of English Heritage (2001) should be followed.
- 7.12 Samples should be collected for scientific dating (radiocarbon, dendrochronology, luminescence dating, archaeomagnetism and/or other techniques as appropriate). For this excavation, tenders should allow provision for a minimum of four dates using scientific techniques.
- 7.13 Buried soils and sediment sequences should be inspected and recorded on site by a recognised geoarchaeologist. Samples may be collected for analysis of chemistry, magnetic susceptibility, particle size, micromorphology and/or other techniques as appropriate, following the outline strategy presented in the Project Design, and in consultation with the geoarchaeologist. The guidance of Canti (1996) and English Heritage (2002) should be followed.
- 7.14 All securely stratified deposits should be sampled, from a range of representative features, including pit and ditch fills, postholes, floor deposits, ring gullies and other negative features. Positive features should also be sampled. Sampling should also be considered for those features where dating by other methods (for example pottery and artefacts) is uncertain. Bulk samples should be collected from contexts containing a high density of bones. Spot finds of other material should be recovered where applicable.
- 7.15 Coarse sieved samples for the recovery of animal bones and other artefact/ecofact categories should be 100 litres plus. Flotation samples, for the recovery of charred plant remains, charcoal, small animal bones and mineralised plant remains, should be between 40 and 60 litres in size, although this will be dependent upon the volume of the context.

Entire contexts should be sampled if the volume is low. Whenever possible, coarse sieved samples (wet or dry) and flotation samples should be processed during fieldwork to allow the continuous reassessment and refinement of sampling strategies. Samples from waterlogged and anoxic deposits, which might contain plant macros and entomological evidence, taken for General Biological Analysis (GBA), should normally be 20 litres in size. The English Heritage guidance should be consulted for details of sample size for other specialist samples that may be required. Allowance should be made for a site visit from the contractor's environmental specialists/consultants where appropriate.

- 7.16 In the event that any human remains are encountered, they must be treated at all stages with care and respect. Excavators must be aware of, and comply with, the relevant legislation and any Department of Constitutional Affairs and local environmental health concerns. Burials should be recorded *in situ* and subsequently lifted, washed in water (without additives), marked and packed to standards compatible with McKinley and Roberts (1993). Site inspection by a recognised specialist is desirable in the case of isolated burials, and necessary for cemeteries. Proposals for the final placing of human remains following study and analysis will be required in the Project Design. Further guidance is provided by English Heritage (2004). For this excavation, tenders should allow provision for any human remains to be subject to carbon and nitrogen isotope study.

Post-Excavation Assessment

- 7.17 Upon completion of archaeological fieldwork, where appropriate, a post-excavation assessment should be undertaken and an assessment report produced in accordance with the guidance of MAP2 (English Heritage 1991). The assessment report should summarise the evidence recovered and should consider its potential for further analysis, review the programme of archaeological science, update the

project design as necessary and provide costings for the post-excavation analysis stage of work, with proposals for the production of a final report and/or publication. The site assessment report should include reports on all aspects of Archaeological Science investigated, and include assessment of their suitability for analysis, so as to inform the updated project design.

- 7.18 Assessment of artefacts should include x-radiography of all iron objects (Jones ed. 2006), after initial screening to separate obviously modern debris, and a selection of non-ferrous artefacts (including all coins and a sample of any industrial debris relating to metallurgy). An assessment of all excavated material should be undertaken by conservators and finds researchers in collaboration. Where necessary, active stabilisation/consolidation will be carried out, to ensure long term survival of the material, but with due consideration to possible future investigations. Once assessed, all material should be packed and stored in optimum conditions, as described in Watkinson and Neal (1998).
- 7.19 Assessment of any technological residues should be undertaken. Processing of all samples collected for biological assessment, or sub-samples of them, should be completed. Assessment will include recording the preservation state, density and significance of material retrieved, to inform up-dated project designs. Methods presented in English Heritage (2002) should be followed. Unprocessed sub-samples should be stored in conditions specified by the appropriate specialists.
- 7.20 Samples collected for geoarchaeological assessment should be processed as deemed necessary by the specialist, particularly where storage of unprocessed samples is thought likely to result in deterioration. Appropriate assessment should be undertaken (see Canti 1996, English Heritage 2002). Animal bone assemblages, or sub-samples of them, should be assessed by a recognised specialist

(English Heritage 2002). Assessment of human remains should be undertaken by a recognised specialist (English Heritage 2004).

Analysis

- 7.21 Within a time agreed with the Historic Environment Team Leader, NYCC, a timetable for post-excavation work should be produced, following consultation (including team meetings for larger-scale sites), with all specialists involved in the project. Agreement of timetables should be made in writing with external specialists.
- 7.22 A detailed and cost-effective strategy for scientific dating should be prepared, in consultation with appropriate specialists. Samples for dating should be submitted promptly, and prior agreement should be made with the laboratory on turn-around time and report production.
- 7.23 All artefacts should be conserved and stored in accordance with Watkinson and Neal (1998). Investigative conservation should be undertaken on those objects selected during the assessment phase, with the aim of maximising information whilst minimising intervention. Where necessary, active stabilisation/consolidation will be carried out, to ensure long-term survival of the material, but with due consideration to possible future investigations. Proposals for ultimate storage should follow Walker (1990).
- 7.24 Appropriate analysis of technological residues should be undertaken, as outlined in English Heritage (2001). Samples or sub-samples collected for all types of biological and geoarchaeological analysis should be processed, and material retrieved analysed by recognised specialists. Any unprocessed sub-samples should be stored in conditions specified by the specialists, or a reasoned discard policy should be developed (English Heritage 2002).

7.25 Analysis of animal bones should be undertaken by a recognised specialist, as specified in the updated project design (see also English Heritage 2002). Analysis of human remains should be undertaken by a recognised specialist, as specified in the up-dated project design.

8. Archive

8.1 A field archive should be compiled consisting of all primary written documents, plans, sections and photographs should be produced and cross-referenced. Archive deposition should be undertaken with reference to the County Council's *Guidelines on the Transfer and Deposition of Archaeological Archives*.

8.2 The archaeological contractor should liaise with an appropriate museum to establish the detailed requirements of the museum and discuss archive transfer in advance of fieldwork commencing. The relevant museum curator should be afforded to visit the site and discuss the project results. In this instance, the Malton Museum is suggested.

8.3 The archiving of any digital data arising from the project should be undertaken in a manner consistent with professional standards and guidance (Richards & Robinson, 2000). The archaeological contractor should liaise with an appropriate digital archive repository to establish their requirements and discuss the transfer of the digital archive.

8.4 The archaeological contractor should also liaise with the HER Officer, North Yorkshire County Council, to make arrangements for digital information arising from the project to be submitted to the North Yorkshire Historic Environment Record for HER enhancement purposes. The North Yorkshire HER is not an appropriate repository for digital archives arising from projects.

9. Copyright

9.1 Copyright in the documentation prepared by the archaeological contractor and specialist sub-contractors should be the subject of an additional licence in favour of the museum accepting the archive to use such documentation for their statutory educational and museum service functions, and to provide copies to third parties as an incidental to such functions.

9.2 Under the Environmental Information Regulations 2005 (EIR), information submitted to the HER becomes publicly accessible, except where disclosure might lead to environmental damage, and reports cannot be embargoed as 'confidential' or 'commercially sensitive'. Requests for sensitive information are subject to a public interest test, and if this is met, then the information has to be disclosed. The archaeological contractor should inform the client of EIR requirements, and ensure that any information disclosure issues are resolved before completion of the work. Intellectual property rights are not affected by the EIR.

10. Report

10.1 Following post-excavation assessment and analysis as appropriate, a report should be prepared following the County Council's guidance on reporting: *Reporting Check-List*. The report should set out the aims of the work and the results as achieved, including photographs of operations, description of the remains including all relevant plans and sections, interpretation and assessment of the significance of the remains. The report should also include a listing of contexts, finds, plans and sections, and photographs.

10.2 The results from investigations in Archaeological Science, *including negative results*, should be included in the Site Archive and reported to the HER.

- 10.3 A timetable for completion of reports should be agreed with all specialists, and agreements in writing with sub-contracted external specialists are desirable. The time-table should allow for adequate provision by the excavator of contextual information, provisional dating and stratigraphic relationships of contexts. Reports should include clear statements of methodology. The results from scientific analysis should be clearly distinguished from their interpretation. Non-technical summaries of results should be included. Reports on Archaeological Science should be published fully, in the text of printed reports or in the main body of reports disseminated by electronic means, wherever the results merit it.
- 10.4 At least six copies of the report should be produced and submitted to the commissioning body, the Local Planning Authority, the museum accepting the archive, the English Heritage Regional Advisor for Archaeological Science and, under separate cover, North Yorkshire County Council Heritage Section.
- 10.5 If the archaeological fieldwork produces results of sufficient significance to merit publication in their own right, allowance should be made for the preparation and publication of a summary in a local journal, such as the *Yorkshire Archaeological Journal*. This should comprise, as a minimum, a brief note on the results and a summary of the material held within the site archive, and its location.
- 10.6 Upon completion of the work, the archaeological contractor should make their work accessible to the wider research community by submitting digital data and copies of reports online to OASIS (<http://ads.ahds.ac.uk/project/oasis/>). Submission of data to OASIS does not discharge the planning requirements for the archaeological contractor to notify the Historic Environment Team Leader, NYCC of the details of the work and to provide the Historic Environment Record (HER) with a report on the work.

11. Further Information

- 11.1 Further information or clarification of any aspects of this brief may be obtained from:

MAP Archaeological Consultancy Ltd

Showfield Lane

Malton

Tel. 01653 697752

North Yorkshire YO17 6BT

Fax. 01653 694747

- 11.2 This written scheme of investigation is valid for a period of six months from the date of issue. After that time it may need to be revised to take into account new discoveries, changes in policy or the introduction of new working practices or techniques. In addition, depending upon the final design of development, the methodology of the archaeological excavation may need to be modified accordingly.

11.3 References

Association for Environmental Archaeology 1995 Environmental Archaeology and Archaeological Evaluations, Recommendations Concerning the Component of Archaeological Evaluations in England. *Working Papers of the Association for Environmental Archaeology, Number 2.*

<http://www.envarch.net/publications/papers/evaluations.html>

Canti, M 1996 Guidelines for carrying out Assessments in Geoarchaeology, *Ancient Monuments Laboratory Report 34/96*, English Heritage

English Heritage	1991 Management of Archaeological Projects (MAP2) http://www.eng-h.gov.uk/guidance/map2/
English Heritage	2001 Archaeometallurgy: Centre for Archaeology Guidelines 2001/01 http://194.164.61.131/Filestore/archaeology/pdf/cfa_archaeometallurgy.pdf
English Heritage	2002 Environmental Archaeology : A guide to the theory and practice of methods, from sampling and recovery to post-excavation. Centre for Archaeology Guidelines 20002/01 http://194.164.61.131/Filestore/archaeology/pdf/enviroarch.pdf (5.93mb)
English Heritage	2003 Archaeological Science at PPG16 interventions: Best Practice Guidance for Curators and Commissioning Archaeologists http://194.164.61.131/filestore/archaeology/pdf/briefs%20version%2022.pdf
English Heritage	2004 <i>Human Bones from Archaeological sites. Guidelines for producing assessment documents and analytical reports.</i> Centre for Archaeology Guidelines, unnumbered. http://194.164.61.131/filestore/publications/pdf/free/human_bones_2004.pdf
Fenton-Thomas C.	2005 The Forgotten Landscape of the Yorkshire Wolds.
Geoquest	2004 Land to the north of Main Street, Weaverthorpe

- Institute of Field Archaeologists 2001 Standards and Guidance for Archaeological Excavation
<http://www.archaeologists.net/modules/content/inPages/docs/codes/exc2.pdf>
- Jones, D M (ed.) 2006 Guidelines on the X-radiography of Archaeological Metalwork. English Heritage.
- McKinley, J & Roberts, C 1993 IFA Technical Paper **13**, *Excavation and post-excavation treatment of cremated and inhumed human remains*.
- MAP 2007 27 Wood Street, Norton, North Yorkshire. Archaeological Evaluation. MAP Archaeological Consultant Ltd.
- Smith, A.H. 1937 The Place-Names of the East Riding of Yorkshire and York.
- Society of Museum Archaeologists 1993 *Selection, retention and dispersal of archaeological collections. Guidelines for use in England, Northern Ireland, Scotland and Wales*.
- Walker, K. 1990 *Guidelines for the preparation of excavation archives for long-term storage*, Archaeology Section of the United Kingdom Institute for Conservation.
- Watkinson, D & Neal, V 1998 First Aid for Finds (3rd edition), RESCUE & the Archaeological Section of the United Kingdom Institute for Conservation.

APPENDIX 1- SPECIALISTS

Conservation	Ian Panter	YAT	01904 663036
Prehistoric Pottery	Terry Manby		01430 873147
Roman Pottery	Jeremy Evans		0121 7784024
	Paula Ware	MAP	01653 697752
Pre-conquest Pottery	Mark Stephens	MAP	01653 697752
Medieval Pottery	Mark Stephens	MAP	01653 697752
Post Medieval Pottery	Mark Stephens	MAP	01653 697752
Clay Tobacco Pipe	Mark Stephens	MAP	01653 697752
CBM	S.Garside – Neville		01904 621339
Animal Bone		WYAS	0113 3837517
Small Finds	Hilary Cool		0116 9819065
Leather	Ian Carlisle	YAT	01904 663000
Textile	Penelope Walton Rogers	Textile Research in Archaeology	01904 634585
Slag/Hearths		Bradford University	01274 3835131
Flint	Pete Makey		01377 253695
Environmental Sampling		WYAS/ Diane Alldritt	0113 3837517 0141 649 877
Human Remains	Malin Holst	York Osteology Ltd	01904 737509
C14 Dating		SERAC	0141 270136
Dendro		Sheffield University	0114 2220123
Archaeomagnetic	Mark Noel	Geoquest Associates	01624819364