# HISTORIC SCOTLAND PROPERTIES IN CARE MINOR ARCHAEOLOGICAL WORKS 2011

# The Antonine Wall: Watching brief on sign installation, February 2011.

### HS PIC Index Number: 7680

| Site:                | The Antonine Wall, Wester Dullatur to Easter Dullatur.   |                  |  |
|----------------------|--|------------------|--|
| NGR:                 | NS 7534 7732   |                  |  |
| Project Description: | Archaeological watching brief on the excavation of a single<br>small trench to receive the concrete foundations of a new<br>visitor information board. | e                |  |
| Project Code:        | HSCO-7680-2011-01  |                  |  |
| Contents:            | Introduction<br>Description<br>Conclusions<br>List of Contexts   | 1<br>1<br>2<br>3 |  |
|                      | List of Digital Photographs  | 3                |  |

Short Archaeological Report

10<sup>th</sup> February 2011 Kirkdale Archaeology

### INTRODUCTION

Under the terms of its PIC call-off contract Kirkdale Archaeology was asked to undertake archaeological monitoring on the digging of a single small trench as part of the installation of a new visitor information board on the Antonine Wall near Dullatur (see Figure 1). The excavation of the trench was undertaken by Historic Scotland staff, and the work took place on 10<sup>th</sup> February 2011.




Figure 1: Location map of the works.

#### DESCRIPTION

Trench 1 measured 300 x 300mm in plan and was 450mm deep. The turf and topsoil (**001**) was 100mm deep, and lay over a narrow 100mm deep band of dirty, orange clay (**002**). Immediately beneath this lay a 250mm deep layer of a grey, clay rich silt (**003**) containing some small stones (<5cm in size). The depth of this deposit was not fully established as the required depth of the trench was reached at 450mm depth.

Nothing of archaeological significance was noted.



**Figure 2**: Clockwise from top-left: The site pre-works; Excavation of Trench 1; Trench 1 as dug; The new sign in place.

## CONCLUSIONS

Although nothing of archaeological interest was noted, it is recommended that, due to the close proximity of the Antonine Wall in this area, any future ground breaking works of this nature be similarly monitored.

#### LIST OF CONTEXTS

| No. | Description           |
|-----|-----------------------|
| 001 | Turf and topsoil.     |
| 002 | Orange clay.          |
| 003 | Grey, clay rich silt. |

# LIST OF DIGITAL PHOTOGRAPHS

| No. | Description                     | From | Date       |
|-----|---------------------------------|------|------------|
| 01  | View of the Antonine Wall.      | SE   | 10/02/2011 |
| 02  | The site, pre-works.            | S    | 10/02/2011 |
| 03  | The site, pre-works.            | S    | 10/02/2011 |
| 04  | Work in progress.               | S    | 10/02/2011 |
| 05  | Work in progress.               | SW   | 10/02/2011 |
| 06  | Post-excavation shot of trench. | S    | 10/02/2011 |
| 07  | Post-excavation shot of trench. | S    | 10/02/2011 |
| 08  | New post <i>in situ</i> .       | SW   | 10/02/2011 |
| 09  | New post <i>in situ</i> .       | SW   | 10/02/2011 |
| 10  | The works completed.            | S    | 10/02/2011 |