
ISSN 1749-8775

THE HATFIELD EARTHWORKS, MARDEN, WILTSHIRE SURVEY AND INVESTIGATION

ARCHAEOLOGICAL SURVEY REPORT

David Field, Louise Martin and Helen Winton





Research Department Report Series 96-2009

The Hatfield earthworks, Marden, Wiltshire

Survey and Investigation

David Field, Louise Martin, Helen Winton

NGR: SU 0907 5818

© English Heritage

ISSN 1749-8775

The Research Department Report Series incorporates reports from all the specialist teams within the English Heritage Research Department: Archaeological Science; Archaeological Archives; Historic Interiors Research and Conservation; Archaeological Projects; Aerial Survey and Investigation; Archaeological Survey and Investigation; Architectural Investigation; Imaging, Graphics and Survey, and the Survey of London. It replaces the former Centre for Archaeology Reports Series, the Archaeological Investigation Report Series and the Architectural Investigation Report Series.

Many of these are interim reports which make available the results of specialist investigations in advance of full publication. They are not usually subject to external refereeing, and their conclusions may sometimes have to be modified in the light of information not available at the time of the investigation. Where no final project report is available, readers are advised to consult the author before citing these reports in any publication. Opinions expressed in Research Department reports are those of the author(s) and are not necessarily those of English Heritage. Note that web versions of these reports have images of reduced quality for ease of dissemination. Requests for further hard copies, after the initial print run, can be made by emailing: Res.reports@english-heritage.org.uk

or by writing to:

English Heritage, Fort Cumberland, Fort Cumberland Road, Eastney, Portsmouth PO4 9LD Please note that a charge will be made to cover printing and postage.

SUMMARY

This report chronicles the first stage of an integrated inter-disciplinary survey of the henge enclosure and related earthworks at Marden, Wiltshire, otherwise referred to as the Hatfield Earthworks. Using ground, geophysical and aerial survey, it has produced fresh information about this little known Neolithic monument. Much of the site has been carefully levelled at some time in the past and is covered by ridge and furrow cultivation marks. Despite this, the bank and ditch of the main enclosure remain in good part as earthworks and are revealed as discontinuous, while the location of the Hatfield Barrow, recorded as being levelled in the early years of the 19th century, has been located, as has a second circular enclosure, also previously thought to have been destroyed.

CONTRIBUTORS

The Geophysical fieldwork was undertaken by Neil Linford, Paul Linford, Andy Payne and Louise Martin together with Sam Cheyney (Leicester University). Preliminary processing of the caesium magnetometer surveys was conducted by Neil Linford and Paul Linford. Earthwork survey and analysis was carried out by David Field and Deborah Cunliffe assisted by Mark Bowden and Trevor Pearson, while aerial survey was carried out by Helen Winton.

ACKNOWLEDGEMENTS

Many thanks go to Phillipa Carpenter, James Hues and Diane Oakley for access to their land and permission to survey in their respective fields. Sian Williams kept observation of the monument alive with regular reports to the Avebury Archaeological Research Group and she provided much helpful assistance and advice and greatly facilitated access to the various holdings on site. Inspectors of Ancient Monuments, Phil McMahon and Shane Gould took a keen interest throughout. Ed Carpenter and Jim Leary made helpful comments regarding the site and its hinterland.

ARCHIVE LOCATION


National Monuments Record, Kemble Drive, Swindon, Wiltshire SN2 2GZ.

DATE OF SURVEY

The geophysical field work was undertaken between 21-25th April 2008, 23-27th March and 27th April – 1st May 2009. Earthwork survey was carried out in April and May 2009 and aerial survey in 2008-9 as part of a wider survey of the Pewsey Vale.

CONTACT DETAILS

David Field NMRC, Kemble Drive, Swindon, Wiltshire SN2 2GZ email <u>david.field@english-heritage.org.uk</u>. Tel: 01793-414901 Louise Martin Fort Cumberland, Fort Cumberland Road, Portsmouth email <u>louise.martin@english-heritage.org</u>.uk. Tel: 023 9285 6760 Helen Winton NMRC, Kemble Drive, Swindon, Wiltshire SN2 2GZ Email <u>helen.winton@english-heritage.org.uk</u>. Tel: 01793-414879



Frontispiece: The Hatfield Earthworks, Marden, Wiltshire.

CONTENTS

LIST OF FIGURES	i
INTRODUCTION	I
GEOLOGY	
LANDSCAPE HISTORY	
ARCHAEOLOGICAL BACKGROUND	13
THE EARTHWORKS	20
GEOPHYSICAL SURVEY	27
Magnetometer survey	27
Earth resistance survey	
ANALYSIS OF AERIAL PHOTOGRAPHS	
The henge enclosure	40
The Beechingstoke/Marden environs	45
Aerial survey in the Vale of Pewsey	47
DISCUSSION	49
The henge enclosure	49
The interior	53
The circles	54
Context	58
Location	60
The wider vale	64
REFERENCES	
APPENDIX I EXTRACT FROM SALISBURY JOURNAL	71
APPENDIX 2 CUNNINGTON MANUSCRIPTS	
APPENDIX 3 METHOD	82
Earthwork survey	82
Aerial survey	82
Geophysical survey	84

LIST OF FIGURES

Figure I Location map.	3
Figure 2 Map showing the parish boundaries around the Hatfield earthworks	6
Figure 3 Detail from a map of Beechingstoke prepared by Robert Speakman in 1726	9
Figure 4 Philip Crocker's plan of 1806 published in the second volume Richard Colt	
Hoare's Ancient Wiltshire published in 1821	Ш
Figure 5 Extract from the Ordnance Survey 1st edition 25" map published in 1887	12
Figure 6 Hatfield earthworks. A sketch plan from Gough's edition of Camden's	
Britannia published in 1806	14
Figure 7 Contour plan of the Marden henge prepared by Wainwright et al (1971)	19
Figure 8 The bank in the north-west sector.	20
Figure 9 The earthworks at Marden.	22
Figure 10 The earthworks around the northwest entrance	23
Figure 11 Earthworks on the eastern side of the enclosure	24
Figure 12 The site of the Hatfield Barrow.	
Figure 13 The Southern Circle.	
Figure 14 Location of the geophysical survey areas	28
Figure 15 Magnetometer results.	29
Figure 16 Graphical summary of significant magnetometer anomalies	30
Figure 17 Square array earth resistance survey	
Figure 18 Twin probe earth resistance survey	35
Figure 19 Graphical summary of earth resistance anomalies	36
Figure 20 Marden henge before the construction of Hatfield Farmhouse and the row	
houses "Hatfields"	
Figure 21 Ordnance Survey aerial photograph showing the henge enclosure and	
Hatfield Barrow	
Figure 22 Archaeological features visible on aerial photographs in and around Marder	n
henge	43
Figure 23 Lidar jpegs for the area of the henge enclosure.	44
Figure 24 The barrow cemetery and henge close to Marden and the large barrow	
cemetery south-east of Wilsford	46
Figure 25 Comparison of the earthwork, magnetometer and aerial survey results	51
Figure 26 Comparison of the earthwork, earth resistance and aerial survey results	52
Figure 27 The level interior with ditch and bank in the middle distance	61
Figure 28 The ditch in the east still carrying water in April 2009.	62
Figure 29 The floodplain with the henge enclosure on the river bluff beyond	62
Figure 30 The henge enclosure in relation to the local topography	64
Figure 31 Caesium magnetometer survey of Areas A-B	88
Figure 32 Caesium magnetometer survey of Areas C-F	89
Figure 33 Caesium magnetometer survey of Areas G-H	90
Figure 34 Square array earth resistance survey of Area A	91
Figure 35 Square array earth resistance survey of Areas G-H	
Figure 36 Twin Probe Earth Resistance Survey Of Area B	
Figure 37 Twin probe earth resistance survey of areas D-E	
Figure 38 Twin probe earth resistance survey of Areas G-H	

INTRODUCTION

The Neolithic henge enclosure at Marden, Wiltshire is the largest earthwork monument of its type in the British Isles and, located almost equidistant between the contemporary components of the World Heritage Site at Stonehenge and Avebury, it occupies a particularly intriguing position within Wessex as a whole. Concern in recent years over management and conservation has led the Inspector of Ancient Monuments to request the provision of modern plans, interpretations and other data on which to base decisions concerning the future of the site and this was emphasised when a ditch was cut through potential archaeological deposits without Scheduled Monument Consent in 2006 (Leary 2007). In contrast to the Wiltshire downland to both north and south, the area is one that has escaped archaeological attention in recent times both on the ground and from the air. This report helps to fill that gap and outlines an initial response to the management concerns. It is the first stage in a multi-team survey and investigation programme of targeted initiatives designed to improve knowledge of the site and its surroundings (Field et al 2008, 6). The non-invasive survey has revealed a significant amount of new data about the site and allows it to be better placed alongside the three other great Neolithic henge enclosure sites in the British Isles, Avebury and Durrington Walls in Wiltshire, and Mount Pleasant in Dorset. The results highlight areas where a second phase of investigation involving environmental coring and focussed small scale excavation might concentrate and, along with re-examination of the excavation archive, including CI4 dating of appropriate material, this will profitably reveal important information and yield significant benefits, not least regarding the chronology of the site and its relationship with Silbury Hill, Stonehenge and the contemporary henge enclosures.

The site, generally known in literature as the Marden Henge or Marden earthworks (Wainwright *et a*/1971: Stevenson 1975) is referred to as the Hatfield Enclosure by English Heritage (e.g. English Heritage 2009, 102) and comprises a series of large earthworks loosely arranged as an enclosure but open on the south side adjacent to the floodplain of the River Avon. It is situated within the Vale of Pewsey in central Wiltshire and, formerly in Beechingstoke, currently lies in Marden Parish. It is located at Ordnance Survey NGR SU 0907 5818 and is listed in the National Monument Record as NMR No SU 05 NE 3 (UID 215179), while a large barrow, the Hatfield Barrow, said to be second only in size to Silbury Hill, but now levelled, along with a further circular earthwork sometimes described as a small henge or saucer barrow and recorded as lying within it, are recorded as NMR no SU 05 NE 2 (UID 215176) and NMR SU 05 NE 4 (UID 215182) respectively. Other monument reference numbers are presented in the concordance below.

Site	NMR	SMR	Scheduled	Grinsell	Goddard	EH
			Monument			Property
			No			No
Henge	SU05NE3	Wilts	26707Wilts			268
		100	338			
Hatfield	SU05NE2	Wilts	26707Wilts	Beechingstoke	Beechingstoke	
Barrow		600	338	1	1	
??Barrow/henge	SU05NE4	Wilts			Beechingstoke	
		601			la	

The site itself is in multiple ownership, the major part of the site being owned by four parties, including a Housing Association, while a small portion of the bank is in English Heritage guardianship. The road verges are the responsibility of the Wiltshire County Council Highways Department.




Figure 1 Location map showing the spatial relationship of the henge-enclosures at Avebury (top), Durrington Walls (bottom) with Marden (centre) situated between them. The two former sites are components of the Stonehenge and Avebury World Heritage Site. Grid lines mark 10km distances. © Crown Copyright. All rights reserved. English Heritage 100019088. 2009.

GEOLOGY

The site lies centrally within the Vale of Pewsey, a west to east oriented valley, some 5 to 7km wide, that is situated between the respective escarpments of the Salisbury Plain and Marlborough Downs chalk massifs. Within the Vale, a bench of Lower Chalk fringes the base of the respective chalk escarpments, but elsewhere the underlying Upper Greensand is widespread and forms the greater part of the land in Beechingstoke parish (British Geological Survey 1967). The sand is easily weathered and eroded except where contained and revetted, or retained by hedges, but hard seams of cemented sandstone at some levels provide local building material as used, for example, in local churches.

The site itself occupies a sloping terrace-like spur of the Upper Greensand, set hard against a floodplain, here less than 200m wide, that provides an alluvium strip either side of a small stream. On the south bank a large spread of gravel, representing an ancient level of the river, extends downstream between the villages of Marden and Rushall. Its modern counterpart, a branch of the Avon, rises nearby, close to Beechingstoke village and is supplemented by a number of small rivulets fed by springs in the immediate locality.

Aside from the chalk remnants that appear as physical islands, island place-names such as Patney and Pewsey emphasise that much of the area is low-lying and provide a reminder that the northern part of Beechingstoke Parish Iay on the edge of Cannings Marsh. Immediately north and overlooking the site is a slack-profiled but prominent knoll. Although not mapped as such, this may be a remnant of Lower Chalk as a number of such chalk remnants, for example, to the west at Patney, or further north-east towards Broad Street and Woodborough, occur in the Vale: RITAGE

Covering both Greensand and Lower Chalk in the Vale are soils of the Ardington Series (Soil Survey England and Wales 1983) a mixture of cretaceous and glauconitic sand, loam and clay. Where developed over the Upper Greensand these are generally deep, light, loamy and well-drained and are considered appropriate for both cereal cultivation and dairying (ibid). All fields containing earthworks were, however, under grass at the time of survey, with areas to the south-east used as grazing for horses.

LANDSCAPE HISTORY

The site lies immediately adjacent to a small stream that forms the upper reaches of one source of the River Avon and which formerly provided the parish division between Marden and Beechingstoke. Upstream as far as Beechingstoke it is a mere brook, beyond which water collects from a number of field drains and springs to serve the river. Despite its popular name, the site of the henge lay on the Beechingstoke bank and was depicted as being in that parish on early editions of Ordnance Survey maps. The parish, that is -Beechingstoke, is a small one and along with its neighbour, Patney, stands out from others in the area in not having boundaries arranged in a 'strip' fashion that incorporated a crosssection of soil types up on to the neighbouring chalk massifs. The origin of the parish is obscure, but Beechingstoke was referred to as Stoke in 779 and Bichenstoc in 1086. The term Stoke or 'stoc' is thought to mean 'place' with some special characteristic attached, possibly indicating the presence of a monastic cell (Ekwall 1974, 443). The name often occurs in places situated at a distance from the main settlement and is sometimes considered to signify an outlying dairy farm. It is conceivable that in this instance it referred specifically to the area of the earthworks which lay at a distance from the village centre. The 'Bichen' element is quite unusual, referring to 'bitches', that is, female dogs, wolves or foxes, although it could be a derogatory term for a settlement of women as suggested by Gover et al (1939, 318-9). Alternatively, given the monastic interpretation, disparaging reference to an early cell of nuns might be a possibility.

The potential influence of Romano-British settlement appears to be slight. Pottery of this period was found at Broad Street on the eastern edge of the parish (Wilkinson 1859-65) and it is conceivable that the 'street in the place-name refers to a paved poadway, but perhaps the main focus of activity lay opposite the henge on the Marden bank of the stream where Richard Colt Hoare (1821, 4-7) recorded the presence of a great deal of 'British' pottery from the fields and the area was described by him as the site of a 'British Village' a term that he applied to Romano-British settlements on Salisbury Plain.

The manor of Beechingstoke was held by St Mary's of Shaftesbury in 1086 and, compared to others in the Vale, was a relatively small estate. The precise location of settlement at the time is not clear and the main feature that attracted the attention of the Conqueror's tax inspectors appears to have been a mill presumably set somewhere along the stream and unlikely to be that presently at Marden. No woodland is mentioned and a lack of pigs might be expected, but the 28 acres of meadow and 40 of pasture must in some measure reflect land-use, which was presumably based on stock farming. Some cultivation took place, however, since there was sufficient land in lordship for 5 ploughs and more for the 6 villagers and six cottagers with their three ploughs (Thorn & Thorn 1979, 12.1) and overall it is likely that a mixed, self-sufficient, agrarian regime existed within the parish.

Settlement appears to have been dispersed, with hamlets at Broad Street, Bottlesford (formerly Botwell), Puckshipton and Beechingstoke itself, perhaps not surprisingly given the low-lying nature of the topography and the myriad of brooks, streams and springs that

are key to local land use. The strip of alluvium bordering the stream at Marden is now characterised by unused water meadows, but in the past the industry of this zone may have been keenly felt with osier and withy beds competing for space alongside industries based around the mills. The parish was divided into two main estates. Beechingstoke proper, which at some point coalesced around a Norman church set near the north-west corner of the parish boundary and which occupied the headwater drainage of the Avon, while Puckshipton covered the southern part of the parish (Stevenson 1975). There was a common open field, Stoke Field, which these settlements shared and which appears to have been largely enclosed by private agreement in 1599. Further, Parliamentary enclosure occurred in 1793 with both Beechingtoke and Puckshipton manors receiving allotments (Stevenson 1975, 17). Old enclosures lay to the north of the Pewsey-Woodborough Road in 1793 and further open fields, including Gold Hill or 'Goldhyll' (Gover et al 1939, 501), a place-name that might imply the presence of a plundered barrow, situated to the north-east of Puckshipton House, appear to have been cultivated in the triangle formed by Broad Street, Puckshipton Lane and the Patney-Woodborough Road in the late 17th and early 18th centuries (Stevenson 1975, 17).




Figure 2 Map showing the parish boundaries around the Hatfield earthworks. The red line depicts the former parish boundary when the earthworks were in Beechingstoke parish.

The name Pukeshepene (Puckshipton, potentially meaning Puck's sheep pen) occurs for the first time in 1303 (Gover *et al* 1939, 318-9) and appears to refer to a mischievous goblin or evil spirit. It is possible that the name could have some mythological connection

with the earthworks in question as they border on the Puckshipton estate. The manor was acquired by Corpus Christi College, Oxford in 1516, who managed it, often by subletting, until 1953 when it was sold off. Tenant farmers during that time included the Miles [1534-1582]; Raymond [1616-1719]; Dicker [1736-90]; and Gilbert families [1790-1849]; any or all of whom may have been instrumental in land improvements, drainage and cultivation. It was probably Miles, for example, who was responsible for the Alder Bed noted in 1609 and subsequently Joseph Gilbert who laid out water-meadows over some 12 acres of the Avon floodplain (Stevenson 1975, 16-17) and presumably he who was responsible for the two Osier Beds present in 1834, one of which was referred to as Osier Bed Bank.

The Puckshipton estate centre lay a little over 0.5km to the east of the Hatfield earthworks not far from the present Puckshipton House. An early estate map, Robert Speakman's map of Beechingstoke of 1726 (Corpus Christi College Oxford Map 328) illustrates a 'New House' along with its approach avenue to the north-east and this was also marked on Andrews' and Dury's small scale *Map of Wiltshire* of 1773 (WANHS 1952).

The earthworks in question, however, lie on a parcel of land to the south of the Puckshipton estate, evidently an isolated and divorced parcel of Beechingstoke manor. This is clear from a series of deeds and accompanying maps of the early and midnineteenth century. No buildings were present and, given the shared nature of Stoke Field, it is not immediately clear from which location they were farmed. They lay within the ownership of the Bishop of Winchester, but the copyhold was held by local man Joseph Hayward, while 'A survey and valuation of estates in the Parish of Beechingstoke....' (Hampshire Record Office 11M59/E2/59602) carried out in 1814 indicated that it had been passed to his son, Richard. The situation was confirmed in 1849 with a deed of enfranchisement in return for an annual rent of £116 (Hampshire Record Office 21M57T155) that incorporated the 'rights of soils and mines and minerals or quarries under the said lands' and included a map of the holding. Following Hayward's death the land was conveyed to the Earl of Normanton in March 1865 (Hampshire Record Office 21M57T155).

The Hatfield Barrow is depicted for the first time on Robert Speakman's 1726 map, where it appears to be topped with a bush or tree (Fig 3). Barrows were occasionally adapted as prospect mounds for grand houses or parks and the Hatfield Barrow is obviously a significant enough feature in this landscape to be marked on the estate map. However, it does not seem to have any obvious relationship, such as a linking carriage drive, with the parkland around Puckshipton House, which is depicted with radiating tree-lined avenues nor, given its connection with Beechingstoke Manor, would one expect it.

Despite the mapping there is some uncertainty concerning the depiction of the highway. It is possible that its position shifted over time. The two constant features in terms of traffic movement were the position of the bridge at Marden and the hill to the north-east

around which the road is likely to have taken a course of least difficulty. The bridge at Marden was present and evidently railed by 1609 (Corpus Christi KB 4/7) and will have focussed and attracted traffic. A single route is depicted crossing the area from north-east to south in 1638 ('Map of Puckshipton', Wilts History Centre x3/47) and this led across the stream to 'Weddenton Common'. This track evidently lay to the east of the present road and its course is likely to have utilized (or caused) the gap through the earthworks in the east, its diverted course being depicted as a dashed line in 1839 (Wilts History Centre T/A Beechingstoke) and fossilised today by a footpath. The present roadway was certainly present in 1726 as it appears on Speakman's map of that date, but it is not clear whether it was established as a result of an Inclosure agreement or indeed exactly when it came into use. It is conceivable that the trackway depicted in 1638, presumably a traditional right of way, was moved to the west in order to allow cultivation of the Hatfield Barrow (with its fertile soil) and the surrounding area. Whether the new road utilized a preexisting gap or entrance through the earthworks is unclear, but certainly there is a change in its orientation at this point. Certainly by 1840 the 'road to Marden was mire and ye ford at Marden bridged overwhen the roads of the Kennett and Amesbury Trust were made' [presumably the old bridge had fallen into disrepair] (Wilkinson 1859-65). A third trackway utilised the north entrance through the earthworks from at least 1839 (Wilts History Centre T/A Beechingstoke) and joined the others en route to the bridge in the south. The antiquity of this is not clear but it is not depicted on the earlier mapping.

The location later referred to as 'Hatfield' was not mentioned as being among the arable in a terrier of 1601 (Corpus Christi, Oxford KB 4/2) and the area is described as 'Hatfyld Comon' in a survey of Puckshipton carried out in 1609 (Corpus Christi, Oxford KB4/7). It is conceivable, therefore, that the land around the earthworks may have been waste before the 17th century. Part of the floodplain was described as Lammas land in a terrier of 1691(Corpus Christi, Oxford KB4/11). The same document refers to 'Wall mead' on the floodplain immediately below the western arm of the earthworks ('Wall' is a name frequently applied to ancient earthworks in Wiltshire, for example at Avebury, Amesbury and famously Durrington, as distinct from the usual 'Welsh' or British settlement interpretation) and 'Hayditch', in the area of the north-west entrance, bounded by 'Hattfield' in the east.

The 'field' element in the name might imply an early abandoned attempt at cultivation. The earliest record of the term appears to be in the terrier of 1601 (Corpus Christi, Oxford KB 4/2. By 1638, when a sub-square enclosure had been established within 'The longe grounde called greate Hatfield' ('Map of Puckshipton' surveyed by Edward May Wilts History Centre X3/47) and this and other field boundaries appear to have been well established by 1766 ('Plan of the Manor of Stert.....' Wiltshire History Centre X3/48). Despite errors of surveying in the 1638 map, map regression suggests that the inclosure may represent that plot known as 'Barrow Hatfield' on later maps (Hampshire Record Office 21M57T155). The presence of arable is expressly mentioned in 1671 (Stevenson 1975, 18). Later mapping, however, seems to indicate that cultivation may have been curtailed and the early enclosures were removed, for the map surveyed in 1726 by Robert Speakman (Corpus Christi, Oxford Map 328) mentioned above refers to the whole area as 'Hatfield Grounds' as though it were open ground, even parkland.




Figure 3 Detail showing Hatfield Grounds, from a map of Beechingstoke prepared by Robert Speakman in 1726. Note the height of the bell or pear shaped mound depicted to the east of the road, clearly a feature of some considerable relevance to the land surveyors. The mound appears to be surrounded by a ditch and has what appears to be a tree or bush growing on the summit. Puckshipton House is just out of picture in the east but part of its tree lined avenue is visible. Corpus Christi College Map 328. Reproduced by permission of the President and Fellows of Corpus Christi College, Oxford.

The Reverend John Mayo of Beechingstoke wrote to the Society of Antiquaries in 1768 inclosing a description and sketch of the site (Gough 1806: Wainwright *et al* 1971, 182) and complaining about the levelling of part of the henge bank which was presumably so that it could be more easily cultivated. The destroyed area lay by the north entrance and indeed the bank to the west of the entrance is severely denuded today. Writing in 1807 or 1809 William Cunnington indicated that the levelling had taken place about 40 years earlier and was carried out by Mr Haywood Senior of Marden. (Devizes Museum: Cunnington MSS Book 12, 23: also see Appendix below). This is likely to be Joseph Hayward who had copyhold of the land (see above). By 1806 both Cunnington and Phillip Crocker could note that the interior was *'intersected by hedges, and in cultivation...'* (Fig 4). The only part of the site to escape this appears to have been the southern part of the western arm of the trees that occupy the bank in that sector today. A survey and valuation in 1814 (Hampshire Record Office 11M59/E2/59602) for the Dean and Chapter of Winchester listed the enclosures Little Hatfield, Long Hatfield, High

Hatfield, Chandlers Hatfield and part of Parker's Hatfield as being in cultivation; the rest of the latter with fir trees and wood. The location of these enclosures can be established from the later mapping.

A map accompanying the Tithe Apportionment of 1839 (Wiltshire History Centre T/A Beechingstoke) reflected this partitioning. Wall mead remained, but to the west of the road was 'Parkers Hatfield', and to the east 'Barrow Hatfield'. The surrounding fields carried variations: 'High Hatfield' to the north, 'Chandler's Hatfield' to the east, and 'Long' and 'Lower Hatfield' to the south.

The Hatfield Barrow was also evidently under the plough. In an exchange of letters in 1797 and 1798 between William Withering (1741-1799), a physician based in Edgbaston and James Norris of Nonsuch House, Bromham and published posthumously by Withering's son (Withering1822, 210-248: ref to Marden 236), the latter described the mound as being in cultivation. 'The whole of the barrow is at present ploughed over and is said to be more fertile than the surrounding field; when the richness of colour and the beautiful undulations of the corn formed an object as pleasing as it was uncommon'. By 1806 its height had decreased considerably as a result of it being in cultivation (Cunnington MSS, Devizes Museum: Hoare 1821, 5-6) but Cunnington reported that in 1804 the wheat harvested from the barrow produced 'six Sacks' [of grain]. Perry's Corner in Beechingstoke was said to immortalise the farmer 'infamous foe ye destruction of Hatfield Barrow (Wilkinson 1859-65 Beechingstoke portfolio). By 1845, the mound may have been almost level, for the map accompanying the deed and enfranchisement of that date (Hampshire Record Office 21M57T155) merely depicts a crescentic ditch, the portion closest to the highway having been filled in.

By 1900 the plantation noted by Cunnington and depicted on Crocker's plan had matured and was presumably being harvested, the Ordnance Survey 25" map indicating that the bank in the west was known as 'Hatfield Copse'. It had been extended along the west bank and it may have been this that was responsible for its preservation.

A long rectangular structure, perhaps a chicken shed, depicted as present in 1924, was joined by others before 1939 to the east of the road in the area now occupied by Hatfield Farm (Ordnance Survey 25'' editions). A small housing estate was then built along the southern edge of the monument during the latter part of the 1950s with gardens that encroach on the monument (Stevenson 1975, 15).




Figure 4 Philip Crocker's plan of the Hatfield earthworks (described as the Marden entrenchments) mapped in 1806 and published in the second volume Richard Colt Hoare's Ancient Wiltshire published in 1821. The plan was originally oriented to suit the publication page but for purposes of convenient comparison is here oriented with north to the top. The Hatfield Barrow was extant when the plan was made, but by the time that Hoare returned to the site sometime before 1821 it had been levelled. Crocker has also depicted a second circular feature set to the south of the Hatfield Barrow which is referred to here as the Southern Circle. Note also that the NNW-SSE oriented roadway cuts through the bank of the eastern arm of the henge earthwork. Crocker marks a gap in the earthwork at C, but another further to the south is not annotated.




Figure 5 Extract from the Ordnance Survey 1st edition 25" map published in 1887. Both the Hatfield Barrow and the Southern Circle are represented by symbols and marked as 'site of', the implication being that they had been levelled. The road depicted by Crocker in 1806 (pub 1821) that cut across the eastern arm of the earthwork is now a single hedgerow while the centre section of the eastern arm is missing in its entirety having been severed by field boundaries.

ARCHAEOLOGICAL BACKGROUND

There are few early references to the site. Perhaps the earliest is in Edmund Gibson's edition of Camden's *Britannia* (Gibson 1695, 111) in which the place is considered to be the location of the Battle of Mertune or Merdune that is mentioned in the Anglo-Saxon Chronicle for the year 871. '....For here to this day remain the marks of entrenchments, and the largest barrow in these parts, except Silbury; together with a tradition of a fight, and some great mans' being buried under the barrow' (for accounts of the battle which give no further clue to its location see Garmondsway trans 1975, 70-3).

This account was subsequently referred to in a letter to the Salisbury and Winchester Journal published on Monday December 2nd, 1776 on the occasion of the intervention into Silbury Hill, by Colonel Drax and the Duke of Northumberland (Appendix I). Signed by S.A.S of Old Sarum, the account refers to the Hatfield Barrow before going on to describe the henge. The barrow 'is, as I guess, about 30 feet high, and of a very large diameter at the bottom. It is surrounded at a distance with a vast ditch [i.e. the henge ditch], which like that of Abury has its bank thrown outward; which I think plainly shows that this intrenchment could not be of the military kind. The area inclosed by this ditch contains, I imagine, near 40 acres. There is within the same area another barrow of much smaller dimensions, at the distance of about 150 yards from the great one'. It then indicates that archaeological material was encountered during attempts to demolish part of the earthwork '....There were a great number of stag's horns, some of them of a very large size found a few years ago in levelling a part of the bank, and near the same place was found a human skeleton. There is great reason to suppose that there is a cavern in the great barrow, for the top or vortex of it is sunk into a hollow. I have conversed with old people in the neighbourhood, and they all think that it is considerably sunk within their remembrance'.

Clearly the mound was of a considerable size and a prominent landmark, much more so perhaps than the earthworks of the henge enclosure, for it alone was depicted on the map surveyed in 1726 by Robert Speakman (Corpus Christi College, Oxford Map 328) and subsequently on the much smaller scale *Map of Wiltshire* prepared by Andrews and Dury in 1773 (WANHS 1952). The former depicts a high mound of bell or pear-shaped profile, surrounded by a ditch and with what appears to be a tree or bush growing on the summit (Fig 3). While the correspondent's view that there was a collapsed central feature is entirely feasible, the removal of this tree may alternatively account for the hollow – and earlier barrow robbery could equally be possible.

Gough's edition of Camden's *Britannia* published in 1806 repeats the earlier account, but adds that the Reverend [John] Mayo had sent a sketch of the site to the Society of Antiquaries (Gough 1806, 159) and incorporated it as an illustration (Fig 6). This depicted the henge enclosure as circular, with entrances at the north and south. Mayo's account (Wainwright *et al* 1971, 182: Gough 1806) described the ditch as being about 15 yards wide and the whole feature as enclosing about 30 acres. In addition, the plan depicted

the location of the Hatfield Barrow and Southern Circle and estimated the size of the larger at 70 or 80 yards (64 -73m) in diameter and about 50 feet (15m) high. The eastern ditch terminal of the northernmost henge entrance was indicated as being the location of where a human skeleton, presumably that later reported in the Salisbury and Winchester Journal (above), was discovered in 1768, 'supposed by the leg bone to have been six feet three inches high'. At the same time the legend marked at H the spot where 'many stag's horns were found in levelling the bank, but unfortunately H is missing from the drawing. The antlers were said to be 'very large, but broken by the workmen in digging out. Mr Mayo had a piece of one next to the head, which measured nine inches around, and was petrified'.




Figure 6 Hatfield earthworks. A sketch plan from Gough's edition of Camden's Britannia published in 1806.

The site subsequently came to notice as part of Richard Colt Hoare's work on *Ancient Wiltshire*. Although it was included in the second of his volumes published in 1821, it derived from fieldwork carried out by William Cunnington and others in 1806-9 who provided Hoare with the basic data. Hoare had only recently assumed responsibility for compiling an Inventory of sites in *Ancient Wiltshire* and planned a campaign of investigation that incorporated field survey, investigation and excavation. The team assembled comprised Phillip Crocker sometimes assisted by his brother Edmund, both surveyors, William Cunnington who had experience of excavating sites in South Wiltshire and his 'labourers' Stephen and John Parker from Heytesbury. Crocker was first on site and surveyed it early in 1806 and included the hedgerows and field boundaries that

separated the site into portions. He considered the main feature to be the Hatfield Barrow, which, although 'much destroyed' still measured 4 chains (80m) across. He also informed Cunnington that the local farmers all had views and theories about the local antiquities and having been aware of Camden's account believed that the earthworks resulted from the Battle of Marden. Cunnington immediately reconnoitred the site and informed Hoare that he hoped to cut into the Hatfield Barrow. He evidently did so, for by May 22 1806, he wrote that he had 'set Stephen and John to dig in this Tumulus to the depth of seven feet' (2.1m: Cunnington later recorded the height of the mound at 221/2 feet, i.e. just under 7m). This exploratory excavation evidently took just a few hours for he considered that it would take three men three days to complete satisfactorily but revised this and indicated to Hoare that a proper examination would need four men working at the site for ten days. The excavation revealed a few ashes and charred wood. Cunnington then arranged for the Parkers to dig in a ploughed field somewhere to the west of the barrow where they found some 'very rude British pottery'. This is likely to have been in the area later occupied by the Hatfield farmhouse and its paddocks. Finally, they moved on to test the Southern Circle and dug 'within the area' probably in the ditch, to a depth of 1.8m and found 'charred wood, Ashes and British pottery'.

Cunnington described the site to Hoare and others in a number of letters that differ in some of their detail. Much of Cunnington's description was used verbatim in Hoare's (1821) publication but there are aspects that the latter chose to ignore. Since some of this is of potential archaeological interest the relevant text is transcribed in Appendix II. In May 1806 he wrote '*The greater part of this work is so much intersected with hedge-rows that we find much difficulty in examining it.* On passing the rivulets near Marden Mill and a small plantation of firs, you reach a fine Vallum without the vast ditch, on running a line over the former it measured 112 feet—from tracing this Vallum & making as I conceived proper allowances where it is mutilated, it appears to me to have been originally of a Crescent form*, having the Water at the junction of two streams for its base. When in its pristine state & viewed from its stupendous Vallum, the Area rising from the wide Foss with a fine swell must have had a pleasing effect.

The enormous tumulus called the Hatfield Barrow is on the Eastern Side, this, Silbury Hill & Marlbro' form a trio of the largest circular Tumuli in the Kingdom---a line drawn over our Marden barrow measured 483 feet – viz – measuring from ditch to ditch, although the height is much diminished from its having been in tillage..... The work at B is very similar to our Amphitheatre (as some have called it) near Southley Wood±. It has a circular Vallum without the ditch and the area plain and of an Oval form...... We dug into the Area to the depth of six feet and found charred wood, Ashes and British pottery, which strengthened my opinion of its being sepulchral, but to have examined this properly, would have taken up a whole day. When within this work & particularly when on the great Tumulus, the high ground on the South of the river seems as if connected with the camp making it a fine Amphitheatre, but on examining all this high ground I could not perceive the least sign of a Vallum. The area of this work taking the river for the Base, contains at least 28 acres. I should have observed before that there is an appearance of

two entrances nearly [south] East * [North] west. For what purpose this Work was erected unless for religion I cannot say – but it is hard after so much labour in the investigation of these things, that at this period we must put up with conjecture.....

In a later memorandum for Hoare, Cunnington provided an annotated sketch plan along with a full description of the site (Appendix) and it was on this that Hoare based his later published version. The Reverend Charles Mayo, son of John, had written to Cunnington to persuade him that the earthwork crossed the river, but the latter was not convinced so Mayo complained to Hoare. 'Poor Mr Cunnington was I think mistaken in his idea of the extent of the [bank] mound', but having carefully investigated the south bank of the river on three separate occasions Cunnington found no evidence that the earthwork crossed to the other side and was not convinced. Instead, he believed that that enclosure was bounded in the south along the line of the river bluff. Hoare, however, visited the site and, having noted the British Village on the southern bank, sided with Mayo in the matter.

In 1809 Cunnington undertook further excavations. 'We explored twenty three by twenty four feet of the floor of the barrow and found Ashes Charred Wood and some fragments of burnt bones, also two or three small pieces of Pottery but missed the Primary Interment. The finding of so many Stags horns, Animal Bones, two small parcels of burnt human Bones, together with a floor scattered with Ashes, Charred Wood, etc...convinced me...that the Barrow was Sepulchral'(Devizes Museum Cunnington MSS Book 12,39). 'We first made a large square section in the centre, but the Tumulus being composed of Sand continually slipped down, we afterwards carried our section down in the form of an inverted cone –when at the depth of about 22 feet we came to the bottom of the barrow, but from the immense masses of sand that still slipped down it was several days before we could clear about 23 feet by 24 feet of the floor – During the operation of digging, our discoveries were exactly similar to those we make in many of our circular Barrows in which cremation has been practiced – from the depth of two or three feet, from the top of the Tumulus to the bottom, the Men frequently met with charred wood, Animal bones, the Homs of the Red deer & two small parcels of burnt human bones, - Upon the floor of the barrow we found Wood Ashes & Charred Wood more or less over every part that we cleared - & in one place in which we found parcels of charred wood we picked up some small pieces of human burnt bones...... we were then very sanguine we were near the interment – among the ashes we found three or four small pieces of thick rude British pottery, very similar to the rude funeral urns & several animal bones' At this point he adds a footnote to say that 'a great deal on the floor had the appearance of rusty iron, a little like the Sutton barrow and probably the same cause'. Hoare (1821, 4-7) added that 'several of our labourers, who most providently escaped an untimely end by having been called off from their work by Mr Cunnington at a time when the soil of the barrow appeared sound, but proved otherwise, by falling in very shortly after the men had quitted their labours.'

In preparation for the publication, Hoare revisited the site and commented that 'On revisiting this ground in the autumn of 1818, I had the unexpected mortification to find

that the great barrow had been completely levelled to the ground, and no signs remained of its previous existence.' Of the Southern Circle 'Its elegant form has been much defaced by tillage and soon will probably be entirely lost.' The drive for intensive cultivation in the area evidently led directly to demolition of the Hatfield Barrow and much of the remainder of the site faced a similar fate.

It was presumably Charles Mayo, rector of Beechingstoke, who had informed Hoare about his father's account of the destruction and who wrote a piece for a journal entitled The Crypt in which he described being 'informed by a gentleman who has long resided in the neighbourhood, that it [the henge] originally displayed a lofty tumulus in the centre; but this was levelled some years ago by a farmer, who then occupied the soil'. Depending on the composition of the mound the material could have been considered as good manure. 'In the course of its demolition he discovered what is usually met with in British barrows, some human bones and over them two horns of deer...' (Anon 1828, 212-3), but the description is surprisingly similar to that of the human bones recovered from the henge bank noted earlier.

John Wilkinson's notes (referred to above – Devizes: Wiltshire Archaeological Society Library) prepared sometime between 1859 and 1865 included an Appendix on 'The Barrow at Hatfield' among its entries for Beechingstoke. After quoting Camden's Britannia, it adds: 'This barrow stood in Beechingstoke parish, as well as the so called entrenchments, but close to Marden parish...I cannot say where the entrances to the entrenchment may have been as it can only be traced in parts, but the exact position of the barrows has often been pointed out by persons who remember them in the northeast corner of a field called Barrow Ground. They were levelled in the ---- (unclear) by one Perry and the soil spread over the field leaving no trace whatsoever. What remains of the (?ditch) and Embankment is more in the shape of a horseshoe than a circle, corresponding more to Brittain's account who called it an oval. He describes it "In the vicinity of Marden, is a remarkable barrow called Beechingstoke tumulus or Hatfield Barrow. It is 35 feet [10.5m] high and covers about an acre of ground, near which is a smaller hillock or barrow, surrounded by a circular [?mound] and ye whole encompassed by an oval vallum or ditch, comprising an area of nearly 30 acres. The vallum on both the circles is formed by throwing the earth outwards and ye smaller tumulus is depressed or hollowed in the middle. ...''.' Wilkinson incorporated a sketch of the earthworks that depicted the Hatfield Barrow as being in the north-east corner of a field to the east of the highway.

The 1st edition 25" Ordnance Survey map surveyed in 1887 depicted a break in the bank in the south-east but not through the ditch. In addition, it depicted the bank in the east as extant as far north as a field boundary. The position of the Hatfield Barrow in the northeast of the field is as described by Wilkinson, but it is curious that the second circular feature was not surveyed. Instead an antiquity cross was placed on the map and this may have led subsequent researchers to think that it had been levelled. In his analysis of the earthworks at Durrington Walls, O G S Crawford (1929, 58) indirectly indicated that he thought both Marden and Avebury were of a similar character and it was perhaps on this basis that Clark listed Marden as a henge (1936, 50). Atkinson, however, was less certain and, despite the fact that the ditch lay inside the bank, listed it as a doubtful example (1951, 104).

No further archaeological activity is recorded at the site until Geoffrey Wainwright carried out some exploratory excavations in 1969 in order to compare the site with the then recently excavated Durrington Walls henge (Wainwright 1971) and to ascertain whether wooden structures similar to those discovered at Durrington also existed at Marden. He focused on the northern of two entrances and recovered material that confirmed the Neolithic nature of the site. Trenches placed at the terminals revealed that the ditch was originally some 2m deep and 13.5m wide. A considerable amount of Grooved Ware pottery, along with antler picks and lithic material, was found in these trenches while the skeleton of a young female was also recovered. Just within the north-east entrance lay a circular timber structure, while four C14 dates supported the pottery evidence and provided a late Neolithic date for construction of the monument.

As part of these works a contour plan of the site was prepared, but a geophysical plot by Tony Clark was used to assist in portraying the position of the earthworks (Fig 7). The plan depicted an entrance in the east detected by Clark. Though scant physical records of the results survive, remains of a large ditch, 28m wide and 105m in diameter, were revealed (Wainwright et al 1971, 182) that was presumed to be the location for the Hatfield Barrow though it was centred **some 70m** east of the position recorded by the Ordnance Survey.

ENGLISH HERITAGE




Figure 7 Contour plan of the Marden henge prepared by Wainwright et al (1971).

THE EARTHWORKS

The enclosure comprises an irregular bank with internal ditch that can be separated into four separate lengths of linear earthwork (Fig 9 and frontispiece). These seem to have been conjoined to form an inverted U-shaped enclosure. As Cunnington recognised, there appears to have been no earthwork on the south-west and south sides and instead the bluff of the River Avon, which continues the line in the circuit, provides a boundary. In all some I I ha is enclosed within the ditch, using the river bluff as the southern boundary. This compares with I0ha within the ditch at Durrington Walls. The western part of the enclosure, the part that faces upstream, curves gently although incorporates an angle change, while in the east straight lengths are the norm. Aside from that in the north, which measures I00m, each of these sections appears to be in the region of I20m in length.



Figure 8 The bank in the north-west sector.

The western half of the enclosure (i.e. that to the west of the highway) is rather better preserved than the eastern part. This may be as much a result of later land-use as of the original build. To the east of the highway the enclosure appears to have suffered to a greater degree and the rounded nature of the earthworks indicates that they have received a greater degree of cultivation. In general, the banks are the most prominent feature, but they vary enormously between a maximum of 35m wide to the west of the

road to some 20m wide in the east. There is similar variation in the ditch which reaches a width of 25m in places.

In the west, the earthworks are situated on a slope down to the floodplain and thus appear less prominent when viewed from the centre of the enclosure. Viewed from the river, however, the bank would have simply enhanced the rise of the river bluff. The corresponding ditch measures no more than 0.5m deep taken below the base of the bank, but has been dug to some 2.7m below the interior. On the higher ground to the north-east, the earthworks would have been more prominent, but here they have been severely affected by destruction and cultivation. In contrast, the bank in the west has been protected by tree cover, evidently planted in the early 1800s (see above) and this sector remains the most prominent part of the earthwork. It is likely to be representative of the rest of the henge enclosure before it suffered from levelling and cultivation episodes. Here, however, it reaches 2m in height and appears to have been enhanced at some stage for 85m of its length with a subsidiary capping some 20 wide. At one point, 'X' on Fig 9, a shallow but significant mound, 22m by 10m, overlies. Set on the bluff flanking the 'flood plain' is a trackway that brackets the henge bank on that side. What appears to be a terminal to the bank abuts the floodplain in the west, but no corresponding terminal can be identified in the ditch and instead it appears to continue into the floodplain.

To the north of the plantation (Fig 10), the bank has been heavily cultivated and spread to c35m in width. In places it is almost level. It is likely that this is a result of more than cultivation and may correspond to the area of levelling described in early accounts when the human skeleton was discovered. The ditch at this point is simple, the slopes rounded off by cultivation but it narrows considerably to less than 20m in width as it approaches the entrance terminal. Here the bank is a little more than 1m in height with the ditch of similar proportions (Fig 19). Again the overall impression is of a more imposing earthwork largely because of its location at this point on gently sloping ground. Bank and ditch are here oriented west to east and situated at the apex of the inverted U-shaped plan. The original form, however, has been much disfigured and former subtleties obscured by levelling and cultivation. Several plough steps parallel with the bank are visible, while an access ramp has been scoured to provide easy access from ditch to bank. Further levelling of the bank has taken place at the east end of this stretch where it is just 0.5m high. The ditch is similarly diffuse, the terminal in the west well formed but in the east detail is obscured by the road way and it is not clear whether it formerly continued or terminated.

The north entrance leaves a causeway between ditches of 14m and although banks are almost levelled there appears to be a corresponding gap of 20m. The two separate bank and ditch components, that in the west and that in the north, meet at an angle at this point and the impression is obtained that it is the gap between them that is utilised for access rather than the causeway being planned as an original entrance.

Several of the 1969 excavation trenches are still visible on the ground where the backfilling has compacted and these are plotted in Fig 10. Included are two trenches

across the west part of the bank and one in the bottom of the northern ditch that are not depicted on the published plan and perhaps relate to a different intervention.




Figure 9 The earthworks at Marden. Inset 1 see Figure 10; 2 see Figure 11; 3 see Figure 12 and 4 see Figure 13.

On the east side of the enclosure is a break of some 90m in both bank and ditch (Fig 11). Since the earthwork appeared complete on Crocker's plan (Fig 4) this must be a result of levelling at some time during the intervening years. If so, there is no evidence of such levelling on the ground. One might expect the bulk of the material to be detected if spread about the same location. That it was not suggests that if the bank was indeed once present, the material must have been carted away. Some spoil might, of course, have

been returned into the ditch but there is no mounding or evidence of compacted ground here. Instead a shallow ditch can be traced between the ends of the two banks while segmented components of a further shallow ditch curve inward to deviate from the course of the ditch proper. In part, the course of these latter features reflects the recent agricultural regime, but engraved to a slightly greater depth than the other plough furrows implying that the underlying ground is softer at this point. This is difficult to explain as rather than overlying the position of the original ditch it marks the point where any former bank is expected to be. The inward curving nature of the inner of these two features is curious in that it departs from the line of the ditch proper, evidently to avoid or as if it was influenced by some pre-existing feature.




Figure 10 The earthworks around the northwest entrance. The outlines of excavation trenches, as surveyed on the ground, are shown. North is to the top.

East of these, a sinuous linear depression appears to mark the course of a former or seasonal water feature. It starts abruptly adjacent to the dividing fence line (Fig 11) and feeds into a field drain in the south that ultimately discharges into the Avon.

Most of the interior of the henge enclosure is heavily scarred with ridge and furrow cultivation marks. These tend to be reasonably regular in appearance except for where they sinuously swerve to cut across pre-existing features. Despite this, traces of what is evidently the Hatfield Barrow were traced in the field to the south-east of the road (Fig 12). Traces of the earthworks here are extremely shallow, little more than 0.1 m in depth

and repeatedly masked by the overlying cultivation stripes, but enough can be detected to reveal that the barrow measured c70m in diameter. It is not precisely circular, although the extent to which the irregularity is the result of the levelling is unclear. There is a slightly higher tump in the centre measuring 28m by 18m that could be the residue of a central feature of different material composition, a greater stone component for example. The surrounding ditch is massive, generally of c15m across but reaching 20m in width in places and is extended in the east to some 25m, ultimately reaching about 100m in





Figure 11 Earthworks on the eastern side of the enclosure. North is to the top. The dramatic sinuosity of the ridge and furrow at this point might hint at further variation in that area.

The circular enclosure to the south of the Hatfield Barrow (Fig 13) is set almost centrally within the arms of the U-shaped enclosure and immediately on the lip of the bluff above the floodplain. It comprises a depression some 28m diameter by 0.5m deep with a small platform or plinth within it that is lower than the surrounding ground surface and which is



offset to the north. The depth of the interior is enhanced by a surrounding bank c0.8m high. At c30m across this provides an overall diameter for the monument of almost 90m.

Figure 12 The site of the Hatfield Barrow. North is to the top.




Figure 13 The Southern Circle. North is to the top.

GEOPHYSICAL SURVEY

Following trials conducted in 2008, magnetometer and earth resistance survey was extended to cover areas of ~12.7 and ~6.1 hectares respectively. The aim was to investigate the interior of the henge enclosure for any internal activity but with particular reference to further characterising the two known internal features. Eight distinct areas were surveyed – lettered A-H (Fig 14) and referred to in the text below. Results from Areas A and B were presented previously (Martin 2008), but following the wider survey of the henge enclosure the data has been fully incorporated into this report and the sequence of numbering of anomalies has been revised. The outcome is discussed below and in more detail in Appendix III.

Magnetometer survey

The results of the magnetic survey are presented visually in Figure 15 and a graphical summary of the anomalies discussed in the following text, superimposed on the base Ordnance Survey map data, is provided in Figure 16. The general magnetic response across all areas is very low with background readings $<\pm 1$ nT/m. Area C has the lowest variation in background readings, possibly due to the position adjacent to the floodplain and which may be an indication of the presence of alluvial material here. Across all areas modern disturbance has been recorded adjacent to the metal fences that enclose the fields.



Area A

A linear anomaly formed of extreme readings [m1] is typical of responses to ferrous pipes. The location of a water trough at the intersection of this pipe anomaly and the fence with Area B indicates that the pipe has been laid to service the trough. A discontinuous linear arrangement of extreme responses [m2] following the approximate line of the extant enclosure bank is most likely a previous fence line, as noted on the 1887 OS map (Fig 5). Further responses to the south are also likely to be of the same origin. Numerous scatters of dipolar responses across the site probably relate to ferrous litter of modern origin.

An example of the parallel linear anomalies recorded across the field is illustrated at [m3]. The spacing of the response here is typical of ridge and furrow ploughing.

Both positive and negative linear anomalies [m4-5] are probably of relatively recent origin. The twinned parallel linear anomalies at [m4] appear most likely to be the result of "tramlines" made by vehicles but the branching pattern at [m5] is more suggestive of tracks caused by the passage of sheep or people.




Figure 14 Location of the geophysical survey areas.



Figure 15 Magnetometer results.




Figure 16 Graphical summary of significant magnetometer anomalies.

A broad linear negative magnetic anomaly at [m6] correlates with the position of the henge ditch in this field. This is a somewhat atypical response for a ditch feature: ditches are normally recorded as positive magnetic responses due to the silting of more magnetic top soil into a feature cut into less magnetic subsoil or bedrock. In this instance it is

possible that the depth of the original ditch, recorded as between 2-3.5m during the excavations at the north entrance (Wainwright 1971, 185-7),has led to an enhanced magnetic fill from the time of occupation initially silting the ditch, then subsequently being buried beneath less enhanced greensand colluvium from the bank. It is also possible that the magnetic minerals have been leached out of the soil in the ditch due to some level of waterlogging: it was noted during the 1969 excavations, to the north and on higher ground, that the water table was reached at a depth of 2.9m, causing waterlogging to 1-1.9m of deposits (Wainwright 1971, 185) Furthermore, during an initial site visit in January 2008 it was observed that the ground across the ditch was wetter than elsewhere and still held water in March. There were significantly fewer mole-hills in this vicinity: whereas they were quite prolific elsewhere across the site. Two isolated pit-type anomalies at [m7] are the only indicators of further anthropogenic activity across this area of the interior of the henge.

Area B

A further anomaly of extreme readings [m8] possibly branches from [m1] and also heads in the direction of another water trough. Further scatters of ferrous disturbance at [m2b] are likely to be traces of a previous field boundary noted in Area A. A linear pattern of anomalies at [m9-10] could relate to plough activity. That at [m10] is similar in spacing and alignment to that at [m3], however, the broader spacing of [m9] may mean they relate to some other activity, such as drainage.

Several branching positive magnetic linear anomalies [m I I] have been recorded to the east of the henge earthworks. These are likely to be ceramic field drains and their position, converging towards a drainage ditch to the east, further corroborates this interpretation.

A broad linear negative magnetic anomaly [m12] correlates with another length of the henge ditch. Here it is bordered by a positive magnetic response that may derive from the banks. Two strong dipolar responses, [m13-14] have been recorded along the length of [m12]. These are likely to be from ferrous material and could be coincidental in location; however, they could be from material that has been deliberately deposited in the ditch. One possible theory is they are short lengths of pipe positioned to assist drainage in this area, which would be more likely if the ditch were indeed occasionally waterlogged.

An amorphous area of raised magnetic response [m15] is potentially indicative of anthropogenic activity though no definitive interpretation can be made.

Area C

Faint traces of parallel anomalies [m16] are further evidence of ploughing, but a broad negative linear anomaly [m17] is a further atypical corollary of the henge enclosure ditch.

Again, as in Area B, a slightly raised positive magnetic response is apparent to either side of this though it appears more diffuse here than to the north. Again a strong dipolar anomaly [m18] has been recorded within the ditch section.

Area D

To the south of Hatfield Farm two dipolar responses [m19-20] relate to two large ferrous items and are similar to the response expected over a manhole cover, though none were specifically noted in the field. In between [m19] and an open drain (the unsurveyed area in the centre of the plot) are two negative linear anomalies [m21] of slightly different widths and alignments. The negative response most likely relates to a pipe trench, and possibly the presence of a plastic pipe.

A disturbed magnetic linear anomaly [m22] is likely to relate to a buried ferrous pipe (see below). Further areas of extreme readings have been recorded in this area, but are not likely to be archaeologically significant.

Area E

Another disturbed magnetic linear anomaly [m23] has been recorded and was probably used to supply water to a former trough at the field boundary with Area D. A negative linear anomaly [m24] is possibly the response to a small plastic pipe.

A 'V' shaped area of positive magnetic response [m25] is one of the few instances of magnetic enhancement recorded at the site and though not that strong (<5nT) it could be archaeologically significant.

Area F

Two disturbed linear anomalies have been recorded that are the continuations of [m22] from Area D and [m23] from Area E. Though the anomalies cross paths near the fence line with Area D, it is not possible to deduce whether these pipes interconnect at this point or are laid at different depths.

Areas G and H

Further modern disturbance has been recorded typical of buried ferrous pipes at [m24-25]. Traces of ploughing can be seen as illustrated at [m26-27].

A narrower linear disturbed magnetic anomaly [m28] relates to a current barbed-wire fence. A similar anomaly at [m29] most probably relates to a former field boundary: on all of the first four epochs of OS mapping the field boundary ran straight in a north-west to

south-east direction towards the road. At some point the boundary with the road was moved north-east by \sim 30m to encompass the bank and ditch within this field and demarcate the triangle of land now in English Heritage guardianship.

Several rectilinear areas of negative response [m30] relate to the location of the 1969 excavation trenches placed to investigate the north entrance. Part of the largest is bounded to the north by a positive magnetic linear anomaly and contains an area of diffuse response to the south. This latter anomaly is in the vicinity of the ditch terminal but is most likely to relate to the backfill of the trench rather than to the original fill of the ditch.

Earth resistance survey

Results of earth resistance survey are depicted in Figures 17 and 18 while a graphical summary of the anomalies discussed in the following text, superimposed on the base Ordnance Survey map data, is provided in Figure 19.

Area A

A large annular low resistance anomaly [r1] measures ~25m wide and ~105m in maximum diameter. Both the location and dimensions compare favourably with the previous geophysical results for the ditch surrounding the Hatfield Barrow. However, two protrusions on the east side of the anomaly have also been identified. At the centre of [r1] is a circular area of higher resistance [r2], ~55m in diameter. Towards the centre of [r2] are two areas of higher resistance and one of lower resistance.

ENGLISH HERITAGE South of [r1] is an area of much higher resistance [r3]. This amorphous area is likely to be geomorphological in origin; however, a dissecting low resistance linear [r4] correlates with the pipe recorded in the magnetometer survey at [m1].

The high resistance anomaly [r5] corresponds with the north terminal of the bank of the henge enclosure at its east entrance. Further areas of high resistance just south of here [r6] are not easily interpretable and they may be merely geomorphological in origin or related to differential soil drainage. There are no anomalies that correlate with the position of the henge ditch as recorded by the magnetometer survey.

Area B

A low resistance linear anomaly [r7] correlates with the magnetic anomaly [m12] and the position of the henge ditch. Bordering this to the west and south is a narrow high resistance anomaly [r8]. A faint parallel, weaker high resistance linear anomaly [possibly part of r8] runs through the centre of [r7] connecting to the main [r8] anomaly at its southern end and forming an extension or return to it. This superimposition of anomalies

may suggest more than one phase of construction. It is also possible that [r8] represents some sort of capping to stabilise the sides of the ditch: it was noted during the 1969 excavation that the Greensand was very unstable (Wainwright et al 1971, 185) and that in some areas blocks of sandstone were used to revet the bank (Wainwright et al 1971, 190). The presence of [r8] across the width of [r7] is suggestive of a terminal to the ditch, though none has been recorded here before. The installation of the adjacent fence may have affected the response in this area. Further low resistance anomalies [r9] appear to relate to the top of the bank.

Inside the enclosure is an area of raised resistance containing some discrete high resistance anomalies [r10]. These are stronger in magnitude than the general background variations in earth resistance over the site and may indicate anthropogenic activity. However, they do not exhibit any discernable pattern making a definitive interpretation impossible.




Figure 17 Square array earth resistance survey.




Figure 18 Twin probe earth resistance survey.




Figure 19 Graphical summary of earth resistance anomalies.

Areas D and E

A low resistance linear anomaly [r11] correlates with narrower negative magnetic anomaly at [m21] and is most probably the pipe trench for a plastic pipe running towards the open sewer. An amorphous area of low resistance [r12] around the south end of the open drain has been recorded: it is likely that this represents a higher moisture content created by the sewer. A narrow high resistance linear anomaly [r13] traverses this area. A similar anomaly [r14] can be seen running approximately perpendicular to this near its south end, but there is no clear direct relation between the two anomalies. They could pertain to further drainage to the sewer, but with no correlating response in the magnetometer survey it is difficult to fully interpret their purpose.

Linear high resistance anomalies at [r15] may relate to ploughing, but the responses are quite broad and not visible in the magnetometer survey so may have another origin. Low resistance linear anomalies at [r16] are likely to relate to vehicle tracks noted during the survey.

Two concentric segmented circulinear low resistance anomalies have been recorded [r17] at the location of the southern circle. These are separated by ~11m and have a maximum diameter of ~75m. Neither response is completely circular with a general elongation in the north-south direction. The topography in this area has been variously interpreted as either a mini-henge or bowl barrow: the double ditch-type anomalies detected in this survey suggest it may represent a different sort of enclosure. However, it should be noted that these two anomalies actually underlie a visible bank and therefore may be trenches for a palisade or revetment material for the bank. Between the ditches of [r17] and the area they enclose are several discrete areas of high resistance of varying size. These may relate to buried stones or the compaction of soil in these areas. At the approximate centre of [r17] is an oval area of low resistance [r18], ~15x24m across, which contain small discrete areas of higher resistance. [r18] correlates with a raised platform at the centre of the topographical feature which might be expected to be represented as a high resistance anomaly as with [r2].

Extending to the east from the south of [r17] are a further range of low resistance segmented anomalies [r19], possibly forming an elongated east-west enclosure. However, there are elements branching to the south and other low resistance anomalies apparent within its bounds. Not least because of the field boundary, it is not clear what the relationship is between [r17] and [r19]. A low resistance circulinear anomaly [r20] of \sim 10m diameter and a second similar anomaly, of \sim 20m in diameter [r21] have been tentatively interpreted. A third [r22] at \sim 30m diameter has been recorded to the east of the survey area. All three responses are very subtle but could relate to anthropogenic activity. A cluster of discrete high resistance anomalies [r23] may also be of significance as pits or perhaps deliberately buried stones.

A low resistance linear anomaly runs parallel and adjacent to a broad high resistance response at [r24]. The size and shape of the high resistance anomaly is reminiscent of [r5], however, the topographical representation of the bank of the henge enclosure is \sim 40m east of here, though on a similar alignment.

Areas G and H

A low resistance linear anomaly [r25] is most likely a pipe trench corresponding to the magnetic pipe anomaly [m25].

In the square array dataset a change in the background level of resistance has been observed at [r26]: the noisier response to the south could reflect a change in vegetation influencing contact resistance. A vegetation change might be of significance in itself if growth is affected by subsoil features.

Several broadly linear areas of high and low resistance [r27] probably relate to part of the henge bank and ditch in the area of the north entrance. The responses do not totally conform to the alignment of the visible earthworks as recorded by the Ordnance Survey; however, the large rectilinear low resistance anomaly corresponds well with the excavation plan of the terminal of the ditch on the east side of the north entrance (Wainwright et al 1971: Fig 7 this document). Despite the clear response to the excavation trenches in the magnetic data there is no corresponding evidence in the resistance data.

Several discrete high resistance anomalies have been recorded inside the henge enclosure at [r28]. These may represent significant anthropogenic activity; however, they exhibit a broadly linear alignment not dissimilar to that at [r15] to the south and could be an effect of ploughing. It is less clear what the origin might be of several low resistance anomalies recorded in this vicinity.

Conclusion

The magnetometer survey has responded to some of the known archaeological features, still expressed as variations in local topography such as the henge ditch; however, there has been no corollary response to the Hatfield Barrow or southern circle. The unusual nature of the magnetic signal over the ditch may be an indicator of post depositional processes. Additionally, there is little other magnetic evidence for occupation of the site: numerous dipolar responses are suggestive of modern ferrous litter and a network of service pipes. There are sparse indicators of magnetic enhancement and none have demonstrated a clear patterning or distribution that might aid further interpretation as pits, hearths or even timber structures. It is highly likely that the magnetisation of the local soil, derived from the parent greensand geology, is not significantly enhanced by anthropogenic processes.

In contrast, the earth resistance survey has been highly successful at locating both the Hatfield Barrow the Southern Circle. The response to the latter indicated that double segmented ditches surround a central oval area and, in contrast to the topographical observations, these provide a significantly different interpretation of the site. Potential further enclosures have also been identified and elsewhere sections of the bank and ditch have been recorded including a possible new ditch terminal at the south of Area B.



ANALYSIS OF AERIAL PHOTOGRAPHS

The henge enclosure

The analysis of aerial photographs of the Hatfield earthworks and environs was part of a wider National Mapping Programme (NMP) survey of the Vale of Pewsey, covering 75 square kilometres in the Vale of Pewsey between Manningford Abbots and Potterne. The areas to the immediate north, south and east of the Vale were surveyed from aerial photographs as part of the Avebury World Heritage Site NMP Project (Small 1999, Crutchley 2005) and Salisbury Plain Training Area NMP Project (Crutchley 2000: McOmish et al 2002) respectively. The results of the NMP survey of the Vale of Pewsey will be described in a separate RDRS report (Carpenter and Winton forthcoming). The results reviewed here relate to the Hatfield Earthworks and the immediate environs.

While the 1969 excavation report used aerial photographs to illustrate the setting of the Hatfield earthworks in relation to the river, and to show the layout of the excavation trenches (Wainwright et al 1971, 179, Plates XXXVII-XXXIX), no comment on the possible use of aerial photographs as a source of archaeological information was made. The Hatfield Barrow, for example, is visible as a faint cropmark in Plate XXXVII b. The photographs published at that time are a useful supplement to those in the national air photograph collections as they provide an overview of the trench layout and the infrastructure associated with the excavations (people, huts, tracks, tents etc).

Although parts of the interior of the enclosure have been in arable since the 1940s, no cropmarks were recorded during these short episodes. Most of the area enclosed by the Hatfield earthworks has been in pasture since the 1960s and this usually requires exceptionally div conditions for the formation of positive gropmarks (Wilson 1982, 61). Antiquarian accounts, and the recent ground based surveys, noted local concentrations of ground water, in particular in the henge enclosure ditches. It is therefore likely to be local ground conditions that have resulted in few recorded cropmarks in and around the site, rather than a lack of surviving sub-surface remains. Sub-surface features, associated with the henge and Hatfield Barrow, appear as cropmarks in grass, on aerial photographs taken during the drought of 1976.

The aerial photographs in the national collections record the land-use and illustrate some of the conservation issues associated with the site since the 1940s. In particular, they illustrate that much of the henge enclosure was subject to episodes of ploughing in the mid to late twentieth century. Of note are the vertical aerial photographs which record the site before the construction of Hatfield Farm house in the centre and the row of houses referred to as 'Hatfields' in the south-western parts of the henge in the 1950s, and the extension to 'Hatfields' in the early 1970s (Fig 20).



Figure 20 Marden henge before the construction of Hatfield Farmhouse and the row of houses "Hatfields" NMR RAF/CPE/UK/1821/2157-8, 04-NOV-1946 English Heritage (NMR) RAF Photography.

The 1940s aerial photographs (e.g. Figure 20), and the 1886 Ordnance Survey map, record a curving field boundary between the water meadows and the henge, following the course of the river bluff. This is now partly covered by 'Hatfields'. There is no evidence on the 1940s aerial photographs of a substantial bank, or ditch, at the location of the houses, but it remains possible that the boundary could have fossilised the course of a Neolithic bank and ditch. However, with a lack of appropriate evidence it appears more likely that the post-medieval boundary follows the natural curvature of the floodplain of the river. This supports the suggestion that the earthworks were never part of a complete enclosure and the southern parts of the bank and ditch nearest the river probably represent the original, or close to the original, extent.

In the drought of the summer of 1976, ground conditions were particularly good for cropmark formation and sub-surface features were photographed from the air in and around the site. The Royal Commission on the Historical Monuments of England took specialist oblique aerial photographs in late July 1976 and the Ordnance Survey fortuitously photographed the area for mapping purposes three and a half weeks later. The RCHME photographs are at a larger scale and are more focussed on the location but the OS photographs taken when the drought was probably at its height and the cropmarks fully developed show more detail, albeit at a smaller scale.

Dark marks in the grass indicate the sub-surface remains of the north and east sides of the henge enclosure ditch (Figures 21 and 22). These suggest that the henge ditch was irregular and sinuous, perhaps constructed in piecemeal fashion. There is a marked kink in the central section of the east side of the henge enclosure, close to the Hatfield Barrow. This kink was also established by the geophysical survey, and was observed as a slight surface feature during the earthwork survey. There are several ditch-like features to the east of the henge at this point, but it is unclear if these are modern drainage, natural features, or man-made features associated with the henge enclosure.



Figure 21 Extract from an Ordnance Survey aerial photograph taken in 1976. The henge enclosure ditch is highlighted by cropmarks, visible as a sinuous dark line of irregular width. The Hatfield Barrow is represented by a cropmark in grass to the right of the buildings in the centre of the henge, OS76183 Frame 43 21st August 1976 © Crown copyright. Ordnance Survey.

An unusual feature is visible at the south-eastern terminal of the henge enclosure (Figs 22 and 23). It is adjacent to a small pond and sunken area that appears to curve around the bank of the henge (Fig 22). This pond was fenced-in during the 1950s, by the 1970s was covered in trees and scrubs and today is particularly difficult to access. It is unclear, from the aerial photographs, whether this is a man-made or natural feature.



Figure 22 Archaeological features visible on aerial photographs in and around Marden henge.

The aerial survey evidence for the Hatfield Barrow indicates an asymmetric site of about 75m across, comprising a mound c50-60m across enclosed by a broad ditch (Figure 22). When viewed in stereo, the vertical photographs taken in August 1976 show the barrow as a very low mound sitting in a shallow scoop. This scoop appears to extend asymmetrically on the eastern side of the barrow and may be partially surrounded by a ditch. Both aerial photographs, and recent Environment Agency lidar data, suggest a disturbed area of ground at the location of the barrow. The earthwork survey and the geophysical survey also confirmed the survival of low earthworks and sub-surface features at this point.

A number of later boundaries extend southwards from the barrow. These are not marked on the historic maps but they are parallel and perpendicular to the nineteenth century boundaries associated with Hatfield Farm so it is likely that they are post-medieval in date, perhaps associated with the ridge and furrow which was recorded over most of this area (see earthwork survey above).

The Southern Circle is also recorded on aerial photographs and shows well on the lidar images (Fig 23). Aerial photographs taken in 1946 (Fig 20) illustrate the site before the western parts of the monument were clipped by the house plots and depict it as a substantial earthwork on subsequent aerial photographs and lidar images (Figures 20-23. The bank seems to be spread by ploughing (the field was in arable cultivation in the 1940s) so the original diameter may have been less than it is now. On both aerial photographs and lidar, it appears as a circular bank with a wide internal ditch, or scoop, and within this sunken area there is a central platform. It does not conform to any of the known types of prehistoric monument.



Figure 23 Lidar jpegs for the area of the henge enclosure. The southernmost circular feature stands out next to the Hatfields houses. Lidar tiles SU0856 and SU 0858 Environment Agency D0048684-5 3-4th Nov 2005 © Environment Agency copyright 2005. All rights reserved.

The Beechingstoke/Marden environs

The aerial survey recorded a number of archaeological features near to the henge enclosure. These include areas of abandoned medieval and post medieval settlement around Marden village (NMR Monument 1032804). Parts of these may be the "British Village" noted on Phillip Crocker's plan published in 1821 (Hoare 1821, Plate I). The area immediately south of the river, at the north end of the present village, appears to have been terraced and divided into tofts or crofts. A hollow way extends from east to west across the summit of this area. To the south-west of this, on the east side of The Street, are more fragments of former boundaries. Other property boundaries are visible on the west side of the road, between the church and Marden Mill. Possible croft or field boundaries are situated at the south-west end of the village to the south and south-east of Cedar House. The extensive post-medieval water meadows along the banks of the river Avon were also mapped (NMR Monuments 1507092, 1507099). This complex system of drains and feeders was used to spread an even flow of water over the pasture to raise the temperature of the ground to encourage lush growth of grass earlier in the spring. Possible remains of the former Puckshipton House, and associated boundaries were recorded from aerial photographs and this will be discussed in a separate report (Winton and Carpenter forthcoming). Possible remains of ploughed out medieval or post medieval settlement earthworks or terraces are situated to the east of Puckshipton House.

No prehistoric monuments are visible on aerial photographs immediately around the Hatfield earthworks. It is possible that the medieval earthworks of Marden village, the modern village, or the post-medieval water meadows are masking sites. However, there are areas where one might expect to find sites associated with the henge enclosure, such as the slight rise to the north-east, or the larger hillock to the north-west now surrounded by branches of the river between Patney and Marden. However, there has been relatively little specialist archaeological aerial photography of the area and it is unfortunate that the 1976 drought aerial photographs, which record cropmarks in grass, were taken when all the arable fields around Marden had already been harvested.

Upper Greensand is generally considered a "difficult" geology for cropmark formation. Nevertheless, traces of ridge and furrow have been seen as cropmarks and soilmarks on the higher ground between Patney and Marden and this may partly explain the apparent lack of prehistoric monuments. The slightly higher pieces of land may have been in cultivation since the medieval period or before and any earlier sites on this relatively fertile sandy soil long since ploughed away. Elsewhere, prehistoric monuments survive underneath former areas of ridge and furrow and can appear as cropmarks when the rigs have been ploughed level, for example on the fringes of the Gloucestershire Cotswolds (C Stoertz pers. comm.). In the lower stretches of the Avon valley in Hampshire, cropmarks of round barrows have been recorded where areas of former water meadows have been put into arable (Young 2008, 33-5, figs 17,18). Accordingly, there is still potential for prehistoric sites to appear as cropmarks in the local area. A cluster of prehistoric funerary monuments is situated on a low north-south ridge c550m to the south of the Hatfield earthworks (Fig 24). The remains of five possible round barrows are visible as cropmarks of ring ditches of varying sizes and appear to be arranged roughly parallel to the ridge. At the northern end of the barrow cemetery, perpendicular to the ridge, are two possible oblong enclosures. These may be the remains of mortuary enclosures but the cropmarks have only been photographed once so it is unclear if they genuinely represent sub-surface remains. Further work, in particular geophysical survey, could determine how well preserved sub-surface remains are and establish if there are any other associated features at this site.




Figure 24 The barrow cemetery and henge close to Marden and the large barrow cemetery south-east of Wilsford.

To the south-east of the barrow cemetery, on the east side of the ridge and within the parish of Wilsford, a monument is defined by a broad and very irregular pennanular ditch which measures between 5m and 14m wide (NMR Monument 1002029). The internal diameter of the enclosure is 43m and there is an entrance, 12m wide, which faces north-east, roughly in the direction of the contour, towards the River Avon. A line of eight pits curves around part of the enclosure, facing the entrance. More pits are situated on the east and south sides of the enclosure. This Class I henge has certain points in common with Marden. Both are defined by irregular ditches, perhaps suggesting that both were constructed in an episodic fashion, and both face the river. That, however, is where the

parallel ends. No trace of an external bank is visible at the Wilsford henge, but this does not mean that one did not exist. If there was an external bank then it may have partially overlain the pits surrounding the enclosure. The pits themselves are irregular and are not parallel to the enclosure, probably indicating complex phasing in the construction of this monument.

Approximately 2.5km downstream from the henge, to the south-east of Wilsford, a large round barrow cemetery is located on the edge of the floodplain of the river. The water-table here may have been different in prehistory, but nevertheless it is quite possible that the barrow ditches were seasonally flooded when in use. This location is comparable to the Neolithic and Bronze Age funerary monuments found in the lower Avon Valley at Fordingbridge and elsewhere in Hampshire (Young 2008, 33-35, figures 17, 18) or to the Upton Lovell barrow cemetery alongside the River Wylye in Wiltshire (Eagles & Field 2004, 61-2: Field 2008, 78).

Aerial survey in the Vale of Pewsey

The analytical aerial survey component of the project included coverage of a contextual area in the Vale of Pewsey situated between the chalk escarpments of the Salisbury Plain Training Area and the Marlborough Downs. The pattern of the evidence plotted from aerial photographs is partly determined by the underlying geology and historic and modern land use in the Vale of Pewsey.

If one assumes that the, mainly nineteenth century, geological mapping is accurate for the Vale of Pewsey (Geological Survey of England Sheets 252, 266) then archaeological monuments can be seen to generally survive as earthworks on the Upper and Middle chalk of the escarpments to the north and south of the Vale. Monuments appear on aerial photographs as cropmarks in the locales subjected to medieval, post medieval and modern ploughing; the areas of Middle Chalk, the Greensand and the valley gravels on the floor and edges of the Vale. The known prehistoric sites cluster along the edge of the chalk escarpment to the north of the Vale and along the tributaries of the Avon to the south and east of Marden. These include a number of possible Neolithic or Bronze Age sites which may have had an association with the henge enclosure at Marden, either in terms of inter-visibility, or because of a common link provided by tributaries of the river Avon. Concentrations of Neolithic or Bronze Age barrows were recorded to the east of Marden along the other branches of the Avon that flow through North Newton, the Manningfords and Woodbridge before the confluence with the "Marden Avon" at Rushall.

There is a line of, slightly dubious, round barrows along the southern edge of the Vale on the boundary of the uplands of Salisbury Plain. However, there is no evidence of comparable variety and quantity to the range of prehistoric sites, especially from the Neolithic and Bronze Age, found on, and below, the chalk escarpment to the north of the Vale of Pewsey (Pollard 2005, fig 10:1; Cleal 2005 fig 11:1)

Few prehistoric sites appear in areas of Greensand and those that do include the Hatfield earthworks and a small cluster of possible prehistoric funerary monuments situated between Bottlesford and Frith Copse (NMR Monuments 1477059, 1477208). Swanborough Tump (NMR Monument 221166), apparently used as a medieval Hundred meeting place (Mawer and Stenton 317, 320), survives as an earthwork mound in Frith Copse and could have originally been a Bronze Age Barrow.

These possible funerary monuments, including the earthwork in Frith Copse, appear to be aligned north-east to south-west on a south facing slope of a knoll on the northern edge of the Vale above the Bottlesford and Manningford branches of the river Avon. Their situation is in contrast to the other barrows in the Vale, which almost exclusively cluster close to the river. Other possible barrows are visible as ring ditches, each in close proximity or associated with unusual enclosures, to the north of Tawsmead Copse on the lower slopes of Woodborough Hill and on the western side of the Knoll by Allington. These ring ditches highlight the potential for discovery of further funerary monuments on the low hills, and in the woodland, between the chalk escarpments.

A possible lost barrow site is named as the "Sand Barrow" in boundary charters for North Newnton dated 892 and 934 and mentioned as 'Priest's Seat' in the charter for the neighbouring estate of Beechingstoke in 943 (Grundy 1919, 189, 270). The descriptions of the boundaries suggest that Sand Barrow is situated at the north-west corner of the parish of North Newnton, around a kink in the North Newnton parish boundary where an old track from Puckshipton meets the Broad Street-Hilcott road at the west end of Gores/Bottlesford (E Carpenter pers comm). The barrow name implies it may be comparable in composition to the collapsed Hatfield Barrow and its existence also highlights the possibility of more 'lost' barrows on the Greensand in the Vale of Pewsey.

There is much evidence of medieval and post medieval agriculture throughout the Vale. The north and south facing chalk escarpments are lined with terraces created by contour ploughing, while remains of ridge and furrow associated with open field systems are scattered across the area. Additionally, post-medieval water meadows are frequently located along the streams and rivers. Finally a pattern of nineteenth and twentieth century enclosed fields, drains and 'ridge and furrow like' pasture improvement overlies much of this evidence and it may be that this later land-use is masking prehistoric sites. It is equally possible that prehistoric sites lie beneath medieval and post medieval settlements, although so far there is no evidence to demonstrate if this is so.

DISCUSSION

Marden is one of only four known henge enclosures or 'mega-henges' in the UK, two of which, Durrington and Avebury, lie within World Heritage Site boundaries, while a third, Mount Pleasant, near Dorchester, Dorset, is almost levelled by cultivation. Despite its central position within Wiltshire, the Marden henge enclosure, the largest in Great Britain, has seen little investigation. The present survey has encountered and grappled with certain challenges for, unlike the chalk, the Greensand soils of the Vale of Pewsey are unresponsive to both cropmarks and magnetic signals. Similarly the soils are easily eroded and levelled leaving few subtleties to be observed as earthworks. Despite this, the multidisciplinary survey has introduced a considerable amount of fresh evidence, clarified certain points and provided the basic data for new interpretations. The result revealed by separate methods is, in each case, a response to slightly different criteria but, regardless of this, there is a surprising degree of correlation and agreement between each and features identified by them complement and contribute to the establishment of a satisfactory overall picture (Fig 25 and 26).

The extant components comprise a series of straight lengths of bank and ditch linked together to form a loose inverted U-shaped enclosure that utilises the bluff bordering the River Avon to complete the southern part of its circuit. Within, are two major circular settings, one the northernmost, almost levelled, is known as the Hatfield Barrow, the other, situated south of the first, is referred to here as the Southern Circle.

The henge enclosure

Despite attempts at levelling and a regime of cultivation that persisted until the 1960s, much of the bank and ditch of the henge enclosure still survives as an earthwork. The agricultural episodes have ensured that, apart from a stretch in the west preserved under trees, few surface subtleties remain to be investigated and interpreted. Sufficient remains, however, to indicate that several phases of construction might be present although it is difficult to suggest what form these might have taken.

The overall plan is of a disjointed monument that appears to have been constructed in separate segments. Indeed it is possible that a number of completely separate long mounds were conjoined. There is no evidence on the outside of the bank of a ditch that might indicate that one or more long barrows in the traditional sense were present, but ditched enclosures of the type noted at Dorchester on Thames (Atkinson *et al* 1951, site VIII) which measured 60m by 20m, or the long mound and enclosure adjacent to palaeo-channels at Raunds might provide a template (Harding & Healy 2007, 54-63; 94-98). Each of those reached in excess of 100m, in one case 117m, in the other 135m and this corresponds well to the straight lengths of earthwork noted here. The location of the Raunds examples, adjacent to water, is noteworthy. Evidence for this disjointed arrangement of straight lengths can be seen at the northern entrance, which is in reality a gap between segments set at different angles rather than what is usually understood to be

a planned entrance. Whether the bank terminals at this point were enlarged as they were at, for example, Avebury (McOmish *et al* 2005, 21) and Penrith (Topping 1992) cannot now be established as a result of the destruction that has taken place.

In the area around the north entrance, the bank and ditch responses broadly align, although the aerial survey depicts a larger (longer and wider) bank than the earthwork survey. The aerial survey also shows a longer ditch and this correlates both with the excavation and resistance results. Earthwork and magnetometer surveys both identified a slot trench placed across the bank, along with the large excavation trenches across the ditch and bank (Wainwright *et al* 1971) but none of the surveys recorded the site of the excavated timber circle (Geophysics Area G-H).

The greatest problem lies in the east where the bank is missing from some 90m of the circuit and where the plan prepared by Wainwright *et al* (1971) depicted an entrance. Broadly speaking all survey techniques agree on the general alignment of bank and ditch here, but both aerial and geophysical survey indicate the former course of the earthworks. The end of the bank noted in the earthwork survey matches well with the high resistance anomaly. From the air, the course of the ditch can be seen to change angle away from the general alignment and continue in a straight line for 100m before rejoining the earthwork, again at an angle. Two narrow gaps some 35m apart are present in this section, one of which – the most northerly - may coincide with that depicted on the plan published by Wainwright *et al* (1971), although at 20m wide that far exceeds it in width. Just within the enclosure opposite the gap the aerial survey plot marks the position of a further depression and, should this be the site of an entrance, this would effectively provide a screen or filtering process. However, the magnetometer plot depicts this depression and gap as corresponding with a 19th-century fence line, a feature also recorded in the aerial photographs

Similarly, the southern of the two gaps visible from the air is not clear on the magnetometer plot as ferrous interference from a fence line obscures detail. In addition, the response may reflect the position of a buried pipe laid to assist drainage in the area (Fig 16, m3-14). The square array survey for this part of the site is not clear, for while it identified the present bank terminal, an anomaly at r6 to the south of this is not easily interpreted. With this uncertainly and lack of clarity considerable problems remain here. Was there an entrance at this point or not? This is the area that was evidently severely damaged by the road depicted on Crocker's plan (Fig 4). The line of this can be partially seen in the earthwork plan (Figs 9 and 11). It seems that the track initially utilized the ditch as a thoroughfare and then cut obliquely through the bank. Whether it used a pre-existing gap or was the cause of a gap is unclear but it may have later been used to erect fence lines. Ultimately, there is no clear evidence of an entrance at this point.




Figure 25 Comparison of the earthwork, magnetometer and aerial survey results.



Figure 26 Comparison of the earthwork, earth resistance and aerial survey results.

Further to the south-east an entrance gap visible on the surface is noted on the earthwork plan. Again the ditch and bank responses on all three surveys correlate. The magnetometer survey depicts a widening at the northern ditch terminal as does the resistance (r8 on Fig 19) (see Area B). Whether this is an historic or original feature is unclear but it is worth noting that expanded banks and ditch terminals are a feature of some henge entrances (Topping 1992). Here the northern ditch terminal is expanded and the surface observation is corroborated by the depiction in the resistance plot. The causeway across the ditch, however, does not extend cleanly through the bank at this point and consequently there is the possibility that the entrance may be a later cut. However, Atkinson's (1951) analysis of henges demonstrated that the entrances of Class II examples are often aligned to the south-east and so it would be of no surprise should this prove to be original.

South of the south-east entrance, i.e. in Area C, the line of the recorded ditches all agree. The aerial photograph evidence is intriguing for it implies that the terminal of the bank may have a ditch on its south and east sides. This would be unusual but, compared to elsewhere the bank here is of massive size. This may be a result of the type of terminal enhancement described by Topping (1992), but it may equally relate to later activity.

The interior

Other than the circles described below, there is little evidence of the presence of features elsewhere in the interior. This might be considered surprising given the post-holes discovered by Wainwright et al (1971, 192-3) within the north entrance. Additionally, the recent excavations at Durrington Walls that revealed the presence of buildings led to awareness that similar structures might be present at Marden. The surveys of surface undulations, whether ground based or by lidar, are however, heavily influenced by the cultivation ridges that obscure earlier activity and to some extent these may have also had effect on the vegetation patterns and cropmarks. The lines of ploughing have also been recorded in the magnetic data within and to a lesser extent outside the enclosure. Despite this, the resistance data depicts a scatter of anomalies some of which could be prehistoric although none can be grouped to form convincing structures. Cunnington appears to have excavated at a location in a ploughed field to the west of the Hatfield barrow. It is unlikely that he was simply testing the area and probable that some feature invited his attention. This may have been in the area currently occupied by the farmhouse and gardens.

The earthworks adjacent to the modern road to the south of Hatfield Farm are likely to represent the former presence of a shed or barn, but there is no trace of these in the magnetometer results (Area F) but the response to the ferrous pipes in this area has largely obscured other detail.

While the site was initially considered as a parallel for Durrington Walls by O G S Crawford (1929), the large size and irregular plan of Marden ensured that it did not figure

largely in the subsequent development of earthwork typologies. Clark (1936) described it as of vast size and of irregular form but its internal ditch allowed him to list it simply as a probable henge. Clark described these monuments as having one, or two-opposing entrances, but it was the classification of earthwork circles in Dorset according to the number of entrances that had greater influence (Piggott & Piggott 1939) and Atkinson subsequently went on to divide henges into Class I and Class II accordingly. With some initial caution, he (1951, 104) considered that if Marden is a Neolithic henge monument then it is probably of Class II i.e. with two entrances and 'by far the largest so far discovered'. The henge class of monuments was further sub-divided and the extremely large ones, i.e. those above about 300m in diameter, placed in a separate category of henge-enclosures (Harding & Lee 1987) and consequently the site has been referred to as such in this document.

Like many monument types these were seen as structures designed and constructed as entire monuments. Archaeological work in recent decades on a variety of Neolithic and Early Bronze Age monument types has, however, led to the view that the many such sites were constantly changing; ditches re-cut or remodelled at causewayed enclosures (Oswald et al, 36-39) and the nature of the site transformed (Bradley 1998); round barrows preceded by numerous phases of palisade settings and ditch recutting (e.g. some of the barrows at Shrewton mentioned by Green and Rollo-Smith 1984). Indeed the construction of barrows both long and round is now seen as merely the final manifestation of work on the site, something that effectively and crucially puts a long established site out of use. A similar process can be detected at henges. The massive bank at Avebury was erected over an earlier earthwork (McOmish et al 2005, 20-1) while recent work at Durrington Walls has made it abundantly clear that the ditch and bank were constructed over a pre-existing site consisting of large numbers of structures (Parker-Pearson 2007) effectively closing it down and putting it out of use. This process of change, addition and embellishment, is a process that we might actually expect to find at Marden with the bank and ditch simply representing the final phase of activity.

The circles

All survey methods agree on the location of the Hatfield Barrow as well as in certain of its details, but each makes its unique contribution and adds components that the others do not. The aerial photographs depict a ditch that is open on the south, but which has two concentric elements as if the barrow had two ditches (?one a possible recut), or as if the ditch was lined or revetted in some way. Each of these is variable in its form with frequent bulbous stretches or intersecting cuts. The inner of the two clearly circumscribes what must be the mound or at least a plinth on which it sat. The outer is slightly elongated in the east as if there has been some disturbance or feature at this point resulting in a somewhat ovoid plan. The resistance plot depicts a sub-circular core, which presumably marks the position of the mound, surrounded by a very wide ditch that has two protuberances on the east in contrast to the single one depicted on the aerial photographs. The earthwork survey also produced evidence of a wide ditch, again with a

bulbous extension in the east. It depicted the edge of the mound as disfigured by cultivation and with an irregular sub-circular feature set at the centre on what is a slightly higher plinth.

All techniques depict the ditch as relatively broad and this concurs with the observations made by individuals during the earlier years of the 19th century. Given the diameter of the mound and the height recorded by Hoare and depicted on Speakman's 1726 map (ibid), if the ditch provided material for a significant part of the mound it may also be of considerable depth and given the nature of Neolithic and Early Bronze Age architecture described above is likely to have seen episodes of re-cutting. All surveys agree that there is an anomaly or extension of some kind in the east, though each depicts it rather differently. Exactly what this feature represents is difficult to tell. Additionally problems of interpretation regarding the henge enclosure bank occur in this area. One possibility given the nature of the local geology is that a small spring or springs erupted at this point and broke through into the henge ditch and it is worthwhile recalling Hoare's account which describes the Hatfield Barrow ditch as deep in water. Additionally, the account by James Norris indicated that in 1798 the ditch which was 'constantly supplied with water by innate springs, forms a sort of moat, which does not become dry even in the midst of summer' (Withering 1822, 236). Additionally, the feature recalls the extension to the west of the Silbury Hill ditch which has been described as a cistern or water tank (Field 2002: Leary and Field forthcoming) that appeared to incorporate the Beckhampton stream.

The bulk of the mound can only be estimated from past description, in particular that illustrated by Speakman on the map of 1726. The scale in chains may not have been intended to apply to this perspective sketch, but if it did the mound as depicted might have been about 65m in diameter, not too dissimilar from the 70m recorded here by the earthwork survey. This along with the fact that the rest of the mapping appears to be of quite reasonable accuracy for the period encourages a degree of confidence in the depiction of the form of the mound. However, the same scale would indicate that it was of some 35m in height and given the height of Silbury Hill at a mere 30m, this seems extremely unlikely. Of course, some artistic license will be inherent, but this aside the indication of great height might otherwise be accepted. Already under cultivation by 1798 (Withering 1822), Gough's edition of Camden's Britannia published in 1806 indicated that it stood to some 15m at that time, although it may be that a height of about 9m, alluded to by the correspondent to the Salisbury and Winchester Journal in 1776 was closer to the mark since it correlates better with Cunnington's indication that it had been reduced to 7m by 1809; the implication then being that it had lost 2m to cultivation in just over 30 years. The accuracy of Cunnington's figure is uncertain as it has been suggested that he invariably measured from the bottom of the ditch to the top of the mound (Cunnington 1955, 7) and if that applied in this case the true height of the mound would be considerably less. Even so all this indicates that the mound was indeed of considerable proportions and can be placed alongside a number of other large mounds within Britain. Atkinson's second phase mound at Silbury Hill would have achieved some 66m in diameter and a height of 10 or 12m, but aside from this, the largest barrow in Wiltshire is

that overlooking the Avon at Compton which, at 46m across, reaches 6m in height and was suggested as being potentially Neolithic in date by McOmish et al (2002, 39-40). In contrast, at only 1m in height, a second barrow, Westbury 7, at 43m diameter is listed as Neolithic by Kinnes (1979). Further afield comparisons can be made with New Grange in Ireland which at a maximum of 85m in diameter reaches 13m in height (O'Kelly 1982) and Le Hougue Bie on Jersey, which has a chapel on the summit and measures 50m in diameter and 12m in height (Burl 1986, 236).

Setting aside the dimensions, the frequent mention by Cunnington of ashes and charred wood found during his excavations is worth consideration. A 'cone barrow' of the form described by Hoare (1812) i.e. similar to that depicted in the Speakman map, one of the Sling Camp group situated at Bulford, was excavated by Col Hawley (1910, 618-9) and found to have been built over a pile of ashes and charred wood reaching over 2m in height, such that when one of Hawley's workmen was buried up to his shoulders he called a halt to the proceedings. The depression noted by early observers in the summit of the Hatfield Barrow could have occurred as a result of a similar interior collapsing. Cunnington's descriptions of the ash, charcoal and animal bone deposits at various heights in the mound are more in keeping with layers of 'midden' material. However, the validity and implications of the survey comparisons remain to be tested and while they have added significantly to our knowledge of the site, further exploration is required to further understand the nature of the Hatfield Barrow.

The Southern Circle is equally curious. Evidently of similar overall diameter, its components differ markedly. The enclosing bank is wide and the internal ditch deep and broad with a small offset plinth set within. While aerial photographs do not portray it well and the magnetometry plot is unclear, the lidar model best illustrates its dramatic form. Cut deep into the ground surface with spoil placed neatly around, it depicts a sunken amphitheatre-like monument that is almost the inverse of the once prominent high mound to the north. The earthwork survey provides some clarity while the aerial photographs point to a potentially much broader outer bank. However, the resistance results introduce the clearest detail and suggest that the original outline may have been a little more sub-square than circular: at least some straight edges can be made out. The outer edge of the earthwork feature roughly aligns with the outer circular low resistance anomaly. The inner circular resistance anomaly is then placed more or less where the earthwork survey indicates the position of the edge of the ditch lies.

Most intriguing is that the resistance survey indicates the presence of concentric ditches beneath the bank. One way of interpreting these is as palisade slots that supported a revetment for the bank material, and there are high resistance responses between the ditch anomalies which could correspond with the presence of a bank, however, at 2-3m they would appear to be too wide for that. In addition, the resistance responses are also segmented, something not replicated in the other survey results and it may be that instead they refer to an earlier phase of the monument.

All surveys depict the central platform as offset to the north-east, although there is a better correlation between the air photograph plot and the resistance results than either of those with the earthwork survey. It might also be pointed out that a low resistance response is odd for a mound of material.

Although no gap in the bank is evident, there is an unexplained anomaly in the north of the circle that could mark the position of an entry point but it is partially masked by a hedge that cuts across the site. This is of potential importance as such an entrance could indicate that the circle has more affinity with henges than with round barrows. The single entrance in the north-east at Woodhenge, for example, is a similarly low key affair and easily missed. Although the bank at the Marden example is substantial enough for a henge, without an entrance the depressed or hollowed area in the interior would be without a parallel. Greater problems attend any suggestion that the site is a barrow, for the bank is much too substantial when compared to other barrows within Wessex and the internal platform is offset and too slight for it to be considered as a saucer barrow as has been suggested in the past (Grinsell 1957, 37). The major feature, the deep hollowing, does invite comparisons with pond barrows, but banks of this size are unknown around such monuments while the internal platform would be quite anomalous. Wainwright et al (1971, 183) invited comparison with the 'Dough-cover' appearance of Woodhenge, the interior of which, prior to the discovery of post-settings, was dome-shaped and the site described as a denuded disc barrow (Cunnington 1929). Some henges, the Bull Ring in Derbyshire for example, also exhibit a dome-shaped interior as may Avebury have done prior to cultivation of the interior, and while it is possible that this represents weathering it has been suggested that chamfering of the edges might have been an intentional feature (McOmish et al 2005). What may be the inverse of such domed structures can also be identified. The henge enclosure at Durrington Walls is constructed in a natural curved depression, which construction of the surrounding banks appears designed to enhance, while artificial depressions created by shaving off layers of earth and referred to as earthen embanked enclosures, are present in Ireland (Stout 1991: Condit & Simpson 1998, 45-50). Generally found in river valley environments, these are circular enclosures, formed by scraping up material from the interior to provide material for an enclosing bank leaving the interior dished or pond-like.

Aside from the problem of an entrance, the Southern Circle with its wide bank and ditch sits comfortably amongst other small henges many of which, for example, King Arthur's Table, Cumbria (Topping 1992) are similarly located only metres from a river. The overall size of the Southern Circle almost matches in diameter the Hatfield Barrow with its encircling ditch and their position relative to the surrounding henge enclosure recalls the north and south circles at Avebury, although there of course in stone. Given the great width of the Hatfield Barrow ditch and the potential remodelling it is worth considering that it also originated as a henge with its external bank long since levelled.

As an alternative, one unusual ceremonial site that might be compared is the pit circle/shaft complex excavated by Martin Green at Monkton-up-Wimborne on

Cranborne Chase (Green 2000, 77-84: French et al 2007, 114-122). This feature incorporated a vertical-sided pit 1.5m deep and 11m in diameter with a shiny flat base that appeared to have been polished. The spoil from the pit is thought to have been thrown outwards and placed around the periphery of the pit as a bank, although surface features had long been levelled and were not now in evidence. If it had survived as an earthwork, however, it would have manifested itself as a broad circular bank enclosing a hollowed interior not dissimilar from the Southern Circle at Marden. Excavation of the base of the Monkton-up-Wimborne site demonstrated that offset to one side was a 7m deep shaft, the spoil from which had placed on one side to form a plinth within the hollow. This was thought to provide a focus for feasting and ceremonial activity.

No date is available from either the Hatfield Barrow or the Southern Circle, although in the case of Monkton-up-Wimborne quoted above, four skeletons set together in a cavity cut into the angle of the wall and floor were associated with Mortlake Ware pottery and a C14 date of 3500-3100calBC (French et al 2007, 118). While the parallel is tenuous it does provide a salutary reminder that the Southern Circle and indeed the Hatfield Barrow need not have originated in the Early Bronze Age but could be Middle Neolithic in date, in which case they would represent the earliest features on site. Indeed the position and size of the two circular features, both centrally on the spur and with regard to each other suggests that they may be related.

Geophysical survey in the area around the Southern Circle also established the presence of a ditch that emerges from its south tangent and extends to the east for c90m before curving northwards alongside the shallow dry valley identified on the earthwork plan (Fig 9). Here the low resistance anomalies are very similar to those of the circular segmented ones of the Southern Circle. Following the river bluff for part of its course, it is conceivable that this is a palisade trench that, in part at least, performed the function of boundary on this side of the henge enclosure. The aerial survey plot also depicts a substantial feature that extends along the base of this valley and which must have run parallel to the ditch at this point. It is presumed that the dry valley formed as a result of the erosional effects of a former spring and that weathering may have revealed a stratum of hard greensand on the valley floor resulting in the marks on the aerial photograph plot. However, it is worth pointing out that the valley affords probably the best route for accessing the river valley from within the henge enclosure and it is not inconceivable that the cropmark represents the position of a formal avenue to the river as was recently demonstrated existed at Durrington Walls (Parker Pearson 2007).

Context

Immediately north-east of the enclosure and hard against the henge enclosure bank is a hill some 1 Im in height but perhaps 250m across (best depicted on the lidar plot Fig 23). It is presumably of natural origin though ought to have weathered in a similar way to the surrounding land and there remains an outside possibility that it was a cultural construction. The proximity of this and the fact that it overlooks the enclosure

supplements the view that there was no intent of fortification of the enclosure, something long ago observed by Cunnington, and serves to confirm the non-defensive nature of the site. It also indicates that the enclosure banks were not designed to keep observers from seeing in and that any ceremonies could not have been of a restricted nature, for it would have provided the perfect grandstand view. No feature could be detected on the summit or around the slopes on aerial photographs, but it is difficult to imagine that it hill did not figure in some way in the site's function.

Whether sarsen formed a component of the henge enclosure, or indeed either of the internal circles, is unclear. Before he was influenced by Hoare, Cunnington appears to have believed that the enclosure had contained a stone circle or at least settings similar to those at Avebury. Following his initial fieldwork there, he wrote to William Owen, 'for in passing over the narrow bridge and horsepath from the Mill to the Work you perceive a great many Sarsen stones in the water, - these are not so large as those in the outer circle of Stonehenge yet several of them are as large as those in the inner circle of the latter place. A farmer told me that he thought that they were probably brought from the Kennett and placed there to protect the banks from being washed down by the stream but this is by no means probable - on the road a little way from the Mill is a Sarsen much larger than those in the water '(Devizes Museum Cunnington MSS Book 10, 49). Sarsen boulders occur quite naturally in the Vale of Pewsey and are repeatedly encountered during cultivation. Many lie prone around Stanton St Bernard, to the north-east of Marden, a place-name that appears to derive from their presence. Boulders have been set upright to the north-east of the enclosure at NGR SU 09505898 and further north-east at SU1040594 and piles can be seen in farmyards or decorating gardens. Local Historian Brian Edwards (pers comm) noted several sarsen boulders dumped at Marden, while Derek Elliott, of Littleton Panel/West Lavington and working for Lawton's before Wainwright's excavations in the 1960s, remembers clearing sarsen from the henge (Paul Robinson pers comm).

The irregular form of the enclosure at Marden contrasts with its almost circular counterparts at Avebury and Durrington Walls, and with smaller henges at Knowlton and elsewhere. The circular henges have been suggested to have represented a metaphor of the surrounding topography – there is a similar envelope of high ground at Marden yet the henge enclosure has a distinctly asymmetric shape and instead appears to have an affinity with the water and the course of a meandering stream (see discussion below on water in the ditches).

Superficially, the henge enclosure seems to be of a single phase in comparison to, for example, Mount Pleasant where the monument was considerably altered, but this is unlikely. The earthwork plan depicts some phasing in the western arm of the bank and while this could have been restricted to that area it is likely that this is an indication that the rest once exhibited similar phased events. Whether these relate to an original, i.e. Neolithic modification or to subsequent refurbishment is difficult to know. Given the attacks on Wessex described in the Anglo-Saxon Chronicles and responses to them at

places like Yatesbury, Avebury and potentially Silbury Hill (Reynolds 1999, 94) it is likely that ruined but extant earthworks across the Vale were brought into use. The cultivation has ensured that now only excavation will establish any sequence of events. Like other major henge enclosures it has been embellished with circular features, although like those at Avebury, the place of these within the chronological sequence is unknown. Other than that excavated by Wainwright et al, it does not appear to have the embellishment of timber settings as seen at Durrington, nor is there evidence from the geophysical or aerial surveys to indicate the presence of stone settings as at Avebury or Arbor Low. Careful scrutiny of the magnetometer and resistance plots does, however, indicate some potential.

Location

The henge enclosure is situated centrally within the Vale of Pewsey in which the respective chalk escarpments of Marlborough Downs and Salisbury Plain are prominently visible to north and south respectively and which provide a perfect frame or natural boundary to the landscape. With outlets to west and east, they also encase the area within a natural henge-like environment. This is a classic low-lying location for a henge monument (Richards 1996: Harding 2003). At Marden, however, there are certain problems with this now widely accepted interpretation. The earthwork does not complete a circuit and consequently the hills to the south are therefore not represented in the monument. Further, whereas the Vale is open to the east and west; the henge is enclosed on those sides. There is an additional point that, in framing the horizon the view north to the escarpment is interrupted by the hill immediately beyond the bank in the north. It could be, of course, that the Hatfield Barrow was constructed to mimic that, but it all supposes that the monument was built to an overall blueprint, which is inherently unlikely.

Richards (1996) drew attention to the association of henges with water and Marden is quite typical in this respect. The striking feature about the landscape position of the henge enclosure is its relationship to the river. The major part of its bank, the curving northwestern component, faced immediately up the valley as if in a gesture related to that approach, with the northern entrance positioned as if to funnel or channel the water into the interior. Alternatively, as a landscape metaphor it might be seen as mimicking the river bluff and simply guiding the water around another meander. The relationship of river and enclosure earthwork was evidently a close one. As noted above, the enclosure ditch was observed as waterlogged during field work (Fig 28) and was noted as such during excavation by Wainwright et al (1971). The latter recorded the water table at a depth of 2.9m which corresponded with the base of the Neolithic ditch at the causeway. Elsewhere, the ditch was deeper leading to waterlogged deposits. Wainwright et al considered that the water-table must have been lower during the Later Neolithic period otherwise it would have been difficult to dig the ditch. Whether it was indeed lower is a moot point. Atkinson suggested that it was so at Silbury Hill in order to explain how the ditch was constructed, but evidence from the ditch silts was of fluvially deposited material

and he was therefore led to suggest that the water table rose during the Bronze Age i.e. at a time when the climate was supposedly improving.



Figure 27 the level interior with ditch and bank in the middle distance. Beyond it lies a natural hill (in cultivation) which rises to the right of the picture and overlooks the interior. At greater distance is the escarpment of the Marlborough Downs.

Since then evidence has rested with John Evans' observation of the presence of poolloving molluscs in the floodplain at Avebury and his interpretation that these must represent pools of water left in a drying stream bed. More recent observations, however, indicate that pools of water only collect when the absorbent chalk is sodden and incapable of holding more water. However, both the military and modern water companies extract huge quantities of water from the aquifer, such that the Nine Mile River on Salisbury Plain and the headwaters of the Kennet on the North Wiltshire Downs often run dry in summer months. Modern observations indicate that the water levels fluctuate dramatically according to the time of year, leading to the use of wells in the summer, but with winterbourne streams erupting during the winter.



Figure 28 The ditch in the east still carrying water in April 2009.



Figure 29 The floodplain with the henge enclosure situated on the river bluff beyond.

It is quite possible that both the Silbury Hill ditch and the Marden henge enclosure ditch carried water. Avebury is set slightly above the valley floor, nevertheless Passmore (Devizes Museum: Passmore MSS) suggested that the bottom of the immense ditch reached a level OD similar to that of the Kennet stream and may have carried water. Harding (2003, 54-5) provides other examples of henges that may had had wet ditches, if only seasonally, among them Milfield North and South in Northumberland, Cairnpapple Hill in Lothian and the Bull Ring in Derbyshire.

Other features at Marden may also have contained water. Hoare noted that the Hatfield Barrow ditch retained water and it is equally likely that the Southern Circle did also. In fact, should the latter have done so; its internal platform may have stood clear and be related to some water related ceremonial process.

Given this proximity to the Avon, it is to be expected that much activity took place on the floodplain itself. Where available for inspection, the bluff is proud with no obvious earthworks indicating original points of access. The line of the existing roadway is one possibility but a second must be the dry valley in the south-east of the site. This has a strong linear cropmark along its centre (Fig 22) that could indicate the presence of a formal way.

In terms of landscape position (Fig 30), Waulud's Bank, Leagrave, Luton, Beds, which has often been suggested to be a large henge enclosure, compares particularly favourably to the site at Marden. Like Marden, the earthworks here form an irregular plan, crescentic with the river forming the western side. It actually encloses five springs at the source of the River Lea. The major and perhaps fundamental difference is that at Waulud's Bank the bank lies inside the ditch and the site cannot therefore be described as a henge or henge enclosure. It is by no means clear that it is a Neolithic site, but an excavation trench cut across the ditch by James Dyer in the early 1960s revealed two sherds of Grooved Ware. Beyond the ditch a small circular hut some 2.4m (8ft) in diameter formed of stake holes was encountered with five flint flakes in-situ on its floor. (Dyer 1956, 9-16; 1961, 57-64). Further excavation by Dyer in 1971 confirmed that the ditch was flat bottomed, 1.8m (6ft) deep and just over 9m (30ft) wide and considered by him of Neolithic date. The front of the inner bank was revetted with turf and sealed below it were sherds of Windmill Hill style Neolithic pottery and flintwork (Kennett 1972, 3) and a further account records the presence of Peterborough ware and Grooved ware sherds (Anon 1972). Given the context of other henge enclosures one might expect other ritual monuments, i.e. those associated with the Neolithic and early Bronze Age 'ritual landscape', to be located within the vicinity. The aerial survey did not isolate any previously unknown features in the immediate vicinity of the henge but a pattern of monuments can be seen flanking the river. On a low north-south ridge c550m to the south of the Hatfield earthworks (Figure 24) is a small henge (NMR Monument 1002029) adjacent to which is a small barrow cemetery and what appears to be a mortuary enclosure. It is unclear if these prehistoric funerary monuments are somehow associated

with the Hatfield earthworks as they could equally form part of pattern of monuments focussed on the river, as is the case further south and east.

At just a little further distance downstream to the south-east of Wilsford, just inside the Charlton parish boundary, there is a cemetery comprising 16 ring ditches (Fig 24), measuring between 20m and 50m across. Some of these ring ditches survive with shallow traces of mounds, but they were positioned immediately adjacent to the river and, like the works at Marden, may have been seasonally flooded with the ditches likely to have held water.

The wider vale

The evidence of prehistoric finds (information from the NMR and Wilts HER) in the Vale of Pewsey follows a similar pattern to that of the known prehistoric monuments. Clusters of finds are known, usually at well explored sites, along the chalk escarpment to the north of Marden, and relatively few finds have been found in the Vale and on the southern chalk escarpment.

Areas of the Vale to the west of Marden, especially between Wedhampton, Etchilhampton and Patney, were heavily drained in the medieval and post medieval periods and may correspond to the area suggested as marshland in medieval documents (Carpenter and Winton forthcoming). Given the apparent prehistoric preoccupation with the river and springs it is conceivable that this relatively low-lying area may also have been favoured for monument construction, but unfortunately, the pattern of drains and the relatively poorly drained soils make this area less conducive to the discovery of sites from the air. Ground based fieldwork is required to understand the earlier archaeology and geomorphology in this part of the Vale of Pewsey.




Figure 30 The henge enclosure in relation to the local topography.

Unfortunately, there is relatively little specialist archaeological aerial photography of the Vale of Pewsey, especially on the southern chalk escarpment to the south of Marden. This may partly explain the corresponding lack of evidence for prehistoric sites on the Lower and Middle Chalk on the southern edge of the Vale. Modern drainage and a move towards more arable farming in this area may mean that there is potential for the discovery of sites which may have been masked by later medieval and post medieval patterns of land use. In this heavily cultivated zone of the Vale of Pewsey, the survival of sites is entirely fortuitous. It may be the isolation on the fringe of Beechingstoke Manor that has ensured survival of the earthworks at Marden. Despite lengthy cultivation regimes from 18th to 20th century enough remains to indicate broad form and chronology. The sheer size of the earthworks has ensured some survival but where deliberate levelling took place they have they entirely gone.

REFERENCES

Anon 1828 'Druidical circle in the parish of Beechingstoke, in the Hundred of Swanborough, Wilts' The *Crypt, or receptacle for things past.* Volume III. Ringwood: W Wheaton

Anon 1972 'Waulud's Bank' *Current Archaeology* **30**, 173-177

Aspinall, A and Saunders, M K 2005 'Experiments with the Square Array' *Archaeological Prospection* **12** (2), 115-129.

Atkinson, R, Piggott, C K and Sandars, N K 1951 *Excavations at Dorchester, Oxon* Oxford: Ashmolean Museum

Bradley, R 1998 *The significance of monuments* London & New York: Routledge

British Geological Survey 1967 Devizes, England and Wales, Drift Geology Sheet 282. 1:50000

Brown, G, Field, D and McOmish 2005 *The Avebury Landscape: aspects of the field archaeology on the Marlborough Downs* Oxford: Oxbow Books

Burl, A 1970 'Henges: internal features and regional groups' *Archaeological Journal* 126 (for 1969), 1-28

Clark, J G D 1936 'The timber monument at Arminghall and its affinities' *Proceedings Prehistoric Society* 2, 1-51

Condit, T and Simpson, D 1998 'Irish Hengiform Enclosures and related monuments: a review' *in* A Gibson and D Simpson (eds) *Prehistoric Ritual and Religion* Stroud: Sutton Publishing

Crawford, O G S 1929 'Durrington Walls' Antiquity 3, 49-7

Crutchley, S 2000 *Salisbury Plain Training Area: a report for the National Mapping Programme* Swindon: English Heritage

Crutchley 2005 'Recent Aerial Survey Work in the Marlborough Downs Region' *in* Brown *et al* 2005 34-42

Cunnington, M E 1929 *Woodhenge* Devizes: George Simpson & Co

Cunnington, RH 1955 'Marden and the Cunnington manuscripts' *Wiltshire Archaeological* & Natural History Magazine **56**, 4-11

Cunnington, R H 1975 *From Antiquary to Archaeologist: a biography of William Cunnington 1754-1810* Shire: Princes Risborough.

Darling, P, 1998 Aerial archaeology in Africa: the challenge of a continent *AARG News Newsletter of the Aerial Archaeology Research Group* **17**, 9-18)

Dyer, J F 1956 'A secondary Neolithic Camp at Waulud's Bank, Leagrave, Bedfordshire' *Bedfordshire Archaeological Journal* (for 1955), 9-16

Dyer, J F 1961-3 'Waulud's Bank, Leagrave' *Bedfordshire Magazine* 8, 57-64

Eagles, B and Field, D 2004 'William Cunnington and the long barrows of the River Wylye' *in* R Cleal and J Pollard (eds) *Monuments and Culture: papers in honour of an Avebury archaeologist: Isobel Smith* , 47-69 Salisbury: Hobnob Press

Ekwall, E 1974 *The concise Oxford dictionary of English Place-names* (fourth edition) Oxford: Clarendon Press

English Heritage 2007 *Understanding the archaeology of landscape: a guide to good recording practice* Swindon: English Heritage

English Heritage 2009 *Members and visitors handbook 2009/10* Ledgerd Jepson Ltd

Field, D 2002 *The investigation and analytical survey of Silbury Hill* Archaeological Investigation Report Series AI/22/2002 Swindon: English Heritage

Field, D 2008 *Use of land in Central Southern England during the Neolithic and Early Bronze Age* British Archaeological Reports 458 Oxford: Archaeopress

Field, D, Leary, J, Winton, H, Martin, L, Linford, P and Canti, M 2008 *'Marden Neolithic Henge, Wiltshire. Project Design'*. English Heritage.

French, C, Lewis, H, Allen, M J, Green, M, Scaife, R, and Gardiner J 2007 *Prehistoric landscape development and human impact in the Upper Allen Valley, Cranborne Chase, Dorset.* Cambridge: McDonald Institute for Archaeological Research

Garmondsway, G N (trans and ed) 1975 *The Anglo-Saxon Chronicle* Everymans Library Reprint. London: Dent

Gibson, E 1695 *Camden's Britannia* London: Swalle and Churchill

Grinsell, L V G 1957 'Archaeological Gazeteer' *in* R B Pugh and E Crittal (eds) *A History of Wiltshire* volume 1 part 1, 21-279

Green, C and Rollo-Smith, S 1984 'The excavation of eighteen round barrows near Shrewton, Wiltshire' *Proceedings Prehistory Society* 50, 255-318

Green, M 2000 *A Landscape Revealed: 10,000 years on a Chalkland Farm* Stroud: Tempus

Gough, W and R 1806 *Camden's Britannia* London: John Stockdale

Gover, J E B, Mawer, A and Stenton, F M 1939 *The Place-Names of Wiltshire* English Place Name Society Vol XVI. Cambridge: Cambridge University Press

Grundy G B 1919 'The Saxon Land Charters of Wiltshire' *Archaeological Journal* **76** 143-301

Harding, A F and Lee G E 1987 *Henge Monuments and related sites of Great Britain* British Archaeological Reports 175 Oxford: British Archaeological Reports

Harding, J 2003 Henge monuments of the British Isles Stroud: Tempus

Harding, J and Healy, F 2007 *The Raunds Area Project: A Neolithic and Bronze |Age Landscape in Northamptonshire* Swindon: English Heritage.

Hawley, W 1910 ' Notes of Barrows in South Wilts' *Wiltshire Archaeological & Natural History Magazine* 36, 615-628

Hoare, R C 1821 *Ancient Wiltshire* volume 2 London: Luckington, Hughes, Harding, Mayer, & Lepard

Kennett, D H 1972 'Bedfordshire Archaeology, 1971-72' *Bedfordshire Archaeological Journal* 7, 89-98

Leary, J 2007 'A report on emergency recording work at the Hatfield Enclosure, Marden, Wiltshire', *in* D Field *et al* 2008

Leary, J and Field, D 2010 *The story of Silbury Hill* Swindon: English Heritage

Martin, L 2008 '*Marden Henge, Wiltshire: Report on Geophysical Survey, April 2008* English Heritage Research Department Report Series **70/2008**.

Mawer, A and Stenton, F 1939 English Place Names Society vol 16: Wiltshire

McOmish, D, Field, D and Brown G. 2002 *The field archaeology of Salisbury Plain Training Area* Swindon: English Heritage.

McOmish, D, Riley, H, Field, D, Lewis, C 2005 'Fieldwork in the Avebury area', *in* Brown *et al* 2005, 12-33.

NMR 1996 Monument Listing: The Hatfield Earthwork: A Henge and Remains of Monumental Mound at Marden, English Heritage.

Oswald, A, Dyer, C and Barber, M 2001 *The Creation of Monuments* Swindon: English Heritage

Parker Pearson, M 2007 'The Stonehenge Riverside Project: excavations at Durrington Walls', *in* L Larsson and M Parker Pearson (eds) *From Stonehenge to the Baltic* British Archaeological Reports International Series 1692 Oxford: Archaeopress

Piggott, S and Piggott, C M1939 'Stone and earth circles in Dorset' Antiquity 13, 138-158

Reynolds, A 1999 *Later Anglo-Saxon England* Stroud: Tempus

Richards, C 1996 'Henges and water' Journal of Material Culture 1, 313-36

Scollar, I, Tabbagh, A, Hesse, A and Herzog, I, (eds) 1990 *Archaeological Prospecting and Remote Sensing*. Topics in Remote Sensing, **2**. Cambridge, Cambridge University Press.

Small, F 1999 *The Avebury World Heritage Site Mapping Project*. Unpublished English Heritage Report. English Heritage, Swindon.

Soil Survey of England and Wales 1983 Soils of South West England (1:250,000 map) Harpenden: Lawes Agricultural Trust

Stevenson, J H 1975 'Beechingstoke', *in* E Crittal (ed) A History of Wiltshire 10, 14-19 Oxford: Oxford University Press.

Stout, G 1991 'Embanked enclosures of the Boyne region' *Proceedings of the Irish Academy* 91c, 245-84

Thorn, C and Thorn, F 1979 *Domesday Book. 6 Wiltshire* Chichester: Phillimore

Topping, P 1992 'The Penrith henges: a survey by the Royal Commission on the Historical Monuments of England' *Proceedings Prehistoric Society* 58, 249-64

Wainwright, G W, Evans, J G and Longworth, I H 1971 'The excavation of a late Neolithic enclosure at Marden, Wiltshire' *Antiquaries Journal* 51 (2), 177-239.

WANHS 1952 Andrews' and Dury's Map of Wiltshire 1773 WANHS: Devizes

Wilkinson, J 1859-65 *Notes for Parish Histories* Devizes: Wiltshire Heritage Museum Library

Wilson, D 1982 Air Photo Interpretation for Archaeologists Batsford London

Withering, W. (Junior) 1822 *The Miscellaneous Tracts of the Late William Withering, Volume 1.* London: Longman, Hurst, Rees, Orme and Brown (available online at Google Books).

Young, A 2008 *The Aggregate Landscape of Hampshire: Results of the NMP Mapping. Cornwall County Council Heritage Environment Service Report* available from ADS website: <u>http://ads.ahds.ac.uk/catalogue/archive/hantsagg_eh_2008/</u>

APPENDIX I EXTRACT FROM SALISBURY JOURNAL

Extract from the Salisbury and Winchester Journal Monday Dec 2, 1776

To the Printer of the Salisbury Journal.

Uno avulfo, non deficit alter. Virg.

There is, I observe, in your paper of the 18th instant a story of a Boy who broke a pitcher, which by the contrivance of a taylor was put off for a Roman Urn, etc. This story is intended as a sneer at the Antiquarians in general, and particularly at those gentlemen who have employed the Miners at Silbury-Hill. That there are ignorant pretenders in every science, who may be easily imposed on, will not be denied, but that any branch of science or literature should therefore be the object of ridicule will by no means follow. The study of Antiquities, if it not to be accounted a liberal science, and is of little immediate use to mankind, yet, I think, it will be admitted to be a gentlemanlike amusement, at least, and considering how many gentlemen spend their time and their fortune in childish trifles, or in vicious pleasures; I think enquiries into the Antiquities of this or any other country are laudable and as such ought rather to be encouraged than ridiculed. If therefore those gentlemen who have employed the workmen at Silbury should be successful in their search, or if they should be disappointed there, in either case it may perhaps be a pleasure to them to be informed that there is another barrow in the same neighbourhood, in which they may again try their fortune.-This barrow is taken notice of in the additions to Camden (see Gibson's edit Wilts p111) and said to be "the largest barrow in these parts except Silbury." It is situated near a village called Marden, about six miles eastward from Devizes, in that fine vale which is bounded on the north by the Marlbro' downs and on the south by Salisbury plain, about eight miles southward of Silbury-Hill, nearly in a line with Stonehenge, and as near half way from Silbury to Stonehenge as its situation near a rivulet will admit. It is, as I guess, about 30 feet high, and of a very large diameter at the bottom. It is surrounded at a distance with a vast ditch, which like that of Abury has its bank thrown outward; which I think plainly shows that this intrenchment could not be of the military kind. The area inclosed by this ditch contains, I imagine, near 40 acres. There is within the same area another barrow of much smaller dimensions, at the distance of about 150 yards from the great one. Dr Stukeley in his Abury says (I think, for I have not the book by me) that the entrances into the circular intrenchement at Abury, which he supposes to be a Druidical Temple, are to the southeast and north-west, and so are these of this intrenchment I am speaking of. There were a great number of stag's horns, some of them of a very large size found a few years ago in levelling a part of the bank, and near the same place was found a human skeleton. There is great reason to suppose that there is a cavern in the great barrow, for the top or vortex of it is sunk into a hollow. I have conversed with old people in the neighbourhood, and they all think that it is considerably sunk within their remembrance. If this account should help to keep up the spirit of enquiry and curiosity which is at present excited, it will be a pleasure to.

Sarum Nov 28, 1776 S.A.S

APPENDIX 2 CUNNINGTON MANUSCRIPTS

The Cunnington manuscripts held at Wiltshire Heritage Museum, Devizes contain a number of letters to and from R C Hoare , P Crocker and others, some of which contain details or information that is slightly different from that finally published by Hoare in volume 2 of *Ancient Wiltshire* in 1821. Some of these were mentioned by R H Cunnington in his biography of William (1975) or in a short paper in the *Wiltshire Archaeological & Natural History Magazine* (Cunnington 1955). Here references are placed in chronological order in note form and salient pieces quoted without further comment. They are sometimes difficult to follow and references to Marden are often placed in letters referring to other sites. Readers are encouraged to consult the original documents.

19 Feb 1806 P Crocker to Cunnington 'I have heard nothing to contradict the plan Sir Richard Hoare has laid down for the ensuing survey in Wiltshire.. .' (Cunnington Mss Letters 8)

9 March 1806 Crocker surveyed Stonehenge and Marden (ibid Letters Crocker 29)

14 March 1806 "At Marden, also we have made an accurate survey not only of the works, but of all the fields etc thro which they might have passed when perfect: this will be a good guide for you when you come to examine them – It consists of a large Tumulus (about 4 ch. [chains] over) in the area of the same works, which is now much destroyed – You will find every farmer in the parish an Antiquary, who will not only tell you who erected the works, but who also remember the Battle that was fought under Broadbury Banks, to which event, these works at Marden are connected!! – They don't fail to tell you that (to obtain a correct knowledge of this event and the erection of these works) they have read Camden and Mortimer through and through.....Phill Crocker'' Crocker to Cunnington (ibid Letters 9).

22 March 1806 letter from Hoare to Cunnington "....We hope also to open sections etc of the gigantic tumulus – our Inn, which I think had a connection with Silbury hill, for before its summit was levelled...." (ibid Letters 18)

23 March 1806 Crocker to Cunnington "I left Sir Richard quite busy with his Geraldus-....Our proceedings have been altogether highly interesting and satisfactory: and considering the dreadful weather we have had, more to our advantage in forwarding the survey than expected – Stonehenge, Casterley, Chisenbury, Lidbury, Broadbury, Marden, Everley Barrows – Chisbury and Folly farm- have been attentively surveyed.... The work at Marden shall be sent to you this week...

Phill—"

31 March 1806 Cunnington to Hoare 'the Crocker brothers have surveyed Marden. (Cunnington MSS 2597, 2603 Letters 20,).

May 1806 letter from Cunnington to Hoare mentions a visit to Marden 'the work is of great magnitude' (ibid Letters 24)

W Cunnington MSS Book 8, 10 Memorandum

'Marden May 22nd 1806

This work is situated on a sandy soil on the North of the Marden River and in the parish of Beaching-Stoke – from having heard many accounts of this Work and its mighty Tumulus, I longed to see them and am happy to say that I have been highly gratified. If my memory serves, Mr Owen says, the Marden is British and signifies ruins, which if applied to its present state is true enough – However enough remains to commend our veneration for this our grand British Work. The greater part of this work is so much intersected with hedge-rows that we find much difficulty in examining it. On passing the rivulets near Marden Mill and a small plantation of firs, you reach a fine Vallum without the vast ditch, on running a line over the former it measured 112 feet—from tracing this Vallum & making as I conceived proper allowances where it is mutilated, it appears to me to have been originally of a Crescent form*, having the Water at the junction of two streams for its base. When in its pristine state & viewed from its stupendous Vallum, the Area rising from the wide Foss with a fine swell must have had a pleasing effect.

The enormous tumulus called the Hatfield Barrow is on the Eastern Side, this, Silbury Hill & Marlbro' form a trio of the largest circular Tumuli in the Kingdom---a line drawn over our Marden barrow measured 483 feet – viz – measuring from ditch to ditch, although the height is much diminished from its having been in tillage. About two years ago the wheat reaped from the Barrow produced six Sacks. I set Stephen and John to dig in this Tumulus to the depth of seven feet, but they only found a few Ashes and Charred Wood§, I then set them to dig on the West side see fig 2. here we found very rude British pottery. The work at B is very similar to our Amphitheatre (as some have called it) near Southley Wood±. It has a circular Vallum without the ditch and the area plain and of an Oval form. We dug into the Area to the depth of six feet and found charred wood, Ashes and British pottery, which strengthened my opinion of its being sepulchral, but to have examined this properly would have taken up a whole day. When within this work & particularly when on the great Tumulus, the high ground on the South of the river seems as if connected with the camp making it a fine Amphitheatre, but on examining all this high ground I could not perceive the least sign of a Vallum. The area of this work taking the river for the Base, contains at least 28 acres. I should have observed before that there is an appearance of two entrances nearly [south] East * [North] west. For what purpose this Work was erected unless for religion I cannot say – but it is hard after so much

labour in the investigation of these things, that at this period we must put up with conjecture.

*Viz some parts of it nearly removed from its original situation as at A and in other places large quantities of earth carried off.

§If this Tumulus is Sepulchral the interment is [?not] near the top, therefore three men in three days might possibly reach it.

±Or on first sight not very unlike a Druid Barrow' [Southley Wood, a henge-like earthwork at Sutton Veny, Wiltshire with an interior platform some 33m across (Hoare 1812, 50).]

W Cunnington MSS Book 8, 49

Letter to Mr Owen

Heytesbury May 1806

Dear Sir

I have been the whole of the past week exploring the Camps, Villages Etc of your Ancestors the Britons. Among these Marden or Mardon deserves the first notice. This work is situated on the Avon* about midway between Devizes and Everly: on the North are the great ridge of Hills called St Ann's Hills, and the South, the edge of those Downs called Salisbury Plain. - - This work is now much mutilated & the area is intersected with Hedge rows, but in its pristine state I am of opinion it formed a Crescent having the river in front. Annexed you have a rude sketch of the work by which you will form a better idea. If you enter a small plantation of Firs near Marden Mill you ascend a fine Vallum which measures 112 feet over§ - this is formed by the earth thrown from within the area contrary to all military Works – the great slope descending from the top of the Vallum to the Foss & the gently rising to the area, thus {sketch of profile across the enclosure incorporated into text} making the latter appear like a small mound & has good effect. In tracing the Vallum you are much interrupted by hedges & in several places it is mutilated by the plough for roads. Near The East side is the vast circular Tumulus called the Hatfield Barrow; on running a line over it from Ditch to Ditch it measured 483 feet – it occupies nearly an acre of ground & has been repeatedly ploughed over, of course its height has been considerably diminished. In the next field Southwest of the Tumulus is a rather singular work, it consists of a circular vallum inclosing a tump of an oval form, the whole has much the appearance of one of Stukeley's Druid Barrows. I set some men to dig for a few hours in the large Tumulus but discovered nothing but a small quantity of Charred Wood - to have examined it properly would have taken four men ten days. I dug a little way west from the Barrow in a ploughed field, and found some very rude British pottery

as I did in the centre of the little work which I considered as something like the Druid barrow. The area of this work including the Tumuli contains nearly 30 acres, and when upon the great Tumulus you look through the trees towards the Village of Marden it appears as if the high ground on the side of the river had been cut round in a Crescent to meet the two Vallums – To me it appears to have been an extraordinary work and to have been erected for religious purposes; and I am of opinion it had a Circle or Circles of Stones round the Area on the verge of the Ditch similar to Abury; for in passing over the narrow bridges and horsepath from the Mill to the Work you perceive a great many Sarsen Stones in the water, - - these Stones are not so large as those in the outer circle of Stonehenge yet several of them are as large as those in the inner circle of the latter place. A farmer told me that he thought that they were probably brought from the Kennett and placed there to protect the banks from being washed down by the stream, but this is by no means probable – on the road a little way from the Mill is a Sarsen much larger than those in the water – I have never seen or heard of any work similar to this, - might not this have been the great work mentioned in your triads & which you conceived referred to Abury & Silbury hill.

I shall be extremely obliged to you for your opinion of this work and as soon as possible."

*Or rather the confluence of the Avon with a rivulet which takes its rise under St Ann's Hills.

§It has been in tillage many years we may reasonably conclude it was originally much higher.

1807 Excavations at Marden (ibid Letters 38)

May 1807 letter Mayo to Cunnington

8th July 1807 Mayo to Hoare 'Poor Mr Cunnington was I think mistaken in his idea of the extent of the [bank] mound...'' Mayo makes out a case for the earthwork crossing the river.

Sept 1807 letter from Mayo (ibid Letters 44).

2nd October 1807 letter asking about plans of Marden (ibid Letters 45).

William Cunnington MSS Book 12, 39 letter from Cunnington to Hoare

Oct. 17 1809

Sir, I am sorry to inform you that after a severe contest we have been defeated by the Giant of Marden. We explored twenty three by twenty four feet of the floor of the Barrow and found Ashes Charred Wood, and some fragments of burnt bones, also two or three small pieces of Pottery * but missed the Primary Interment.

The finding of so many Stags horns, Animal Bones, - two small parcels of burnt human Bones, together with a floor scattered with Ashes, Charred Wood, etc, so similar to what we have discovered in Tumuli where cremation has been practiced convinced me on Tuesday night that the Barrow was Sepulchral.

On Thursday evening my opinion was more strongly confirmed. From this circumstance And from feeling myself uneasy at expending so much of your money, I thought it my duty to put a stop to further proceedings -.

I considered also that it would have been throwing away two pounds more money, not to inform us, but only to convince our Modern Druids of its being Sepulchral.

I hope these reasons may be deemed sufficient by yourself. I have only to add that although a good deal of money had been expended yet it has been well earned by the Men as all the Farmers testify. I am etc etc Wm Cunnington.

* Three bits, are similar to our Sepulchral Urns''

William Cunnington MSS Book 12, 23 (includes lettered sketch plan similar to Crocker's plan see Fig 4 above

Memorandum written for Hoare - no date.

"The Earthen Works and Great Tumulus near Marden.

Beaching Stoke the parish in which the above work stands is situated in the rich and populous vale which runs through Great Bedwyn to Devizes, & nearly midway between the great ridge of Chalk Hills running on the South from Upavon towards Tilshead, Martinsell & Tan Hills on the North.

Our British Works consisting of a very large ditch & vallum* together with the mighty Tumulus & Campestrian Amphitheatre, are situated on some ground that rises with a gentle swell from a branch of the Upper Avon, - but the greater part of the area is so much intersected with Hedge-rows that we find much difficulty in examining the work. After passing the river near Marden mill you enter on your left hand into a small plantation of Firs in which you perceive the North side of the Vallum, which rises from the Meads, see A in the plan – at B the vallum rises without the ditch very grand & on extending a line over it viz, from the bottom of the ditch it measured 112 Feet§ - On taking a view of this part of the vallum from A to D you perceive it inclines to the circular form, & on casting your eye from B over the wide ditch & part of the area the whole has a fine effect. At C a great deal of the vallum is levelled, this was done about 40 years ago by Mr Haywood Sen, of Marden, in this operation of moving the vallum, several large Stags-horns were found – At D the road from Marden to Beeching-Stoke passes through the vallum, & at this place the latter is much mutilated & deviates considerably from the circular form, by pushing out into an obtuse angle ± At this place in all probability was the original entrance, being about the North East point#. At E it bends near the Tumulus, at F the ditch has been filled up to make a communication between the two fields. At G, the vallum terminates in the Meads. So far is easy, but much difficulty occurs in regard to the original form & further extent of the work. – The Rev. Mr Mayo of Beeching Stoke & the people of Marden are of opinion that the vallum and ditch originally passed from A over the mead to a piece of high ground in the orchard North of Marden Mill see H from thence it passes over the high ground which commands the river see H. I. K. L. M. but I confess that after examining the ground three times I saw nothing to support the opinion except a bit of rough ground just below the letter M which might be construed as pointing to the vallum at G. But I cannot see any reasons that could induce the Britons to extend the vallum & ditch over such high irregular ground¥ so contrary to their usual custom – Mr Mayo in a letter to me in answer to the above remarks says "You said that you did not recollect any remains of this nature which crosses the river. But I find a quotation from Gildas in the first page of Collier's Church history which, says, that they used to apply to Hills and Rivers, & pay their devotions to them. If this does not prove, it at least comes in aid of this opinion." That the Britons had a veneration for fountains or rivers, seems very probable from the circumstance of finding so many British work as on high ground & near the heads of rivers – Mr Mayo might also have noticed a well or spring of water near the Mill called Holy-well or Holly-well as another reason for extending the work on the Marden side of the river, but not withstanding all these authorities I cannot believe the vallum ever crossed the water, & I think you will be of the same opinion. If the vallum did not originally terminate near the river I think it more probable that it was continued under the rising ground approaching to a circular form from A to G see the letters abcdef. The whole of the area contains 20-30 acres.

The enormous Tumulus within the work called Hatfield Barrow is situated on the [East] South side of the area – it is of a circular form & has a deep & wide ditch round it, which in the winter is nearly full of water although the soil consists of a greenish sand\$. A line extended over the barrow from ditch to ditch measures [blank] feet & I am credibly informed that a few years ago when sowed with wheat it produced Three quarters. From having been in tillage the height is probably reduced some feet, - its highest elevation at this time above the floor of the barrow (the original soil) is only 22½feet. We first made a large square section in the centre, but the Tumulus being composed of Sand, which

continually slipped down, we afterward carried our section down in the form of an inverted cone – when at the depth of about 22 feet*2 we came to the bottom of the barrow, but from the immense masses of sand that still slipped down it was several days before we could clear about 23 feet by 24 feet of the floor – During the operation of digging, our discoveries were exactly similar to those we make in many of our circular Barrows in which cremation has been practiced – from the depth of two or three feet, from the top of the Tumulus to the bottom, the Men frequently met with charred wood, Animal bones*3, the Horns of the Red deer & two small parcels of burnt human bones, -Upon the floor of the barrow we found Wood Ashes & Charred Wood more or less over every part that we cleared - & in one place in which we found parcels of charred wood we picked up some small pieces of human burnt bones. And as similar circumstances often occur in Tumuli in which burning has been practiced, - we concluded that on this spot the body of the great person interred under this Tumulus was burnt, - & that here his remains were gathered up to be finally deposited in a Cist or under an Urn, we were then very sanguine we were near the interment – among the ashes we found three or four small pieces of thick rude British pottery, very similar to the rude funeral urns & several animal bones+

The curious work which I have called Campestrian Amphitheatre is much like that you have seen by the side of Southley Wood near Sutton, only not as large as the latter. This within our work see N consists of a fine vallum rising from a ditch which encloses an area of an oval form. In digging into the area we found two or three small bits of pottery & a little charred wood, which led me at first to conceive from its coming in form so near our Druid Barrow, that it might have been Sepulchral, but on making a large section & finding nothing more, I am now convinced it was never raised for such purposes.

Having described what I have seen, it now only remains for one to sum up the evidence[‡], & lay the whole before a jury who have washed in the Cam, or the Isis, & for them to determine the nature of the Works..." [Cunnington apparently disagrees with the views of antiguarians Leman and Borlase and ventures to speculate, something that he was evidently not encouraged to do, then continues].....' But our discussions militate against its first being raised for an Altar, as observed before, during our diggings we were continually meeting with charred wood, Animal Bones, Stags Horns etc, - & on the floor of the Barrow were found Ashes, charred wood, some animal bones etc – a convincing proof that those articles must have covered the ground, not only the spot on which the Tumulus was raised, but a great deal of the area, - and as the Tumulus was raised by Earth gathered from the adjoining ground, of course these Horns, Bones, charred wood & would be carried with it – We also find that in levelling part of the vallum Stags Horns were found, - and in the Vallum of the small work which I have called a Campestrian Amphitheatre we found animal bones & charred wood - From these circumstances added to former discoveries, it is evident to me that great sacrifices must have been made on the spot before either the vallum or Tumulus were raised & it also appears to me that these sacrifices were a part of the funeral rites performed at the burial of the great man interred under this Tumulus [at this point Cunnington refers to the views of Mayo and to

Druid barrows near Woodyates, i.e. Oakley Down, then] But at Marden both the vallum, Area and tumulus are Gigantic – Might not the little work I have called an amphitheatre been raised for performing Athletic Exercises? Or was it raised for performing some Religious ceremonies?

* The Vallum is without the ditch.

§ Before this was in tillage it must have been much higher than it is at present.

 \pm Yet I think not quite so much as it appears on the plan.

#near this place a skeleton was found some years ago, see Mr Mayo's account in Archaeologia --- which I have not seen [Mr Mayo's account doesn't appear to have been published in Archaeologia]

¥At KLM the edge of Marden Field is very high ground.

\$This circumstance arises from a stratum of Clay at a small depth under the sand.

 $*^{2}$ viz, on the east side of the section, on the west it was more than about 18 feet.

*³ Among these were bones of Swine, Deer, & with a few bones of a large bird.

† I should have observed before that a great deal on the floor had the appearance of rusty iron, a little like the Sutton Barrow and probably the same cause.

‡ I am aware that Mr Leman will say that it is more than I ought to do, because it is my business only to record facts."

Extract from R Hoare 1821 Ancient Wiltshire

'where a large mound of earth, vulgarly called Hatfield Barrow, was the principal object of my attraction and inquiry. I had more than once visited thus interesting relict of British antiquity and in company with Mr Cunnington and his pioneers, made a laborious but unsuccessful attack upon this huge pile, of which I shall hereafter relate the particulars.

The British works which now claim our attention, consist of a deep ditch and bank, having its vallum on the outside of the ditch, and enclosing within its area one tumulus of very large dimensions and another differing in its form, and smaller in its proportions; the interior of the area comprehends fifty one acres of land which are intersected by hedges, and in cultivation....PI I No 2 [plan].....

Passing the rivulet at Marden Mill and following the road to Beauchamp Stoke, I observed a plantation to my left at A where the earthen agger evidently appears, and continuous with little interruption to B, assuming a circular form at first, but afterward contracting itself to an angle at a point where it is intersected by the aforementioned road; at C, it approaches the large barrow, and pursuing an irregular course, terminates abruptly in the water meadows at D, but points evidently to some higher ground on the other side of them at E. This circumstance, owing to the sudden disappearance of the bank and ditch at D, has caused much debate and inquiry amongst us. Mr Cunnington was of opinion that the bank did not cross the brook, but proceeded in a line from A towards D; but the Rev Mr Charles Mayo, residing at Beauchamp Stoke, whose father first took notice of these works, after a frequent and very minute investigation of the ground, thought otherwise and was decidedly of opinion, that the original vallum extended across the present water meadows to the highest ground marked E.E.E.E. Some ingenious remarks - which he kindly communicated to me by letter, induced us to re-examine the ground very minutely with my surveyor and draughtsman Mr Philip Crocker and we were both of opinion that Mr Mayo was right in his conjectures respecting both the direction and extent of this bank and ditch. On examining the southern circumvallation of this earthen work, we were struck with the singularity of that point of the works marked F, which appeared as if intended for an approach or entrance into the area of the circle; and this idea was in a great degree corroborated by the circumstance of our discovering the site of a British Village on some high ground not far distant \$.....

The enormous tumulus within this work, called Hatfield Barrow, is situated in the East side of the area; it is of circular form, and has a deep and wide ditch around it, which in winter is nearly full of water, although the soil consists of a greenish sand. From having been some time in tillage, the height is probably decreased some feet; its elevation above the floor of the barrow (viz the original soil) is at present twenty two feet and a half (Hoare 1821, 5-6): the area within the circumvallation, supposing the works perfect, would amount to fifty one acres'.

We began our operations by making a large square opening in the centre, but the tumulus being composed of sand, which continually slipped down, we afterwards carried our section in the form of an inverted cone. When at the depth of about 22 feet on the east side of the section and eighteen on the west side, we came to the bottom of the barrow, but from the heavy masses of sand that still continued to slip down, several days elapsed before we could clear the space of about twenty three by twenty four feet of the floor. During the operation of digging, our discoveries were exactly similar to those we have made in many other circular barrows where cremation has been practiced. From the depth of two or three feet from the summit of the tumulus , the men frequently met with charred wood, animal bones of red deer, swine and those of a large bird as well as two small parcels of burned human bones; and as similar circumstances often occur in barrows where burning has been practiced, we concluded that in this spot the body of a person here interred, was consumed, and that here his remains were gathered up, to be finally deposited in a cist, or under the shelter of a sepulchral urn.....several of our labourers,

who most providently escaped an untimely end by having been called off from their work by Mr Cunnington at a time when the soil of the barrow appeared sound, but proved otherwise, by falling in very shortly after the men had quitted their labours.'

Within the area of this entrenchment, and further towards the south, there is another small earthen work, which deserves our notice; its form is circular and its diameter one hundred and ninety eight feet; its vallum is slightly raised, and the interim rises gradually to a low apex. In digging within the area, we found a few bits of old pottery and a little charred wood, but no marks of any interment. Its elegant form has been much defaced by tillage and soon will probably be entirely lost.' +

+ On revisiting this ground in the autumn of 1818, I had the unexpected mortification to find that the great barrow had been completely levelled to the ground, and no signs remained of its previous existence.'

Mr Mayo informs me that in levelling a part of the [henge] bank, a very considerable quantity of stags horns and bones were found, and the skeleton of a man, deposited about four feet beneath the surface..'

\$ A great deal of British pottery has been found in the fields on this side of the works'

APPENDIX 3 METHOD

Earthwork survey

The earthwork survey was carried out to Level 3 standards (EH 2007) using Trimble 4700 dual frequency GPS to record hard detail along with some of the more prominent earthworks and to distribute a network of control points from which subtle earthworks could be measured by tape. The framework allowed a three station EDM traverse to establish control points within the woodland. The framework was tied in to OS National Grid by means of Trimble GPS VRS receivers and plotted at 1:1000 using Geosite Survey software exported to AutoCAD.

Aerial survey

The aerial survey was carried out to English Heritage National Mapping Programme (NMP) standards and included mapping, interpretation and analysis of all archaeological features visible on aerial photographs and lidar (airbourne laser scanning) images. The features recorded are, by definition, those large enough to be seen from the air and include archaeological remains visible as cropmarks, earthworks, or structures, with a possible date range from the Neolithic to the twentieth century.

The Marden environs analytical aerial survey used standard National Mapping Programme (NMP) methodology as specified in the NMP Manual (2007). This means that the data gathered is comparable to projects carried out to the north and south of the area (the Vale of Pewsey) including the Avebury World Heritage Site NMP project and, to a lesser extent as it is a pre-digital undertaking, the Salisbury Plain Training Area NMP project. Ed Carpenter and Helen Winton, Aerial Survey and Investigation, English Heritage carried out the analytical aerial survey.

Sources

All vertical and specialist oblique aerial photographs from the National Monuments Record, Cambridge University, and Wiltshire SMR were consulted. Online sources of digital vertical photographs, Google earth and Microsoft BING, were also reviewed. JPEG images derived from airbourne laser scanning (lidar) by the Environment Agency were also used. Readily available documentary sources (historic maps etc) and synthesised and original background information on the area (published material, NMR and Wiltshire SMR records) were also consulted.

The area has been photographed from the air at relatively regular intervals from the 1940s until the present. Marden henge is captured on vertical aerial photographs for non-archaeological purposes at least 20 times and on eight occasions as part of specialist

oblique archaeological reconnaissance. This provides good vertical cover by national standards but is relatively low in terms of oblique photographs for such an important monument. This is probably due to a number of factors, not least, that the henge is not particularly photogenic and has attracted less interest in the archaeological community compared to the Avebury and Stonehenge complexes. The lack of aerial photography may also be the result of relatively restricted airspace for light aircraft due, in part, to the vicinity of the firing ranges on Salisbury Plain.

Digital mapping

Archaeological maps were produced in AutoCAD by tracing archaeological information from geo-referenced aerial photographs. This information is intended to be viewed against a suitable digital map base and will be incorporated into the English Heritage corporate Geographical Information System and supplied to the Wiltshire SMR. Rectified and geo-referenced images were produced by transforming oblique and vertical photographs using the University of Bradford AERIAL5 programme. Control information was taken from digital 1:2500 scale Ordnance Survey mastermap data. A digital terrain model function, using Ordnance Survey 5m interval contour data, was used to compensate for undulating terrain. The relevant scanned photograph(s) were therefore rectified to an average level of accuracy of \pm 2m to the map. This gives an overall accuracy of plotted features, to true ground position, dependent on the accuracy of the Mapbase, usually guaranteed by the Ordnance Survey to be within \pm 5-15m.

Archaeological features are depicted on different layers based on form (e.g. bank, ditch etc). A monument polygon is also created for each site. Basic indexing information (e.g. period and type) was attached to groups of objects, in AutoCAD, to aid analysis of the mapping. A unique identifier number is attached to each group of objects corresponding to a monument description in NMR database (AMIE) to facilitate transfer to the English Heritage corporate Graphical Information System (GIS).

Database recording

National Monument Record (NMR) database (AMIE) monument records were created or enhanced for each site mapped and/or analysed as part of the aerial survey. The monument record consists of a textual description of the site linked to indexed location, period, type and form of evidence. It also includes digital cross references to other monuments and datasets (usually the Wiltshire Sites and Monument Record (SMR) number) as well as a list of the main aerial photos, and other sources for the site. An NMR "Event" record (AMIE Event No. 1477312) was created for the NMP component of the Marden project to provide contextual meta-data during and after the project. NMR archive records were created for each quarter sheet. The event and archive records are linked to each monument record.

Project Reports

As well as the contribution to the combined phase 1 Marden report a separate RDRS report will review the results of the Vale of Pewsey NMP mapping.

Geophysical survey

All areas for survey were divided into grids, located using a real-time kinematic Global Positioning System (GPS). Each grid was surveyed by making repeated parallel traverses across it all aligned to one pair of the grid square's edges. Survey areas have been marked on Figure 14 as A-H for reference to the text below.

Magnetometer survey

The caesium magnetometer survey was conducted over Areas A-H as indicated in Figure 14 using an array of four specially modified high sensitivity Scintrex SM4 caesium vapour magnetometer sensors mounted on a non-magnetic cart system. Readings were collected at intervals of $0.5m \times 0.125m$ along 100m traverses.

Corrections made to the measured values displayed in the plots were to zero the median of each instrument traverse to remove the directional sensitivity of the instruments and to edge-match adjacent grids to correct for discontinuities observed at grid edges close to strongly magnetised features. Such discrepancies are caused by diurnal variations in the Earth's magnetic field between the times the grids on either side of the common edge are surveyed. High magnitude responses near the edge of several survey areas and the response to individual vehicles passing along the road has also influenced the total field sensors to approximately 30m from field boundaries. This detrimental effect is limited in spatial extent and generally demonstrates a low frequency negative response superimposed over the data in these areas. The low frequency response was estimated by applying a low-pass Gaussian convolution mask and subtracted from the original data to improve the visual appearance of the survey results in these areas. Processing was also undertaken using the application of a 2m by 2m thresholding median filter (Scollar et al. 1990, 492) to reduce the distracting, localised, high-magnitude effects produced by surface iron objects. This data is presented as both X-Y traceplots and linear greyscale plots in Figures 31-33. To improve the visual intelligibility of the traceplots, the datasets have had the magnitudes of extreme values truncated.

Further processing was undertaken using a Wallis filter (15m rectangular window radius). The results are presented as linear greyscale plots overlain on the OS map in Figure 15.

Earth resistance survey

Subsequent to the magnetometer survey, earth resistance surveys were conducted in four different areas using two different techniques. As it is usually only relative changes in earth resistance that are of interest in archaeological prospecting, no attempt has been made to correct these measurements for the geometry of the electrode arrays to produce an estimate of the true apparent resistivity. Thus, the readings presented in the plots are the actual values of earth resistance recorded by the meter, measured in Ohms (Ω).

Measurements were recorded digitally by an RM15 meter and subsequently transferred to a portable laptop computer for permanent storage and preliminary processing. Additional processing was performed on return to Fort Cumberland using desktop workstations.

Square array

The survey was undertaken with an MSP40 wheeled resistance square array in Areas A and G-H. Data was collected with a Geoscan RM15 in the square array configuration (with an electrode separation of 0.75m) along traverses separated by 1.0m.

With the square array, the two current injection and two potential measurement electrodes can be assigned to the four available electrode positions in a number of different ways each resulting in a different measurement. Only two such arrangements, know as the alpha and beta configurations, are truly independent (Aspinall and Saunders 2005) and from these, assuming a noise free system, measurements with any other configuration can be calculated. As the alpha and beta configurations are each slightly directionally sensitive, both are required to accurately map all subsurface anomalies in the general case. Hence the MSP40 system was configured to take measurements at 0.25m intervals along each traverse, alternating between alpha and beta measurements.

The two resulting datasets were minimally processed independently: all erroneous earth resistance measurements of less than 0 Ω were deleted and replaced with null values. As the data logger cannot log the alpha and beta readings simultaneously, one of the two measurements has to be taken slightly later than the other during which time the MSP40 cart has moved slightly beyond the measurement position. This has resulted in an offset in the direction of travel to measurement positions in the alpha dataset which has been corrected by shifting adjacent traverses longitudinally to maximise their correlation. A combined dataset was then produced by partitioning each of the alpha and beta datasets into high and low spatial frequency components. The two low frequency components were then overlaid and readings from each averaged to produce a combined regional component. The two high frequency components were also overlaid and a combined local component was produced by keeping the measurement with the greatest absolute magnitude at each position. These combined regional and local components were then added together to form the final combined dataset. A high pass filtered version of the

combined dataset was created using a high-pass Gaussian convolution mask (7m radius for Area A and 5m radius for Area G-H).

The filtered combined datasets are presented as equal area greyscale plots superimposed over the OS base map in Figure 17. Plots of both alpha and beta datasets are additionally presented as equal area greyscale plots, along with a traceplot and equal area greyscale plot of the raw combined dataset and the processed combined dataset in Figure 34 for Area A and in Figure 35 for Area G-H.

Twin electrode

The survey was conducted over Areas B, D-E and G-H as indicated in Figure 14. Measurements were collected with a Geoscan RM15 resistance meter, MPX15 multiplexer and an adjustable PA20 electrode frame in the Twin-Electrode configuration. Mobile electrode separations of 0.5m and 1.0m were used, taking readings at 1.0m along each traverse. This produced two datasets, preferentially sensitive to features at different depths, with sample densities of 0.5m \times 1.0m for the 0.5m electrode separation and 1.0m \times 1.0m for the 1.0m electrode separation.

All data has been 'despiked' through the application of a 2m by 2m thresholding median filter (Scollar et al. 1990, 492) to remove isolated high readings caused by poor contact and discontinuities between grid edges were reduced by modifying the statistical distribution of adjacent data grids. Further processing was conducted using the application of a Wallis filter (5m rectangular window radius). Linear greyscale plots of the filtered 0.5m separation data are superimposed over the base Ordnance Survey map at a scale of 1:2500 in Figure 16. Plots of the raw datasets are presented as both X-Y trace plots and equal area greyscale plots, along with equal area greyscale plots of the filtered datasets at on Figure 36 for Area B, on Figure 37 for Areas D-E and on Figure 38 for Areas G-H.




Figure 31 Caesium magnetometer survey of Areas A-B Figure 31: Caesium magnetometer survey of Areas A-B






Figure 32 Caesium magnetometer survey of Areas C-F.




Figure 33 Caesium magnetometer survey of Areas G-H.




Figure 34 Square array earth resistance survey of Area A.





Figure 35 Square array earth resistance survey of Areas G-H.






Figure 36 Twin Probe Earth Resistance Survey of Area B.




Figure 37 Twin probe earth resistance survey of areas D-E.




Figure 38 Twin probe earth resistance survey of Areas G-H.



ENGLISH HERITAGE RESEARCH DEPARTMENT

English Heritage undertakes and commissions research into the historic environment, and the issues that affect its condition and survival, in order to provide the understanding necessary for informed policy and decision making, for sustainable management, and to promote the widest access, appreciation and enjoyment of our heritage.

The Research Department provides English Heritage with this capacity in the fields of buildings history, archaeology, and landscape history. It brings together seven teams with complementary investigative and analytical skills to provide integrated research expertise across the range of the historic environment. These are:

- * Aerial Survey and Investigation
- * Archaeological Projects (excavation)
- * Archaeological Science
- * Archaeological Survey and Investigation (landscape analysis)
- * Architectural Investigation
- Imaging, Graphics and Survey (including measured and metric survey, and photography)
- * Survey of London

The Research Department undertakes a wide range of investigative and analytical projects, and provides quality assurance and management support for externally-commissioned research. We aim for innovative work of the highest quality which will set agendas and standards for the historic environment sector. In support of this, and to build capacity and promote best practice in the sector, we also publish guidance and provide advice and training. We support outreach and education activities and build these in to our projects and programmes wherever possible.

We make the results of our work available through the Research Department Report Series, and through journal publications and monographs. Our publication Research News, which appears three times a year, aims to keep our partners within and outside English Heritage up-to-date with our projects and activities. A full list of Research Department Reports, with abstracts and information on how to obtain copies, may be found on www.english-heritage. org.uk/researchreports

For further information visit www.english-heritage.org.uk

