

## Albany Road 1978

### Context Dates

| context | date/period                  |  |  |   |  |    |       |       |
|---------|------------------------------|--|--|---|--|----|-------|-------|
|         |                              |  |  | Csw (rdc fb)                                      | 1                                      | 1  | 0.014 |       |
|         |                              |  |  | Saint aog (Med R, same ves as con 20)             | 1                                      | 0  |       |       |
| 19      | aft 1575                     |  |  | Csw (rdc fb)                                      | 8                                      | 2  | 0.054 |       |
| 2       | after 1720                   |  |  | Saint poly (Med R)                                | 2                                      | 1  | 0.053 |       |
| 8       | after 1575                   |  |  | Med R   | 1                                      | 1  | 0.001 |       |
| 11      | after 1500                   |  |  |   | 5                                      |    |       |       |
| 14      | after 1575                   |  |  |   |  |    |       |       |
| 17      | after 1575                   |  |  |   |  |    |       |       |
| 19      | after 1575                   |  |  | 20  | 1560-1624 ( <i>published fig 123</i> ) | 6  | 5     | 0.099 |
| 20      | 1560-1624                    |  |  | Valn tg (dec with int cop lstr, <i>ils 2738</i> ) | 1                                      | 1  | 0.060 |       |
| 21      | post-medieval                |  |  | Csw   | 1                                      | 1  | 0.035 |       |
| 24      | ?late 16th/17th century      |  |  | unc cw (?SS, same ves as con 14)                  | 1                                      | 0  |       |       |
| 25      | post-medieval                |  |  | unc cw  | 1                                      | 1  |       |       |
| 26      | after 1575                   |  |  | Saint aog (Med R, same ves as con 17)             | 1                                      | 1  | 0.004 |       |
| 28      | 1700-50                      |  |  | Med R   | 1                                      | 1  |       |       |
| 29      | 1700-50                      |  |  |   |  |    |       |       |
| 30      | after 1300                   |  |  |   |  |    |       |       |
| 31      | 15th/early 16th century      |  |  | 21  | PM                                     | 2  | 2     |       |
| 32      | 14th/15th century            |  |  | unc w (Med R)                                     | 2                                      | 2  |       |       |
| 33      | 14th/15th century            |  |  |   |  |    |       |       |
| 34      | 14th/15th century            |  |  | 24  | ?L16C/17C                              | 29 | 4     | 0.070 |
| 37      | 1690-1720                    |  |  | Csw (?L16C/17C)                                   | 3                                      | 2  | 0.047 |       |
| 42      | ?medieval                    |  |  | SS w (kiln 4 typ sgf, ?R)                         | 1                                      | 1  | 0.008 |       |
| 43      | post-medieval                |  |  | SS cw   | 1                                      | 1  | 0.015 |       |
| 44      | 1660-1700                    |  |  | Med R   | 24                                     |    |       |       |
| 45      | 1250-1350                    |  |  |   |  |    |       |       |
| 46      | 14th/15th century            |  |  | 25  | PM                                     | 1  | 1     | 0.016 |
| 47      | ?13th century                |  |  | unc cw (Csw/SS twd hnd)                           | 1                                      | 1  | 0.016 |       |
| 49      | 1700-50                      |  |  |   |  |    |       |       |
| 50      | 17th century                 |  |  | 26  | aft 1575                               | 25 | 4     | 0.113 |
| 51      | 17th century                 |  |  | Frech stnw (aft 1550)                             | 1                                      | 1  | 0.009 |       |
| 52      | post-medieval                |  |  | Csw   | 1                                      | 1  | 0.012 |       |
| 53      | after 1500                   |  |  | unc cw (1 cnd stk, 1 ?R sh)                       | 2                                      | 2  | 0.092 |       |
| 61      | 17th/18th century            |  |  | Med R   | 21                                     |    |       |       |
| 62      | 15th century                 |  |  |   |  |    |       |       |
| 69      | after 1600                   |  |  | 28  | 1700-50                                | 8  | 5     | 0.061 |
| 72      | after 1500                   |  |  | Del pln   | 4                                      | 1  | 0.013 |       |
| 73      | ?medieval                    |  |  | SS cmb sgf  | 1                                      | 1  |       |       |
| 75      | ?1560-1600                   |  |  | SS fslp w   | 1                                      | 1  |       |       |
| 78      | post-medieval                |  |  | SS trld slp w                                     | 1                                      | 1  |       |       |
| 90      | ?18th century                |  |  | SS cw   | 1                                      | 1  | 0.048 |       |
| 94      | ?15th century                |  |  |   |  |    |       |       |
| 101     | post-medieval                |  |  | 29  | 1700-50                                | 9  | 8     | 0.070 |
| 104     | 1720-50                      |  |  | Frech stnw  | 1                                      | 1  | 0.004 |       |
| 110     | 18th century                 |  |  | ND gtw  | 1                                      | 1  | 0.009 |       |
| 111     | post-medieval                |  |  | SS mot cop gg (cup)                               | 1                                      | 1  |       |       |
| 112     | post-medieval                |  |  | SS cw (1 bwl rim 18C)                             | 5                                      | 4  | 0.052 |       |
| 114     | post-medieval                |  |  | unc cw  | 1                                      | 1  | 0.005 |       |
| 115     | late 16th/early 17th century |  |  |   |  |    |       |       |
| 116     | 1500-50                      |  |  | 30  | aft 1300                               | 3  | 3     | 0.021 |
| 118     | ?medieval                    |  |  | Saint poly  | 1                                      | 1  | 0.010 |       |
| 119     | post-medieval                |  |  | Exe w (fb ?21)                                    | 1                                      | 1  | 0.007 |       |
| 120     | late 14th/15th century       |  |  | Exe w (fb ?42 jg)                                 | 1                                      | 1  | 0.004 |       |

### Pottery & Dating Evidence

| context | date/fabric/description                | sherds | vessels | weight |                                       |          |   |       |       |
|---------|--|--------|---------|--------|---------------------------------------|----------|---|-------|-------|
| 2       | aft 1720                               | 3      | 3       | 0.029  | 31                                    | 15C/E16C | 2 | 2     | 0.018 |
|         | SS trld scrl slp w (dec ext, aft 1720) | 1      | 1       | 0.004  | SS w (jg)                             | 1        | 1 | 0.009 |       |
|         | SS cw (1 bwl)                          | 2      | 2       | 0.024  | SS cw                                 | 1        | 1 | 0.009 |       |
| 8       | aft 1575                               | 4      | 4       |        | 32                                    | 14C/15C  | 1 | 1     | 0.020 |
|         | Exe w (Med R)                          | 4      | 4       |        | unc w (?SS, ox jg sh, 14C/15C)        | 1        | 1 | 0.020 |       |
| 11      | aft 1500                               | 1      | 1       | 0.023  | 33                                    | 14C/15C  | 7 | 7     | 0.022 |
|         | Csw                                    | 1      | 1       | 0.023  | Saint gg                              | 1        | 1 | 0.002 |       |
|         |  |        |         |        | unc w (imp, ?Saint with sml app boss) | 1        | 1 | 0.002 |       |
| 14      | aft 1575                               | 4      | 1       | 0.093  | Exe fb 20 (cp)                        | 1        | 1 | 0.002 |       |
|         | unc cw (?SS, same ves as con 20)       | 4      | 1       | 0.093  | unc w (jg)                            | 1        | 1 | 0.002 |       |
|         |  |        |         |        | unc cw (cp)                           | 1        | 1 | 0.002 |       |
| 17      | aft 1575                               | 2      | 1       | 0.014  | unc mic (jg)                          | 1        | 1 | 0.004 |       |

|    |   |    |    |       |     |   |     |    |       |
|----|---|----|----|-------|-----|---|-----|----|-------|
|    | unc mic (cp)  | 1  | 1  | 0.008 |     |   |     |    |       |
| 34 | 14C/15C   | 4  | 4  | 0.011 | 62  | 15C   | 29  | 20 | 0.121 |
|    | Saint gg  | 1  | 1  | 0.002 |     | Saint ug  | 1   | 1  | 0.002 |
|    | Exe fb 20   | 1  | 1  | 0.005 |     | Exe fb 20   | 3   | 1  | 0.013 |
|    | Exe fb 25 (L14C/E15C w)                                 | 1  | 1  | 0.003 |     | Exe fb 40   | 5   | 3  | 0.025 |
|    | unc w (?local jg)                                       | 1  | 1  | 0.001 |     | Exe fb 42   | 15  | 10 | 0.052 |
| 37 | 1690-1720 ( <i>published fig 127</i> )                  | 42 | 14 | 3.919 |     | Exe fb 62 (R)   | 1   | 1  | 0.003 |
|    | Del Dut dec (sml dsh/prgr <i>ils</i> 2833)              | 2  | 1  | 0.021 |     | SS w (sgf)  | 1   | 1  | 0.001 |
|    | SS cmb sgf  | 3  | 1  | 0.302 |     | unc w   | 3   | 3  | 0.025 |
|    | SS sln sgf yg (?chmb pt)                                | 1  | 1  |       | 69  | aft 1600  | 2   | 2  | 0.020 |
|    | SS sln sgf rd & yg (dsh)                                | 3  | 1  |       |     | Frech stnw (groove at top of nck)   | 1   | 1  | 0.018 |
|    | SS slp & yg (1 bwl, 1 prgr)                             | 2  | 2  | 0.146 |     | Wstr stnw (b ptd jg sh)   | 1   | 1  | 0.002 |
|    | SS cw (1 lrg bwl, 2 chmb pt with ext hoz ln, 1 rect pn) | 31 | 8  | 3.450 | 72  | aft 1500  | 4   | 1  |       |
|    | clp: 1690-1720  |    |    |       |     | ND gtw  | 1   | 1  |       |
|    |   |    |    |       |     | Med R   | 3   |    |       |
| 42 | ?Med  | 1  | 1  | 0.001 | 73  | ?Med  | 2   | 2  | 0.007 |
|    | unc w (?Exe w, ug)                                      | 1  | 1  | 0.001 |     | SS w (sgf, LMed typ)  | 1   | 1  | 0.002 |
|    |   |    |    |       |     | Exe w (fb ?42)  | 1   | 1  | 0.005 |
| 43 | PM  | 1  | 1  | 0.006 | 75  | ?1560-1600  | 4   | 4  | 0.034 |
|    | unc cw (PM cw)  | 1  | 1  | 0.006 |     | Frech stnw (pln dkg jg)   | 1   | 1  | 0.007 |
| 44 | 1660-1700   | 33 | 16 | 0.820 |     | ND w (16C typ)  | 1   | 1  | 0.008 |
|    | Frech stn w (1 btl)                                     | 1  | 1  | 0.067 |     | SS w (kiln 4 sgf)   | 1   | 1  | 0.011 |
|    | ND ww   | 5  | 1  | 0.186 |     | SS w (kiln 4 ?jg)   | 1   | 1  | 0.008 |
|    | ND gtw (1 jg)   | 2  | 1  | 0.015 | 78  | PM  | 1   | 1  |       |
|    | SS cmb sgf (1 chmb pt)                                  | 5  | 2  | 0.281 |     | unc w (Med R)   | 1   | 1  |       |
|    | SS sgf (1 bwl)  | 1  | 1  |       | 90  | ?18C  | 45  | 30 | 0.633 |
|    | SS slp & yg   | 1  | 1  |       |     | Frech stnw (lrg bel bs)   | 1   | 1  | 0.096 |
|    | SS trld slp w (cup)                                     | 1  | 1  | 0.021 |     | Por b&w   | 1   | 1  | 0.006 |
|    | SS cw (1 bwl, 1 chmb pt, 1 jg)                          | 17 | 8  | 0.250 |     | Wstr stnw   | 2   | 2  | 0.020 |
| 45 | 1250-1350   | 15 | 7  | 0.119 |     | unc mic (imp, ?Span)  | 1   | 1  | 0.008 |
|    | Exe fb 20   | 10 | 4  | 0.100 |     | unc tg (1 mve speckled)   | 3   | 3  | 0.005 |
|    | Exe fb 62   | 1  | 1  | 0.003 |     | Sur/Hants Brdr ww yg  | 1   | 1  | 0.001 |
|    | Exe w (fb ?44)  | 4  | 2  | 0.016 |     | ND gtw  | 11  | 6  | 0.077 |
| 46 | 14C/15C   | 2  | 1  | 0.008 |     | ND yg slp w   | 1   | 1  | 0.007 |
|    | Exe fb 40   | 1  | 1  | 0.005 |     | SS brd bld sgf  | 1   | 1  | 0.003 |
|    | unc mic (cp, recorded)                                  | 1  | 0  | 0.003 |     | SS sln sgf  | 1   | 1  | 0.015 |
|    |   |    |    |       |     | SS sgf rd & yg  | 1   | 1  | 0.002 |
|    |   |    |    |       |     | SS slp & yg   | 1   | 1  | 0.021 |
| 47 | ?13C  | 1  | 1  | 0.008 |     | SS mot cop gg slp w (not 18C typ)   | 1   | 1  | 0.005 |
|    | unc sdy w (wlt, jg)                                     | 1  | 1  | 0.008 |     | SS cw   | 19  | 9  | 0.367 |
| 49 | 1700-50   | 6  | 5  | 0.189 | 94  | ?15C  | 137 | 47 | 1.498 |
|    | ND gtw  | 1  | 1  | 0.007 |     | Saint   | 2   | 2  | 0.009 |
|    | SS cmb sgf (dsh)  | 1  | 1  | 0.007 |     | Exe fb 20   | 4   | 2  | 0.017 |
|    | SS fslp w (prs mld plt)                                 | 1  | 1  | 0.014 |     | Exe fb 27   | 1   | 1  | 0.020 |
|    | SS mot cop gg (?cup)                                    | 1  | 1  | 0.004 |     | Exe fb 40   | 11  | 6  | 0.123 |
|    | unc cw  | 2  | 1  | 0.157 |     | Exe fb 42 (10 sh fb ?42, 20++ ves)  | 93  | 20 | 1.259 |
| 50 | 17C   | 1  | 1  | 0.010 |     | Csw (16C)   | 1   | 1  |       |
|    | SS cw (cup)   | 1  | 1  | 0.010 |     | unc cw (?ND)  | 1   | 1  | 0.006 |
| 51 | 17C   | 5  | 0  | 0.170 |     | unc w (?SS sgf jg)  | 6   | 3  | 0.050 |
|    | SS blk g (aft 1660, recorded)                           | 5  | 0  | 0.170 |     | unc mic   | 3   | 1  | 0.014 |
|    |   |    |    |       |     | unc w   | 15  | 10 |       |
| 52 | PM  | 1  | 1  |       | 101 | PM  | 1   | 1  | 0.002 |
|    | Exe w (fb ?44, Med R)                                   | 1  | 1  |       |     | Csw   | 1   | 1  | 0.002 |
| 53 | aft 1500  | 2  | 2  | 0.035 | 104 | 1720-50 ( <i>published fig 124</i> )  | 11  | 7  | 0.128 |
|    | ND gtw  | 1  | 1  | 0.025 |     | Saint mrb w (jg bs, int pale yg, ext mrb drk brn slp, g gn-brn with cop flecks <i>ils</i> 2775) | 1   | 1  | 0.019 |
|    | SS w (jg, kiln ?4)                                      | 1  | 1  | 0.010 |     | Frech stnw (1 jg with collar at bs)   | 7   | 3  | 0.074 |
| 61 | 17C/18C   | 4  | 1  | 0.012 |     | SS sgf rd & yg (dragged finger sty)   | 1   | 1  | 0.035 |
|    | SS cw (og)  | 2  | 1  | 0.012 |     |   |     |    |       |
|    | Med R   | 2  |    |       |     |   |     |    |       |

|         |  |    |    |       |
|---------|--|----|----|-------|
|         | SS cw<br>clp: 1720-50  | 2  | 2  |       |
| 110     | 18C  | 4  | 4  | 0.014 |
|         | Wstr stw (chmb pt)   | 1  | 1  | 0.005 |
|         | SS mot cop gg  | 1  | 1  | 0.002 |
|         | SS slp & yg  | 1  | 1  | 0.003 |
|         | SS cw  | 1  | 1  | 0.004 |
| 111     | PM   | 3  | 3  | 0.096 |
|         | Csw (rdc fb)   | 1  | 1  | 0.058 |
|         | SS cw (og)   | 1  | 1  | 0.001 |
|         | unc cw (?ND gtw)   | 1  | 1  | 0.037 |
| 112     | PM   | 3  | 1  | 0.044 |
|         | Csw (?recorded)  | 2  | 0  | 0.040 |
|         | ND gtw   | 1  | 1  | 0.004 |
| 114     | PM   | 2  | 1  | 0.006 |
|         | SS cw (og)   | 1  | 1  | 0.004 |
|         | unc cw (?ND gtw, recorded)   | 1  | 0  | 0.002 |
| 115     | L16C/E17C ( <i>published fig 123</i> )   | 7  | 4  | 0.175 |
|         | Monte tg (int tg with pinkish hue,<br>ext tg ptd o, mid b, & rd with mve<br>edge <i>ils 2727</i> )   | 1  | 1  |       |
|         | Csw (rdc)  | 5  | 3  | 0.091 |
|         | unc cw (?ND gtw, recorded)   | 1  | 0  | 0.084 |
| 116     | 1500-50  | 12 | 2  | 0.262 |
|         | Raer stnw (mug)  | 10 | 1  | 0.250 |
|         | ND cal   | 2  | 1  | 0.012 |
| 118     | ?Med<br>tile: Med floor  |    |    |       |
| 119     | PM   | 12 | 2  | 0.262 |
|         | Frech stnw   | 2  | 1  | 0.032 |
|         | unc stnw (?Raer)   | 1  | 1  | 0.004 |
|         | Csw (rdc)  | 1  | 1  | 0.045 |
|         | SS cw  | 2  | 2  | 0.030 |
| 120     | L14C/15C   | 22 | 10 | 0.078 |
|         | Saint gg (1 sh hoz gvs)  | 3  | 2  | 0.012 |
|         | Exe fb 20  | 2  | 1  | 0.010 |
|         | Exe fb 40  | 2  | 2  | 0.008 |
|         | Exe fb 44 (fine sdy fb)  | 8  | 1  | 0.035 |
|         | Exe w (fb ?42)   | 1  | 1  | 0.007 |
|         | unc w (jg)   | 5  | 3  | 0.006 |
|         | Rom R  | 1  |    |       |
| unstrat | ( <i>published figs 125 &amp; 130</i> )<br>Wstr stnw (tkd with '4' incised<br>on rim before firing <i>ils 2809</i> )<br>unc ew (imp, ?Tuscan, oil jr <i>ils</i><br><i>2902</i> ) |    |    |       |