

Additions to the Flora of Derbyshire.

By ERIC DRABBLE, D.Sc., F.L.S.

IN 1903 appeared a valuable work on *The Flora of Derbyshire* by the Rev. W. R. Linton, M.A., vicar of Shirley. In this volume all previous records of Dicotyledons, Monocotyledons, Gymnosperms, Pteridophytes and Bryophytes found in Derbyshire were brought together, and a considerable number of plants previously unrecorded were added by Mr. Linton and his helpers. Since the death of Mr. Linton in 1909 much work has been done in the county and several papers relating to the flora have been published.¹ As a result it is now possible to give lists of sixty-seven Dicotyledons, Monocotyledons and Pteridophytes not recorded in "The Flora" from any division of the county, and in addition forty-two new records from the Permean district, eighty-six from the Coal Measures, thirty-eight from the Millstone Grit areas and thirty-eight from the Carboniferous Limestone.²

In "The Flora" geological structure was very wisely taken as the basis on which the divisions of the county were made. The value of this is obvious in such a county as ours, where Grit and Limestone, each with its strikingly characteristic flora, form so large a proportion of the area. Mr. Linton, however, made his districts only roughly coincident with the geological structure, and this resulted to some extent in obscuring the true significance of the plant distribution. For instance, Ashover, with its typi-

¹ E. & H. Drabble : Notes on the Flora of Derbyshire. I., *Journal of Botany*, 1909, pp. 199-207; II., 1911, pp. 313-317; III., 1913, pp. 5-11; IV., 1916, pp. 133-139.

² These numbers do not include the unestablished aliens enclosed in the square brackets in the lists.

cally limestone flora, appears under the Millstone Grit division and the same is true for Crich Stand. These two inliers are in this paper treated as part of the Carboniferous Limestone division. (These two small areas present some features of special interest, cut off as they are from the main area of the limestone). Again the so-called "Yoredale" areas are treated by Mr. Linton partly under the Carboniferous Limestone and partly under the Grit. It would appear better either to place them entirely with the Grit, or else to treat them as a distinct division. The latter plan is here adopted, as it seems to be the more satisfactory method, though something may certainly be said in favour of placing them in the Grit-stone division. Where the "Yoredales" form only a narrow strip of country, as for example, at Ashover Hay and at Whatstandwell, the separation of them from the Grit may appear to be of but little value, but it has been decided on the whole to treat the "Yoredales" as a separate division.

Mr. Linton's opportunities of working the Permean tract on the east of the county were but few. Special attention has therefore been given to this division with results of some interest.

NEW COUNTY RECORDS.

Ranunculus acris, L. var. *Friesianus*, R. & F.

Fumaria Boraei, Jord.

F. muralis, Sonder.

Sisymbrium officinale, Scop. var. *leiocarpum*, DC.

[*S. Columnae*, Jacq.]

[*Brassica Rutabaga*, DC.]

Viola Riviniana, Reichb. var. *flavicornis* (Forster).

V. nemorosa, N. W. & M.

V. Lloydii, Jord.

V. ruralis, Jord.

V. obtusifolia, Jord.

V. agrestis, Jord.

V. Deseglisei, Jord.

V. polychroma, Kerner.

- V. lutea*, Huds. var. *multicaulis*, Koch.
 [*Saponaria Vaccaria*, L.].
- Arenaria leptoclados*, Guss. var. *viscidula*, R. & F.
- Sagina procumbens*, L. var. *spinosa*, Gibbs.
- S. nodosa*, Fenzl. var. *glandulosa*, Bess.
- Spergula sativa*, Boenn.
- Hypericum perforatum*, L. var. *angustifolium*, DC.
- Malva moschata*, L. var. *heterophylla*, Lej.
- M. sylvestris*, L. var. *lasiocarpa*, Druce.
- Geranium molle*, L. var. *aequale*, Bab.
- Medicago lupulina*, L. var. *Willdenoviana*, Koch.
- M. lupulina*, L. s.-var. *eriocarpa*, Rouy.
- Trifolium procumbens*, L. var. *major*, Koch.
- T. pratense*, L. var. *americanum*, Harz.
- Rosa canina*, L. var. *inconspicua* (Déségl.).
- Agrimonia Eupatoria*, L. var. *sepium*, Bréb.
- Alchemilla minor*, Huds.
- Epilobium angustifolium*, L. var. *brachycarpum* (Leight.).
- E. parviflorum*, Schreb. var. *subglabrum*, Koch.
- Pimpinella major*, Huds. var. *rosea*, Druce.
- P. Saxifraga*, L. var. *roseiflora*, Drabble.
- P. Saxifraga*, L. var. *dissecta*, With.
- Caucalis latifolia*, L.
- Aethusa Cynapium*, L. var. *agrestis*, Wallr.
- Galium Mollugo*, L. var. *insubricum* (Gaud.).
- Inula Helenium*, L.
- Matricaria inodora*, L. var. *phaeocephala*, Rupr.
- Senecio sylvaticus*, L. var. *auriculatus*, Meyer.
- Artemisia vulgaris*, L. var. *coarctata*, Forsells.
- Arctium minus*, Bernh. var. *purpurascens*, Blytt.
- Cnicus arvensis*, Hoffm. var. *vestitus*, Koch.
- C. arvensis*, Hoffm. var. *mitis*, Koch.
- Tragopogon pratense*, L.
- Taraxacum erythrospermum*, Andrz.
- Crepis capillaris*, Wallr. var. *agrestis* (W. & K.).
- Campanula rotundifolia*, L. var. *lancifolia*, Mart. & Koch..
- Gentiana germanica*, Willd.
- Symphytum tuberosum*, L.
- Linaria vulgaris*, Mill. var. *latifolia*, Bab.
- Mimulus Langsdorffii*, Donn. var. *guttatus*, DC.
- Veronica scutellata*, L. var. *hirsuta*, Weber.
- V. arvensis*, L. var. *nana*, Poir.
- V. polita*, Fr. var. *grandiflora*, Bab.

- Euphrasia borealis*, Towns.
E. curta, Wettst. var. *glabrescens*, Wettst.
E. nemorosa, Mart. var. *ciliata*, Drabble.
E. brevipila, Burnat & Gremli. var. *subglabra*, Wettst.
Melampyrum pratense, L. var. *hians*, Druce.
Origanum vulgare, L. var. *megastachyum* (Link).
Lamium maculatum, L. var. *laevigatum* (L.).
Urtica dioica, L. var. *angustifolia*, W. & G.
Agrostis alba, L. var. *major*, Gaud.
Brachypodium pinnatum, L. var. *pubescens*, Gray.
B. pinnatum, L. var. *corniculatum*, Lam.
Lolium perenne, L. var. *cristatum*, Schum.
Athyrium Filix-foemina, Roth. var. *erectum*, Syme.

NEW RECORDS FOR THE PERMEAN DISTRICTS.

- Cheiranthus Cheiri*, L. Scarcliffe.
Radicula Nasturtium-aquaticum, R. & B. var. *siifolia* (Reichb.).
 Langwith.
Sisymbrium officinale, Scop. var. *leiocarpum*, DC. Bolsover.
Thlaspi arvense, L. Cresswell.
Viola agrestis, Jord. Cresswell, Steetley, New Houghton.
V. obtusifolia, Jord. Clowne, Steetley.
 [*Silene noctiflora*, L. Cresswell].
Arenaria serpyllifolia, L. var. *viscidula*, Roth. Scarcliffe Park
 Wood.
Spergula sativa, Boenn. Elmton, Markland Grips.
Hypericum perforatum, L. var. *angustifolia*, DC. Elmton.
Linum angustifolium, Huds. Cresswell.
Medicago lupulina, L. var. *Willdenoviana*, Koch. Bolsover,
 Elmton, Clowne.
Melilotus indica, All. Steetley.
Vicia hirsuta, Gray. Elmton.
Rosa canina, L. var. *inconspicua* (Déségl.). Bolsover.
R. dumetorum, Thuill. var. *caesii*, Sm. Bolsover.
R. glauca Vill. var. *subcristata* (Baker). Bolsover.
Epilobium angustifolium, L. Bolsover.
E. parviflorum, Schreb. var. *subglabrum*, Koch. Langwith.
Pimpinella major, Huds. var. *rosea*, Druce. Roseland Wood.
Galium Mollugo, L. var. *insubricum*, Gaud. Elmton.
Dipsacus sylvestris, Huds. Cresswell.
Scabiosa succisa, L. Scarcliffe.
Matricaria suaveolens, Buch. Steetley.
Arctium nemorosum, Lej. Steetley.

- A. minus*, Bernh. var. *purpurascens*, Blytt. Stoney Houghton.
Myosotis palustris, Hill var. *strigulosa*, Reichb. Hardwick.
Verbascum Blattaria, L. Hardwick.
Linaria vulgaris, Mill var. *latifolia*, Bab. Whaley.
Mimulus Langsdorffii, Donn. Langwith.
Veronica polita, Fr. var. *grandiflora*, Bab. Elmton.
Euphrasia stricta, Wettst. Scarcliffe Park Wood.
E. nemorosa, Mart. var. *ciliata*, Drabble. Scarcliffe Park Wood.
E. Kernerii, Wettst. Scarcliffe Park Wood.
Urtica dioica, L. var. *angustifolia*, W. & G. Bolsover, Cresswell, Stoney Houghton.
Alopecurus myosuroides, Huds. Bolsover.
Phleum pratense, L. var. *nodosum* (L.). Cresswell.
Agrostis alba, L. var. *stolonifera*, L. Cresswell, Stoney Houghton.
Deschampsia flexuosa, Trin. Cresswell.
Bromus secalinus, L. Cresswell.
Brachypodium pinnatum, L. var. *pubescens*, Gray. Elmton, Hardwick.
B. pinnatum, L. var. *corniculatum*, Lam. Ault Hucknall, Elmton, Shirebrook.

NEW RECORDS FOR THE COAL-MEASURE DISTRICTS.

- Ranunculus Flammula*, L. var. *serratus*, DC. Cutthorpe.
R. acris, L. var. *Friesianus*, R. & F. Chesterfield.
Fumaria Boraei, Jord. Spital, Totley.
F. muralis, Sonder. Chesterfield.
Barbarea intermedia, Bor. Chesterfield.
Arabis albida, Stev. Near Stretton (established).
Hesperis matronalis, L. Walton.
[*Sisymbrium pannonicum*, Jacq. Calow].
S. Columnae, Jacq. Calow, Wingfield, Chesterfield.
S. officinale, Scop. var. *leiocarpum*, DC. Staveley.
Brassica nigra, Koch. Chesterfield.
Thlaspi arvense, L. Calow.
Alyssum incanum, L. Wingfield.
[*Iberis amara*, L. Chesterfield].
Viola nemorosa, N. W. & M. Wingerworth.
V. ericetorum, Schrad. Wingerworth.
V. Lloydii, Jord. Norton, Linacre, Cowley Bar.
V. ruralis, Jord. Wingerworth.
V. obtusifolia, Jord. Spital, Wingerworth, Calow, Newbold, Dunston, Heath, Renishaw.

- V. agrestis*, Jord. Linacre, Heath, Calow, Newbold, Boythorpe, Tapton, Old Brampton.
- [*Saponaria Vaccaria*, L. Calow].
- Silene latifolia*, R. & B. var. *puberula*, Jord. Spital, Lower Hady, Ashgate, Calow.
- Stellaria apetala*, Ucria. Walton.
- Arenaria serpyllifolia*, L. var. *viscidula*, Roth. Hasland.
- Sagina procumbens*, L. var. *spinosa*, Gibbs. Spital.
- Spergula sativa*, Boenn. Calow, Linacre.
- Malva moschata*, L. var. *heterophylla*, Lej. Walton.
- Geranium molle*, L. var. *aequale*, Bab. Boythorpe.
- Impatiens parviflora*, DC. Ambergate (thoroughly established).
- Medicago lupulina*, L. var. *Willdenoviana*, Koch. Spital, Wooley, Walton, Staveley, Wingfield, Hady.
- Melilotus indica*, All. Calow, Boythorpe.
- Trifolium pratense*, L. var. *sativum*, Schreb. Tapton.
- T. pratense*, L. var. *americanum*, Harz. Tapton.
- T. procumbens*, L. var. *majus*, Koch. Dronfield Woodhouse.
- Vicia augustifolia*, L. Temple Normanton, Wingerworth.
- V. sepium*, L. var. *ochroleucum*, Bast. Lower Hady, Ogston.
- Rosa canina*, L. var. *lutetiana* (Léman). Holmesfield.
- R. Borreri*, Woods. var. *arvatrica* (Baker). Holmesfield.
- Alchemilla minor*, Huds. Spital, Wooley Moor, Wingerworth.
- Agrimonia Eupatoria*, L. var. *sepium*, Bréb. Cordwell.
- Pyrus Aucuparia*, L. Spital, Walton, Tapton, Linacre, Wingerworth.
- Crataegus monogyna*, Jacq. var. *laciniata*, Wallr. Calow.
- Sedum album*, L. Barlow (established).
- Sempervivum tectorum*, L. Established at Holymoorside, Barlow, and Old Brampton.
- Epilobium parviflorum*, Schreb. var. *subglabrum*, Koch. Brimington.
- Pimpinella Saxifraga*, L. var. *dissecta*, With. Spital, Wingfield.
- Anthriscus vulgaris*, Bernh. Spital.
- Oenanthe Crocata*, L. Tapton.
- Caucalis latifolia*, L. Spital.
- Aethusa Cynapium*, L. var. *agrestis*, Wallr. North Wingfield.
- Inula Helenium*, L. Wessington.
- Matricaria suaveolens*, Buch. Chesterfield, Boythorpe.
- M. inodora*, L. var. *phaeocephala*, Rupr. Handley.
- Senecio sylvaticus*, L. var. *auriculatus*, Meyer. Spital.
- S. Jacobaea*, L. var. *flosculosus* (Jord). Wingfield.
- Artemisia vulgaris*, L. var. *coarctata*, Forsells. Spital.

- Cnicus arvensis*, Hoffm. var. *vestitus*, Koch. Chesterfield.
Arctium nemorosum, Lej. Wooley, Holymoorside.
Crepis capellaris, Wallr. var. *agrestis* (W. & K.). Spital.
Taraxacum erythrospermum, Andrz. Hady.
Myosotis palustris, Hill var. *strigulosa*, Reichb. Chesterfield,
Walton.
Lycium chinense, Mill. Calow, Spital, Brampton, Brimington,
Cordwell, Stretton.
[*Verbascum phlomoides*, L. Handley].
Veronica scutellata, L. var. *hirsuta*, Weber. Brackenfield.
Euphrasia nemorosa, Mart. var. *ciliata*, Drabble. Holmesfield.
E. brevipila, B. & G. Sutton Wood.
E. borealis, Towns. Old Brampton.
E. Rostkoviana, Hayne. Wingerworth.
E. campestris, Jord. Dore.
E. Kernerii, Wettst. Holmesfield.
Colamintha officinalis, Moench. Barlow Lees.
Plantago major, L. var. *intermedia*, Gilib. Brockwell, Brierley
Wood.
Polygonum Convolvulus, L. var. *subalatum*, L. & C. Totley.
Chenopodium album, L. var. *candicans*, Lam. Newbold, Ogston,
Boythorpe, Renishaw.
C. album, L. var. *paganum* (R.). Newbold, Renishaw.
Urtica dioica, L. var. *augustifolia*, W. & G. Dronfield, Reni-
shaw.
Castanea sativa, Mill. Wingerworth.
Alisma ranunculoides, L. Renishaw
Phleum pratense, L. var. *nodosum*, L. Spital.
Agrostis alba, L. var. *major*, Gaud. Nether Loads.
A. nigra, With. Spital, Temple Normanton, Calow, Dunston,
Tapton, Hasland.
Avena fatua, L. var. *pilosa*, Syme. Chesterfield.
Phegopteris Dryopteris, Fée. Hagg Wood.
Athyrium Filix-foemina, Roth. var. *erectum*, Syme. Nether
Loads.
Athyrium Filix-foemina, Roth. var. *incisum*. Nether Loads.
Lycopodium clavatum, L. Wingerworth Bole Hill. (Mr. W.
Waddington).

NEW RECORDS FOR THE MILLSTONE GRIT DISTRICT.

- Berberis vulgaris*, L. Birchover, Riber.
Fumaria pallidiflora, Jord. Lumsdale.

- Radicula Nasturtium-aquaticum*, R. & B. var. *siiifolia* (Reichb.).
Loads.
- Viola Lloydii*, Jord. "Sir William," near Eyam.
- V. obtusifolia*, Jord. Loads, Littlemoor, Fabric (Ashover).
- V. agrestis*, Jord. "Sir William," near Eyam, Cathole, Lumsdale, Dethick, Stanage.
- V. Deseglisei*, Jord. Ashover Hay, Stanton Lees.
- V. lutea*, Huds. var. *multicaulis*, Koch. Wadshelf.
- Arenaria leptoclados*, Gus. var. *viscidula*, R. & F. Lea.
- Sagina nodosa*, Fenzl. var. *glandulosa* (Bess). Burbage Valley.
- Spergula sativa*, Boenn. Grindelford, Stanton Lees, Dethick.
- Geranium sanguineum*, L. Lea.
- Medicago lupulina*, L. var. *Willdenoviana*, Koch. Ashover Hay, Eastmoor.
- M. lupulina*, L. "s. var." *eriocarpa*, Rouy. Holloway.
- Alchemilla minor*, Huds. Northedge.
- Crataegus monogyna*, Jacq. var. *lacinata*, Wallr. Stanton Lees.
- Epilobium parviflorum*, Schreb. var. *subglabrum*, Koch. Near Crich.
- Pimpinella Saxifraga*, L. var. *dissecta*, With. "Sir William" near Eyam.
- Solidago Virgaurea*, L. var. *cambrica*, Huds. Birchover.
- Arctium nemorosum*, Lej. Hölloway.
- Picris hieracioides*, L. Ashover Hay.
- Taraxacum erythrospermum*, Andr. "Sir William" near Eyam.
- Campanula rotundifolia*, L. var. *lancifolia*, M. & K. Dore Moor.
- Linaria repens*, Mill. Bamford (Dr. W. J. Fordham).
- Veronica scutellata*, L. var. *hirsuta*, Weber. Cathole.
- Euphrasia borealis*, Towns. East Moor, Dore Moor, Crich.
- E. curta*, Wettst. var. *glabrescens*, Wettst. Big Moor.
- E. nemorosa*, Mart. var. *ciliata*, Drabble. Ashover Hay, Wooley Moor.
- E. brevipila*, B. & G. var. *subglabra*, Wettst. Lower Burbage Bridge.
- E. campestris*, Jord. Dethick.
- Melampyrum pratense*, L. var. *montanum*, Johnst. Dore Moor.
- M. pratense*, L. var. *hians*, Druce. Cathole.
- Galeopsis angustifolia*, Ehrh. Cathole.
- Scutellaria minor*, Huds. Cathole.
- Chenopodium album*, L. var. *paganum* (R.). Cathole.
- Euphorbia exigua*, L. var. *retusa*, L. Cathole.
- Avena fatua*, L. var. *pilosa*, Syme. Near Grindelford.
- Lolium perenne*, L. var. *aristatum*, Schum. Littlemoor.

NEW RECORDS FOR THE YOREDALE DISTRICTS.

- Ranunculus fluitans*, Lam. var. *Bachii*, Wirt. Hope.
R. arvensis, L. Near Ashover Hay.
R. peltatus, Schrank. var. *floribundus* (Bab.). Eagle Tor.
Chelidonium majus, L. Matlock.
Berberis vulgaris, Ait. Near Ashover Hay.
Sisymbrium officinale, Scop. var. *leiocarpum*, DC. Near Ashover Hay.
S. pannonicum, Jacq. Rowsley.
Brassica alba, Boiss. Hope.
Viola sylvestris, Reichb. Near Ashover Hay.
Silene latifolia, R. & B. var. *puberula* (Jord). Baslow.
Hypericum hirsutum, L. Baslow.
Malva moschata, L. Baslow.
Geranium pratense, L. Baslow, and near Castleton.
G. lucidum, L. Near Eagle Tor.
Trifolium medium, L. Baslow.
Spiraea ulmaria, L. Eagle Tor.
Agrimonia Eupatoria, L. var. *sepium*, Bréb. Near Birchover.
Rosa coriifolia, Fr. var. *implera* (Grew.). Baslow.
Epilobium augustifolium, L. var. *brachycarpum* (Leight.).
 Stanton.
E. hirsutum, L. Near Baslow, Hope.
E. parviflora, Schreb. Baslow.
E. parviflora, Schreb. var. *subglabrum*, Koch. Haddon.
E. roseum, Schreb. Haddon.
E. obscurum, Schreb. Stanton.
Circaea lutetiana, L. Stanton.
C. alpina, L. Near Wensley.
Pimpinella Saxifraga, L. Darley.
P. major, Huds. Near Milltown.
Heracleum Sphondylium, L. var. *augustifolium*, Huds. Baslow,
 Whatstandwell.
Angelica sylvestris, L. Hope.
Valeriana sambucifolia, Mikan. Hope.
Scabiosa Columbaria, L. Hope.
Tanacetum vulgare, L. Whatstandwell, Matlock.
Senecio erucifolius, L. Baslow.
Bidens tripartitus, L. Whatstandwell.
Cnicus arvensis, Hoffm. var. *mitis*, Koch. Baslow.
Carduus crispus, L. Hope.
Hieracium boreale, Fr. Whatstandwell.
Sympytum officinale, L. Near Ashover Hay.

- Myosotis palustris*, L. var. *strigulosa*, Reichb. Haddon.
Mimulus Langsdorffii, Donn. var. *guttatus*, DC. Eagle Tor.
Veronica arvensis, L. var. *nana*, Poir. Haddon.
Euphrasia campestris, Jord. Wensley.
Mentha alopecuroides, Hull. Whatstandwell.
Lycopus europaeus, L. Whatstandwell.
Stachys palustris, L. Whatstandwell.
Polygonum amphibium, L. Whatstandwell, Rowsley.
P. Bistorta, L. Matlock.
Urtica dioica, L. var. *angustifolia*, W. & G. Baslow.
Populus alba, L. Baslow.
Alisma lanceolata, With. Whatstandwell.
Helleborine latifolia, Druce. Wensley.
Triglochin palustre, L. Haddon.
Scirpus compressus, Pers. Haddon.
Carex vesicaria, L. Haddon.
Equisetum limosum, Sm. Eagle Tor.

NEW RECORDS FOR THE CARBONIFEROUS LIMESTONE DISTRICTS.

- Berberis vulgaris*, Ait. Ashover.
Radicula Nasturtium-aquaticum, R. & B. var. *siifolia*, Reichb.
 Millers Dale.
Barbarea intermedia, Bor. Ashover.
 [Brassica Rutabaga, DC. Eyam].
Sisymbrium officinale, Scop. var. *leiocarpum*, DC. Bakewell.
Viola polychroma, Kerner. Eyam.
V. lutea, Huds. var. *multicaulis*, Koch. Sheldon, Eyam.
Sagina procumbens, L. var. *spinosa*, Gibbs. Lathkill Dale, Ashover.
S. nodosa, Fenzl. var. *glandulosa* (Bess.). Via Gellia.
Spergula sativa, Boenn. Monyash.
Claytonia sibirica, L. Buxton (Rev. W. W. Mason).
Hypericum perforatum, L. var. *augustifolia*, DC. Crich.
Malva moschata, L. var. *heterophylla*, Lej. Lathkill Dale.
M. sylvestris, L. var. *lasiocarpa*, Druce. Ashover.
Medicago lupulina, L. var. *Willdenoviana*, Koch. Eyam, Pindale, Bakewell, Over Haddon.
Spiraea Ulmaria, L. var. *denudata*, Boenn. Cromford.
Rosa canina, L. var. *inconspicua*, Déségl. Lathkill Dale.
R. canina, L. var. *lutetiana* (Léman). Over Haddon.
Epilobium parviflorum, Schreb. var. *subglabrum*, Koch. Cromford.
E. tetragonum, L. Millers Dale.

- Pimpinella Saxifraga*, L. var. *roseiflora*, Drabble. Starkholmes.
Pimpinella Saxifraga, L. var. *dissecta*, With. Youlgreave.
Galium verum, L. var. *maritimum*, DC. Winster.
Crepis capillaris, Wallr. var. *agrestis* (W. & K.). Bradwell.
Taraxacum erythrospermum, Andrz. Over Haddon.
Tragopogon pratense, L. Monsal Dale.
Gentiana germanica, Willd. Fallgate, Castleton.
Symphytum tuberosum, L. Crich.
Veronica arvensis, L. var. *nana*, Poir. Castleton.
Euphrasia borealis, Towns. Arborlow.
E. nemorosa, Mart. var. *ciliata*, Drabble. Arborlow, Monsal Dale, Fallgate.
Mentha alopecuroides, Hull. Fallgate.
Origanum vulgare, L. var. *magastachyum* (Link). Lathkill Dale.
Lamium maculatum, L. var. *laevigatum* (L.). Pindale.
Chenopodium album, L. var. *candicans*, Lam. Lathkill Dale.
Urtica dioica, L. var. *augustifolia*, W. & G. Middleton-by-
Youlgrave, Lathkill Dale, Monsal Dale, Cave Dale, Alport.
Quercus sessiliflora Lathkill Dale.
Agropyron repens, Beauv. var. *barbatum*, Duval-Jouve. Over Haddon.
-