

An archaeological magnetometer survey

Land north of Head Street Tintinhull, Somerset

Centred on NGR (E/N): 349720,119420 (point)

Report: 1612TIN-R-1

Ross Dean BSc MSc MA MCIfA

3 February 2017

Substrata Ltd Office 1, 5 Mill Street Bideford Devon EX39 2JT Tel: 01273 273599

Email: geophysics@substrata.co.uk

Web: substrata.co.uk

Client AC Archaeology Ltd 4 Halthaies Workshops Bradninch Nr Exeter

Devon EX5 4QL Tel: 01392 882410

Contents

1. Survey description and summary 1 2. Survey aims and objectives 1 3. Standards 2 4. Site description 2 5. Archaeological background 2 6. Results, discussion and conclusions 3 7. Disclaimer and copyright 5 8. Acknowledgements 5 9. Bibliography 5 Appendix 1 Figures 6 Appendix 2 Tables 12
Figures
Figure 1: location map
Tables
Table 1: data analysis13Table 2: methodology summary14Table 3: processed data metadata15
Project archive
Report

Website: substrata.co.uk

For an overview of Substrata, our archaeological geophysical surveying techniques and the results we obtain.

1 Survey description and summary

1.1 Survey

Type: twin-sensor fluxgate gradiometer

Date: 23 December 2016

Area: 1.4ha

Lead surveyor: Mark Edwards BA

Author: Ross Dean BSc MSc MA MIfA

1.2 Clients

AC Archaeology Ltd, 4 Halthaies Workshops, Bradninch Nr Exeter, Devon EX5 4QL

1.3 Location

Site: Land north of Head Street

Village & Civil Parish: Tintinhull
District: South Somerset
County: Somerset
Nearest Postcode: BA22 8QG

NGR: ST 497 194 (point) NGR (E/N): 349720,119420 (point)

1.4 Archive

OASIS number: substrat1-275182

Archive: At the time of writing, the archive of this survey will be held by

Substrata. Depending on local authority policy, an archive of the unprocessed data may be deposited with the Archaeological Data

Service

1.5 Introduction

This report presents the results of an archaeological magnetometer survey at the above site, hereafter referred to as the survey area. It has been prepared for AC Archaeology Ltd on behalf of clients. The survey area location is shown in Figure 1.

1.6 Summary

The magnetic responses across the survey area were sufficient to be able to differentiate between anomalies representing possible archaeological features and background magnetic responses.

Four magnetic anomaly groups were mapped as representing possible archaeological deposits or features. One linear anomaly group may represent a filled ditch or former ridge-and-furrow ploughing. Two groups represent either filled ditches or field drains. The final group may be associated with fired material such as bricks, concrete or possibly archaeological industrial or craft deposits.

2 Survey aims and objectives

2.1 Aims

To establish the presence or absence, extent and character of any archaeological features and deposits within the survey area.

2.2 Survey objectives

- 1. Complete a magnetometer survey across agreed parts of the survey area.
- 2. Identify any magnetic anomalies that may be related to archaeological deposits, structures or artefacts.
- 3. Within the limits of the techniques and dataset, archaeologically characterise any such anomalies or patterns of anomalies.
- 4. Accurately record the location of the identified anomalies.

5. Produce a report based on the survey that is sufficiently detailed to inform any subsequent development on the survey area about the location and possible archaeological character of the recorded anomalies.

3 Standards

The standards used to complete this survey are defined by the Chartered Institute for Archaeologists (2014a) and Historic England (2010). The codes of approved practice that were followed are those of the Chartered Institute for Archaeologists (2014b) and Archaeology Data Service (undated).

4 Site description

4.1 Landscape and land use

The site comprises a single field on the southwest side of the village to the north of Head Street, and to the southeast of the Fosse Way, the present A303. It covers an area of approximately 1.4 hectares at a height of 46m AOD. Tintinhull is situated within gently rolling countryside, just above the inland edge of the Somerset Levels above the valley of the River Yeo to the north. The land rises very gradually towards the south and southwest to the promontory of Ham Hill, circa 3 km to the southwest, at 125 metres AOD (Costen, 2016: 1).

4.2 Geology

The bedrock across the site is of the Jurassic Dyrham Formation and comprises pale to dark grey and greenish grey, silty and sandy mudstone, with interbeds of silt or very fine-grained sand (locally muddy or silty), weathering yellow (British Geological Survey, undated).

Superficial deposits for the site are unknown (ibid).

5 Archaeological background

5.1 Historic landscape characterisation

'Recently Enclosed Land'

Enclosed during the 18th to 21st century. The general field size is 6-12ha with less than 25% boundary loss since 1905 (Archaeological Data Service, undated b)

5.2 Summary of archaeological background

The following is taken from an Historical Environment Impact Assessment produced in September 2016 by AC Archaeology for the same programme of work as this report (Costen, 2016: 1).

There are no heritage assets currently recorded within the development site, although the assessment has identified a former post-medieval drainage system. A total of 79 individual heritage assets is recorded within a 1km study area, comprising 60 designated assets, the majority of which fall within the Tintinhull Conservation Area.

There is some evidence for late prehistoric and Romano-British activity within the study area, although, other than in two areas, no specific locations for activity during these periods can be identified. The application area lies adjacent to the medieval village of Tintinhull, in an area of associated former medieval open fields that was enclosed and improved during the post-medieval period.

6 Results, discussion and conclusions

6.1 Scope and definitions

This survey was designed to record magnetic anomalies. A magnetic anomaly is a local variation in the Earth's magnetic field. Such variations can result from variations in the magnetism of underlying solid geology, superficial geology and other near-surface deposits including those altered and created by past human activities. Near-surface artefacts can also create magnetic anomalies.

The terms 'archaeological deposit', 'structure' and 'feature' refer to any artefacts, material deposits or disturbance of natural deposits thought to be the result of human activity, excluding recent land maintenance and farming.

Magnetic anomalies cannot be regarded as physical archaeological deposits, structures or features and the dimensions of the anomalies shown do not represent the dimensions of any associated archaeology.

The analysis presented below identifies and characterises anomalies and anomaly groups that may relate to archaeological deposits, structures and features.

The reader is referred to section 7.

6.2 Results

Figure 2 shows the interpretation of the survey data which includes the anomaly groups identified as possibly relating to archaeological deposits along with their identifying numbers. Table 1 is an extract of the detailed analysis of the survey data sourced from the attribute tables of the GIS project provided in the project archive.

Figure 2 and Table 1 comprise the analysis of the survey data.

Figures 3 and 4 are plots of processed data as specified in Table 3. Figure 5 is a plot of unprocessed data with its metadata.

6.3 Discussion

6.3.1 General points

Discussion scope

Not all anomalies or anomaly groups identified in Table 1 are necessarily discussed below. All identified anomaly groups are recorded in the GIS project held the survey archive.

Data collection

Data collection along the survey area edges and internal field boundaries was restricted as shown in the figures due to the presence of magnetic materials within and adjacent to boundaries. Strong magnetic responses mapped close to the boundaries are likely to relate to these materials except where otherwise indicated in Figure 2 and Table 1.

Anomaly characterisation and mapping

There are a number of anomaly groups that could be interpreted as relating to large postholes or pits although most will have natural origins. Anomalies of this sort are only mapped as potential archaeology if they are clustered in groups or otherwise form recognisable patterns.

Anomalies thought to relate to natural features and recent man-made objects such as manholes, water management equipment, drains, cables and other services were only mapped where they comprised significant magnetic responses across the dataset that needed clarification.

Numerous dipole magnetic anomalies are scattered across the data set. These are likely to represent recent ferrous objects. They are only mapped if they could influence the analysis of anomaly groups thought to have an archaeological origin.

Data trends

The parallel, curvilinear trends visible in the data (Figure 3) are likely to represent relatively former ridge-and-furrow cultivation.

6.3.2 Data relating to historic maps and other records

None of the magnetic anomaly groups related to known historic records or artefacts.

6.3.3 Data with no previous archaeological provenance

Magnetic anomaly groups 1, 2 and 3 are distinct in the data set. They relate to either linear archaeological deposits such as a filled ditches or to former ridge-and-furrow ploughing (group 1) and field drains (groups 2 and 3).

Group 4 has a strong magnetic signature and may be associated with fired material such as bricks, concrete or possibly archaeological industrial or craft deposits.

6.4 Conclusions

The magnetic responses across the survey area were sufficient to be able to differentiate between anomalies representing possible archaeological features and background magnetic responses.

Four magnetic anomaly groups were mapped as representing possible archaeological deposits or features. One linear anomaly group (1) may represent a filled ditch or former ridge-and-furrow ploughing. Two groups (2 and 3) represent either filled ditches or field drains. The final group (4) may be associated with fired material such as bricks, concrete or possibly archaeological industrial or craft deposits.

7 Disclaimer and copyright

The description and discussion of the results presented in this report are the authors, based on his interpretation of the survey data. Every effort has been made to provide accurate descriptions and interpretations of the geophysical data set. The nature of archaeological geophysical surveying is such that interpretations based on geophysical data, while informative, can only be provisional. Geophysical surveys are a cost-effective early step in the multi-phase process that is archaeology. The evaluation programme of which this survey is part may also be informed by other archaeological assessment work and analysis. It must be presumed that more archaeological features will be evaluated than those specified in this report.

Substrata Ltd will assign copyright to the client upon written request but retains the right to be identified as the author of all project documentation and reports as defined in the Copyright, Designs and Patents Act 1988 (Chapter IV, s.79). This report contains material that is non-Substrata Limited copyright or the intellectual property of third parties. Such material is labelled with the appropriate copyright and is non-transferrable by Substrata Ltd.

8 Acknowledgements

Substrata would like to thank John Valentin of AC Archaeology Ltd for commissioning us to complete this survey.

9 Bibliography

Archaeology Data Service (undated a) *Archaeology Data Service/Digital Antiquity Guides to Good Practice: Geophysical Data in Archaeology* [Online], Available: http://guides.archaeologydataservice.ac.uk/g2gp/Geophysics_Toc [October 2016]

Archaeology Data Service (undated b) *Somerset and Exmoor Historic Landscape Characterisation (HLC)* [Online], Available: http://archaeologydataservice.ac.uk/archives/view/somersetexmoor hlc 2013/ [February 2017]

British Geological Survey (undated) *Geology of Britain viewer, 1:50000 scale data,* [Online], Available: http://www.bgs.ac.uk/discovering Geology/geologyOfBritain/viewer.html [February 2017]

Chartered Institute for Archaeologists (2014a) *Standard and guidance archaeological geophysical survey*. Reading: Author [Online], Available: http://www.archaeologists.net/sites/default/files/CIfAS&GGeophysics_1.pdf [October 2016]

Chartered Institute for Archaeologists (2014b) *Code of conduct*. Reading: Author [Online], http://www.archaeologists.net/sites/default/files/CodesofConduct.pdf [August 2016]

Clark, A. (2000) *Seeing Beneath the Soil, Prospecting methods in archaeology*, London: Routledge

Costen, D. (2016) Land north of Head Street, Tintinhull, Somerset, (NGR ST 4972 1942) Historic Environment Impact Assessment, AC Archaeology Ltd unpublished report ACD1445/1/0

Dean, R. (2016) A survey method statement for a detailed magnetometer survey over land north of Head Street, Tintinhull, Somerset, Substrata Ltd unpublished document 1612TIN-M-1


Historic England (2010) *Geophysical Survey in Archaeological Field Evaluation*, [Online], Available: https://content.historicengland.org.uk/images-books/publications/geophysical-survey-in-archaeological-field-evaluation/geophysics-guidelines.pdf/ [August 2016]

Appendix 1 Figures

General Guidance

The anomalies represented in the survey plots provided in this appendix are magnetic anomalies. The apparent size of such anomalies and anomaly patterns are unlikely to correspond exactly with the dimensions of any associated archaeological features (see Section 6.1).

A rough rule for interpreting magnetic anomalies is that the width of an anomaly at half its maximum reading is equal to the width of the buried feature, or its depth if this is greater (Clark, 2000: 83). Caution must be applied when using this rule as it depends on the anomalies being clearly identifiable and distinct from adjacent anomalies. In northern latitudes the position of the maximum of a magnetic anomaly will be displaced slightly to the south of any associated physical feature.




An archaeological magnetometer survey Land north of Head Street, Tintinhull, Somerset Centred on NGR (E/N): 349720,119420 (point) Report: 1612TIN-R-1

Figure 1: location map

Substrata Limited
Office 1, 5 Mill Street
Bideford, Devon EX39 2JT
Tel: 01273 273599

Email: geophysics@substrata.co.uk



Notes

1. All interpretations are provisional and represent potential archaeological deposits.

- 2. 'Anomaly type' is a description of the magnetic anomaly. See the report text or GIS for an archaeological characterisation.
- 3. Anomalies designated "likely archaeology" have supporting evidence e.g. historical maps and or visible earthworks.
- 4. Representative; not all instances are mapped.
- 5. Anomalies likely to represent geological or other natural deposits are not mapped unless relevant to potential archaeological events or deposits.

An archaeological magnetometer survey Land north of Head Street, Tintinhull, Somerset Centred on NGR (E/N): 349720,119420 (point) Report: 1612TIN-R-1

Figure 2: survey interpretation

Substrata Limited Office 1, 5 Mill Street Bideford, Devon EX39 2JT Tel: 01273 273599

Tel: 012/3 2/3599

Email: geophysics@substrata.co.uk




An archaeological magnetometer survey Land north of Head Street, Tintinhull, Somerset Centred on NGR (E/N): 349720,119420 (point) Report: 1612TIN-R-1

Figure 3: shade plot of processed data

Substrata Limited
Office 1, 5 Mill Street
Bideford, Devon EX39 2JT
Tel: 01273 273599

Email: geophysics@substrata.co.uk




An archaeological magnetometer survey Land north of Head Street, Tintinhull, Somerset Centred on NGR (E/N): 349720,119420 (point) Report: 1612TIN-R-1

Figure 4: contour plot of processed data

Substrata Limited
Office 1, 5 Mill Street
Bideford, Devon EX39 2JT
Tel: 01273 273599


Email: geophysics@substrata.co.uk



-10	0	10	20	30	40
	-				

Figure 5: shade plot of unprocessed data





Instrument Type: Units: Bartington Grad 601

Sensors: Dunmy Value: Grid Size: X Interval: Y Interval: 1 m

Stats

3000.00 -3000.00 79.33 -0.47 0.00 Max: Min: Std Dev: Mean: Median: Composite Area: Surveyed Area: PROGRAM 2.7 ha 1.1301 ha

Name:

TerraSurveyor 3.0.31.0 Version:

Processes: 1 Base Layer

Appendix 2 Tables

An archaeological magnetometer survey Site:

Land north of Head Street, Tintinhull, Somerset Centred on NGR (E/N): 349720,119420 (point) Report: 1612TIN-R-1

anomaly	anomaly characterisation	anomaly form	additional archaeological	comments
group	certainty & class		characterisation	
1	possible, positive	liner	filled ditch or ridge-and-furrow trace	
2	possible, positive	liner	filled ditch or field drain	
3	possible, positive	liner	filled ditch or field drain	
4	possible, high positive	sub-rectangular	sub-rectangular deposit or structure	anomaly group may represent either ferrous material and/or fired material
	_			(such as bricks or concrete) or strongly heated archaeological deposits

Table 1: data analysis

Documents

Survey methodology statement: Dean (2016)

Methodology

- 1. The work was undertaken in accordance with the survey methodology statement. The geophysical (magnetometer) survey was undertaken with reference to standard guidance provided by the Chartered Institute for Archaeologists (2014) and Archaeology Data Service (undated).
- 2. The survey grid location information and grid plan was recorded as part of the project in a suitable GIS system.
- 3. Data processing was undertaken using appropriate software, with all anomalies being digitised and geo-referenced. The final report included a graphical and textual account of the techniques undertaken, the data obtained and an archaeological interpretation of that data and conclusions about any likely archaeology.

Grid

Method of Fixing: DGPS set-out using pre-planned survey grids and Ordnance Survey coordinates.

Composition: 30m by 30m grids

Recording: Geo-referenced and recorded using digital map tiles.

DGPS used: Spectra Precision PM5V2 GPS with external antenna and survey pole and DigiTerra Explorer 7 as the survey control program.

	•			
HO		nm	Δn	t
ĽЧ	uı	pm	UII	ι

Instrument: Bartington Instruments grad601-2

Firmware: version 6.1

Data Capture

Sample Interval: 0.25m Traverse Interval: 1 metre Traverse Method: zigzag Traverse Orientation: GN

Data Processing, Analysis and Presentation Software

IntelliCAD Technology Consortium IntelliCAD 8.0

DW Consulting TerraSurveyor3

Manifold System 8 GIS

Microsoft Corp. Office Excel 2013

Microsoft Corp. Office Publisher 2013

Adobe Systems Inc Adobe Acrobat 9 Pro Extended

Table 2: methodology summary

SITE Instrument Type: Units: Bartington Grad-601 gradiometer nT Direction of 1st Traverse: see below

Collection Method:

ZigZag 2 @ 1.00 m spacing. 32702 Sensors:

Dummy Value:

PROGRAM

Name: TerraSurveyor 3.0.31.0 Version:

	Processes: 9
80.37	1 Base Layer
-97.49	2 Clip at 1.00 SD
4.19	3 De Stagger: Grids: All Mode: Both By: -1 intervals
-0.08	4 De Stagger: Grids: a8.xgd Mode: Both By: 1 intervals
0.00	5 DeStripe Median Traverse: Grids: All
	6 Edge Match (Area: Top 120, Left 0, Bottom 149, Right 119) to Right
	edge
	7 Edge Match (Area: Top 90, Left 0, Bottom 119, Right 119) to
	Bottom edge
	8 Edge Match (Area: Top 30, Left 240, Bottom 59, Right 359) to Right
	edge
	9 Edge Match (Area: Top 0, Left 240, Bottom 29, Right 359) to Right
	edge
	-97.49 4.19 -0.08

Table 3: processed data metadata