

BOREHOLE LOG

BOREHOLE No
BH AB

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
12/09/07

Ground Level:
37.93maOD

Co-ordinates:
E364740 N352370

Project:
NANTWICH WATERLOGGED DEPOSITS


Sheet:
1 of 1


SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1		SPT	N=0	•		37.32		(0.61)	MADE GROUND/OVERBURDEN	
		SPT	N=0	•				0.61	0.34 - 0.43 Brick becoming abundant.	
2		SPT	N=0	•		36.20		(1.12)	ARCHAEOLOGICAL DEPOSIT	
		SPT	N=0	•				1.73	0.61 - 1.00 Brick, tile, coal and charcoal fragments (<20mm). 1.10 - 1.73 Occasional black gravels of ash/cinder (<10mm).	
3		SPT	N=1	•		35.93		2.00	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT	
		SPT	N=0	•		35.87		2.06	1.73 - 2.00 Slight sulphide odour.	
3		SPT	N=0	•		35.56		(0.31)	MINERAL RICH DEPOSIT	
		SPT	N=0	•		2.37		2.37	No Recovery.	
3		SPT	N=0	•		35.14		(0.42)	SAND	
		SPT	N=0	•				2.79	2.70 - 2.79 Rounded pebbles (<20 mm) common.	
3		SPT	N=0	•		34.93		3.00	CLAY	
									Borehole complete at 3.00m	

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 2.13m bgl. Well headspace concentration 40ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG				BOREHOLE No BHA	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 30/07/07	Ground Level: 33.29maOD	Co-ordinates: E364931 N352661		
Project: NANTWICH WATERLOGGED DEPOSITS					Sheet: 1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1						◇		MINERAL RICH DEPOSIT	
2		SPT	N=0			◇	(3.48)	1.61 - 1.63 Discontinuity of moist to wet, soft to unconsolidated, light grey, sand.	
3		SPT	N=0			◇		2.35 - 2.65 Very granular appearance caused by presence of indurated clay lumps (<3 mm) within the matrix.	
4		SPT	N=0		29.81	◇	3.48	3.20 - 3.48 Becoming slightly wetter and more sticky.	
4		SPT	N=0		29.39	◇	(0.42) 3.90	SAND	
5								Borehole complete at 3.90m	

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHAE

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
10/01/11

Ground Level:
35.19maOD

Co-ordinates:
E364917.887 N352428.049

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1							(0.79)	MADE GROUND/OVERBURDEN		
						34.40	0.79			
2						34.19	1.00	ARCHAEOLOGICAL DEPOSIT		
		SPT	N=2				(1.31)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT		
3		SPT	N=2			32.88	2.31	ARCHAEOLOGICAL DEPOSIT		
		SPT	N=2				(0.69)			
4		SPT	N=3			32.19	3.00	No Recovery.		
		SPT	N=1			31.79	3.40			
5		SPT	N=1			31.19	4.00	SAND		
								Borehole complete at 4.00m		

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG

BOREHOLE No
BHAF

Client:
CHESHIRE COUNTY COUNCIL



Project No: 406.0889.00003.005	Date: 11/01/11	Ground Level: 34.89maOD	Co-ordinates: E364899.123 N352463.451
-----------------------------------	-------------------	----------------------------	--

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
						34.46		(0.43) 0.43	MADE GROUND/OVERBURDEN	
1		SPT	N=0	● ⁰				(0.96)	MINERAL RICH DEPOSIT	
		SPT	N=1	● ¹		33.50		1.39		
		SPT	N=1	● ¹				(0.61)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT	
2		SPT	N=1	● ¹		32.89		2.00		
		SPT	N=2	● ²				(2.00)	SAND	
		SPT	N=2	● ²						
3		SPT	N=0	● ⁰						
		SPT	N=0	● ⁰						
4		SPT	N=0	● ⁰		30.89		4.00		
5	Borehole complete at 4.00m									

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

BOREHOLE LOG

BOREHOLE No
BHAG

Client:
CHESHIRE COUNTY COUNCIL



Project No: 406.0889.00003.005	Date: 11/01/11	Ground Level: 37.03maOD	Co-ordinates: E365007.316 N352313.389
-----------------------------------	-------------------	----------------------------	--

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1						36.03	[Cross-hatch pattern]	(1.00) 1.00	MADE GROUND/OVERBURDEN
							?	(0.90) 1.90	No Recovery.
2		SPT	N=3		● ³	35.13	[Diagonal hatch pattern]	(0.60) 2.50	ARCHAEOLOGICAL DEPOSIT
		SPT	N=2		● ²	34.53	[Horizontal hatch pattern]	(1.50) 4.00	CLAY
3		SPT	N=1		● ¹				
4						33.03			Borehole complete at 4.00m
5									

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--


BOREHOLE LOG				BOREHOLE No BHB	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 30/07/07	Ground Level: 36.62maOD	Co-ordinates: E364925 N352582		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 2	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1							(2.44)	MADE GROUND/OVERBURDEN 0.06 - 0.08 Becoming mid to dark grey-brown.	
2							2.44		
3		SPT	N=0	●		34.18	(1.56)	ARCHAEOLOGICAL DEPOSIT. Contains cinder and burnt material. 3.00 - 4.00 Slight sulphide odour.	
4		SPT	N=0	●		32.62	4.00	3.92 Rounded edge pot fragment (<11mm) CLAY	
5		SPT	N=0	●			(2.00)		
		SPT	N=0	●					
		SPT	N=0	●					
		SPT	N=0	●					
		SPT	N=0	●		30.62	6.00		

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG				BOREHOLE No BHB	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 30/07/07	Ground Level: 36.62maOD	Co-ordinates: E364925 N352582		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 2 of 2	

SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
7		SPT	N=0							
8										
9										
10										
11										

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By:	Approved By:
--	--	--	------------	--------------

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHC

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
31/07/07

Ground Level:
34.87maOD

Co-ordinates:
E364827 N352525

Project:
NANTWICH WATERLOGGED DEPOSITS


Sheet:
1 of 1


SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1		SPT	N=1					ARCHAEOLOGICAL DEPOSIT 0.35 - 1.00 Fine ash/cinder.		
		SPT	N=2				(1.90)			
2		SPT	N=2					1.47 - 1.52 Pocket of orange sand. 1.60 - 1.62 Pocket of light grey-brown sand. 1.72 - 1.78 Waterlogged wood fragments.		
		SPT	N=1				32.97			
		SPT	N=0					NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT 1.90 - 1.95 Slight sulphide odour. 1.95 Waterlogged wood fragments. 2.19 - 3.00 Moderate sulphide odour.		
		SPT	N=2							
3		SPT	N=2							
		SPT	N=2				(2.10)			
4		SPT	N=1							
		SPT	N=1				30.87	4.00		
Borehole complete at 4.00m										

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG				BOREHOLE No BHE	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 31/07/07	Ground Level: 35.34maOD	Co-ordinates: E364931 N352261		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1							(1.00)	MADE GROUND/OVERBURDEN		
						34.34	1.00			
2							(0.50)	ARCHAEOLOGICAL DEPOSIT. Contains brick, stones and slate.		
						33.84	1.50			
			SPT	N=0				(0.91)		MINERAL RICH DEPOSIT
			SPT	N=0						
			SPT	N=1						
3							2.41	ARCHAEOLOGICAL DEPOSIT. Contains fragments of brick and ash.		
			SPT	N=1		32.93	2.41			
4							(1.59)			
			SPT	N=0						
5							4.00			
			SPT	N=0		31.34	4.00			
Borehole complete at 4.00m										

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By:	Approved By:
--	--	--	------------	--------------

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHF

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
01/08/07

Ground Level:
39.74maOD

Co-ordinates:
E365191 N352264

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1		SPT	N=0	•				MADE GROUND/OVERBURDEN	(0.67)	
		SPT	N=0	•			39.07			
		SPT	N=3		•					NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT
		SPT	N=1		•			(1.19)		0.76 - 0.81 Waterlogged wood fragments 0.76 - 0.96 Moderate sulphide odour. 1.00 - 1.86 Slight sulphide odour.
2		SPT	N=3		•		37.88	1.48 - 1.52 Light grey sand intrusions (at ~45 degrees to horizontal). 1.50 - 1.86 Becomes wet.	1.86	
		SPT	N=0	•			37.74	1.56 - 1.60 Light grey sand intrusions (at ~45 degrees to horizontal). 1.64 - 1.72 Light grey sand intrusions (at ~45 degrees to horizontal). 1.76 - 1.80 Fibrous organic content.		
		SPT	N=0	•				(1.00)		SAND 1.96 - 2.00 Slight sulphide odour. CLAY
3		SPT	N=0	•			36.74	3.00	Borehole complete at 3.00m	
4										
5										

Boring Progress and Water Observations

Chiselling

Water Added

General Remarks

Date	Time	Depth	Casing		Water Dpt	From	To	Hours	From	To	
			Depth	Dia. mm							

All dimensions in metres
Scale 1:37.5

Contractor : Sherwood Drilling
Plant: Geotool

Method: Windowless Sampler
Hole Size:

Logged By:

Approved By:

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHG

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
01/08/07

Ground Level:
39.60maOD

Co-ordinates:
E365096 N352398

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1						39.33	0.27	MADE GROUND/OVERBURDEN	Instrument/ Backfill	
		SPT	N=0	●				(1.72)		ARCHAEOLOGICAL DEPOSIT. Contains ash/cinder, brick, tile fragments and rotted charcoal. 0.87 Very rotted shell.
		SPT	N=0	●						
		SPT	N=0	●						
		SPT	N=0	●						
		SPT	N=0	●						
		SPT	N=1	●						
		SPT	N=0	●						
	2		SPT	N=0	●		37.61	1.99		SAND
			SPT	N=0	●			(1.01)		Borehole complete at 3.00m
		SPT	N=0	●						
		SPT	N=0	●						
	SPT	N=0	●							
3		SPT	N=0	●		36.60	3.00			
4										
5										

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG				BOREHOLE No BHH	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 01/08/07	Ground Level: 39.35maOD	Co-ordinates: E365233 N352471		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1		SPT	N=0	●			(0.36)	MADE GROUND/OVERBURDEN		
		SPT	N=0	●		38.99	0.36			
		SPT	N=0	●				(0.64)		ARCHAEOLOGICAL DEPOSIT. Contains ash/cinder, brick, mortar and glass.
		SPT	N=0	●		38.35		1.00		
2							(0.42)	No Recovery.		
		SPT	N=0	●		37.93	1.42			
		SPT	N=0	●				(2.48)		
		SPT	N=0	●		37.83		1.52		SAND CLAY
3										
		SPT	N=0	●						
4										
		SPT	N=0	●		35.35		4.00		
5									Borehole complete at 4.00m	

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHI

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
31/07/07

Ground Level:
38.96maOD

Co-ordinates:
E365308 N352394

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=1				(0.86)	ARCHAEOLOGICAL DEPOSIT 0.00 - 0.86 Very slight sulphide odour.	
		SPT	N=3			38.10	0.86	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Contains ash/cinder and woody root fragments.	
		SPT	N=0			38.00	0.96		
		SPT	N=0				37.59	1.37	
		SPT	N=0				37.38	1.58	
2		SPT	N=0					SAND	
		SPT	N=0					CLAY	
3		SPT	N=0				(2.12)		
		SPT	N=0						
4		SPT	N=0				35.26	3.70	
								Borehole complete at 3.70m	

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG				BOREHOLE No BHJ	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 31/07/07	Ground Level: 40.04maOD	Co-ordinates: E365284 N352296		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					STRATA				Instrument/ Backfill			
Depth	Type No	Test Type	Test Result	Preservation				Reduced Level		Legend	Depth (Thickness)	DESCRIPTION
				1	2	3	4					
1		SPT	N=0	•						(1.00)	MADE GROUND/OVERBURDEN	
		SPT	N=0	•								
1		SPT	N=2	•				39.04		1.00	SAND	
		SPT	N=0	•						(0.75)		
2		SPT	N=2	•				38.29		1.75	CLAY	
		SPT	N=0	•								
3		SPT	N=0	•						(2.25)		
		SPT	N=0	•								
4		SPT	N=0	•				36.04		4.00		
											Borehole complete at 4.00m	
5												

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG				BOREHOLE No BHK	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 31/07/07	Ground Level: 37.14maOD	Co-ordinates: E365021 N352297		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1						36.14		(1.00) 1.00	MADE GROUND/OVERBURDEN	
2		SPT	N=0	●				(2.00)	CLAY	
3		SPT	N=0	●		34.14		3.00		
4		SPT	N=0	●						Borehole complete at 3.00m
5										

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG				BOREHOLE No BHL	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 11/09/07	Ground Level: 38.71maOD	Co-ordinates: E365128 N352544		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0	•		37.96	(0.75)	MADE GROUND/OVERBURDEN	
						37.41	(0.55)	ARCHAEOLOGICAL DEPOSIT 0.97 Post medieval/modern pottery fragment (<35mm).	
2		SPT	N=0	•			(1.15)	SAND	
		SPT	N=0	•		36.26	2.45	CLAY	
3		SPT	N=0	•		34.71	(1.55)	CLAY	
4							4.00	Borehole complete at 4.00m	
5									

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 2.28m bgl. Well headspace concentration 35ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHM

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
11/09/07

Ground Level:
37.81maOD

Co-ordinates:
E365015 N352549

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0			↓	[Cross-hatch pattern]	(1.23)	MADE GROUND/OVERBURDEN
		SPT	N=0						
		SPT	N=0						
		SPT	N=0						
		SPT	N=0						
		SPT	N=0						
		SPT	N=0						
2		SPT	N=1			↓	[Wavy pattern]	(1.00)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Contains waterlogged organic material. 1.23 - 1.44 Slight sulphide odour. 1.44 - 1.60 Slight sulphide odour. 1.60 - 2.00 Slight sulphide odour. 2.00 - 2.23 Very slight sulphide odour.
		SPT	N=1						
		SPT	N=1						
		SPT	N=1						
3		SPT	N=0			↓	[Dotted pattern]	(0.77)	SAND
		SPT	N=0						
3									Borehole complete at 3.00m
4									
5									

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 1.58m bgl. Well headspace concentration 905ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

BOREHOLE LOG

BOREHOLE No
BHN

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
12/09/07

Ground Level:
39.17maOD

Co-ordinates:
E365016 N352449

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0	•		38.97		0.20	MADE GROUND/OVERBURDEN
		SPT	N=0	•				(0.87)	ARCHAEOLOGICAL DEPOSIT. Contains ash/cinder, brick, tile fragments, mortar and rotted charcoal.
		SPT	N=0	•					
		SPT	N=0	•		38.10		1.07	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Contains waterlogged wood and herbaceous detritus.
		SPT	N=1	•	1				
		SPT	N=2	•	2				
		SPT	N=2	•	2				
		SPT	N=1	•	1				
		SPT	N=0	•					
		SPT	N=3	•	3				
2		SPT	N=2	•	2			(1.65)	1.74 Bone fragment (<11mm)
		SPT	N=0	•					1.88 - 1.91 Slight sulphide odour.
		SPT	N=0	•					1.91 Blue vivianite? (<12mm)
		SPT	N=4	•	4				1.91 - 2.00 Overpowering sulphide odour.
		SPT	N=4	•	4				1.93 Hazelnut fragment.
3		SPT	N=0	•		36.45		2.72	2.00 - 2.46 Overpowering sulphide odour.
		SPT	N=3	•	3				2.61 - 2.72 Very slight sulphide odour.
		SPT	N=2	•	2				2.62 - 2.70 Large round wood (wattle?) inclusions.
		SPT	N=1	•	1	36.17		3.00	SAND
4		SPT	N=0	•				(1.00)	CLAY
		SPT	N=0	•		35.17		4.00	Borehole complete at 4.00m

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 1.37m bgl. Well headspace concentration 80ppm.

All dimensions in metres Scale 1:37.5 Contractor : Sherwood Drilling Plant: Geotool Method: Windowless Sampler Hole Size: Logged By: Approved By:

BOREHOLE LOG

BOREHOLE No
BHO

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
11/09/07

Ground Level:
39.64maOD

Co-ordinates:
E365184 N352470

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1		SPT	N=0	●			(1.20)	0.50 - 0.54 Brick/tile which becomes the dominant component.		
		SPT	N=0	●						
		SPT	N=0	●						
		SPT	N=0	●						
		SPT	N=0	●						
2		SPT	N=2	●		↓	(0.57)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Contains brick, tile, coal fragments and waterlogged plant remains.		
		SPT	N=0	●			(1.77)	1.20 - 1.77 Slight sulphide odour.		
		SPT	N=0	●			(2.00)	ARCHAEOLOGICAL DEPOSIT		
3							(0.39)	No Recovery.		
		SPT	N=0	●			(2.39)			
		SPT	N=0	●			(2.89)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT 2.39 - 2.89 Slight sulphide odour.		
4		SPT	N=0	●			(1.00)	CLAY		
							(4.00)			
5								Borehole complete at 4.00m		

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 1.44m bgl. Well headspace concentration 10ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

BOREHOLE LOG

BOREHOLE No
BHP

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
10/09/07

Ground Level:
39.93maOD

Co-ordinates:
E365098 N352374

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					STRATA				Instrument/ Backfill		
Depth	Type No	Test Type	Test Result	Preservation				Reduced Level		Legend	Depth (Thickness)
				1	2	3	4				
1		SPT	N=0	•					(1.31)	ARCHAEOLOGICAL DEPOSIT. Contains brick, tile, coal fragments and charcoal.	1.31
		SPT	N=0	•							
		SPT	N=0	•							
		SPT	N=0	•							
		SPT	N=0	•							
		SPT	N=2		•	2					
		SPT	N=2		•	2					
		SPT	N=3		•	3					
		SPT	N=2		•	2					
		SPT	N=2		•	2					
2		SPT	N=0	•				(0.69)	1.30 Animal bone fragment (<20mm). NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Very humified amorphous organic peat.	2.00	
		SPT	N=2		•	2					
		SPT	N=0		•						
		SPT	N=2		•	2					
3		SPT	N=0	•				(2.00)	SAND	2.67 - 3.00 Slight sulphide odour.	
		SPT	N=0	•							
		SPT	N=0	•							
		SPT	N=0	•							
4		SPT	N=0	•				35.93	4.00	Borehole complete at 4.00m	
		SPT	N=0	•							

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 3.33m bgl. Well headspace concentration 170ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

BOREHOLE LOG

BOREHOLE No
BHQ

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
10/09/07

Ground Level:
39.22maOD

Co-ordinates:
E365196 N352383

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1					↓ 1	38.74	(0.48)	MADE GROUND/OVERBURDEN	█
						37.72	(1.02)	ARCHAEOLOGICAL DEPOSIT. Contains brick, tile, cinder/coal and glass fragments.	
2		SPT	N=0	●		37.39	(0.33)	MINERAL RICH DEPOSIT	▨
		SPT	N=0	●		37.39	1.83	SAND	
3		SPT	N=0	●		36.34	(1.05)	CLAY	▩
		SPT	N=0	●		35.42	(0.92)	CLAY	
4		SPT	N=0	●		35.42	3.80	Borehole complete at 3.80m	█
5									

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 1.71m bgl. Well headspace concentration 170ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

BOREHOLE LOG

BOREHOLE No
BHR

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
10/09/07

Ground Level:
39.18maOD

Co-ordinates:
E365205 N352362

Project:
NANTWICH WATERLOGGED DEPOSITS


Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0	●		38.68		0.50	MADE GROUND/OVERBURDEN
		SPT	N=0	●		37.82		1.36	ARCHAEOLOGICAL DEPOSIT. Contains brick, tile, cinder/coal and mortar fragments.
2		SPT	N=0	●		37.31		0.51	MINERAL RICH DEPOSIT
		SPT	N=0	●				1.87	
3		SPT	N=0	●		36.68		0.63	SAND
		SPT	N=0	●				2.50	
4		SPT	N=0	●		35.18		1.50	CLAY
		SPT	N=0	●				4.00	
5									Borehole complete at 4.00m

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG				BOREHOLE No BHS	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 11/09/07	Ground Level: 39.77maOD	Co-ordinates: E365119 N352343		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0	•				MADE GROUND/OVERBURDEN	
		SPT	N=0	•			(0.81)		
		SPT	N=0	•		38.96	0.81	ARCHAEOLOGICAL DEPOSIT. Contains fragments of brick and tile.	
2		SPT	N=0	•			(2.47)		
		SPT	N=0	•				2.44 Brick surface (Large fragments <130mm)	
		SPT	N=0	•					
		SPT	N=0	•					
3		SPT	N=0	•			3.28		
		SPT	N=0	•		36.49	3.28	SAND	
4		SPT	N=0	•			(0.72)		
		SPT	N=0	•		35.77	4.00		
								Borehole complete at 4.00m	

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 3.34m bgl. Well headspace concentration 130ppm.

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By:	Approved By:
--	--	--	------------	--------------

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHU

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
14/09/07

Ground Level:
39.43maOD

Co-ordinates:
E365160 N352349

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0	●			(1.50)	ARCHAEOLOGICAL DEPOSIT. Contains brick, tile and coal fragments.	
								0.35 Animal bone fragment (<55mm)	
		SPT	N=0	●				0.60 - 0.65 Human skull fragments (<40mm)	
		SPT	N=0	●				1.00 - 1.08 Large human skull fragment (<80mm)	
2		SPT	N=0	●		37.93	1.50	MINERAL RICH DEPOSIT	
		SPT	N=0	●		37.66	1.77		
		SPT	N=1	●	●		(1.23)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT	
		SPT	N=2	●	●			1.77 - 1.96 Slight sulphide odour. 2.00 - 2.17 Slight sulphide odour.	
3		SPT	N=2	●		36.43	3.00		
4	Borehole complete at 3.00m								
5									

Boring Progress and Water Observations

Chiselling

Water Added

General Remarks

Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To

All dimensions in metres
Scale 1:37.5

Contractor : Sherwood Drilling
Plant: Geotool

Method: Windowless Sampler
Hole Size:

Logged By:

Approved By:

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

BOREHOLE LOG

BOREHOLE No
BHV

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
14/09/07

Ground Level:
39.39maOD

Co-ordinates:
E365195 N352346

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill	
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)		DESCRIPTION
1		SPT	N=3				(1.44)	MINERAL RICH DEPOSIT		
		SPT	N=0						37.95	1.44
2		SPT	N=3				(1.06)	NON-CARBONISED DEPOSIT WITH ORGANIC CONTENT. Contains waterlogged wood fragments.		
		SPT	N=3						36.89	2.50
		SPT	N=0							
3		SPT	N=2				(2.00)	CLAY		
		SPT	N=0						34.89	4.50
4		SPT	N=0					Borehole complete at 4.50m		
5										

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Groundwater present at 1.95m bgl. Well headspace concentration 60ppm.

All dimensions in metres Scale 1:37.5 Contractor : Sherwood Drilling Plant: Geotool Method: Windowless Sampler Hole Size: Logged By: Approved By:

BOREHOLE LOG

BOREHOLE No
BHW

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
13/09/07

Ground Level:
40.03maOD

Co-ordinates:
E365214 N352280

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1							(1.00)	MADE GROUND/OVERBURDEN		
			SPT	N=3		39.03	1.00			
2							(0.36)	ARCHAEOLOGICAL DEPOSIT. Contains brick and tile fragments. 1.20 Single pot sherd		
			SPT	N=3		38.67	1.36			
3							(1.12)	SAND		
			SPT	N=0						
4							(0.52)	CLAY		
			SPT	N=0		37.55	2.48			
5							(0.52)	CLAY		
			SPT	N=0		37.03	3.00			
Borehole complete at 3.00m										

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG

BOREHOLE No
BHX

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
13/09/07

Ground Level:
37.62maOD

Co-ordinates:
E365014 N352321

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=2				(0.60)	MADE GROUND/OVERBURDEN	
		SPT	N=0			37.02	0.60	ARCHAEOLOGICAL DEPOSIT. Possible castle mound construction material.	
2		SPT	N=0				(0.82)		
		SPT	N=0			36.20	1.42	CLAY	
3		SPT	N=0				(1.58)		
		SPT	N=0			34.62	3.00	Borehole complete at 3.00m	
4									
5									

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG

BOREHOLE No
BHY

Client:
CHESHIRE COUNTY COUNCIL



Project No:
406.0889.00003.005

Date:
13/09/07

Ground Level:
39.90maOD

Co-ordinates:
E365057 N352322

Project:
NANTWICH WATERLOGGED DEPOSITS

Sheet:
1 of 1

SAMPLES & TESTS					Water	STRATA				Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	DESCRIPTION	
1		SPT	N=0				(2.06)	MADE GROUND/OVERBURDEN		
2		SPT SPT SPT	N=0 N=0 N=0			37.84	2.06	SAND		
3		SPT SPT	N=0 N=0				(1.68)			
4		SPT	N=0			36.16	3.74	CLAY		
						35.90	4.00			
5								Borehole complete at 4.00m		

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: Approved By:
--	--	--	------------------------------

BOREHOLE LOG				BOREHOLE No BHZ	
Client: CHESHIRE COUNTY COUNCIL					
Project No: 406.0889.00003.005	Date: 13/09/07	Ground Level: 38.46maOD	Co-ordinates: E365079 N352243		
Project: NANTWICH WATERLOGGED DEPOSITS				Sheet: 1 of 1	

SAMPLES & TESTS					Water	STRATA			Instrument/ Backfill
Depth	Type No	Test Type	Test Result	Preservation 1 2 3 4		Reduced Level	Legend	Depth (Thickness)	
1		SPT	N=0			37.76		(0.70)	MADE GROUND/OVERBURDEN
		SPT	N=0					0.70	
2		SPT	N=0			36.42		(1.34)	
		SPT	N=0					2.04	
3		SPT	N=0			35.46		(0.96)	
		SPT	N=0					3.00	
4									
5									

Boring Progress and Water Observations						Chiselling			Water Added		General Remarks
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	

All dimensions in metres Scale 1:37.5	Contractor : Sherwood Drilling Plant: Geotool	Method: Windowless Sampler Hole Size:	Logged By: _____ Approved By: _____
--	--	--	--

Form SLR AGS3 UK BH SPT File 406.0889.00003.005 NANTWICH INTERPRETATION LOGS.GPJ 12-04-16