

Charred Plant Remains Analysis Table Key.

Key: Scale of abundance: A*** = exceptional, A** = 100+, A* = 30-99, A = >10, B = 9-5, C = <5;
Bioturbation proxies: Roots (%), Uncharred seeds (scale of abundance), F = mycorrhizal fungi sclerotia, E = earthworm eggs, I = insects; Sab/f/c = small animal/fish bones/charred faecal pellets, Moll-t = terrestrial molluscs, Moll-f = aquatic molluscs, Moll-m = marine molluscs; Analysis: C = charcoal, P = plant, M = molluscs, C14 = radiocarbon

Site	2		Site 3					5		Site 6			
	MBA	cremation pit	Middle Bronze Age				MED? MBA?	Late Iron Age	LBA	IA?		IA?	IA?
Feature Type		pit	3240 roundhouse posthole				3251 structure pit/posthole	Kiln	pit	8023	8100 roundhouse posthole		pit
Feature Number	2129	3102	3091	3147	3177	3300	3306	6163	8080	8115		8146	8158
Context	2120	3133	3114	3173	3178	3253	3261	6164	8082	8116		8147	8159
Sample	6	42	24	40	72	55	62	144	113	120		137	141
size litres	20	20	7	20	6	18	18	20	20	9		5	20
flot size ml	125	70	30	80	25	50	60	80	100	40		40	80
Cereals and other Crops													
Hordeum sp. (grains, hulled)	-	-	-	1	-	1	-	-	3	-	-	-	-
Hordeum sp. (grains, naked)	-	cf.1	-	-	-	-	-	-	-	-	-	-	-
Hordeum sp. (grains indet.)	cf.1	-	5	2	cf.1	-	-	2	6	cf.1	-	-	-
Triticum sp. (grain)	1	-	-	-	-	-	-	-	1	-	-	-	-
Triticum diccocum/spelta (grain)	-	-	2	-	-	-	-	-	-	-	-	-	-
Triticum dicocum (grain)	-	-	cf.2	cf.1	-	-	-	-	-	-	-	-	-
Triticum dicocum (spikelet fork)	-	-	1	-	-	-	-	-	-	-	-	-	-
Triticum dicocum (glume base)	-	-	1	-	-	-	-	-	-	-	-	-	-
T. diccocum/spelta (glume bases)	-	-	1	1	-	-	-	-	-	-	-	-	-
T. diccocum/spelta (spikelet forks)	-	-	-	1	-	-	-	-	-	-	-	-	-
Triticum aestivum sl (grain)	-	-	-	-	-	cf.1	-	-	-	-	-	-	-
Cereals undiff. (grains)	-	4	2	9	-	5	cf.2	-	4	2	-	-	3
Cereal undiff. (grain fragments)	-	14	3	-	-	-	-	-	-	-	-	-	-
Cereals undiff. (rachis fragment)	-	-	-	-	-	-	-	-	1	-	-	-	-
Species Name													
Corylus avellana (hazelnut frgs.)	1	-	-	1	-	-	2	-	-	-	-	-	-
Fallopia convolvulus	1	-	-	2	-	-	-	-	-	-	-	-	-
Vicia/Lathyrus sp.	1	1	1+cf.1	1	-	-	-	-	-	-	-	-	-
Medicago lupulina/Trifolium sp.	-	-	-	cf.1 frg.	-	-	-	-	-	-	-	-	-
Galium aparine	-	2	-	cf.1 frg.	-	-	-	-	-	-	-	-	-
Monocot stems and root stems	-	-	1	-	-	-	-	-	-	-	-	-	-
Poaceae/Cereal (culm nodes)	-	-	-	-	-	-	-	-	-	-	-	1	-
Poaceae large (>2mm)	-	cf.1	-	-	-	-	-	-	-	-	-	-	-
Poa sp./Phleum sp.	-	-	cf.1	-	-	-	-	-	-	-	-	-	-
Arrhenatherum elatius var. bulbosum (tuber)	-	-	-	-	-	-	-	1?	-	1+1 tuber stem		-	-
Avena sp. (grains)	-	-	-	cf.2 frgs.	-	-	-	-	-	-	-	-	-
Seed indet. <2.5mm	-	-	2	?2	-	-	-	-	-	-	-	-	-
Parenchyma (non-vascular) indet.	17	-	24	21	9	36?	42	18	27	10	25	23	-
Tuber indet.	-	-	?1	-	-	-	?5	?2	-	-	1 or grain		-
Wood Charcoal	++	+	+	+	v. little	+	v. little	-	-	-	-	-	-
Bud indet.	-	-	-	-	-	-	-	1	-	-	-	-	-
Fish	-	-	-	1 eel+1 fish	-	-	-	-	-	-	-	-	-
Odd thing Nut ?	-	-	-	-	-	-	1	-	-	-	-	-	-
Odd thing stem?	-	-	-	-	-	-	2	-	-	-	-	-	-

Site	2	Site 3							Site 5			
Date	A	P/MNEO						Neo	P/MNEO			
Feature	1034	3000		3007		3020	3119	3328	6056	6061		6093
Context	1035	3002	3001	3008	3012	3021	3120	3329	6057	6063	6064	6097
Sample	2	10	11	75	76	13	58	79	84	88	100	104
Original Volume litres	28	30	15	30	30	30	30	9	30	30	20	20
Flot Volume ml	410	90	40	120	150	60	235	80	240	230	500	175
Cereals and other Crops												
Hordeum sp. (grains, hulled)	cf.1	-	-	-	-	-	cf.1	-	-	-	cf.1	-
Hordeum sp. (grains, naked)	cf.2	-	-	-	-	cf. 1	-	-	-	-	-	-
Hordeum sp. (grains indet.)	10	1	-	-	-	-	1	-	-	-	-	cf.1
Triticum sp. (grain)	1	-	-	-	-	cf. 1	3	-	-	-	-	-
T. diccicum/spelta (grain)	2	-	-	-	-	-	2	-	-	-	-	-
Triticum dicoccum (grain)	-	-	-	-	-	-	-	cf. 2	-	1	-	cf.1
Triticum aestivum sl (grain)	-	-	-	-	-	1	1	-	-	-	3	cf.1
Triticum aestivum sl (rachis)	-	-	-	-	-	-	-	cf.1	-	-	-	-
Cereals undiff. (grains)	2	5	2	-	-	2	-	1	-	-	1	-
Cereal undiff. (grain frgs.)	1	-	-	-	-	3	-	-	-	-	-	-
Cereal/Poaceae (grain)	-	-	-	-	-	1	-	-	-	-	-	-
Species Name												
Fumaria sp.	-	1/2	1/2	-	-	-	-	-	-	-	-	-
Corylus avellana (hazelnut frgs.)	131	64	50	189	350+	19	96	283	478	3000+	10,000+	96
Corylus avellana (parenchyma)	-	-	-	-	-	-	-	-	-	10+	50+	-
Hazelnut fragments >4mm	-	-	-	-	-	-	-	-	-	215	437	-
Prunus spinosa	-	-	-	-	-	-	-	cf.1	-	-	-	-
Malus sylvestris	-	-	-	-	-	-	-	-	-	cf.1	-	-
Potentilla/Fragalleia	-	-	-	-	-	-	-	-	-	1 chk.	-	-
Vicia/Lathyrus sp.	-	-	-	-	-	-	-	-	-	2	-	-
Vicia/Pisium/Lens sp.	-	-	-	-	-	1	-	cf.1	-	-	-	-
Sambucus nigra	-	-	-	-	-	-	-	-	1	-	-	-
Poaceae/Cereal (culm nodes)	-	1	-	-	-	-	-	1	-	-	-	-
Poaceae tuber small indet.	-	-	1	-	-	-	-	-	-	-	-	-
Arrhenatherum elatius var. bulbosum (tuber)	-	-	cf.1	-	-	-	-	-	-	-	1? see below	-
Hordeum maritum	-	-	-	-	-	-	-	-	-	-	-	cf.1
Parenchyma (non-vascular) indet.	-	11	4	9	11	31	29	30	25	25 frgs	-	7
Prenchyma/Cereal type	-	-	-	-	-	-	-	-	2	-	2	-
Tuber indet.	-	-	1	-	4	-	5	-	2	-	1	-
Fish Bone	-	-	-	-	-	-	-	-	1	-	2	-