

Table 8.2: attributes of rock-cut features in Operation C

Tomb/ pit/unit No.	Square	Type	Status	Orientation	Capstone cut	S or P Depth	Total depth	Aperture L	Aperture W	Base L	Base W	Human bone in basal deposit	Per I or I/II objects	Dateable disturbance	Bedrock type at surface	Abs. Ht top capstone cut	Abs. Ht aperture	Abs. Ht base
101	J7	S	L	N-S	N	1.20 (ca.)	1.20 (ca.)	?	?	1.45	0.95	Y	Y	Per V (3rd c. BC)	K		161.03	159.82
102	J7	S?	L	N-S	?	1.60 (ca.)	1.60 (ca.)	?	?	1.28	0.76	Y	Y	Per III	K		161.06	159.54
103	J7/J8	S	L	N-S	N	2.20	2.20	1.00 (ca.)	0.40	1.66	1.12	Y	Y	Per III	K		161.14	158.91
104	J8	SS	L	N-S	N	1.05	1.05	0.70 (ca.)	0.34	1.10	0.54	Y	N		K		161.22	160.2
105	J8	SS	L	NW-SE	?	1.22	1.22	?	?	1.30	0.91	Y	Y	Per V	K		160.70	159.52
106	J8	S	L	NW-SE	N	1.88	1.88	0.70 (ca.)	0.50 (ca.)	1.08	0.85	N	N	20th c. AD	K		160.85	159.07
107	I7	S	L	NE-SW	N	1.75	1.75	?	?	1.04	0.92	Y	Y		K		161.20	159.45
108	I8	SS	PLIB	NW-SE	Y	1.18	1.48	0.58	0.35	1.06	0.66	Y	Y	21st c. AD	K	161.02	160.73	159.53
109	I8	P	L	NW-SE	Y	1.18	1.38	1.60 (ca.)	1.0 (ca.)	1.04	0.60	Y	Y	Per V, 20th c. AD	H	160.56	160.40	159.22
110	I8/I9	SS	L	NW-SE	Y	0.96	1.20	1.30 (ca.)	0.58	1.42	0.88	Y	Y	Per V	K	160.64	160.52	159.55
111	I8	SS	L	N-S	N	0.96	0.96	0.86	0.35	1.04	0.68	Y	Y		K		160.97	159.98
112	I9	SS	L	N-S	Y	0.84	0.92	0.60	0.52	0.68	0.58	Y	?		K	160.84	160.75	159.92
113	I9/H9	SS	L	N-S	N	0.78	0.78	0.76	0.40	0.86	0.44	N	Y		K		160.70	159.89
114	H7	S	L	E-W	N	1.89	1.89	1.10	0.50	1.26	0.68	Y	Y		K/H		160.73	158.84
115	H7	SS	L	NW-SE	Y	1.42	1.51	0.94	0.40	1.25	0.75	Y	Y		K	160.71	160.62	159.22
116	H7	SS	LLID	NW-SE	N	1.08	1.08	0.70	0.32	0.94	0.54	Y	Y		K		160.67	159.57
117	H7	SS	L	NW-SE	Y	1.28	1.40	0.98	0.47	1.35	0.75	Y	N	20th c. AD	K	160.76	160.68	159.43
118	G7	SS	L	NW-SE	N	1.44	1.44	0.72	0.38	1.30	0.68	Y	Y		K		160.47	159.02
119	G7	SS	L	NW-SE	N	1.18	1.18	0.92	0.46	1.10	0.68	Y	Y		K		160.27	159.23
120	H7	SS?	?	NW-SE	N	0.52+	0.52+	0.98	0.47	?	?	Y	Y		K		160.80	N/A
121	H7/I7	SP	US	N-S	N	0.39	0.39	0.54	0.28	-	-	N	N		K		160.87	160.45
122	H7/H8	SS	?	NW-SE	N	0.69	0.69	0.67	0.28	0.78	0.37	N	N		K		160.97	160.24
123	H7-8/I7-8	SS	L	NW-SE	Y	1.03	1.18	0.95	0.49	0.90	0.52	N	Y		K	160.95	160.79	159.74
124	I9	SP	US	NW-SE	N	0.42	0.42	0.94	0.58	-	-	N	N		H		160.54	160.12
125	J8	?	PLIB	NW-SE	N	0.38+	0.38+	?	?	1.15	0.95	Y	Y		?		N/A	159.66
126	I9	SP	LLID	NW-SE	N	0.44	0.44	0.71	0.49	-	-	N	Y		K/H		160.67	160.28
127	H8/I8	S	L	N-S	Y	1.89	2.20	0.75	0.50	1.10	0.80	Y	N	Per V (Hellenistic–Early Roman), 20th c. AD	K/H	160.86	160.55	158.66
128	H8	SS	L	NW-SE	Y	0.78	1.03	0.76	0.36	0.78	0.42	Y	Y	Per V (Hellenistic?), 20th c. AD	K	160.40	160.20	159.42
129	H8	P	L	NW-SE	N	0.70	0.70	1.10 (ca.)	0.94 (ca.)	0.75 (ca.)	0.46 (ca.)	Y	Y		H		160.45	159.73

Tomb/ pit/unit No.	Square	Type	Status	Orientation	Capstone cut	S or P Depth	Total depth	Aperture L	Aperture W	Base L	Base W	Human bone in basal deposit	Per I or I/II objects	Dateable disturbance	Bedrock type at surface	Abs. Ht top capstone cut	Abs. Ht aperture	Abs. Ht base
130	I9	SS	PLIB	N-S	N	0.70	0.70	0.80	0.48	0.90	0.48	N	Y		K		160.75	160.02
131	I7	SS	L	NW-SE	N	1.34	1.34	?	0.50 (ca.)	1.20 (ca.)	0.90 (ca.)	Y	Y		H		160.58	159.27
132	H7	S	PLIB	NW-SE	N	1.62	1.62	0.80	0.46	1.30	0.89	Y	Y		K		160.62	159.03
133	H8	SS	?	NW-SE	N	0.60	0.60	0.70	0.33	0.68	0.34	N	N		K		160.89	160.35
134	H8	SP	L	E-W	N	0.32	0.32	0.55	0.42	-	-	N	Y		K/H		160.82	160.47
135	H8	SS	L	NW-SE	N	0.52	0.52	0.56	0.32	0.76	0.40	N	N	20th c. AD	K/H		160.65	160.12
136	H8	S?	?	NW-SE	N	0.62+	0.62+	0.86	0.55	?	?	Y	Y		K/H		160.64	N/A
137	H8	SS	LLID	NW-SE	Y	1.00	1.17	0.76	0.38	1.16	0.53	Y	Y		K	160.71	160.54	159.54
138	H8	SS	IS	E-W	Y	0.68	1.00	0.61	0.29	0.87	0.45	Y	Y		K	160.48	160.21	159.52
139	J9	SP	?	NW-SE	N	0.50	0.50	0.62	0.48	-	-	N	N		K/H		160.71	160.21
140	J9	SP	?	NW-SE	N	0.28	0.28	0.56	0.36	-	-	N	N		K		160.78	160.46
141	J9	SP	IU	NW-SE	N	0.48	0.48	0.70	0.42	-	-	N	Y		K/H		160.70	160.23
142	J9	SP	?	NW-SE	N	0.30+	0.30+	-	-	0.68	0.44	N	N		H		160.51	160.21
143	J9	SP	?	NW-SE	N	0.25+	0.25+	-	-	0.60+	0.32+	N	N		H		N/A	159.9
144	J9	?	?	NW-SE	N	0.86+	0.86+	-	-	0.90 +	0.66	N	N		H		160.21	159.37
145	I10	SS	L	NW-SE	N	1.10	1.10	0.97	0.51	1.10	0.70	Y	Y	20th c. AD	K/H		160.84	159.72
146	I9/I10	SS	LLID	NW-SE	Y	1.20	1.38	0.82 (ca.)	0.42	1.20	0.84	N	Y		K/H	160.84	160.66	159.46
147	H8	P	IS	E-W	N	0.53	0.53	0.78	0.36	0.75	0.45	N	Y		K/H		160.38	159.84
148	I10	S	L	NW-SE	N	1.51	1.51	1.40 (ca.)	0.75 (ca.)	1.24	0.60	N	N	20th c. AD	H		160.12	159.14
149	G9/H9	SP	?	E-W	N	0.34	0.34	0.49	0.27	-	-	N	N		K		160.61	160.23
150	H9	SS	L	N-S	N	0.76	0.76	0.97	0.64	1.12	0.62	N	Y	Per V	H		160.74	159.91
151	G7	S	LLID	NW-SE	N	2.06	2.06	0.68	0.42	1.33	0.78	Y	Y	20th c. AD	K		160.24	158.15
152	G7	SS	L	NW-SE	N	0.63	0.63	0.68	0.37	-	-	N	Y		K		160.42	159.73
153	G7/H7	P	?	NW-SE	N	0.30+	0.30+	-	-	0.80 (ca.)	0.45 (ca.)	Y	Y		K/H		N/A	160.04
154	G7	P	L	NW-SE	N	0.50	0.50	0.50	0.38	-	-	N	N		K/H		160.25	159.72
155	G7	SS	PLIB	NW-SE	N	0.98	0.98	0.80	0.42	1.05	0.74	Y	Y		H		160.11	159.16
156	G7	P	L	NE-SW	N	0.47	0.47	0.53	0.30	-	-	Y	Y		K		160.18	158.69
157	G7	P	?	NE-SW	N	0.59	0.59	0.75	0.44	0.71	0.51	Y	Y		K/H		160.27	159.64
158	H9	S	PLIB	E-W	N	1.82	1.82	1.10	0.73	1.45	0.89	Y	Y		K/H		160.55	158.82
159	H9	SS	LLID	NW-SE	N	1.05	1.05	0.84	0.50 (ca.)	1.02	0.70	Y	Y		K/H		160.61	159.59
160	G9	S	PLIB	NW-SE	Y	1.56	2.08	0.91	0.45	1.04	0.88	Y	Y		K	160.51	160.30	158.75
161	G9/H9	S	PLIB	NW-SE	N	1.94	1.94	1.15	0.67	1.40	0.75	Y	Y		K/H		160.48	158.56
162	G9	SS	L	NW-SE	Y	1.44	1.72	1.12	0.52	1.56	0.96	Y	Y	Per V (Hellenistic), 20th c. AD	K	160.43	160.14	158.71
163	G9	SP	IU	NE-SW	N	0.25	0.25	0.54	0.34	-	-	N	Y		K		160.44	160.14

Tomb/ pit/unit No.	Square	Type	Status	Orientation	Capstone cut	S or P Depth	Total depth	Aperture L	Aperture W	Base L	Base W	Human bone in basal deposit	Per I or I/II objects	Dateable disturbance	Bedrock type at surface	Abs. Ht top capstone cut	Abs. Ht aperture	Abs. Ht base
164	G9	S	L	E-W	Y	2.20	2.40	1.26	0.74 (ca.)	1.78	1.10	Y	Y	Per V	K	Not recorded	160.42	158.24
165	G9	SS	IS	NW-SE	Y	1.40	1.50	0.81	0.46	1.28	0.78	Y	Y		K	160.56	160.51	159.08
166	H6	P	?	NW-SE	N	0.42	0.42	0.41	0.22	-	-	N	N		K/H		160.52	160.12
167	H10	SS	L	NW-SE	Y	0.90	0.98	0.87	0.42	0.98	0.72	Y	N	Per V (Hellenistic-Roman), 20th c. AD	K/H	160.92	160.83	159.85
168	F7/F8	S	IS	NE-SW	N	1.60	1.60	1.10	0.95	1.28	1.05	Y	Y		K/H		159.41	157.98
169	F8	P	IS	E-W	N	0.50	0.50	0.66	0.53	0.63	0.38	N	Y		K/H		159.45	158.98
170	F7	P	L	E-W	N	0.48	0.48	0.82	0.50	-	-	Y	N		K/H		159.25	158.8
171	F7	S	L	NE-SW	N	2.02	2.02	0.80	0.54	1.30	1.02	Y	Y		K		159.96	157.94
172	F7	S	L	NE-SW	N	2.57	2.57	0.63	0.48	1.10 (ca.)	1.00 (ca.)	Y	Y		K		159.95	157.4
172.4	F7	SC	PLIB	NE-SW	-	0.96	0.96	0.76	0.56	1.10	0.93	Y	Y		H		N/A	156.85
173	J8	SS	L	NW-SE	N	1.40	1.40	?	0.38 (ca.)	1.10	0.90	Y	Y		K		161.09	159.63
174	G10/H10	S	L	NW-SE	Y	1.50	1.87	1.40 (ca.)	0.70	1.50	0.90	Y	N		K/H	161.03	160.66	159.18
175	G10	SS	L	N-S	Y	0.92	1.36	0.80 (ca.)	0.40 (ca.)	0.90	0.40	Y	N		K/H	161.15	160.71	159.35
176	G10	S	L	NW-SE	Y	1.60	1.89	0.90	0.44	1.40 (ca.)	0.90 (ca.)	Y	N	20th c. AD	K/H	161.11	160.82	159.22
177	G10	SS	L	NW-SE	Y	0.88	1.21	0.90	0.50	0.80	0.50	Y	Y		K/H	160.93	160.60	159.72
178	G6/H6	SS	LLID	NW-SE	N	0.97	0.97	0.75 (ca.)	0.65 (ca.)	0.90	0.80	Y	Y	21st c. AD	K/H		160.49	159.52
179	H6	?	?	NW-SE	N	0.50	0.50	?	?	0.70	0.47	Y	Y		K/H		160.47	159.82
180	G10	S?	L	NW-SE	N	0.86+	0.86+	1.20 (ca.)	0.40	?	?	Y	N	Per V	K/H		160.44	N/A
181	G7/G8	SS	L	E-W	Y	1.30	1.66	0.92	0.53	1.40	0.80	Y	Y		K/H	160.31	160.03	158.71
182	F10	P	IU	N-S	N	0.54	0.54	0.68	0.28	0.62	0.30	N	Y		K		160.30	159.76
183	F10	SS	?	N-S	Y	0.90	1.03	0.75	0.37	0.54	0.46	N	?		K	160.54	160.40	159.5
184	F10	SP	?	NW-SE	N	0.36	0.36	0.60	0.31	-	-	N	?		K		160.47	160.11
185	F9/F10	S	L	E-W	N	1.70	1.70	0.98	0.38	1.38	0.78	Y	N	20th c. AD	K		160.33	158.63
186	F9	SS	LLID	NW-SE	Y	1.35	1.70	0.95	0.50	1.39	0.93	Y	Y	20th c. AD	K	160.21	159.80	158.52
187	G8	P	L	E-W	N	0.90	0.90	1.00 (ca.)	0.71 (ca.)	0.90	0.70	Y	Y		H		160.21	159.32
188	G8	P	IU	NE-SW	N	0.10 +	0.10 +	?	?	0.55	0.40	N	Y		H		160.09	159.99
189	G8	SS	IS	NW-SE	N	1.30	1.30	0.94	0.46	1.10	0.65	Y	Y		K/H		160.39	159.06
190	G8	P	IU	NW-SE	N	0.40+	0.40+	0.94 (ca.)	0.74	0.98	0.64	Y	Y		H		160.19	159.83
191	G8	P	US	E-W	N	0.18+	0.18+	0.50 (ca.)	0.40 (ca.)	0.48	0.30	N	N		H		160.25	160.05
192	G8	S	PLIB	NW-SE	Y	1.95	2.09	0.93	0.50	1.40	0.68	Y	Y		K	160.40	160.26	158.37
193	G8	S	PLIB	NW-SE	N	1.74	1.74	1.04	0.58	1.27	0.70	Y	Y		K/H		160.48	158.73
194	F9	P	?	NW-SE	Y	0.30	0.67	0.60	0.34	-	-	N	N		K	160.44	160.07	159.77

Tomb/ pit/unit No.	Square	Type	Status	Orientation	Capstone cut	S or P Depth	Total depth	Aperture L	Aperture W	Base L	Base W	Human bone in basal deposit	Per I or I/II objects	Dateable disturbance	Bedrock type at surface	Abs. Ht top capstone cut	Abs. Ht aperture	Abs. Ht base
195	F9	SS	LLID	NW-SE	Y	1.45	1.88	0.92	0.56	1.57	1.02	Y	Y		K/H	159.84	159.67	158.19
196	F9	S	L	NW-SE	Y	1.60	1.92	0.68	0.46	1.20 +	0.84	N	Y	Per V, 20th c. AD	K/H	160.28	160.01	158.4
197	G8	P	IU	E-W	N	0.31	0.31	0.66	0.41	-	-	Y	Y		H		160.20	159.91
198	G8	P	IU	NW-SE	N	0.49	0.49	0.61	0.45	-	-	N	Y		H		160.42	
199	F8	SS	L	NW-SE	Y	1.17	1.37	0.81	0.48	0.65	0.57	Y	N		K/H	Not recorded	160.07	159.77
200	E8	S	LLID	NW-SE	N	2.17	2.17	0.96	0.44	1.48	0.89	Y	Y	Per V (Late Roman–Byzantine)	K		159.72	157.55
201	E8/E9	S	LLID	NW-SE	Y	2.24	2.38	0.79	0.54	1.62	0.99	Y	Y	Per V (Late Roman–Byzantine)	K	159.60	159.47	157.22
202	E8	S	L	NW-SE	N	2.42	2.42	0.78	0.46	1.32	1.02	N	Y	20th c. AD	K		159.39	156.97
203	E7	P	?	E-W	N	0.48 +	0.48 +	1.15 (ca.)	0.70 (ca.)	1.10	0.72	N	Y		K/H		158.85	158.31
204	E7	SS	?	NW-SE	N	0.98	0.98	1.00 (ca.)	0.60	1.20	0.70	N	N		K/H		159.06	158.09
205	E8	P	?	N-S	N	0.61	0.61	0.80	0.38	-	-	N	Y		K		159.15	158.53
206	E8	SP	?	E-W	N	0.32+	0.32+	0.96	0.38	-	-	Y	Y		K		159.39	159.07
207	E8	SS	IU	NW-SE	N	1.45	1.45	0.97	0.41			Y	Y		K		159.34	157.91
208	G8	SS	IU	NW-SE	N	1.30	1.30	1.20	0.75	1.18	0.80	Y	Y		H		160.38	159.08
209	F8/G8	SP	IU	E-W	N	0.14+	0.14+	0.40	0.25	-	-	Y	Y		K/H		158.86	158.75
210	E7/E8	P	LLID	NW-SE	N	0.30	0.30	0.78	0.59			Y	Y		K/H		158.90	158.55
211	E7	P?	L	?	N	0.40+	0.40+	1.00 (ca.)	0.50 (ca.)	-	-	N	N		K/H		N/A	158.01
212	E7	?	L	?	N	0.28+	0.28+	0.70 (ca.)	0.40 (ca.)	-	-	N	N		K/H		N/A	158.59
213	G10/G11	SS	LLID	NW-SE	N	1.16	1.16	1.03	0.61	1.26	0.80	Y	Y		K/H		160.73	159.54
214	F10	SS	L	N-S	N	0.76	0.76	0.60+	0.32 (ca.)	1.00	0.60	N	N		K/H		160.24	159.51
215	F10	P?	L	NW-SE	N	0.63	0.63	0.56+	0.17+	-	-	N	N		K		160.37	159.76
216	D10/E10	S	L	NW-SE	N	1.60	1.60	1.05 (ca.)	0.70 (ca.)	1.52	1.10	Y	Y		K/H		159.20	157.72
217	G8	P	IU	E-W	N	0.62	0.62	0.60	0.47	-	-	Y	Y		H		160.20	159.71
218	E9	SS	L	NW-SE	N	1.17	1.17	0.80	0.42	1.15	0.60	Y	N		K		159.80	158.63
219	D8	SP	IS	E-W	N	0.20	0.20	0.59	0.40	-	-	N	Y		H		159.05	158.87
220	D9/E9	S	LLID	NW-SE	Y	2.18	2.40	0.80	0.50	1.95	1.10	Y	Y	Per V, 20th c. AD	K	159.51	159.30	157.08
221	E9	SS	LLID	NW-SE	N	1.24	1.24	0.86	0.48	1.23	0.85	Y	Y		K		159.51	158.28
222	E9	SS	L	N-S	Y	1.40	1.70	1.06 (ca.)	0.50	1.38	0.90	Y	Y	Per V (Hellenistic–Roman)	K	159.60	159.38	157.92
223	E9	SS	L	NE-SW	N	1.29	1.29	0.91	0.50	1.12	0.70	Y	Y	Per V	K		159.76	158.46
224	E9	SS	L	NW-SE	Y	1.12	1.28	0.87	0.54	1.48	0.93	Y	N		K	159.82	159.66	158.53
225	D9	S	L	E-W	Y	1.72	1.92	0.80	0.44	1.20 (ca.)	0.65	Y	Y		K	159.29	159.07	157.36
226	D9	S	L	NW-SE	N	1.60	1.60	0.86	0.44	1.40	0.90	Y	Y		K		159.09	157.52
227	D9	S	LLID	NW-SE	N	1.58	1.58	0.88	0.41	1.30	0.80	Y	Y	20th c. AD	K/H		159.22	157.64

Tomb/ pit/unit No.	Square	Type	Status	Orientation	Capstone cut	S or P Depth	Total depth	Aperture L	Aperture W	Base L	Base W	Human bone in basal deposit	Per I or I/II objects	Dateable disturbance	Bedrock type at surface	Abs. Ht top capstone cut	Abs. Ht aperture	Abs. Ht base
228	D9/E9	S	PLIB	N-S	Y	2.25	2.35	0.73	0.60	1.50	0.90	Y	Y	Per V (Hellenistic), 21st c. AD	K/H	159.62	159.49	157.28
229	D10	S	LLID	NW-SE	N	1.76	1.76	?	0.60 (ca.)	1.75	0.92	Y	Y	Per III	K/H		159.09	157.42
230	G10	?	?	NW-SE	N	?	?	?	0.43	?	?	?	?		K		160.54	N/A
231	F10/G10	?	?	NW-SE	N	?	?	0.60	0.35	?	?	?	?		K		160.51	N/A
232	E8	?	?	E-W	Y	?	?	0.60+	0.38	?	?	?	?		K		159.05	N/A
233	G11	SS	L	NW-SE	N	0.85	0.85	0.80 (ca.)	0.50 (ca.)	0.90	0.68	Y	N	Per V (Byzantine)	K/H		160.76	159.9
234	G10	SS	L	E-W	Y	0.77	0.99	0.80 (ca.)	0.45	1.10 (ca.)	0.50	Y	Y	Per V, 20th c. AD	K/H	160.68	160.47	159.62
235	D10	S	L	E-W	N	1.60	1.60	?	?	1.36	1.00	Y	Y	Per III	K/H		159.52	157.88
236	G6	SS	LLID	NW-SE	N	1.10	1.10	?	?	1.08	0.62	Y	Y	20th c. AD	K/H		159.96	158.86
237	G7	SS	PLIB	E-W	N	1.38	1.38	0.96	0.60	1.09	0.78	Y	Y		K/H		160.24	158.86
317	H7	Cyl.	?	N/A	-	0.20	0.20	0.12	0.12	-	-	N	N		K		-	-
318	H7	Cyl.	?	N/A	-	0.10	0.10	0.12	0.12	-	-	N	N		K		-	-
344	J9	SP	?	NW-SE	-	0.22+	0.22+	0.65	0.40	-	-	N	N		K		160.58	160.36
345	J8	?	?	NE-SW	-	0.14	0.14	0.69	0.54	-	-	N	N		K		-	-
346	I8	?	?	NE-SW	-	0.12	0.12	0.52	0.35	-	-	N	N		K		-	-
347	I8	?	?	N/A	-	0.08	0.08	0.85	0.72	-	-	N	N		K		-	-
348	I7/I8	?	?	E-W	-	0.25	0.25	0.88	0.58	-	-	N	N		K		-	-
349	I7	?	?	N-S	-	0.36	0.36	0.78	0.50	-	-	N	N		K		-	-
353	I8/J8	?	?	NE-SW	-	0.33	0.33	0.86	0.50	-	-	N	N		K		-	-
354	H7	Cyl.	?	N/A	-	0.24	0.24	0.13	0.13	-	-	N	N		K		-	-
357	H8	SP	?	NW-SE	-	0.23	0.23	0.65	0.48	-	-	N	N		H		160.28	160.05
379	H6	P?	?	E-W	-	0.03+	0.03+	-	-	0.65	0.30	N	N		K		160.63	160.6
386	H9/I9	P?	?	E-W	-	0.18+	0.18+	0.70	0.31	-	-	N	Y		H		160.64	160.47
390	F7	P?	?	N-S	-	0.18+	0.18	0.66	0.32	-	-	N	N		K		159.81	159.63
410	F9	P?	?	NW-SE	-	0.43+	0.43	0.50	0.35	-	-	N	N		H		-	-
414	G8	Cyl.	US	N/A	-	0.25	0.25	0.27	0.25	-	-	N	N		H		160.24	159.96
421	D8	P?	?	NW-SE	-	0.46+	0.46	0.90	0.47	-	-	N	N		K		158.56	158.15
428	D9	?	?	NW-SE	-	0.39	0.39	0.98	0.65	-	-	N	N		K/H		-	-
446	F10	SP	?	NE-SW	-	0.13+	0.13+	-	-	0.28	0.20	N	N		K		-	160.21
449	E9	P?	?	NE-SW	-	0.15+	0.15+	-	-	0.35	0.30	N	Y		K		-	-
450	F7	?	?	NW-SE	-	0.18+	0.18+	-	-	0.75	0.50	N	N		K		-	-