

**Excavation of a multi-period site in Weston Wood,
Albury: the pottery**

M J G RUSSELL
with pottery catalogue by V M D Wilson

APPENDIX 1: CONCORDANCE LIST OF FEATURES (AREA 2)

Report No:	Excavation No:
60	AG9 c, d, e
61	AG9 M
62	AG9 W
63	AG10 2
64	AL5 F
65	AL5 K
66	AK10 A
67	AK7 Y
68	AK7 B
69	AK6 R
70	AK6 D
71	AK6 C
72	AK6 B
73	AK6 A
74	AK5 M
75	AK5 F
76	AK5 A
77	AJ11 A
78	AJ7 T
79	AJ7 J
80	AJ5 Z
81	AJ5 W
82	AH10 MB
83	AL5 F
84	AL6 G
85	AL6 M
86	AL6 L
87	AL6 R
88	AL7 B
89	AL7 C M
90	AH7 B
91	AK6 H
92	AJ6 L
93	AJ4 P
94	AJ6 A
95	AK6 Q
96	AK7 O
97	AJ5 B
98	AJ6 C
99	AJ7 S
100	Posthole
101	Posthole
102	Posthole
103	Posthole
104	AH7 P
105	AH7 O
106	AH7 F
107	
108	AK5 P
109	AK7 J
110	AK7 I
111	AG9 P
112	AL6 H
113	AL6 G2

APPENDIX 2: WESTON WOOD POTTERY CATALOGUE (Figs 13-25)

by Valerie Wilson

Abbreviations:

FN: Fingernail

FT: Fingertip

IS: Inner surface

OS: Outer surface

AREA 1**PIT F53 (A12 P)**

1. Complete, convex-sided jar, form 1, squashed and flattened on one side; surfaces rough, with some large flints breaking through; marked vertical finger-smearing; red-brown (5YR5/3); IS grey (10YR5/1); Fabric A. Found at bottom in waterlogged layer, associated with carbonized barley (see section 2.1.3).
2. Rim of form 1 jar; surfaces rough, abraded, with a number of large flints showing; olive-grey (5YR5/2); Fabric A.
3. Rim and shoulder of form 6 jar; surfaces rough, slightly abraded, with some flints breaking through; patchy grey-brown (10YR5/2) and red-brown (5YR5/4); Fabric D.
4. Base sherd; surfaces rough, abraded, with coarse flints protruding; brown (10YR5/3); Fabric A.
5. Rim of form 1 jar; rough irregular surfaces with vertical smears; coarse flint temper; dark grey-brown (10YR4/2); Fabric A.
6. Base sherd; rough surfaces with medium flints breaking through; OS brown (10YR5/3); IS reddish-yellow (7.5YR6/6); Fabric B.

OCCUPATION LAYER (L3)

7. Rim of form 1 jar; surfaces rough and irregular with coarse flints protruding; dark grey-brown (10YR4/2); Fabric A. (A/B 11 L).
8. Rim and shoulder of form 5 jar; rough, weathered, OS with many coarse flints protruding; IS smoother; reddish-yellow (7.5YR6/6); Fabric R. (E6 A).
9. Rim of form 6 jar with raised band between two parallel grooves; smooth, burnished OS; dark-brown (7.5YR3/2); Fabric Q. (E9). Surface find.
10. Rim and shoulder of form 6 jar; rough surfaces with coarse flints breaking through; reddish (7.5YR6/6); Fabric A. (F6).
11. Rim and shoulder of form 6 jar; fairly smooth surfaces with fine to medium flints showing through; yellowish-red (5YR4/6); Fabric F. (A12).
12. Rim of form 3 jar; shallow impressed FT decoration on top of rim; fairly smooth surfaces with medium flints protruding; brown (7.5YR5/4); Fabric A. (A12).
13. Rim of form 1 jar; rough, slightly abraded, vesicular surfaces; patchy orange-brown (10YR5/6) and red (2.5YR5/8); Fabric T. (C5).
14. Everted rim of form 8 jar; fairly smooth surfaces, inner one slightly vesicular; light-red (2.5YR6/6), with light-grey (10YR6/3) core; Fabric S. (B10).
15. Everted rim of form 8 jar; rough, sandy, abraded surfaces; OS orange-brown (7.5YR5/6); IS dark-brown (7.5YR4/2); Fabric S. (D11).
16. Rim and shoulder of form 11 bowl; smooth, abraded, burnished surfaces; very dark-brown (10YR3/2); Fabric I. (D11).
17. Rim of form 11 bowl; fairly smooth, burnished surfaces with some fine flints showing through; dark-brown (7.5YR3/2); Fabric N. (E6/5).
18. Rim of form 16 bowl; fairly rough surfaces with medium to coarse flints protruding; yellowish-red (5YR5/6) shading to orange-brown (7.5YR5/6); Fabric B. (E6).

19. Rim and carination of form 11 bowl; surfaces weathered and slightly abraded; OS burnished; fine flints occasionally showing through; dark-brown (10YR3/2) surfaces with orange (5YR5/6) margins and grey core; Fabric H. (B10/11).
20. Rim and shoulder of tripartite bowl, form 15, unique to site; surfaces weathered, probably burnt, with hair-line crazing; slight traces of burnish; orange-brown (7.5YR5/6); Fabric E. (C12).
21. Rim of form 8 jar, decorated with irregular, shallow FT impressions; surfaces rough, sandy, vesicular; brown (7.5YR4/4); Fabric R. (B8).
22. Rim of indeterminate form; shallow FT decoration; surfaces rough and vesicular; red-brown (5YR4/4); Fabric J. (A11).
23. Rim of indeterminate form; shallow FT decoration forming pie-crust effect; fairly rough surfaces; IS has fine flints showing through; OS yellowish-brown (10YR5/4); IS red-brown (5YR4/3); Fabric F. (C11).
24. Rim of indeterminate form, decorated with shallow FT impressions; surfaces rough, laminated and slightly abraded, with medium flints breaking through; grey-brown (10YR4/2); Fabric A. (A7).
25. Complete profile of form 1 jar; flat-topped rim with FT decoration; coil-built walls and slab-built base; surface finish rough, irregular, with traces of organic wiping; red-brown (5YR5/6); Fabric A. (E5).
26. Rim and body of form 2 jar with stabbed decoration just above maximum girth; decoration consists of a series of punched holes probably made with a stick, the holes never penetrating the inner surface; surfaces very rough, abraded, showing signs of grass wiping; many coarse flints protruding; two joining sherds are red-brown (5YR4/3), but another, also adjoining, is light brownish-grey (10YR6/2) and shows signs of decalcification; Fabric A. (A11).
27. Rim and carination of form 12 bowl with flanged groove; surfaces smooth and burnished, slightly abraded, with occasional medium flints showing through; dark-brown (10YR3/2) surfaces, orange (7.5YR6/6) margins, and a grey core; Fabric H. (A11/12).

28. Rim, probably of form 17 cup, decorated with shallow cuts below rim; surfaces fairly rough; dark-brown (10YR3/2); Fabric S. (C8).
29. Rim and shoulder of form 6 jar; shoulder decorated with row of shallow FT impressions; surfaces rough with occasional medium flints showing through; OS red-brown (5YR5/6); IS and core grey-brown (5YR4/2); Fabric F. (D12).
30. Shoulder of form 6 jar, decorated with row of FT and FN impressions; surfaces rough with fine to medium flints protruding; brown (7.5YR5/4); Fabric F. (A11/12).
31. Shoulder of form 6 jar; fairly deep FT and FN decoration; OS fairly smooth, vesicular; IS abraded, very vesicular, with signs of grass wiping; OS red-brown (5YR4/6) with dark-brown patch (7.5YR4/2); IS dark-brown (7.5YR4/2); Fabric J. (C11).
32. Shoulder of form 6 jar, almost certainly the same pot as 31, decorated with fairly deep FT and FN impressions; surfaces rough, weathered, vesicular; dark-brown (7.5YR3/2); Fabric J. (C11).
33. Body sherd of indeterminate form, decorated with shallow circular impressions; surfaces fairly rough, vesicular; red-brown (5YR4/4); Fabric R. (B4).
34. As 33, from same pot. (B4).
35. Body sherd of indeterminate form with shallow FN decoration; surfaces fairly rough, slightly abraded and vesicular; red-brown (5YR4/3) with grey core; Fabric J. (D5).
36. Shoulder of form 6 jar, with fairly deep FT and FN decoration; surfaces rough, slightly abraded, with medium flints breaking through; red-brown (5YR4/3) with grey core; Fabric F. (D5).
37. Shoulder, of indeterminate form, with slightly raised band with very shallow FT decoration; surfaces fairly rough, abraded, vesicular; brown (5YR3/4); Fabric P. (C8).
38. Shoulder of form 6 jar, showing irregular thumbing; rough, very irregular surfaces with medium to coarse flints protruding; red-brown (2.5YR4/4) to dark-brown (7.5YR3/2); Fabric A. (Z8).

39. Shoulder of form 6 jar, decorated with fairly shallow slash-like impressions; surfaces rough, fairly abraded, very vesicular, showing signs of grass wiping; hair-line crazing indicates burning; OS red-brown (5YR4/4); IS orange-brown (5YR5/6), with grey core; Fabric J. (A12).
40. Decorated carination of bowl of indeterminate form, with fairly shallow, small, triangular impressions linked with a line at their base; surfaces fairly smooth with fine flints showing through; brown (5YR4/3) with dark-grey core; Fabric P. (A11/12).
41. Body sherd of indeterminate form, decorated with two shallow parallel grooves; surfaces fairly smooth with fine flints protruding; brown (5YR4/2), with orange (5YR5/6) core; Fabric P. (A12).
42. Decorated body sherd of indeterminate form with shallow grooves; surfaces fairly smooth with fine flints breaking through; brown (5YR4/2), with orange (5YR5/6) core; Fabric P. (D11). Similar to 41, 44, 46, 47.
43. Complete profile of cup, form 17, decorated on rim with fairly deep, closely spaced, irregular cuts; surfaces rough and irregular with a number of medium flints showing through; grey (7.5YR5/0); Fabric B. (E6/5).
44. Body sherd of indeterminate form decorated with two nearly parallel grooves; surfaces fairly smooth with fine flints showing through; brown (7.5YR3/2); Fabric P. (A11/12). See 42.
45. Body sherd, probably medieval, decorated with combed lines; surfaces fairly smooth; brown (5YR5/3); Fabric S. (E11).
46. Body sherd of indeterminate form, decorated with fairly deep grooves; surfaces fairly smooth; brown (7.5YR4/2), with orange (5YR5/6) margins; Fabric P. (F6). See no. 42.
47. Body sherd of indeterminate form, decorated with fairly shallow grooves; surfaces fairly smooth with occasional fine flints showing through; brown (7.5YR4/2); Fabric P. (A12). See 42.
48. Sherd with carination, probably of form 12 bowl, with shallow groove above carination; burnished; dark-brown (5YR3/2); Fabric Q. (F13).

49. Omphalos base; OS burnished, both surfaces showing some fine flints; dark-brown (5YR3/2); Fabric H. (E6 2 O).
50. Base sherd, with possible indication of thumbing on splay; surfaces fairly rough with occasional medium flints breaking through; red-brown (5YR4/3); Fabric E. (E50).
51. Perforated base sherd with holes drilled before firing; surfaces fairly smooth; dark-brown (7.5YR4/2); Fabric T. (C8).
52. Handle junction, attached by luting; surfaces rough, abraded, partly leached, with medium flints protruding; yellowish-brown (7.5YR5/4); Fabric A. (E6/5).
53. Lug-handle, attached by luting; surfaces very rough with assorted flints showing through; OS brown (5YR4/4); IS dark grey-brown (7.5YR3/2); Fabric A. (D7).
54. Base sherd; surfaces rough with medium flints breaking through; IS weathered, abraded; yellowish-brown (10YR6/3) shading to orange (2.5YR6/8); Fabric A. (E6 A).
55. Wheel-thrown Iron Age pot, carinated body with everted, rounded rim, and raised band between two concentric, fairly deep grooves at neck; OS very smooth, burnished; IS fairly smooth; OS brown (7.5YR4/2), shading to black (10YR2/1); IS brown (7.5YR4/2) shading to red-brown (5YR4/3); Fabric U. US.

AREA 2

PITS AND FEATURES

F62 (AG9 W)

56. Rim and shoulder, probably of form 6 jar; surfaces rough and irregular with traces of grass-wiping; some medium flints protruding; mottled red-brown (5YR5/3) and brown (7.5YR4/2); Fabric A. Layer 1.
57. Rim and shoulder of form 6 jar with traces of grass wiping; surfaces rough; dark-brown (7.5YR3/2); Fabric M. Layer 6.

58. Rim and shoulder of form 6 jar; surfaces rough and fairly irregular with some fine to medium flints breaking through; dark-brown (7.5YR3/2); Fabric B. Layer 5.
59. Rim and body of form 6 jar; rim is irregular and has shallow finger and thumb impressions underneath forming a slack shoulder; surfaces rough and very irregular with occasional assorted flints protruding; colour variable, ranging from dark-brown (10YR3/2) to yellowish-brown (10YR5/3); Fabric A. Layer 6.
60. Rim, probably of form 4 jar; rough, irregular surfaces with assorted flints protruding; OS yellowish-brown (10YR5/3); IS orange (2.5YR5/8); Fabric A. Layer 6.
61. Rim and shoulder of form 6 jar; rough, irregular surfaces, slightly weathered, with traces of grass wiping; OS yellowish-brown (10YR6/4); IS red-brown (7.5YR5/4); Fabric A. Layer 6.
62. Rim, indeterminate form; surfaces fairly rough; dark red-brown (5YR3/2); Fabric D. Layer 6.
63. Rim, indeterminate form; fairly rough, irregular surfaces; dark-brown (10YR4/3); Fabric A. Layer 6.
64. Rim, indeterminate form; fairly smooth surfaces; dark-brown (7.5YR3/2), with orange (5YR6/6) core; Fabric D. Layer 6.
65. Rim, indeterminate form; rough surfaces; brown (7.5YR4/2); Fabric B. Layer 6.
66. Rim, probably of form 3 jar; surfaces rough, with medium flints showing through; yellowish-brown (10YR6/4); Fabric B. Layer 6.
67. Rim of indeterminate form; OS fairly smooth, IS rougher, weathered; OS dark-brown (7.5YR3/2); IS brown (7.5YR5/4); Fabric B. Layer 6.
68. Rim, probably of form 3 jar; surfaces fairly rough and irregular, OS laminated; OS dark-brown (7.5YR3/2); IS brown (10YR5/3); Fabric B. Layer A.
69. Rim, probably of form 6 jar; surfaces rough, with occasional medium flints protruding; OS and core dark grey-brown (10YR3/1); IS brown (10YR5/3); Fabric A. Layer A.
70. Rim, indeterminate form; surfaces fairly smooth, OS laminated; dark grey-brown (5YR3/1); Fabric A. Layer A.

71. Rim, indeterminate form; surfaces fairly rough; brown (10YR3/3); Fabric L. Layer A.
72. Rim, probably of form 9 bowl; OS very laminated and weathered; very rough surfaces with assorted flints breaking through; brown (7.5YR5/4); Fabric A. Layer 9.
73. Rim and body sherd of form 6 jar; surfaces smooth; OS burnished, orange-brown (7.5YR6/6) with black mottling; IS brown (10YR5/3); Fabric D. Layer 10.
74. Everted rim of form 10 bowl; smooth surfaces, burnished; orange-brown (5YR5/6); Fabric H. Layer 10.
75. Rim, probably of form 6 jar; fairly rough surfaces, with medium flints protruding; dark-brown (10YR4/2); Fabric B. Layer 10.
76. Rim of form 5 jar; surfaces fairly rough, inner one vesicular; orange-brown (10YR4/3); Fabric A. Layer 10.
77. Rim, indeterminate form; surfaces fairly rough with fine flints protruding; pale orange-brown (7YR7/6); Fabric D. Layer 10.

F111 (AG9 P)

78. Rim and shoulder of form 6 jar, decorated with FT impressions; surfaces fairly rough; pale yellowish-brown (7.5YR7/6) with grey-brown core; Fabric B.
79. Rim, indeterminate form, with large void, possibly decoration; surfaces smooth, with outer one very laminated; dark-brown (10YR4/2), with red-brown margins (5YR5/6); Fabric A.
80. Rim, indeterminate form; surfaces fairly smooth, irregular, with occasional medium flints showing through; dark-brown (10YR4/2). Fabric M.
81. Rim of form 10 bowl; surfaces rough; OS laminated, IS with traces of wiping; pale orange-brown (10YR6/4); Fabric A.
82. Rim of form 3 jar; fairly smooth, irregular surfaces; orange-brown (5YR4/6); Fabric B.
83. Rim of form 6 jar with traces of thumbing; surfaces fairly rough, irregular; orange-brown (5YR5/4) with grey core; Fabric B.

84. Base; surfaces rough with medium to coarse flints breaking through; yellowish-brown (10YR5/4); Fabric A.

F61 (AG9 M)

85. Rim of form 6 jar; surfaces rough with some medium to coarse flints protruding; colour variable ranging from brown (10 YR5/3), to pale orange-brown (7.4YR7/8); Fabric A. Layer A.
86. Rim, indeterminate form, decorated with deep, fairly regularly spaced cuts; possible grass wiping on OS; surfaces fairly rough with fine to medium flints protruding; brown (7.5YR5/4); Fabric A. Layer A.
87. Base; surfaces rough with leaf impression; OS dark-brown (10YR3/2), IS and core orange-brown (7.5YR4/6); Fabric A. Layer A.
88. Base; slab with applied sides; surfaces rough and irregular with some coarse flints showing through; colour ranging from grey-brown (10YR3/2) to yellowish-brown (10YR6/3); Fabric A. Layer E.
89. Rim of form 3 jar, irregular thumbing under rim; surfaces fairly rough, very irregular; brown (10YR3/2); Fabric B. Layer E.

F90 (AH7 B)

90. Rim of form 1 jar; surfaces rough, very irregular, weathered; dark-brown (10 YR3/2); Fabric A.

F105 (AH7 O)

91. Base; slab-built; rough surfaces; brown (10YR4/3); Fabric A.

F93 (AJ4 P)

92. Rim, indeterminate form; fairly smooth surfaces; dark-brown (10YR3/2); Fabric E.

F81 (AJ5 W)

93. Rim and body of form 4 jar; rough, fairly irregular surfaces with occasional assorted flints protruding; OS dark grey-brown (10YR3/1); IS dark-brown (10YR3/2); Fabric M.
94. Rim of form 9 bowl; rough surfaces; dark-brown (10YR3/3); Fabric B.
95. Rim, probably of form 14 bowl; surfaces fairly rough; OS shows traces of wiping; OS and core dark-brown (10YR3/2); IS red-brown (7.5YR4/4); Fabric B.
96. Rim and body of form 7 jar; smooth, burnished surfaces with some medium flints protruding; colour variable, ranging from dark-brown (7.5YR3/2) to yellowish-brown (10YR6/4); Fabric I.
97. Strap handle, very weathered, fairly smooth, slightly decalcified surfaces; pale yellow-grey (5YR7/3); Fabric B.
98. Rim, probably of form 1 jar; fairly smooth, burnished surfaces, with fine to medium flints breaking through; red-brown (7.5YR4/4). Fabric E.
99. Rim, indeterminate form; fairly rough surfaces; dark-brown (10YR4/3); Fabric B.
100. Base, slab-built; surfaces rough, irregular, with medium to coarse flints protruding; underside very rough; brown (10YR4/2); Fabric A.
101. Rim and body of form 4 jar; surfaces fairly rough, slightly weathered, showing signs of decalcification; colour ranges from brown (10YR5/4) to pale yellow-grey (2.5YR7/4); Fabric B.
102. Rim and body of form 4 jar; rough, irregular surfaces; brown (10YR4/2); Fabric A.

F79 (AJ7 J)

- 103. Two rim sherds of form 3 jar; fairly smooth, irregular surfaces; brown (7.5YR4/2) OS and core, red-brown (5YR5/6) IS; Fabric E.
- 104. Rim, indeterminate form; surfaces fairly rough; dark-brown (5YR3/1); Fabric E.
- 105. Rim, indeterminate form; rough, irregular surfaces with some medium flints protruding; brown (5YR4/2); Fabric A.
- 106. Rim, probably of form 1 jar; rough surfaces with medium flints showing through; red-brown (7.4YR5/6); Fabric A.
- 107. Rim, indeterminate form, decorated with FT impresssions; surfaces fairly rough; dark-brown (7.5YR3/2); Fabric A.
- 108. Rim, indeterminate form, decorated with FT impressions; rough surfaces, inner one slightly weathered, with coarse flints protruding; brown (10YR4/3); Fabric A.

F77 (AJ11 A)

- 109. Rim and body of form 13 bowl; surfaces rough with some medium flints breaking through; dark grey-brown (10YR3/2); Fabric L.
- 110. Rim, indeterminate form; fairly smooth, irregular surfaces; dark-brown (10YR3/2); Fabric B.
- 111. Rim, indeterminate form, surfaces rough; dark-brown (10YR3/2); Fabric L.
- 112. Base; smooth surfaces, outer one burnished; dark-brown (5YR3/1); Fabric N.

F78 (AJ7 T)

- 113. Rim, indeterminate form; surfaces rough, irregular; brown (10YR5/4); Fabric A.
- 114. Rim, probably of form 3 jar; surfaces rough and irregular with some medium flints protruding; dark-brown (10YR3/3); Fabric A.

F80 (AJ5 Z)

115. Rim and body, probably of cup; surfaces fairly smooth and irregular, with occasional medium flints showing through; brown (10YR5/4); Fabric B.
116. Rim of form 1 jar; surfaces rough and irregular with occasional flints breaking through; brown (10YR5/3); Fabric B.
117. Rim, shoulder, and strap-handle of form 1 jar; leached and burnt surfaces with prominent coarse flints; surfaces rough and irregular; traces of smearing and grass wiping; handle attached into body wall, then smoothed over; pale orange-brown (10YR7/4) to very pale, creamy-brown (10YR8/3); Fabric A.
118. Rim, indeterminate form; OS much weathered; surfaces rough; yellowish-brown (10YR5/4); Fabric B.
119. Rim, indeterminate form; rough surfaces; dark-brown (10YR3/2); Fabric F.
120. Rim, indeterminate form; surfaces rough with some medium to coarse flints protruding; brown (10YR5/4); Fabric A.
121. Rim, indeterminate form; surfaces rough and irregular; brown (7.5YR4/4); Fabric A.
122. Rim of form 1 jar; rough and irregular surfaces with some medium flints showing through; dark-brown (10YR4/2); Fabric B.
123. Rim of form 11 bowl; smooth, irregular surfaces with slight burnishing, with assorted flints protruding; very dark-brown (10YR3/1); Fabric E.

F75 (AK5 F)

124. Rim and body of form 3 jar; surfaces rough, irregular, with vertical finger-smearing; medium to coarse flints showing through; brown (10YR5/3); Fabric A.
125. Rim, indeterminate form; fairly smooth, slightly burnished surfaces; red-brown (7.5YR5/4); Fabric D.
126. Rim of form 5 jar; surfaces rough and very irregular; red-brown (5YR5/6); Fabric B. Similar to 213.

127. Complete cup, form 17; slab base; surfaces rough and very irregular with diagonal finger-smearing; occasional coarse flints protruding; colour ranges from dark grey-brown (10YR3/1) on bottom half to orange-brown (5YR6/6) on top half; Fabric A.
128. Rim, probably of form 5 jar; rough surfaces with occasional medium to coarse flints breaking through; brown (7.5YR5/4); Fabric M.
129. Rim, indeterminate form; surfaces rough, irregular; traces of grass wiping; dark-brown (10YR3/2); Fabric M.

F73 (AK6 A)

130. Rim of form 11 bowl; rough surfaces; brown (10YR4/2); Fabric L.
131. Rim, indeterminate form, with rough finger-thumb impressions below rim, probably from manufacture of rim and neck; smooth, burnished OS, slightly weathered; IS has hair-line crazing; OS dark grey-brown (10YR3/1); IS brown (10YR4/3); Fabric E.
132. Complete jar of form 6; vertical smearing towards base; fairly rough, irregular surfaces, with coarse flints protruding; brown (7.5YR5/4); Fabric A.
133. Rim of form 11 bowl; surfaces fairly rough with occasional fine flints showing through; brown (7.5YR5/4); Fabric K.
134. Rim, indeterminate form, decorated with FT impressions; fairly smooth surfaces; brown (10YR4/3); Fabric A.

F76 (AK5 A)

135. Rim of form 6 jar; surfaces rough and slightly weathered; brown (7.5YR4/4); Fabric L.
136. Rim, probably of form 6 jar; surfaces rough, very irregular; possible signs of burning on IS; brown (10YR4/2); Fabric A.

137. Rim of form 5 jar; surfaces rough with occasional fine to medium flints showing through; hair-line crazing throughout, especially on core and OS, probably burnt; very dark-brown (10YR3/2); Fabric B.
138. Complete profile of form 10 bowl; surfaces smooth and irregular, highly burnished, with traces of wiping; colour variable ranging from dark-brown (10YR4/2) to very dark-grey (7.5YR3/0); Fabric N.
139. Rim of form 6 jar; surfaces rough, irregular, with thumbing impression; fine to medium flints breaking through; brown (10YR4/3); Fabric B.
140. Rim, indeterminate form; surfaces fairly rough; yellowish-brown (10YR6/4); Fabric B.
141. Rim, probably of form 3 jar; smooth, irregular surfaces, slightly burnished on OS; brown (10YR4/2); Fabric E.

F68 (AK7 B)

142. Rim of form 1 jar; rough surfaces with medium flints showing through; brown (7.5 YR4/4); Fabric A.
143. Rim of form 1 jar; surfaces rough with medium flints breaking through; brown (10YR4/3); Fabric A.
144. Base showing rough thumbing marks; rough, very irregular surfaces; brown (10YR4/3) OS and core, darker brown (10YR4/2) IS; Fabric A.
145. Rim of form 6 jar, decorated with fairly regularly spaced cuts, and a row of small circular punched holes, probably made with a stick, just above the shoulder; surfaces rough; brown (10YR4/3); Fabric K.
146. Rim of jar, indeterminate form, decorated with FT impression below rim; surfaces fairly rough; brown (7.5YR4/4); Fabric B.
147. Rim, probably of form 1 jar; surfaces rough, with occasional medium flints showing through; brown (10YR4/3); Fabric K.
148. Base; surfaces fairly rough, slightly weathered; brown (10YR3/3); Fabric M.

F74 (AK5 M)

- 149. Rim of form 11 bowl; inner part of rim decorated with very shallow cuts; surfaces rough and slightly irregular; brown (10YR3/2); Fabric B.
- 150. Rim of form 13 bowl; surfaces slightly burnished, IS smoother than OS; traces of wiping; some fine to medium flints showing through; very dark-brown (10YR3/1); Fabric H.
- 151. Rim of jar, indeterminate form, decorated with FT impressions; surfaces rough with medium to coarse flints breaking through; orange-brown (10YR5/3 to 10YR6/4); Fabric A.
- 152. Rim of form 5 jar decorated with shallow cut; surfaces fairly rough; brown (7.5YR5/4); Fabric A.
- 153. Beaded rim of bowl, form 9; surfaces rough, possibly burnt; dark-brown (10YR3/3); Fabric A.
- 154. Rim, indeterminate form; surfaces rough; brown (10YR4/3); Fabric A.
- 155. Base; surfaces rough, irregular, with medium flints showing through; brown (10YR4/3); Fabric A.
- 156. Base; surfaces rough, irregular, with coarse flints protruding; OS red-brown (5YR4/4), IS and core brown (10YR4/3); Fabric M.

F72 (AK6 B)

- 157. Rim of form 3 jar; OS smooth, slightly burnished, IS fairly smooth; medium flints breaking through; OS dark grey-brown (10YR3/1), IS and core brown (10YR3/3); Fabric E.
- 158. Rim of jar, indeterminate form; Surfaces fairly rough, outer one very weathered; yellowish-brown (10YR5/4); Fabric A.
- 159. Rim of jar, indeterminate form; surfaces fairly smooth; brown (10YR4/2); Fabric L.
- 160. Rim of jar, indeterminate form; surfaces rough with occasional fine to medium flints protruding; brown (10YR4/3); Fabric M.

161. Rim of jar, indeterminate form, decorated with deep irregularly spaced cuts; surfaces rough; brown (10YR4/3); Fabric B.
162. Base; surfaces rough, irregular; OS yellowish-brown (10YR5/4), core brown (10YR4/3), IS very dark grey-brown (7.5YR3/2), possibly burnt; Fabric A.

F91 (AK6 H)

163. Rim of form 11 bowl, with FN impressions; surfaces fairly rough, OS weathered; brown (10YR5/3); Fabric A.
164. Rim of bowl, probably form 10; surfaces smooth, outer one highly burnished; very dark grey-brown (10YR3/1); Fabric H.

F67 (AK7 Y)

165. Rim of form 3 jar; surfaces rough, vesicular, with medium flints breaking through; orange-brown (5YR5/6); Fabric A.
166. Rim of form 1 jar, with FT decoration and perforation; surfaces rough with fine to medium flints breaking through; OS and core brown (10YR4/3), margins and inner surface orange-brown (7.5YR5/4); Fabric B.

F70 (AK6 D)

167. Rim and body of form 9 bowl; surfaces rough and irregular, with some coarse flints protruding; colour variable, ranging from orange-brown (5YR5/6) to grey-brown (10YR3/2); Fabric A.
168. Rim of jar, indeterminate form; surfaces fairly rough with fine to medium flints breaking through; brown (10YR5/4); Fabric A.
169. Rim and shoulder of form 3 jar; OS rough, irregular, weathered; hair-line crazing suggests burning; IS rough; brown (10YR5/4-10YR4/3); Fabric B.

F83 (AL5 F)

170. Rim and body of form 6 jar; surfaces rough; brown (10YR4/3); Fabric B.
171. Rim, shoulder, and body of form 11 bowl; surfaces smooth, burnished, slightly irregular; traces of wiping; OS orange-brown (7.5YR6/6-7.5YR5/6), IS dark grey-brown (10YR3/1); Fabric E.
172. Rim of bowl, probably form 9; surfaces rough; OS weathered; brown (10YR5/4); Fabric B.
173. Rim of form 5 jar; surfaces smooth, burnished; dark grey-brown (10YR3/1); Fabric N.
174. Rim of form 6 jar; surfaces fairly smooth, irregular; OS slightly burnished, with traces of wiping, dark grey-brown (10YR5/4); IS red-brown (7.5YR5/4); Fabric E.
175. Rim of bowl, indeterminate form; surfaces rough and irregular with some coarse flints protruding; dark-brown (7.5YR3/2); Fabric A.
176. Base; surfaces rough, irregular; brown (10YR4/3); Fabric B.

F112 (AL6 H)

177. Rim of form 11 bowl; surfaces rough, irregular with medium flints showing through; brown (10YR4/3); Fabric M.
178. Rim, indeterminate form; surfaces smooth, outer one possibly slightly burnished; fine flints showing through; dark-brown (10YR3/2); Fabric N.
179. Rim, indeterminate form; surfaces fairly smooth; dark-brown (10YR3/2); Fabric N.
180. Rim and body of form 3 jar; surfaces rough, irregular; dark-brown (10YR4/2-10YR3/3); Fabric A.

F113 (AL6 G2)

181. Rim of jar, probably form 5, decorated with shallow cuts; surfaces rough; possible FN impression below rim; brown (10YR4/3); Fabric B.

F87 (AL6 R)

182. Rim, indeterminate form; FT and FN decoration; surfaces rough with occasional fine to medium flints showing through; brown (7.5YR4/4); Fabric B.
183. Rim of jar, indeterminate form; surfaces rough with medium flints protruding; brown (10YR3/3); Fabric M. (AL6 R).
184. Rim of bowl, probably form 11; surfaces rough; OS weathered. Brown (10YR4/3); Fabric M.
185. Rim of form 10 bowl; surfaces very smooth, very highly burnished; dark-brown (10YR3/2); Fabric O.

F86 (AL6 L)

186. Rim and carination of form 10 bowl; OS smooth, burnished; IS fairly rough with some weathering; brown (10YR4/2); Fabric H. Similar to 241.
187. Rim, probably of jar, indeterminate form; surfaces rough, irregular, with medium flints protruding; OS shows signs of wiping; OS and core brown (10YR4/3); IS red-brown (7.5YR5/4-7.5YR4/4); Fabric A.
188. Rim and body of form 5 jar; OS smooth, highly burnished, black (7.5YR2/0); IS fairly smooth, dark-brown (10YR3/2); hair-line crazing on both surfaces suggests burning; medium flints protruding; Fabric N.
189. Rim and body of form 6 jar; signs of irregular thumbing below rim; surfaces rough, very irregular, with coarse flints protruding; colour variable, ranging from red-brown (7.5YR5/6) to dark-brown (10YR3/3); Fabric A.
190. Rim, probably of form 10 bowl; surfaces rough, irregular, with some medium to coarse flints breaking through; brown (10YR4/3); Fabric A.
191. Rim, indeterminate form; smooth, burnished surfaces; brown (10YR4/3); Fabric N.
192. Rim and body of form 6 jar, with FN impressions; surfaces rough, slightly irregular, with medium flints protruding; traces of wiping; brown (7.5YR5/4); Fabric A.

193. Nearly complete base profile; slab-built; surfaces rough, irregular, weathered in parts; coarse flints protruding; colour variable, ranging from brown (10YR4/3) to orange-brown (5YR5/6); Fabric A.

F88 (AL7 B)

194. Rim of form 6 jar; surfaces rough, irregular, with coarse flints breaking through; OS has some hairline crazing, possibly burnt; OS brown (10YR4/3), IS dark-brown (10YR3/2); Fabric A.
195. Rim of form 2 jar; possible traces of cuts on both surfaces, which are rough and irregular with some signs of vertical smearing; some medium flints protruding on IS; OS and core dark-brown (10YR3/2); IS red-brown (5YR4/4); Fabric A.
196. Rim of form 1 jar, decorated with FT impressions; surfaces rough, irregular, with medium flints breaking through; OS red-brown (5YR5/6), IS yellowish-brown (10YR5/4); Fabric A.
197. Rim and body of carinated bowl, form 14; very rough, very irregular surfaces with coarse flints protruding; vertical finger-smearing; slight traces of thumbing below rim; traces of wiping; colour variable, ranging from red-brown (7.5YR5/4) to grey-brown (10YR4/2); Fabric A.
198. Body sherd, indeterminate form; decorated with a series of parallel, very shallow grooves; surfaces rough, with medium flints protruding on IS; brown (10YR3/3); Fabric M.
199. Base with marked splay, slab-built; surfaces rough and irregular; vertical finger-smearing; possible traces of wiping; medium flints showing through; OS brown (10YR4/3), IS orange-brown (5YR5/8); Fabric A.
200. Rim of form 5 jar; surfaces rough; brown (7.5YR3/2); Fabric M.
201. Rim, indeterminate form; surfaces smooth, with slight burnishing on OS; brown (10YR4/3); Fabric N.
202. Rim of form 1 jar; surfaces rough; brown (10YR4/3); Fabric A.
203. Rim, indeterminate form; surfaces rough with medium flints protruding; brown (10YR3/3); Fabric A.

204. Rim, probably of form 6 jar; surfaces fairly rough with occasional fine to medium flints; OS red-brown (7.5YR4/4), IS dark red-brown (5YR3/3), core red (2.5YR4/6); Fabric A.

OCCUPATION LAYER L3

205. Complete profile of form 2 jar, markedly hooked rim; applied cordon above maximum girth; slab-built base, coil-built walls; surfaces fairly rough, irregular, with coarse flints showing through; numerous coarse flints on underneath of base; brown (7.5YR4/2); Fabric A. (AM6/7B).
206. Rim of form 3 jar; surfaces rough, irregular, with coarse flints protruding; FN impressions on body; brown (7.5YR4/4); Fabric A. (AL6/7).
207. Rim and body of form 2 jar; rough, very irregular surfaces with vertical finger-smearing; many coarse flints protruding on IS; OS dark-brown (10YR3/3); probably burnt; Fabric A. (AL5 J).
208. Rim of form 4 jar; surfaces sandy, OS rough with fine flints showing through; IS smoother; yellow-brown (10YR5/4); Fabric D. (AK6).
209. Rim of form 1 jar; surfaces fairly rough with medium flints breaking through; traces of grass wiping, yellow-brown (10YR6/3); Fabric B. (AG10).
210. Rim of form 5 jar; surfaces smooth with fine flints breaking through on OS; brown (7.5YR4/4); Fabric N. (AK7 X).
211. Slightly beaded rim of form 3 jar; surfaces fairly rough with medium flints protruding; traces of grass wiping; brown (7.5YR4/4); Fabric A. (AG11).
212. Rim of form 14 bowl; OS very smooth, burnished, IS slightly rougher; OS very dark grey-brown (10YR3/1) and red-brown (5YR4/6) near rim; IS red-brown (5YR4/6); Fabric H. (AG11).
213. Rim of form 5 jar; OS and top of IS has hairline crazing, probably burnt; surfaces rough, slightly weathered; red-brown (7.5YR5/4); Fabric L. (AK5). Related to 126 from F75.

214. Rim of form 5 jar; surfaces rough with some medium flints breaking through; possible traces of wiping; red-brown (7.5YR4/4); Fabric A. (AL5 Z).
215. Rim and body of form 13 bowl; OS rough, much weathered, with medium to coarse flints showing through; red-brown (5YR4/3); Fabric M. (AK6/7).
216. Rim of form 3 jar; surfaces rough, irregular, with vertical smearing; brown (7.5YR4/2); Fabric A. (AJ5 O).
217. Rim of form 6 jar; surfaces rough with some medium flints showing through; brown (7.5YR5/4-7.5YR4/4); Fabric A. (AJ5 V).
218. Rim and body of form 2 jar; surfaces rough, irregular, with occasional medium flints breaking through; hairline crazing especially on IS; OS brown (7.5YR4/4); Fabric A. (AM7 B).
219. Rim of form 6 jar, with hole drilled after firing; surfaces rough, irregular; orange-brown (7.5YR5/4); Fabric B. (AG10 W).
220. Rim and body of form 3 jar; OS fairly smooth, slightly burnished, with numerous vertical wiping marks probably from organic matter; IS slightly rougher; fine to medium flints protruding; brown (10YR5/3); Fabric E. (AG11).
221. Shoulder of indeterminate form; surfaces fairly rough and irregular with occasional medium to coarse flints breaking through; brown (10YR5/3); Fabric A. (AK5 C).
222. Rim and body of high-shouldered biconical bowl, form 14; surfaces smooth, slightly burnished, with occasional medium flints showing through; OS slightly weathered, brown (10YR4/3), IS greyish-brown (10YR4/2); Fabric E. (AL5 H).
223. Rim of form 11 bowl; surfaces smooth, burnished; dark-brown (10YR3/2); Fabric N. (AL5 L).
224. Rim of form 11 bowl; surfaces smooth, slightly burnished; OS slightly weathered, with medium flints protruding; slight hair-line crazing towards rim and possible traces of wiping; colour variable, ranging from dark-brown (7.5YR3/2) to red-brown (5YR4/4); Fabric N. (AK6/7).

225. Complete profile of form 6 jar with vertical smearing; surfaces rough, irregular, with coarse flints showing through; colour variable ranging from orange-brown (7.5YR5/6-7.5YR4/6) to grey-brown (10YR4/2); Fabric A. (AJ5 V).
226. Rim, possibly of form 7 jar; sandy texture; OS fairly smooth, slightly burnished; IS rougher; brown (10YR5/3); Fabric N. (AH7).
227. Rim of form 6 jar; surfaces rough and irregular with medium to coarse flints protruding; dark-brown (10YR3/2-10YR3/3); Fabric A. (AL5).
228. Rim of form 3 jar; surfaces fairly rough and irregular with some medium flints breaking through; OS dark-brown (10YR4/2), IS yellow-brown (10YR6/4-10YR5/4); Fabric A. (AG10 T).
229. Rim and carination of form 14 bowl; surfaces very smooth, very highly burnished, slightly weathered, with occasional fine flints showing through; OS orange-brown (5YR4/4-5YR4/6), outer margin orange (5YR5/8), IS dark grey-brown (10YR3/2); Fabric O. (AF11).
230. Rim of form 10 bowl; surfaces very smooth, very highly burnished; red-brown (5YR4/4); Fabric O. (AK6).
231. Rim and body of form 9 bowl; surfaces smooth, burnished, slightly weathered; occasional fine to medium flints showing through; red-brown (7.5YR5/4); Fabric H. (AF10, 9/10, 10 B ,10 M , 11).
232. Rim of form 9 bowl; surfaces rough, irregular, with coarse flints protruding; possible traces of wiping; dark-brown (7.5YR3/2); Fabric A. (AG10).
233. Rim of form 9 bowl; surfaces rough, slightly vesicular, with medium flints breaking through; brown (10YR3/2); Fabric E. (AG10).
234. Rim of form 10 bowl; surfaces fairly smooth, irregular, slightly burnished, with occasional fine to medium flints protruding; dark-brown (7.5YR3/2); Fabric E. (AL6 Z).
235. Rim of form 10 bowl; surfaces very smooth, highly burnished, with occasional medium flints showing through; dark-brown (5YR2.5/2); Fabric H. (AJ6).

236. Rim of form 9 bowl; surfaces fairly rough with numerous fine flints showing through; brown (10YR5/2-10YR4/2); Fabric E. (AF10).
237. Rim of form 10 bowl; surfaces smooth, burnished; possible traces of wiping; dark grey-brown (10YR3/2) with brown (10YR4/2) core; Fabric N. (AG10).
238. Rim of form 10 bowl; inner and outer surfaces smooth, burnished; dark grey-brown (10YR3/1-10YR3/2); Fabric N. (AG10).
239. Rim and body of form 11 bowl; surfaces smooth, slightly irregular, burnished, weathered, with medium flints breaking through; dark-brown (10YR3/2-10YR3/1); Fabric N. (AK10).
240. Rim of form 10 bowl; surfaces fairly smooth, outer one burnished, fairly weathered, with fine flints showing through; orange-brown (5YR4/4-5YR4/6); Fabric O. (AG/AH10A).
241. Rim and carination of form 10 bowl; surfaces smooth, burnished, with occasional medium flints protruding; brown (5YR3/3); Fabric N. (AL5). Similar to 186.
242. Rim and carination of form 6 jar; surfaces fairly rough, with some fine flints showing through; orange-brown (7.5YR5/4); Fabric B. (AK5).
243. Rim and carination of form 10 bowl; surfaces fairly rough, slightly irregular, with occasional fine flints showing through; OS orange-brown (5YR5/6), IS brown (10YR4/3); Fabric L. (AJ5 P).
244. Rim of bowl, indeterminate form; OS fairly smooth, slightly burnished, IS rougher, weathered; brown (5YR4/2); Fabric D. (AL6 J).
245. Rim and body of form 13 bowl; surfaces fairly smooth, burnished, with traces of wiping, slightly weathered, occasional medium flints protruding; OS red-brown (5YR4/3), IS dark grey-brown (10YR3/1); Fabric E. (AF/AG9).
246. Slightly beaded rim of form 9 bowl; surfaces fairly rough, with medium flints showing through; brown (10YR5/3); Fabric B. (AG10).

247. Rim of bowl, indeterminate form; surfaces fairly rough, sandy; orange-brown (5YR5/6) with brown (7.5YR5/4) core; Fabric Q. (AH8).
248. Beaded rim, possibly of form 5 jar, with rough surfaces; fine flints protruding; orange-brown (7.5YR4/4); Fabric A. (AJ7).
249. Rim and body of a small form 3 jar; surfaces fairly rough; OS very weathered and abraded, burnt and leached, IS with hairline crazing; OS brown (7.5YR4/2), IS dark orange-brown (5YR3/4); Fabric K. (AK11).
250. Rim of cup; surfaces smooth, irregular, weathered; dark-brown (7.5YR3/2); Fabric I. (AK5).
251. Base; surfaces fairly smooth, slightly burnished, with numerous fine to medium flints showing through; dark-brown (7.5YR3/2); Fabric N. (AL6/7).
252. Complete profile of cup; surfaces fairly smooth, slightly burnished, with occasional medium flints breaking through; dark-brown (10YR3/2-10YR3/3); Fabric G. (AL5 J).
253. Rim and base of cup; surfaces rough, with coarse flints protruding; red-brown (5YR4/4); Fabric B. (AL6 Z).
254. Base; surfaces rough, with occasional coarse flints protruding; numerous vertical grass-wiping marks on OS; brown (7.5YR6/4-7.5YR6/6); Fabric A. (AG10 MB).
255. Rim of cup; surfaces rough, slightly irregular, with some medium flints protruding; traces of wiping; dark-brown (7.5YR3/2); Fabric B. (AG/AH10A).
256. Omphalos base; OS smooth, burnished; IS and underside slightly rougher; fine flints show through; brown (10YR4/2); Fabric N. (AH11 l).
257. Omphalos base; surfaces smooth, burnished; dark-brown (7.5YR3/2); Fabric N. (AM6/7).
258. Rim of cup; surfaces rough and irregular; dark-brown (7.5YR3/2); Fabric A. (AH7).
259. Rim (same as no. 276), of form 8 jar, decorated with deep, irregularly spaced incisions; surfaces rough with some coarse flints protruding; red-brown (5YR4/3); Fabric M. (AM7).

260. Rim, indeterminate form, decorated with fairly deep FT impressions forming cable effect; surfaces rough with some medium flints showing through; OS dark-brown (10YR3/2), IS red-brown (7.5YR4/4); Fabric A. (AK6).
261. Rim, indeterminate form, decorated with fairly closely and regularly spaced cuts; surfaces fairly rough; red-brown (5YR4/4); Fabric B. (AK5).
262. Rim, indeterminate form, decorated with fairly shallow cuts; surfaces rough with medium flints protruding; brown (7.5YR4/4); Fabric D. (AK7).
263. Rim, indeterminate form, decorated with FT impressions, forming cabled effect; surfaces fairly rough; orange-brown (5YR5/6); Fabric B. (AL7).
264. Rim, indeterminate form, decorated with FT impressions; surfaces rough; brown (7.5YR4/4); Fabric B. (AJ/AK7 O).
265. Rim, indeterminate form, decorated with FT impressions; surfaces fairly rough, slightly weathered; yellowish-brown (10YR5/4); Fabric B. (AH9).
266. Rim, probably of form 3 jar, possibly decorated with FT impressions; surfaces fairly rough, slightly weathered; yellowish-brown (10YR5/4); Fabric B. (AH9).
267. Rim of form 6 jar, decorated with cabled effect; surfaces rough with occasional medium to coarse flints protruding; dark-brown (7.5YR3/2); Fabric M. (AJ6).
268. Rim, probably of form 1 jar, decorated with FT impressions; surfaces rough; orange-brown (5YR5/6); Fabric A. (AJ/AK7).
269. Rim, probably of form 1 jar, decorated with FT impressions; surfaces rough; IS weathered, with medium flints protruding. Orange-brown (5YR4/6); Fabric A. (AL7).
270. Rim, probably of form 4 jar, decorated with FT impressions; surfaces rough, inner one much weathered, with medium flints breaking through; orange-brown (5YR5/8); Fabric A. (AF/AG11).
271. Rim, probably of form 1 jar, with hole drilled subsequent to firing; surfaces rough, slightly irregular; OS dark-brown (7.5YR4/4), IS very dark-brown (10YR3/2); Fabric B. (AG10).

272. Rim of form 1 jar, decorated with FT impressions; surfaces rough, with medium flints showing through; OS red-brown (5YR5/6), IS grey-brown (10YR4/2); Fabric A. (AK6).
273. Rim of form 4 jar, decorated with FT and FN impressions; surfaces rough, with some medium to coarse flints protruding; IS red-brown (5YR5/6-5YR4/6), OS brown (10YR5/3-10YR4/3); Fabric A. (AK6).
274. Rim of form 6 jar, decorated with irregularly spaced cuts; surfaces fairly rough; dark-brown (10YR3/3); Fabric B. (AK5).
275. Rim of form 8 jar, decorated with deep, closely spaced, fairly regular, cuts; surfaces rough, slightly weathered; dark-brown (10YR3/2-10YR3/3); Fabric B. (AL6 D).
276. Rim (same as no 259), of form 8 jar, decorated with deep, irregularly spaced incisions; surfaces rough, with some coarse flints breaking through; red-brown (7.5YR4/4); Fabric M. (AL7).
277. Rim of form 6 jar, decorated with shallow incisions; surfaces rough with occasional medium flints protruding; brown (10YR4/3); Fabric A. (AG10).
278. Rim, possibly of form 3 jar, with FT and FN impressions; surfaces rough, with medium and coarse flints breaking through; brown (10YR5/4); Fabric A. (AK6).
279. Rim, probably of form 13 bowl, with twisted cord decoration; probably Neolithic; surfaces rough with medium to coarse flints protruding; dark-brown (10YR3/3); Fabric M. (AG11).
280. Rim and body of form 1 jar with thumbing giving cabling effect on the inside; OS very weathered; IS rough with occasional medium flints showing through; orange-brown (7.5YR5/4-7.5YR5/6), with orange (5YR5/8) margins; Fabric A. (AJ7).
281. Rim of form 8 jar, decorated with deep, regularly spaced incisions; surfaces fairly rough, inner one showing signs of wiping; some coarse flints protruding; brown (10YR4/3); Fabric M. (AJ/AK7).
282. Rim and body of form 13 bowl, decorated with FT impressions; surfaces rough, irregular; brown (10YR5/4); Fabric A. (AK6).

283. Rim of form 1 jar with FN impressions on body and incision on rim; surfaces rough, irregular, with medium flints showing through; brown (10YR4/3); Fabric A. (AL6).
284. Rim of form 1 jar, with FT impressions; OS very weathered, leached, rough; IS rough; brown (10YR4/3); Fabric A. (AH10).
285. Rim, indeterminate form, with deep, regularly spaced incisions; surfaces rough, with some fine to medium flints breaking through; brown (7.5YR5/4); Fabric A. (AG10 W).
286. Rim, indeterminate form, with fairly shallow FN impressions; surfaces rough; brown (10YR5/3); Fabric B. (AH7).
287. Rim of form 5 jar, decorated with closely spaced, fairly regular, cuts; surfaces rough with some medium flints protruding; brown (7.5YR5/4); Fabric B. (AK6).
288. Rim of form 5 jar, decorated with deep, regular cuts; surfaces rough with some medium flints showing through; dark-brown (7.5YR3/2); Fabric A. (AG9 A).
289. Rim, indeterminate form, decorated with regular cuts; surfaces rough, with occasional flints breaking through; brown (7.5YR5/4); Fabric B. (AK6).
290. Rim and body of form 13 bowl, decorated with FT impressions; surfaces rough and slightly irregular with occasional medium to coarse flints protruding; leaf impression on OS, vegetable impressions on IS; dark-brown (7.5YR3/2); Fabric L. (AL7 K).
291. Rim and body of form 5 jar, with hole drilled after firing; traces of wiping on both surfaces, which are rough and irregular; brown (10YR4/3); Fabric A. (AK5).
292. Body sherd with hole drilled after firing; surfaces rough with some fine to medium flints protruding; brown (7.5YR5/4); Fabric B. (AF10).
293. Body sherd with punched hole made with a stick, not penetrating the IS; surfaces rough with coarse flints protruding; brown (10YR4/3); Fabric A. (AJ/AK7).
294. Body sherd with hole drilled after firing; surfaces rough with medium flints showing through; red-brown (5YR4/3); Fabric A. (AL5 J).

295. Body sherd with punched hole probably made with a stick; surfaces rough with medium flints showing through; brown (7.5YR4/2); Fabric A/B. (AG10/11).
296. Body sherd with hole drilled before firing; surfaces rough with medium flints protruding; brown (10YR4/3); Fabric A. (AH10).
297. Body sherd with hole drilled after firing; numerous ?chaff impressions; surfaces rough with medium and coarse flints breaking through; red-brown (5YR4/6); Fabric A. (AH7).
298. Body sherd, decorated with shallow grooves; surfaces fairly rough with occasional medium flints showing through; brown (7.5YR4/2), with orange outer margins; Fabric L. (AL7 K).
299. Body sherd with grain impression; surfaces rough, weathered, burnt, leached, with occasional coarse flints protruding; dark-brown (5YR3/2); Fabric A. (AM7 B).
300. Body sherd decorated with very deep FT and FN impressions; surfaces rough; brown (5YR4/3-5YR4/4); Fabric L. (AF10).
301. Rim of form 10 bowl, decorated with diagonal cut marks; surfaces fairly smooth, outer one with hair-line crazing; brown (7.5YR4/2); Fabric D. (AK6 F).
302. Rod-handle; surfaces rough, with many coarse flints protruding; red-brown (5YR4/6); Fabric A. (AF10).
303. Complete profile of form 6 jar, with perforation; vertical finger-smearing; traces of wiping; slab-built; surfaces rough, irregular, with medium and coarse flints breaking through; grey-brown (10YR4/2); Fabric A. (AG10 I).
304. Applied cordon; rough and irregular surfaces with coarse flints showing through; orange-brown (5YR5/8); Fabric A. (AG11).
305. Rod-handle; surfaces rough, irregular, abraded; dark-brown (7.5YR4/2); Fabric A. (AG10 S).
306. Strap-handle; OS smooth, IS rougher; dark-brown (5YR2.5/2); Fabric N. (AK8).
307. Rod-handle; OS fairly smooth, IS rough, abraded, coarse flints protruding; dark-brown (10YR3/2); Fabric M. (AG/AH10A).
308. Lower junction of rod-handle; surfaces fairly smooth, slightly burnished, with coarse flints showing through; brown (7.5YR5/4); Fabric L. (AL10).

309. Strap-handle; surfaces rough, leached, weathered; yellowish-brown (10YR6/4); Fabric A. (AJ5 V).
310. Strap-handle; surfaces fairly rough; red-brown (5YR4/6); Fabric L. (AH7).
311. Applied loop-handle; rough surfaces with coarse flints showing through; attachment by luting; red-brown (5YR5/3-5YR4/3); Fabric M. (AL7).
312. Body sherd with applied loop-handle, attached by insertion of handle through body-wall and smoothed over; surfaces rough, fairly irregular, with numerous coarse flints protruding; slightly leached; red-brown (5YR4/6); Fabric A. (AJ5).
313. Complete reproduction of form 10 bowl made of industrial potting clay and artificially coloured. Close examination of a photograph in Harding's report (1964) shows that a bowl in Plate VI, coming from area 1, context C9, may well be this vessel, but in the absence of the original it must remain equivocal. Colour dark-brown to black.

APPENDIX 3 SECTION 7 IRON AGE BOWL (FIG 16: 55)

Four large, joining sherds from a carinated bowl were recovered from a topsoil spoil heap created by the machining of area 1.

7.1 Fabric

The vessel is made from a hard, brown to black (7.5YR4/2-10YR2/1) fabric which is tempered with sparse (2%) amounts of chalk, most of which are around 3-4mm in diameter and break through an otherwise carefully smoothed, burnished outer surface. Occasional vesicules in the surfaces probably represent leached-out chalk temper.

Examination under the microscope reveals moderate (25%) amounts of angular to sub-rounded, ill-assorted quartz sand grains, most of which are around 0.2mm across but occasionally reach 0.9mm in diameter, with sparse (c 3%) slightly rounded and weathered lumps of chalk, most around 2mm but up to 5mm across. There is also some sparse (3.5%) sub-rounded, well-sorted, iron-rich pellets and one small (1mm) lump of grog. The matrix is clean and optically isotropic, indicating a firing temperature probably in excess of 900° C. The vessel was made on a fairly fast wheel.

This is the only fabric which contains fragments of chalk and contrasts with the Late Bronze Age fabrics described in section 5.3. Chalk would have been available from the Downs or from a combe deposit in the valley bottom.

7.2 Form (fig 16: 55)

This vessel has a girth carination above which is a somewhat constricted neck. Its rim is out-turned and flanged. Two shallow parallel grooves on the neck form a kind of raised band. The whole outer surface is carefully smoothed and has a high burnished finish. The inner surface is fairly rough, but regular, and shows rilling from wheel manufacture.

7.3 Date

No precise parallel has been found, but the general form, fabric and use of a potter's wheel suggests a date probably in the late Iron Age.