MOLA HEADLAND



| iite çode | | | CONTEXT SHEET |
|-----------|------------|-----------------|----------------|
| ite code | Area/Field | Sub-area/Trench | Context number |
| AIH | TEA7C | | (769293) |

| Site code | Area/Field | Sub-area/Trench | Context number |
|-----------|------------|-----------------|--------------------|
| AIH | TEA 7C | | (769293) |
| ECB# | Subgroup | Parent context | Context type |
| | | [769210] | cut fill 🗹 deposit |

| SEE MATRIX ON CONTEXT # (769292) STRATIGRAPHIC MATRIX S (769292) Same as context Cuts context Cut by context | TRATIGRAPH) — |
|--|--|
| (769292) Same as context (769293) Cuts context | |
| | |
| | _ |
| | _ |
| 0.55.500710.4 | |
| | RPRETATION |
| Shape | post-hole |
| | stake-hole |
| | ditch 🗌 |
| I N-S vertical — flat | ring-ditch 🔲 |
| H ☐ E-W ☐ concave ☐ concave ☐ v-shaped ☐ considerate ☐ co | beam slot [|
| NW-SE gentle sloping v-shaped cons | truction cut 🔲 |
| stepped uneven . | robber cut [|
| | gully |
| pa complex* | aeochannel 🗍 |
| | furrow 🗌 d boundary 🗍 |
| | burial cut |
| in metres | describe below) |
| Shape result of (tick airthat apply) | School Scion, |
| design material cut into natural processes degree of truncation uncertain | |
| FILL/DEPOSIT (if you are using this section score out section CUT above) DESCRIPTION INTE | RPRETATION |
| Compaction Colour Composition | topsoil 🔲 |
| □ compact light □ mid 🗹 dark □ mottled □ clavey □ □ clav | subsoil 🗌 |
| | |
| LIM MODERALEIV brownigh | gical subsoil 🔲 |
| Immoderately brownish Immoderately brown silty Immoderately rem | nant topsoil 🗌 |
| compact greyish grey sandy sand rem | nant topsoil [] surface [] |
| compact greyish grey sandy sand rem loose orangeish orange gravelly gravel friable vellowish vellow peaty peaty occur | nant topsoil [] surface [] pation layer [] |
| Industrial Ind | nant topsoil [] surface [] pation layer [] umped layer [] |
| Imodefately brown Silty | nant topsoil surface pation layer umped layer erate backfill |
| Imodefately compact Greyish Important Importan | surface surface pation layer umped layer erate backfill ction debris |
| remoderately compact greyish grey sandy sand sand sand gravelly gravel peat occur reddish red thickness blueish blue black white other* other* | surface pation layer timped layer crate backfill ction debris deding layer canding layer deding layer times. |
| Inclusions Image Inclusions Image I | surface pation layer umped layer crate backfill ction debris dedding layer uural infilling |
| rem compact greyish loose gravel gravel gravel greddish gred greddish gred gravel grave | surface pation layer pation layer cumped layer crate backfill ction debris deding layer cural infilling cural layer cural laye |
| Inclusions Image | surface pation layer comped layer comped layer comped layer comped layer compedition debris compedition debris compedition layer compedition layer compedition layer compedition compedition compedition layer compedition layer compedition compedition layer compediti |
| Inclusions Image | surface pation layer care backfill cotion debris deding layer cural infilling botton burning post-pipe |
| Inclusions Image | surface pation layer comped layer comped layer comped layer comped layer compedition debris compedition debris compedition layer compedition layer compedition layer compedition compedition compedition layer compedition layer compedition compedition layer compediti |
| Inclusions Inc | surface pation layer pation layer pation layer pation debris rate backfill polluvial layer post-pipe packing cremation |
| Inclusions Inc | surface pation layer pation layer pation layer pation debris rate backfill polluvial layer post-pipe packing cremation |
| Inclusions Inc | surface pation layer pation layer pation layer pation debris rate backfill polluvial layer post-pipe packing cremation |
| Inclusions Inc | surface pation layer pation layer pation layer pation debris rate backfill polluvial layer post-pipe packing cremation |
| Inclusions | surface pation layer cumped layer ction debris deding layer cural infilling post-pipe packing cremation lescribe below) |
| Inclusions Grey G | surface pation layer comped layer compedition layer compedition compedi |
| Inclusions Grey G | surface pation layer cumped layer ction debris deding layer cural infilling post-pipe packing cremation lescribe below) |

| | | uriy iaraner detans | tnat may be important for ur | derstanding the conte | ixi, including items ir | idiked Overlear) |
|------------------|-------------|---------------------|------------------------------|-----------------------|-------------------------|------------------|
| ALL FILL (769 | 293) 15 | A | RELATIVELY | WELL | PRESER | VED |
| TIMBER BEAM | MEASURI | JG A | PPROXIMATEL | 0.09 | MINH | 1EIGHT, |
| 0.28 M IN 1 | MA HTCIL | D, D | IE TO IT | S NATU | ire op | CONTINING |
| | RTH- FACING | SECTION | IT WAS | NECESSA | ey to c | uT |
| THE BEAM LEAD | MARC APPRO | XIMATEL | y 0.2m T | O BE | RECOVERED | . THE |
| REMAINDER WAS | LEFT IN | SITU | AS PART | OF THE | SECTION, | A5 |
| SEEN IN DRA | WING # 77 | | | | | |
| INTERESTINGLY, F | TLL (769293 |) STEL | L APPEARE | D TO | DEMONST | 2ATE |
| BARK-LIKE 1 | | n. 173 | UPPER SI | IRFACE H | SWEVER, | THIS |
| WAS DAMAGED | By MATTO | EX ACT | 100, | | , | |
| Rr | SWOVED | | | | | te p |
| 18.0 | | | | _ | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | · · · | | · | | | |

| ŀ | Refer to | conte | 1769 | 210] | FOR PL | m | | | | | • | | | | 9 | SKETCH | HES |
|----|----------|-------|------|----------------|---------|-------|------|--------------|-------------|-------------|-----------|-------------|-------------|-------------|-------------|------------|--------|
| | neier te | COME | (769 | <u> 211) f</u> | FOR SEC | TION- | (con | sider: locat | ion plan, d | etailed pla | n showing | relationshi | ps, section | showing fil | ls/deposits | as appropi | riate) |
| | | • | • | • | • | | • • | • | • | • | • | • | • | • | • | • | ٠ |
| | • | • | | • | | • | • | | | • | | | | • | • | • | ٠ |
| | | | | | | . • | | | | | | | | | | | |
| | • | | | .• | | | | | | • | • | , | • | • | | | |
| | | | | | | • | | | | | | | | | | | • |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | • | | | | | | | | | |
| ŀ | ٠ | ٠ | • | • | • | ٠ | • | • | • | • | • | • | • | | • | • | • |
| ŀ | | • | • | | • | ٠ | • | • | • | • | ٠ | | • | • | ٠ | • | • |
| ļ. | • | ٠ | • | • | , | • | | • | • | • | | • | • | • | • | • | • |
| ļ. | ٠ | ٠. | | • | | ٠ | • | • | • | • | | • | • | | | • | |
| | • | • | • | • | • | • | • | • | • | ٠ | • | | | | | | |
| | | | • | | | | | | : | | | • | | | • | | |
| | • | | | | | | | | | | | | | | | | |
| | | | | | | | | • | | | | • | | | | | |
| | | | | | | | | | | | | | | | | | |
| | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Ŀ | | • | | | • | • | · | <u> </u> | | | | • | • | | • | | |

MOLA HEADLAND INFRASTRUCTURE



MOLA-Headland Infrastructure

| | Timber Record Form | | | | | | | | | | | | |
|--|--|------------|-----------------|-------------------|---|--|--|--|--|--|--|--|--|
| MOLA HEADLAND ARCHAEOLOGY | Area: A \4 | - TEA - 7C | Co-ordinate | es : E/N / | | Context No:(769293) | | | | | | | |
| Plan: | Area: A14 - TEA - 7C Co-ordinates: E/N Context No: (769293) Timber drawing: Sheet 1 of Digital ref: 4. Cross section 7. Conversion 10. Intentional marks 5. Condition 8. Toolmarks 11. Surface treatment 12. Methods and conditions E. Likely Collarge, Potentially from AN Upright AR BEAM BEAM LIKE LAYER REMOVED, WITH LIMITED 12. Methods and conditions Somth AR BEAM IN WIDTH AND C.2 M. LIMITED 13. METOLING. PRESERVED BY WATERLOGGED. CONDITIONS. HEIGHT, O.28 M IN WIDTH AND O.2 M. STRATIGNS. WERE TAKEN AFTER EXCAVATED NEARBY. STRILE POTENTIAL RE BRACKETS EXCAVATED NEARBY. STRILE POTENTIAL RE BRACKETS EXCAVATED NEARBY. STRILE SEASONED TIMBER SCRIPTIONS. WERE TAKEN AFTER EXCAVATED NEARBY. WAS RETURNED TO THE OFFICE WRAPPED TN WAS RETURNED TO THE OFFICE WRAPPED TN CIES DENDITO OTHER OFFICE WRAPPED TN POSSIBLY THE REMAINS OF A COLLARSED DITCH 1769290 (769292) POSSIBLY THE REMAINS OF A COLLARSED DITCH 170GE STRUCTURE. THIS PIECE COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR AFTER COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR AFTER COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR AFTER COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR AFTER COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR AFTER COULD HAVE CITED AS A SURPORT FOR THE WATEVALLAR A A LUNKNOWN YES DISCUSSION OF PREVIOUS USE OVERLEAF Recorded by & date: Checked by & date: (Checked by & da | | | | | | | | | | | | |
| Colour: 7681022, 23, 24, 2 28, 29, 30. | Area: A 14 - TEA -7C Co-ordinates: E/N Project code: A 14 Context No: (769293) Timber drawing: Sheet 1 of Digital ref: Digital ref: Digital ref: Diss section 7. Conversion 10. Intentional marks 11. Surface treatment 12. Methods and conditions READ POTENTIALLY FROM AN UPRIGHT H REAM REMOVED POTENTIALLY FROM AN UPRIGHT H REAM REMOVED REMOVED WITH LIMITED N' SOME BARK - LIKE LAYER REMOVED FROM UPRIGHT AN SOME RACKETS EXCAVATED NEARBY LE POTENTIAL FC BRACKETS EXCAVATED NEARBY LE E. POTENTIAL FC BRACKETS LE E. POTENTIAL FC BRACKETS EXCAVATED NEARBY LE E. POTENTIAL FC BRACKETS EXCAVATED NEARBY LE E. POTENTIAL FC BRACKETS LE E. POTENTIAL FC | | | | | | | | | | | | |
| 1. Type 4. Cr 2. Setting 5. Co | ondition | . 8. | Toolmarks | | 11. Surfac | e treatment | | | | | | | |
| 1. BEAM | ALL ARCHITECT (1887) AND FOR | | | | | | | | | | | | |
| | KETA COI | ltvred' | <u>POTENTIA</u> | lly from | AN | UPRIGHT | | | | | | | |
| POSITION. 3. NORTH TO SOUTH | -11 | ., | | | | Abada a sa | | | | | | | |
| 4. RECTANGULAR | | | | | | on the state of th | | | | | | | |
| | | LANEN CO | C IO T | REMAKED | WITH | LIMITED | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| G. O. A9M IN HE | IGHT, C |).28M IN | WIDTH | AND O. | 2 m. | | | | | | | | |
| 7. BOXED HEART | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | UL NA CHARLES | | | | | | | |
| 8. NONE VISI | | | | | | | | | | | | | |
| 9. NONE VISIB | LE. POTENT | IAL FE BRA | KLIETS EX | CAVATED | NEARB | λ, | | | | | | | |
| 10 · NONE VISIB | | | | | | • | | | | | | | |
| | | | | | | | | | | | | | |
| 12. THESE DESCRI | PTTONS. | WERE TAK | EN AFT | er exa | ATIONS | | | | | | | | |
| | | | | | | | | | | | | | |
| | | hengd to | o THE C | SFFICE L | ~ RAPPE | <u> </u> | | | | | | | |
| CLING FILM. | , | | | | | | | | | | | | |
| | | | | | | - | | | | | | | |
| | ************************************** | | | | <u> </u> | | | | | | | | |
| SAMPLES Species | | Dendro | Of | ther | SF | numbers | | | | | | | |
| Structure context num | ber | C | ther assoc | ciated contex | cts | | | | | | | | |
| TIMBER: DISCARD | ED | OR | RETAINED | | DAT | E 11/04/19 | | | | | | | |
| TIMBER CROSS SECTION | | BARK | | STRATIGR | APHIC M | ATRIX | | | | | | | |
| Yes No | | | | (76 | 9 2 9 2) | | | | | | | | |
| Bark ☐ ☐ ♣ | SSIGNE | | | | | 7 | | | | | | | |
| Sapwood 🔲 🖸 🥫 | SIBIC | | | (769 | 1293) | | | | | | | | |
| Knotty \Box | | | | | | | | | | | | | |
| Straight-grained 🗹 🗌 | | SAPWOOD | | [7 6° | 7210] | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| POSSIBLY ACTES | | | | | | | | | | | | | |
| l . | D WAS | EXCAVA7GD | NEARBY | 1, rossibly | KEPRE. | SENTING A | | | | | | | |
| BRACKET. REUSED: NO VI | NKNOWN | YES | nı nı | SCUSSION OF P | REVIOUS US | SE OVERLEAF | | | | | | | |
| Excavated by & date: | | | | | | | | | | | | | |
| JAMES NOTMAN 1 | 1 | • | | , 1 | BD | 8/9/19 | | | | | | | |
| | | | 10/0 | | | NA/CE | | | | | | | |

| | | | | | | | | | | Second | sawing ded through | Stop line with signatur mark | * | | acc |
|-------------|---------|-----|------|-----|---------------|-------|---|----------|------|-----------|---|---------------------------------------|--|----------|---|
| SEE TI | | REC | OR D | (76 | 929 | 2) Fo | | PLA^ | ABBA | dially Fa | | Groov | | lly Face | , d |
| | | | , | • | | | | | | | - | | | | |
| | | | | | | | | | | | <u> </u> | | | | |
| | | | | | | ii | | | | | | | | | T |
| | | | | | | | | | | | , | | <u> </u> | | |
| | | | | | | | | | | | *************************************** | | | | T |
| | | | | | | | | | | | | | | | - |
| | | | | | | | | | | | | | | | - |
| | | | | | . | | | | | | | | | | 4 |
| | | | | | | | | , | , | | | | 411111111111111111111111111111111111111 | | |
| | `4 | | • | - • | | ,' | | 1, | | • | | | and the state of t | | *************************************** |
| | | | - | | | 1 | | | | | | | | | Ÿ |
| • | ; | | | ٠, | | | | | | | , | | | | Ŧ |
| | | v | | | | | | <u> </u> | | | | | | 1 | |
| | Scale 1 | :50 |) | | | | *************************************** | • | | | | 5 | m | , , | .] , |