

XXVI & XXI XS CELLAR

Need to ~~excavate~~ excavate pits
of ~~walls~~ walls
→ Excavate pit
in W. side.

Began 1979 - emptying completed 1980 ..

Brak 9m N/S 7.4 E/W. = N 1/2
? E/W = S 1/2.

2 sep. areas in final phase. (N/S)
7.4 x 4.48 N 1/2 - long axis E-W. (FR) 4 x 4.8
& 3(N/S) x 4.

4.10 x 4.8 E/W S 1/2 - squarish, - rough at stairs
4.2 to 4.5 N/S. - clay grouted.

A/ Earliest walls E 1/2 of N & W. 1/2 of E wall (check slides
stairs NE corner).

B/ w. addit. ~~stairs~~ ^{near} ~~stairs~~ - dressed masonry, not tiled.
but blocking stairs? rebuild.

C/ Final staircase ^{near} SW corner. & 2 rooms.

FINDS - laved masonry
fireplaces & chimney.

Another Hadda Hall!

D. New int. room arrangements; - clay floors (xxx carb)
- par cov. w. water & - plaster surviving on
walls. Along E-side of trench - mid x wall
rabbet or for 2 m. (from trench edge & S. wall defines
end of room. (NB area of post-h. just. w. E wing)
(Poss N/S wall contemp. w. this phase) & rabbet at
E $\frac{1}{2}$ of most likely E/W wall.)
* rebuilt as garden wall in (18 & 19).
? massive footing next to cellar also this phase.

XXXI

Trench 4m x 10m attached to XXVIII SM 179.

To measure test of 'circular' feature. - not circular

(A) '? Early' wall E. side of trench (E-W) interrupted by
feat. c. 0.90m wide - footings (15) - check construct) N. front,
* NB on line
with centre of
feat 10 approx.

(B) 2nd early wall - (N-S.) W side of trench. - 1.40m wide
& undared. (44) - test face to W. & // with W. front.

(C) Wedge of feat. overlies this
pits (92) & (23) 'square'
(10) feat. E-W axis 2 holes roughly 'rectangular' - 50m
x 50m & .80m apart. & { 1.80m E
2m W from edge
of feat. Depth - ?
cut into bedrock & thro' footings.*

? Secondary

* NB cut footings .90m x 2m x 1.90m respect.
X thickness.

Shape - cent. area approx. circular but on
W & S side addit. as if footings for
part surr. "wall" (?)
But contour w. drain (25) SE → direct.
2 rock-cut 'pits' set in street as whole &
not cent. area.

whole street, in centre very thick clay grouting.

Drain - 1m wide - cent. channel 0.40m wide

(D) NB S. end sealed under ^{corner of} (18) / (19) building

? check junction w. '79 plan. for 'partico' etc.

SM 80

NEED TO DRAW & DESCRIBE
POST HOLES

- THICKNESS of clay float - 50cm
- PIT to N - investigate profiles of partitions & further digging.

XXIX N x S

S - 8m x 4m - attached to Sand of XXVI.

N - Balik betw. XIV & XXVII & XXVI.

S edge of trench - wall of Viet. building shown on O.S. Map (?) (19).

Rest of trench: Early / 'MEDIEVAL' STRUCTURE. (NB look for IIs)

entrants by cellar - early steps

E/W axis > ^{(.75)?} 6m x ^(N/S.) 6-7.5m ext. / 5.5 x 5.5m int.

Divided int. into 2 'rooms' (?)

~~fact~~ ~~SS~~ across middle

S. Room. W part of S room - ? subdivision 1.50m wide.

leaving clay float 3.75m E/W x 2.50m N/S

E end stage projection - subshelves & int. large staves. 2m (E/W) x 3m (N/S)

Burnt clay → ? fireplace & chimney base.

N. Room - E. end desc. by cellar. clay float patchy & in Ward partly cov. by re-used roofing slabs. NB poss. continuation on 'piv' betw. 2 sets of cellar steps.

NB pit nearby. (later turned out to be natural)