

Table 2, alternative version. Dimensions of the main types of corn-drying kilns, ordered chronologically, showing mean and median values.

Type	Total no.	Overall length (m)	Overall width (m)	Overall depth (m)
Dumb-bell/figure-of-eight shaped	14	1- 3.4, mean 2.63, median 2.78 (n=14)	0.85-1.7, mean 1.29, median 1.2 (n=13)	0.15-1, mean 0.47, median 0.48 (n=14)
Oval/circular	30	0.4-4.4, mean 1.86, median 1.52 (n=30)	0.25-3, mean 1.36, median 1.18 (n=28)	0.1-1.4, mean 0.43, median 0.33 (n=30)
T-shaped	11	drying chamber length 1.5-3.2, mean 2.34, median (n=9); axial flue length 1.9-3.5, mean 2.61, median 2.45 (n=8)	drying chamber width 0.55-1.6, mean 0.8, median 0.7 (n=6); axial flue width 0.4-0.88, mean 0.62, median 0.6 (n=7))	drying chamber depth 0.4-1.1, mean 0.72, median 0.69 (n=4); axial flue depth 0.4-0.7, mean 0.59, median 0.65 (n=6)
Pear-shaped	22	0.8-6.7, mean 3.06, median 2.93 (n=22)	0.65-3.6, mean 1.33, median 1.09 (n=22)	0.12-2.0, mean 0.48, median 0.4 (n=21)
Keyhole-shaped	21	2.0-9.0, mean 3.97, median 3.6 (n=19); drying chamber length 0.7-2.9, mean 1.62, median 1.4 (n=11); flue length 0.8-3.5, mean 1.86, median 1.6 (n=13)	0.8-2.9, mean 1.84, median 1.83 (n=18); drying chamber width 0.7-2.9, mean 1.57, median 1.4 (n=11)); flue width 0.3-1, mean 0.63, median 0.6 (n=7)	0.3-1.4, mean 0.74, median 0.55 (n=11); drying chamber depth 0.05-0.99, mean 0.51, median 0.5 (n=5); flue depth 0.3-0.8, mean 0.55, median 0.55 (n=4)
L/comma-shaped	6	2.29-7.9, mean 5.38, median 5.5 (n=6); drying chamber length 0.7-2.1, mean 1.22, median 0.85 (n=3); flue length 1-4.5, mean 3.13, median 3.5 (n=4)	0.7-1.9, mean 1.28, median 1.25 (n=4); drying chamber width 0.48-1.6, mean 0.93, median 0.7 (n=3); flue width 0.34 (n=1)	0.25-0.28, mean 0.27, median 0.27 (n=2); drying chamber depth mean and median 0.5 (n=2); flue depth 0.1 (n=1)