



making sense of heritage

# Sibly Hall University of Reading Reading, Berkshire

Archaeological Evaluation Report



Planning Ref: O/2011/2628  
Ref: 101810.04  
November 2013



**Sibly Hall, University of Reading  
Reading, Berkshire**

**Archaeological Evaluation Report**

**Prepared for:**

Persimmon Homes Thames Valley  
Vanwall Business Park  
2 Vanwell Road  
Maidenhead  
SL6 4UB

**On behalf of:**

The University of Reading

**Prepared by:**

Wessex Archaeology  
Portway House  
Old Sarum Park  
Salisbury  
Wiltshire  
SP4 6EB

[www.wessexarch.co.uk](http://www.wessexarch.co.uk)


**November 2013**

**Report Ref: 101810.04  
Wokingham Borough Council Planning Ref: O/2011/2628**



## Quality Assurance

<b>Project Code</b>	101810	<b>Accession Code</b>		<b>Client Ref.</b>	
<b>Planning Application Ref.</b>	O/2011/2628 Approved by Berkshire Archaeology 19 <sup>th</sup> Nov 2013	<b>Ordnance Survey (OS) national grid reference (NGR)</b>	474320 170680		

<b>Version</b>	<b>Status*</b>	<b>Prepared by</b>	<b>Checked and Approved By</b>	<b>Approver's Signature</b>	<b>Date</b>
v01	F	GSC	ADC		14 <sup>th</sup> Nov 2013
File:					
File:					
File:					
File:					
File:					

\* I = Internal Draft; E = External Draft; F = Final

## DISCLAIMER

THE MATERIAL CONTAINED IN THIS REPORT WAS DESIGNED AS AN INTEGRAL PART OF A REPORT TO AN INDIVIDUAL CLIENT AND WAS PREPARED SOLELY FOR THE BENEFIT OF THAT CLIENT. THE MATERIAL CONTAINED IN THIS REPORT DOES NOT NECESSARILY STAND ON ITS OWN AND IS NOT INTENDED TO NOR SHOULD IT BE RELIED UPON BY ANY THIRD PARTY. TO THE FULLEST EXTENT PERMITTED BY LAW WESSEX ARCHAEOLOGY WILL NOT BE LIABLE BY REASON OF BREACH OF CONTRACT NEGLIGENCE OR OTHERWISE FOR ANY LOSS OR DAMAGE (WHETHER DIRECT INDIRECT OR CONSEQUENTIAL) OCCASIONED TO ANY PERSON ACTING OR OMITTING TO ACT OR REFRAINING FROM ACTING IN RELIANCE UPON THE MATERIAL CONTAINED IN THIS REPORT ARISING FROM OR CONNECTED WITH ANY ERROR OR OMISSION IN THE MATERIAL CONTAINED IN THE REPORT. LOSS OR DAMAGE AS REFERRED TO ABOVE SHALL BE DEEMED TO INCLUDE, BUT IS NOT LIMITED TO, ANY LOSS OF PROFITS OR ANTICIPATED PROFITS DAMAGE TO REPUTATION OR GOODWILL LOSS OF BUSINESS OR ANTICIPATED BUSINESS DAMAGES COSTS EXPENSES INCURRED OR PAYABLE TO ANY THIRD PARTY (IN ALL CASES WHETHER DIRECT INDIRECT OR CONSEQUENTIAL) OR ANY OTHER DIRECT INDIRECT OR CONSEQUENTIAL LOSS OR DAMAGE.



# Sibly Hall, University of Reading Reading, Berkshire

## Archaeological Evaluation Report

### Contents

Summary.....	iii
Acknowledgements.....	iv
<b>1 INTRODUCTION.....</b>	<b>1</b>
1.1 Project background.....	1
1.2 The Site.....	1
<b>2 ARCHAEOLOGICAL BACKGROUND.....</b>	<b>2</b>
2.1 Introduction.....	2
<b>3 AIMS AND METHODS.....</b>	<b>2</b>
3.1 General aims and objectives.....	2
3.2 Fieldwork methodology.....	2
<b>4 ARCHAEOLOGICAL RESULTS.....</b>	<b>3</b>
4.1 Natural deposits and soil sequences.....	3
4.2 Archaeological features.....	3
<b>5 ARTEFACTUAL EVIDENCE.....</b>	<b>4</b>
<b>6 ENVIRONMENTAL EVIDENCE.....</b>	<b>4</b>
<b>7 DISCUSSION.....</b>	<b>4</b>
<b>8 STORAGE AND CURATION.....</b>	<b>4</b>
8.1 Preparation and Deposition.....	4
8.2 The Archive.....	4
8.3 Security Copy.....	5
<b>9 REFERENCES.....</b>	<b>5</b>
<b>APPENDIX 1 – TRENCH TABLES.....</b>	<b>6</b>
<b>APPENDIX 2 – OASIS FORM.....</b>	<b>9</b>
<b>OASIS ID: wessexar1-164072.....</b>	<b>9</b>

### Figures

- Figure 1: Site and trench location  
Figure 2: Plates  
Figure 3: Plates



**Plates**

- Plate 1: Trench 4, view from east
- Plate 2: Representative section of Trench 6, south facing
- Plate 3: Trench 8, view from the south-west
- Plate 4: Representative section of Trench 3, south-west facing
- Plate 5: Trench 1, view from the north-west
- Plate 6: Representative section of Trench 10, south-east facing
- Plate 7: General site shot



# **Sibly Hall, University of Reading Reading, Berkshire**

## **Archaeological Evaluation Report**

### **Summary**

Wessex Archaeology was commissioned by Persimmon Homes Thames Valley, on behalf of the University of Reading, to undertake the trial trench evaluation on land due to be redeveloped for residential housing at Sibly Hall, University of Reading, Reading, Berkshire, centred on National Grid Reference (NGR) 474320 170680.

The archaeological trial trenching comprised the excavation of 12x 30m by 1.8m trenches within two areas, which were targeted on the location of the proposed housing development. The work was undertaken between the 4<sup>th</sup> to 7<sup>th</sup> November 2013.

The evaluation identified no evidence for archaeological remains, either features or finds, within the areas investigated on the Site. This absence of evidence is likely to reflect a likely absence of archaeological activity within the Site, rather than due to any disturbance resulting from the construction of Sibly Hall in the late 1960s.



# **Sibly Hall, University of Reading Reading, Berkshire**

## **Archaeological Evaluation Report**

### **Acknowledgements**

Wessex Archaeology would like to thank Persimmon Homes Thames Valley, on behalf of the University of Reading, and particularly Rob Phelps and Nigel Kirby (SJB Demolition) for their help and assistance during the course of the works. Thanks are also due to Mary Neale of Berkshire Archaeology who monitored the work on behalf of the Local Planning Authority.

The fieldwork was undertaken by John Powell, with Andy Sole, Tom Blencowe and Ben Cullen. This report was compiled by Gareth Chaffey and the report illustrations were prepared by S.E James. The project was managed on behalf of Wessex Archaeology by Andy Manning.

# Sibly Hall, University of Reading Reading, Berkshire

## Archaeological Evaluation Report

### 1 INTRODUCTION

#### 1.1 Project background

- 1.1.1 Wessex Archaeology (WA) was commissioned by Persimmon Homes Thames Valley, on behalf of the University of Reading, to undertake a trial trench evaluation on land at Sibly Hall, University of Reading, Reading, Berkshire, (hereafter the Site), centred on National Grid Reference (NGR) 474320 170680 (**Figure 1**).
- 1.1.2 Outline planning permission (Wokingham Planning Ref: O/2011/2628) was granted in February 2012 for the residential development of the Sibly Hall campus site, with the proposed demolition of the existing student accommodation, followed by the construction of 89 new dwellings, the refurbishment of two existing dwellings, access and provision of parking.
- 1.1.3 Following consultation with Berkshire Archaeology (Reading Borough Council), the archaeological advisors to the Local Planning Authority, an archaeological condition (24) was placed on the outline planning approval requiring an initial assessment of the archaeological potential within the proposed development and subsequent mitigation, if appropriate:

#### *Condition 24*

*No development shall take place within the site, including any works of demolition or ground preparation, until the applicant, or their agents or their successors in title, has secured and implemented a programme of archaeological work (which may comprise more than one phase of work) in accordance with a written scheme of investigation for preservation in situ and preservation by record, which has been submitted to and approved in writing by the Local Planning Authority. The development shall only take place in accordance with the detailed scheme approved pursuant to this condition.*

- 1.1.4 A Written Scheme of Investigation (WSI) for the evaluation (WA 2013) was prepared by Wessex Archaeology and submitted to, and approved by, Berkshire Archaeology and subsequently the Local Planning Authority, prior to the start of the fieldwork. The evaluation was undertaken in accordance with the Institute for Archaeologist's *Standard Guidance for Archaeological Evaluation* (as amended in 2008).
- 1.1.5 The fieldwork was undertaken from 4th to 7th November 2013.

#### 1.2 The Site

- 1.2.1 The Site, comprising an area of approximately 3ha, is located around Sibly Hall, University of Reading and lie on a slightly west-facing slope at an average central height of approximately 65 m above Ordnance Datum (aOD). The underlying geology comprises London Clay and Boyn Hill Gravel (British Geological Survey, Sheet 268).



## 2 ARCHAEOLOGICAL BACKGROUND

### 2.1 Introduction

- 2.1.1 A detailed archaeological and historical background for the Site has been compiled and presented previously (Heritage Assessment CgMs 2010 and updated in 2011; WA 2013), and as such will not be repeated here.
- 2.1.2 In summary, no archaeological works have been undertaken within the Site, although a number of known sites or find spots have been recorded in the vicinity. These include isolated finds such as two hand axes, a Neolithic arrowhead, and an archaeological evaluation at 37 Elm Lane, approximately 200 m to the south of the Site. During the work a number of possible Romano-British features were recorded. A number of undated or possible post-medieval cropmark features have also been recorded.
- 2.1.3 The Heritage Assessment (CgMs 2010 and updated in 2011), submitted with the Outline Planning Application, indicated that the south-eastern third of the Site has been significantly landscaped in areas to accommodate the university's residential hall and car parks. In places this would have resulted with a reduction in levels from the original ground surface by 2-3m. The remainder of the Site is known to comprise ancient woodland.

## 3 AIMS AND METHODS

### 3.1 General aims and objectives

- 3.1.1 Prior to the commencement of works, a Method Statement (MS) (WA 2013b) was written in conjunction with the WSI (WA 2013a), which set out the agreed aims of the trial trench evaluation and the methods by which these aims would be achieved.
- 3.1.2 The general aim of the trial trench evaluation was to provide further information concerning the presence/absence, date, nature and extent of any buried archaeological remains and to investigate and record these within the constraints of the proposed trial trench evaluation. Further aims of the works were to:
- *Inform the scope and nature of any requirements for any potential further fieldwork, whether additional watching brief, excavation or post-excavation work;*
  - *Enable the preservation by record of any archaeological features or deposits uncovered;*
  - *Place any identified archaeological remains within their historical context, particularly with reference to the known medieval and prehistoric/Romano-British finds found in the wider area.*

### 3.2 Fieldwork methodology

- 3.2.1 The evaluation was conducted according to the agreed WSI (WA 2013a) and comprised the excavation of 12 trial trenches, each measuring 30m x 1.8m (see **Appendix 1** for details). Two trenches were located within one block of proposed housing within woodland at the northern extent of the Site (**Figure 1, Trenches 1 and 2, Area A**). The remaining trenches were located within the main housing block to the south of the existing Sibly Hall (**Figure 1, Trenches 3-12, Area B**). All the proposed trenches were excavated.
- 3.2.2 Prior to machining, the trench locations were scanned by WA using a cable tracing device. The trenches were excavated under constant archaeological supervision using a wheeled

backhoe excavator employing a toothless ditching bucket. The turf, topsoil and subsoil were stored separately to facilitate appropriate backfilling and consolidation of each trench following the completion of recording.

- 3.2.3 All potential features and deposits of possible archaeological origin were partially excavated to ascertain their nature and function and were fully recorded using WA's pro forma record sheets.
- 3.2.4 A digital photographic record was kept. Particular attention was taken to record all access routes and trench locations to provide a full record of both the original and final condition of the fieldwork locations. Special attention was placed on the recording of the mechanical excavation, spoil handling and storage prior to, during and following the completion of the trial trenching.
- 3.2.5 A full graphic record was kept. The site drawings were drawn at an appropriate scale, typically 1:10 for sections and 1:20 for plans.
- 3.2.6 Site survey was carried out using a Leica Viva series GNSS unit using the OS National GPS Network through an RTK network with a 3D accuracy of 30 mm or below. All survey data was recorded using the OSGB36 British National Grid coordinate system.
- 3.2.7 All archaeological fieldwork was monitored on behalf of the local planning authority by Mary Neale (Berkshire Archaeology), and by Andrew Manning on behalf of WA.

## 4 ARCHAEOLOGICAL RESULTS

### 4.1 Natural deposits and soil sequences

- 4.1.1 Natural clay with gravels was encountered in all trenches, between 58.31m above Ordnance Datum (aOD) at the north of the Site, and 68.57m aOD to the south. Overall, natural deposits were located between 0.25m to 0.61m below the current ground surface (**Figure 1**).
- 4.1.2 The natural stratigraphic sequence of the Site was seen to be largely uniform, differing only in the depth of the layers (**Figures 2 and 3, Plates 2, 4 and 6**). Across the Site, the topsoil was typically a mid-greyish brown sandy silt loam with occasional sub-rounded gravel inclusions, averaging 0.22m in depth. This generally overlay a sterile mid brown silty loam subsoil, averaging 0.20m in depth.
- 4.1.3 Made ground deposits, between 0.06m to 0.90m in thickness were noted in **Trenches 3, 4, 5, 7 and 8**, which are largely located immediately to the south of the main Sibly Hall building. In addition, thin made ground deposits sealed modern buried topsoil/subsoil deposits in **Trenches 5 and 8**. A number of field drains/utility trenches were recorded in eight trenches and are likely to be associated with Sibly Hall and its associated buildings.

### 4.2 Archaeological features

- 4.2.1 No archaeological features were identified during the course of the fieldwork.
- 4.2.2 A possible natural feature or tree-throw hole **505** was located on the eastern edge of **Trench 5**, and measured 0.68m x 0.54m and 0.25m deep. No datable material was recovered.

## 5 ARTEFACTUAL EVIDENCE

5.1.1 No artefacts were recovered during the course of the fieldwork.

## 6 ENVIRONMENTAL EVIDENCE

6.1.1 No archaeological features or deposits suitable for environmental sampling were identified during the course of the fieldwork.

## 7 DISCUSSION

7.1.1 The evaluation identified no evidence for archaeological remains, either features or finds, within the areas investigated on the Site.

7.1.2 Observations during the evaluation show that truncation of ground levels increases significantly at the southern edge of the Sibly Hall building, which supports the Heritage Assessment (CgMs 2010 and updated in 2011) which indicated likely deep truncation immediately within the area of Sibly Hall and northern car parking and access area.

7.1.3 Further to the south of Sibly Hall, thin localised made ground deposits appear to have been deposited directly onto the top of the existing ground surface without any significant truncation (ie **Trenches 5 and 8**).

7.1.4 Therefore, the observed absence of archaeological features is likely to accurately reflect an absence of any archaeological activity within the Site, rather than due to the removal of potential archaeological evidence due to the previous construction of Sibly Hall in the late 1960s.

## 8 STORAGE AND CURATION

### 8.1 Preparation and Deposition

8.1.1 The complete project archive will be prepared in accordance to Wessex Archaeology's *Guidelines for Archive Preparation* and accordance with *Guideline for the preparation of excavation archives for long-term storage* (UKIC 1990). Details of the archaeological evaluation will also be entered into the online "OASIS" database maintained by the Archaeological Data Service (ADS). A copy of the OASIS entry has been included in this report (**Appendix 2**).

### 8.2 The Archive

8.2.1 The complete archaeological evaluation archive, which will include paper records, photographic records, graphics and digital data, will be prepared following the standard conditions for the acceptance of excavated archaeological material by following nationally recommended guidelines (SMA 1995; IfA 2009; Brown 2011; ADS 2013).

8.2.2 All archive elements will be marked with the site code **101810**, and a full index will be prepared. The physical archive comprises the following:

- *1 files/document cases of paper records & A3/A4 graphics*
- *Digital data (site photographs, drawings, Word and pdf files)*

8.2.3 The archive is currently held at the offices of Wessex Archaeology in Salisbury under the project code 101810. The project archive resulting from the watching brief would normally be deposited with the Wokingham Museum, however Wessex Archaeology are aware that

Wokingham Museum are not accepting new archives. Once the final destination has been agreed, Berkshire Archaeology will be informed. Deposition of any finds with the Museum will only be carried out with the full agreement of the landowner.

#### 8.2.4 Discard policy

8.2.5 Wessex Archaeology follows the guidelines set out in Selection, Retention and Dispersal (Society of Museum Archaeologists 1993), which allows for the discard of selected artefact and ecofact categories which are not considered to warrant any future analysis. Any discard of artefacts will be fully documented in the project archive.

8.2.6 The discard of environmental remains and samples follows nationally recommended guidelines (SMA 1993; 1995; English Heritage 2002).

### 8.3 Security Copy

8.3.1 In line with current best practice (e.g. Brown 2011), on completion of the project a security copy of the written records will be prepared, in the form of a digital PDF/A file. PDF/A is an ISO-standardised version of the Portable Document Format (PDF) designed for the digital preservation of electronic documents through omission of features ill-suited to long-term archiving.

## 9 REFERENCES

- ADS 2013, *Caring for Digital Data in Archaeology: a guide to good practice*, Archaeology Data Service & Digital Antiquity Guides to Good Practice
- British Geological Survey, 1946, *Reading*, Sheet 268 (Drift), 1:63,360
- Brown, D.H. 2011. *Archaeological archives; a guide to best practice in creation, compilation, transfer and curation*, Archaeological Archives Forum (revised edition)
- CgMs 2011. Heritage Assessment: Sibly Hall, Reading, Unpublished Client report. GP/11958
- English Heritage, 2002. *Environmental Archaeology; a guide to theory and practice of methods, from sampling and recovery to post-excavation*, Swindon, Centre for Archaeology Guidelines
- IfA 2008. *Standards and Guidance for archaeological evaluation*
- IfA 2009. *Standard and Guidance for the creation, compilation, transfer and deposition of archaeological archives*, Institute for Archaeologists
- SMA 1993. *Selection, Retention and Dispersal of Archaeological Collections*, Society of Museum Archaeologists
- SMA 1995. *Towards an Accessible Archaeological Archive*, Society of Museum Archaeologists
- Wessex Archaeology 2013a. Sibly Hall, University of Reading, Reading, Berkshire: Written Scheme of Investigation For Archaeological Evaluation, Unpublished Client report. 101810.01
- Wessex Archaeology 2103b. Sibly Hall, University of Reading, Reading, Berkshire: Method Statement for Archaeological Trial Trenching, Unpublished Client report. 101810.02/3



## APPENDIX 1 – TRENCH TABLES

TRENCH 1			Machine excavated
<b>Dimensions:</b> 27.5m x 1.60m		<b>Max. depth:</b> 0.4m	<b>Ground level:</b> 60.91m aOD
<b>Co-ordinates:</b> 474307.02E 170827.56N			
Context	Description		Depth (m)
101	Layer	<b>Topsoil:</b> Mid to dark brown clay loam with occasional sub angular flint gravel <0.01m.	0-0.15
102	Layer	<b>Subsoil:</b> Mid grey brown silty clay	0.15-0.35
103	Layer	<b>Natural:</b> Light to mid yellow, orangey grey clay with sparse flint gravel	0.35+

TRENCH 2			Machine excavated
<b>Dimensions:</b> 28.40m x 1.6m		<b>Max. depth:</b> 0.35m	<b>Ground level:</b> 59.47m aOD
<b>Co-ordinates:</b> 474346.19E 170821.02N			
Context	Description		Depth (m)
201	Layer	<b>Topsoil:</b> Mid brown, plain but grey hue clay loam with occasional to sparse sub-angular flint gravel.	0-0.10
202	Layer	<b>Subsoil:</b> Mid grey brown silty clay	0.10-0.25
203	Layer	<b>Natural:</b> Light to mid yellow/orange grey clay with sparse flint gravel	0.25+

TRENCH 3			Machine excavated
<b>Dimensions:</b> 22.15m x 1.60m		<b>Max. depth:</b> 1.15m	<b>Ground level:</b> 64.20m aOD
<b>Co-ordinates:</b> 474312.78E 170692.70N			
Context	Description		Depth (m)
301	Layer	<b>Topsoil:</b> Mid to dark brown with grey hue, occasional sub-rounded gravel	0-0.25
302	Layer	<b>Subsoil:</b> Disturbance, Made ground.	0.25-1.15
303	Layer	<b>Natural:</b> Mid to light brown with an orange hue sandy gravel	1.15+

TRENCH 4			Machine excavated
<b>Dimensions:</b> 29.90m x 1.60m		<b>Max. depth:</b> 0.70m	<b>Ground level:</b> 66.10m aOD
<b>Co-ordinates:</b> 474273.83E 170659.78N			
Context	Description		Depth (m)
401	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with occasional sub rounded stone inclusions <0.03m and root disturbance	0-0.11
402	Layer	<b>Subsoil:</b> Mid grey/brown sandy silt loam with moderate sub rounded stone inclusions 0.04m<	0.11-0.28
403	Layer	<b>Layer:</b> Mid to light grey/brown sandy silt loam with moderate sub rounded stone inclusions 0.04m<. Very similar to (402) apart from colour. Colluvial layer? More subsoil?	0.28-0.58
404	Layer	<b>Natural:</b> Mid orange sand with occasional gravel inclusions in East end, dirty orange/brown sandy gravels in western end	0.58+
405	Cut	<b>Field Drain:</b> Small NE-SW aligned gully of unknown date. Excavation of gullies in Trench 5 on same alignment show this to be a field drain. 0.60m long by 0.22m wide by 0.18m deep	0.18
406	Fill	<b>Secondary Fill:</b> Light grey brown sandy silt loam with occasional sub-rounded gravel inclusions 0.03m<. Single fill of small undated gully derived from feature sides and surrounding area.	0.18



TRENCH 5			Machine excavated
<b>Dimensions:</b> 30.00m x 1.60m		<b>Max. depth:</b> 0.54m	<b>Ground level:</b> 66.71m aOD
<b>Co-ordinates:</b> 474270.29E 170631.29N			
Context	Description		Depth (m)
501	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with occasional sub-angular/rounded gravel inclusions 0.04m<	0-0.20
502	Layer	<b>Made Ground:</b> Looks to be a thin band of dirty orange/brown redeposited natural possibly from when buildings were constructed. Moderate gravel inclusions 0.04m<	0.20-0.28
503	Layer	<b>Subsoil:</b> Mid grey/brown sandy silt loam with moderate sub-rounded gravel inclusions 0.04m<	0.28-0.50
504	Layer	<b>Natural:</b> Dirty orange/brown sandy gravel	0.50+
505	Cut	<b>Tree Throw:</b> Initially appeared to be a pit, but on further stripping was revealed to be a tree throw of dimensions 2.14m long, 1.70m wide and 0.40m deep. It was sub-circular with concave, sharply sloping sides.	0.40
506	Fill	<b>Secondary Fill:</b> Mid grey brown sandy silt loam with moderate sub-angular/rounded gravel inclusions 0.05m<	0.40

TRENCH 6			Machine excavated
<b>Dimensions:</b> 30.00m x 1.06m		<b>Max. depth:</b> 0.62m	<b>Ground level:</b> 66.75m aOD
<b>Co-ordinates:</b> 474265.96E 170632.55N			
Context	Description		Depth (m)
601	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with occasional sub-rounded flint gravel inclusions 0.03m<	0-0.25
602	Layer	<b>Subsoil:</b> Mid brown sandy silt loam with moderate sub-rounded gravel inclusions 0.04m<	0.25-0.61
603	Layer	<b>Natural:</b> Mid orange/brown sandy gravels	0.61+

TRENCH 7			Machine excavated
<b>Dimensions:</b> 30.00m x 1.60m		<b>Max. depth:</b> 0.55m	<b>Ground level:</b> 65.69m aOD
<b>Co-ordinates:</b> 474306.67E 170633.49N			
Context	Description		Depth (m)
701	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with very occasional sub-rounded gravel inclusions 0.04m<	0-0.23
702	Layer	<b>Subsoil:</b> Mid brown sandy silt loam with moderate gravel inclusions 0.04m<	0.23-0.50
703	Layer	<b>Made Ground:</b> Seen only in western half of the trench below (701) and above (704). Dirty grey/brown material with bricks and other construction debris evident	0.23-0.50
704	Layer	<b>Natural:</b> Mid orange/brown sandy gravels with pale sandy patches and occasional iron panning	0.50+

TRENCH 8			Machine excavated
<b>Dimensions:</b> 29.85m x 1.6m		<b>Max. depth:</b> 0.55m	<b>Ground level:</b> 63.94m aOD
<b>Co-ordinates:</b> 474344.93E 170623.25N			
Context	Description		Depth (m)
801	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with occasional sub-rounded gravel inclusions 0.03m<	0-0.20
802	Layer	<b>Subsoil:</b> As above but no root disturbance	0.20-0.30
803	Layer	<b>Made Ground:</b> Not so obvious here, but clear in NE end of trench. Construction debris, redeposited natural etc. Dirty orange/brown with moderate gravel inclusions 0.05m<	0.30-0.36
804	Layer	<b>Buried Soil:</b> Buried Top/Subsoil: mid brown sandy silt loam with moderate sub-rounded gravel inclusions 0.04m<	0.36-0.55
805	Layer	<b>Natural:</b> NE end; patchy orange and pale yellow sands with pockets of gravel. SW end; mid orange/brown sandy gravels	0.55+



TRENCH 9			Machine excavated
<b>Dimensions:</b> 29.90m x 1.60m		<b>Max. depth:</b> 0.62m	<b>Ground level:</b> 66.49m aOD
<b>Co-ordinates:</b> 474284.22E 170616.82N			
Context	Description		Depth (m)
901	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with very occasional sub-rounded gravel inclusions 0.02m<	0-0.25
902	Layer	<b>Subsoil:</b> Mid brown sandy silt loam with moderate gravel inclusions 0.04m<	0.25-0.52
903	Layer	<b>Natural:</b> Mid orange/brown gravels with patches of iron panning and light grey silty sand	0.52+

TRENCH 10			Machine excavated
<b>Dimensions:</b> 27.50m x 1.60m		<b>Max. depth:</b> 0.55m	<b>Ground level:</b> 65.79m aOD
<b>Co-ordinates:</b> 474298.11E 170585.47N			
Context	Description		Depth (m)
1001	Layer	<b>Topsoil:</b> Mid brown/grey sandy silt loam with sub-rounded gravel inclusions 0.05m<	0-0.25
1002	Layer	<b>Subsoil:</b> As above, but without root disturbance	0.25-0.40
1003	Layer	<b>Natural:</b> Yellow/pale grey sand with patches of gravel/clay	0.40+

TRENCH 11			Machine excavated
<b>Dimensions:</b> 29.71m x 1.60m		<b>Max. depth:</b> 0.40m	<b>Ground level:</b> 63.09m aOD
<b>Co-ordinates:</b> 474353.15E 170597.96N			
Context	Description		Depth (m)
1101	Layer	<b>Topsoil:</b> Mid grey/ brown sandy silt loam with occasional sub-rounded gravel 0.05m<	0-0.15
1102	Layer	<b>Subsoil:</b> As above, but without root disturbance	0.15-0.30
1103	Layer	<b>Natural:</b> Mid orange/brown clay with sandy gravels	0.30+

TRENCH 12			Machine excavated
<b>Dimensions:</b> 30.00m x 1.60m		<b>Max. depth:</b> 0.38m	<b>Ground level:</b> 63.40m aOD
<b>Co-ordinates:</b> 474341.51E 1750573.92N			
Context	Description		Depth (m)
1201	Layer	<b>Topsoil:</b> Mid grey/brown sandy silt loam with occasional sub-rounded gravel inclusions 0.04m<	0-0.15
1202	Layer	<b>Subsoil:</b> As above, with no root disturbance and moderate sub-rounded gravel inclusions 0.05m<	0.15-0.30
1203	Layer	<b>Natural:</b> Mid orange/brown sandy gravels with some paler sand patches	0.30+



## APPENDIX 2 – OASIS FORM

### OASIS ID: wessexar1-164072

#### Project details

Project name	SIBLY HALL, UNIVERSITY OF READING, READING, BERKSHIRE
Short description of the project	Wessex Archaeology was commissioned by Persimmon Homes Thames Valley, acting on behalf of the University of Reading, to undertake a trial trench evaluation on land at Sibly Hall, University of Reading, Reading, Berkshire, centred on National Grid Reference (NGR) 474320 170680. The works were required in advance of the redevelopment of the Sibly Hall area. An assessment of the archaeological potential of the Site was required within the Site, although the area had suffered from severe truncation and disturbance associated with Sibly Hall, its associated buildings, car park and access road. The archaeological works involved the excavation of 12 trial trenches, undertaken from 4th to 7th November 2013. No archaeological features or deposits were revealed during the course of the evaluation. Due to the low level of archaeological features encountered during the evaluation it was agreed during on-site consultations with Berkshire Archaeology that no further archaeological investigation was warranted.
Project dates	Start: 04-11-2013 End: 07-11-2013
Previous/future work	No / No
Any associated project reference codes	O/2011/2628 - Planning Application No.
Any associated project reference codes	101810 - Sitecode
Type of project	Field evaluation
Site status	None
Current Land use	Other 13 - Waste ground
Methods & techniques	"Sample Trenches"
Development type	Public building (e.g. school, church, hospital, medical centre, law courts etc.)
Development type	University halls
Prompt	Planning condition
Position in the planning process	Not known / Not recorded

#### Project location

Country	England
Site location	BERKSHIRE WOKINGHAM WOKINGHAM Sibly Hall, University of Reading, Reading, Berkshire
Postcode	RG6 5QW
Study area	0.82 Hectares
Site coordinates	SU 474320 170680 50 -1 50 57 01 N 001 19 28 W Point
Height OD / Depth	Min: 58.31m Max: 68.57m

#### Project creators





Name of Organisation	Wessex Archaeology
Project brief originator	City/Nat. Park/District/Borough archaeologist
Project design originator	Wessex Archaeology
Project director/manager	A Manning
Project supervisor	J Powell
Type of sponsor/funding body	Developer
Name of sponsor/funding body	Persimmon Homes Thames Valley

---

#### **Project archives**

Physical Archive Exists?	No
Digital Archive recipient	Wessex Archaeology
Digital Archive ID	101810
Digital Media available	"Survey"
Paper Archive recipient	Wessex Archaeology
Paper Archive ID	101810
Paper Media available	"Photograph","Plan","Report","Section","Survey ","Notebook - Excavation',' Research',' General Notes","Context sheet","Correspondence","Diary","Map"


---

#### **Project bibliography 1**

Publication type	Grey literature (unpublished document/manuscript)
------------------	---

---

Entered by	Gareth Chaffey (g.chaffey@wessexarch.co.uk)
Entered on	12 November 2013



Site location

Figure 1



Plate 1: Trench 4, view from east



Plate 3: Trench 8, view from south-west



Plate 2: Representative section of Trench 6, south facing



Plate 4: Representative section of Trench 3, south-west facing



This material is for client report only © Wessex Archaeology.  
No unauthorised reproduction.

Date:	13/11/13	Revision Number:	0
Scale:	N/A	Illustrator:	SEJ
Path:	Y:\PROJECTS\101810\Drawing Office\Report figs\Eval\13_11_13\101810_Fig02.cdr		



Plate 5: Trench 1, view from the north-west



Plate 6: Representative section of Trench 10, south-east facing



Plate 7: General site shot



This material is for client report only © Wessex Archaeology.  
No unauthorised reproduction.

Date:	13/11/13	Revision Number:	0
Scale:	N/A	Illustrator:	SEJ
Path:	Y:\PROJECTS\101810\Drawing Office\Report figs\Eval\13_11_13\101810_Fig03.cdr		



salisbury rochester sheffield edinburgh



Wessex Archaeology Ltd registered office Portway House, Old Sarum Park, Salisbury, Wiltshire SP4 6EB  
Tel: 01722 326867 Fax: 01722 337562 info@wessexarch.co.uk www.wessexarch.co.uk

