

**Kissonerga-Mylothkia  
Table 5**

**All botanical taxa from Cypriot  
Aceramic Neolithic sites**

SITE	Kissonerga Mylothkia	Kalavassos Tenta	Khirokitia	Cap Andreas- Kastros
DATE	8552-6575 BC	7000 BC	6000 BC	5500 BC
<b>Cereals</b>				
Einkorn wheat ( <i>Triticum monococcum</i> ) 1g	x	x	x	x
Einkorn wheat ( <i>Triticum monococcum</i> ) 2g			x	
Emmer wheat ( <i>T. dicoccum</i> )	x	x	x	x
Hulled barley ( <i>Hordeum vulgare/sativum</i> )	x	x	x	x
<b>Legumes (large seeded)</b>				
Lentil ( <i>Lens spp.</i> )	x	x	x	x
Pea ( <i>Pisum sativum</i> )		x	x	x
Grass pea ( <i>Lathyrus sativus/Lathyrus sp.</i> )	x		x	
Horse bean ( <i>Vicia faba/narbonensis</i> )			x	x
Vetch ( <i>Vicia spp.</i> )	x	x	x	x
<b>Fruits</b>				
Fig ( <i>Ficus spp.</i> )	x	x	x	x
Grape ( <i>Vitis spp.</i> )				
Pistachio ( <i>Pistacia sp.</i> )	x	x	x	x
Hackberry ( <i>Celtis sp.</i> )			x	
Plum ( <i>Prunus sp.</i> )			x	
Pear ( <i>Pyrus sp.</i> )		x		
Bramble berries ( <i>Rubus sp.</i> )		x		
Caper ( <i>Capparis spinosa</i> )			x	
<b>Oil plants</b>				
Olive ( <i>Olea spp.</i> )			x	x
Linseed ( <i>Linum spp.</i> )	x			x
<b>Wild/weed taxa</b>				
<i>Adonis sp./dentata</i>	x <sup>o</sup>			x
<i>Fumaria sp.</i>	x		x	x
<i>cf. Silene/Malva sp.</i>		x		
<i>Spergula arvensis</i>		x		
<i>Malva sp./sylvestris/nicaensis</i>	x		x <sup>o</sup>	x
<i>Genista sp.</i>		x		
<i>Medicago sp./cf. minima</i>		x	x	x
<i>Trifolium resupinatum/ Trifoliae tribe</i>	x	x		
<i>Astragalus sp.</i>		x		x
<i>Scorpiurus sp.</i>	x			
LEGUMINOSAE	x	x	x	x
<i>cf. Pimpinella sp</i>			x	
UMBELLIFERAE	x <sup>o</sup>			

<i>Galium sp.</i>	X	X		
COMPOSITAE	X			
<i>Buglossoides sp./arvensis/tenuiflorum/offinale</i>	X	X	X	
<i>Echium sp.</i>	X <sup>o</sup>		X	
<i>Amaranthus retroflexus</i>		X		
<i>Beta vulgaris</i>	X			
CHENOPODIACAE	X			
<i>Polygonum sp.</i>		X	X	
<i>Rumex sp.</i>	X			
POLYGONAEAE	X			
LILIACAE	X <sup>o</sup>			
<i>Schoenus nigricans</i>		X <sup>o</sup>	X	
<i>cf. Carex sp.</i>			X	
<i>Lolium sp./ cf. perrene/rigidum</i>	X	X	X	X
<i>Avena spp.</i>	X		X	X
<i>Phalaris sp.</i>	X			X
<i>Bromus sp.</i>			X	
<i>Agropyron sp.</i>		X		
<i>Hordeum cf. murinum</i>			X	
<i>Hordeum sp.</i>	X		X	
<i>cf. Setaria sp.</i>			X	
GRAMINAE	X	X	X	X

(see Waines and Price 1977; Miller 1984; Hansen 1990).

- All wild/weed taxa are in the order of the Flora of Cyprus (Meikle, R.D, 1977, 1985).

<sup>o</sup> - denotes an identification of cf. (most closely resembles)

### **To be added to bibliography**

Hansen, J. 1990 Khirokitia plant remains: preliminary report, pp 235-250 in Le Brun A. (ed.), *Fouilles recentes a Khirokitia (Chypre)*. Paris: ERC.

Miller, N.F. 1984 Some plant remains from Khirokitia, pp 183-188 in Le Brun, A. (ed.), *Fouilles recentes a Khirokitia (Chypre) 1977-1981*. Paris: ERC.

Waines, J.G. and N.S. Price, 1977 Plant remains from Khirokitia in Cyprus, *Paléorient* 3, 281-284.