

# HERITAGE NETWORK

*Independent professional service in the historic environment since 1992*



## **BEAUCHAMPS Wyddial, Hertfordshire.**

HN1145

## ***ARCHAEOLOGICAL MONITORING REPORT***



# *THE HERITAGE NETWORK LTD*

*Registered with the Institute of Field Archaeologists as an Archaeological Organisation*

Archaeological Director: David Hillelson, BA MIFA

## Replacement Garage BEAUCHAMPS Wyddial, Hertfordshire

Project ref.: HN1145  
Planning ref: 3/14/0379/FP  
HER ref.: 77/14

### *Archaeological Monitoring Report*

*Prepared on behalf of Mr & Mrs R S Forsyth*

*By*

Chris Turner, BSc (HONS) MIFA

Report no. 880

*August 2014*

© The Heritage Network Ltd

11 FURMSTON COURT, ICKNIELD WAY, LETCHWORTH SG6 1UJ  
TEL: (01462) 685991 FAX: (01462) 685998



## Contents

	Summary.....	Page i
Section 1	Introduction.....	Page 1
Section 2	Fieldwork .....	Page 2
Section 3	Discussion.....	Page 5
Section 4	Schedule of site visits .....	Page 8
Section 5	Bibliography.....	Page 8
Section 5	Illustrations .....	following Page 10
Appendix 1	Recorded contexts.....	Page 11
Appendix 2	OASIS Data Entry.....	13

*The cover photograph shows the site after stripping, looking SE*

## Acknowledgements

The fieldwork for this project was carried out by Robin Densem. The report text and illustrations were prepared by Chris Turner, and edited by David Hillelson.

The Heritage Network would like to express its thanks to Mr & Mrs R S Forsyth; Andy Instone and Alison Tinniswood, Historic Environment Unit, Hertfordshire CC, for their co-operation and assistance in the execution of this project.

## Summary

<b>Site name and address:</b>	Beauchamps, Wyddial, Hertfordshire		
<b>County:</b>	Hertfordshire	<b>District:</b>	East Herts.
<b>Village/town:</b>	Wyddial	<b>Parish:</b>	Wyddial
<b>Planning reference:</b>	3/14/0379/FP	<b>NGR:</b>	TL 38216 31399
<b>Client name and address:</b>	Mr & Mrs R S Forsyth, Beauchamps, Wyddial, Hertfordshire		
<b>Nature of work:</b>	replacement garage/workshop with office	<b>Former land use:</b>	Existing garage
<b>Site status:</b>	Archaeological area of significance 10	<b>Reason for investigation:</b>	Planning Condition (NPPF)
<b>Position in planning process:</b>	Permission Granted	<b>Project brief originator:</b>	Local authority
<b>Size of affected area:</b>	c.95m <sup>2</sup>	<b>Size of area investigated:</b>	c.95m <sup>2</sup>
<b>Site Code:</b>	HN1145	<b>Museum Accession No:</b>	Na
<b>Organisation:</b>	Heritage Network	<b>Site Director:</b>	David Hillelson
<b>Project type, methods etc.:</b>	Monitoring	<b>Archive recipient:</b>	Hertford Museum
<b>Start of work</b>	22/07/2014	<b>Finish of work</b>	25/07/2014
<b>Related HER Nos:</b>	4044; 15904	<b>Periods represented:</b>	Post-medieval; modern;
<b>Oasis UID</b>	heritage1-181937	<b>Significant finds:</b>	None
<b>Monument types:</b>	Moat; 'Robber' trench		
<b>Physical archive:</b>	none		
<b>Previous summaries/reports:</b>	Ashworth, H. 2010. <i>Desk-based Assessment: Beauchamps, Wyddial, Herts.</i> Heritage Network report 603 Ashworth, H. 2010 <i>Beauchamps, Wyddial, Buntingford, Herts. Archaeological Investigation.</i> Heritage Network Report no.616		

**Synopsis:**

In response to a planning condition on the demolition of an existing garage and its replacement on the same footprint by a new garage/workshop with an office at Beauchamps, Wyddial, Hertfordshire, the Heritage Network was commissioned by the owner to undertake a programme of archaeological monitoring of the groundworks.

The monitoring the groundworks for the new garage revealed a disturbed stratigraphy consisting of layers of made ground and demolition material overlying natural clay.

A single cut feature, [205], was identified on the eastern side of the site [205]. This extended beyond the depth of the footings trench and is likely to represent the footings to a range of now demolished post-medieval outbuildings. A service trench was excavated within the line of the backfilled moat, but only revealed the upper layers of modern backfill.

The observations made during the present project support the cartographic evidence, which shows that the site was located across the southern end of a range of outbuildings, which stood until at least 1960. These were demolished between 1960 and 1977. By 1977, the southern end of the moat had been backfilled and the former garage constructed.

No earlier features, finds or deposits were observed during this project.

# 1. Introduction

**1.1** This *Project Design* has been prepared at the request of Mr & Mrs R S Forsyth, to cover a programme of archaeological work to be carried out as part of a development at Beauchamps, Wyddial, Hertfordshire.

**1.2** The planning permission for the development (ref: 3/14/0379/FP) has been granted by East Hertfordshire District Council (EHDC), subject to an archaeological condition issued under the Department of Communities and Local Government's *National Planning Policy Framework* (NPPF): ). The extent of the present work was defined in correspondence from the Historic Environment Unit (HEU) of Hertfordshire County Council. A full specification for the investigation was contained in the Heritage Network's approved Project Design, dated June 2014 (Ashworth 2014).

**1.3** The study area lies approximately 1km to the east of the historic core of wyddial. The site is situated at Beauchamps and centred on NGR TL 38216 31399. (Figure 1). It lies within Area of Archaeological Significance No. 10, which notes that Beauchamps is a moated site, recorded in the Domesday Survey of 1086 as *Alfledaunicha*. A previous desk-based archaeological assessment has identified a high risk of encountering features and finds of medieval and later date during development groundworks at Beauchamps (Ashworth 2010a).

**1.4** The aim of the present project has been to consider the location, extent, date, character, condition, significance and quality of any remains which were liable to be threatened by the development, and the establishment of a local and regional archaeological and historical context for them, if they were discovered, in accordance with the current published local and regional research agenda (Glazebrook 1997; Brown and Glazebrook 2000; Medlycott 2011).

**1.5** It was considered that the investigation had the potential to contribute to a greater understanding of the development of moated manorial sites from the medieval period onwards.

**1.6** The development comprised the demolition of an existing garage and the construction of its replacement on the same footprint by a new garage/workshop with an office above.

## 2. Fieldwork

### **SITE TOPOGRAPHY AND GEOLOGY**

**2.1** The site lies to the south-east of the main house on a ridge of higher ground overlooking the valleys of the River Quin to the east and the River Rib to the west, at approximately 128mAOD.

**2.2** Locally the soils belong to the Hanslope Association (411d) and are described as:

*'Slowly permeable calcareous clayey soils. Some slowly permeable non-calcareous clayey soils. Slight risk of water erosion.'* (SSEW 1983).

**2.3** The underlying solid geology consists of chalk Chalk formed in the Cretaceous Period. of the Lewes Nodular Chalk Formation and Seaford Chalk Formation, overlain by glacially deposited diamicton till formed in the Quaternary Period. ([www.bgs.ac.uk/opengeoscience](http://www.bgs.ac.uk/opengeoscience)).

**2.4** The geology of the stream valley to the west consists of chalk overlain by Head deposits of clay, silt and gravel, formed by material accumulated by down slope movements.

### **METHODOLOGY**

**2.5** The fieldwork involved a series of site visits to observe the groundworks for the new building. This involved the excavation of new footings and a service trench.

**2.6** The excavation of both the footings for the new garage and the service trench was undertaken using a tracked 360<sup>0</sup> excavator, fitted with a toothless ditching bucket.

**2.7** All potential archaeological features and deposits were sampled to ascertain their nature, depth, date, and quality of preservation.

**2.8** All identified contexts were photographed and recorded using the appropriate pro forma. Scaled plans and sections were drawn on pro forma sheets, at scales of 1: 50, 1:20 and 1:10.

**2.9** Spoil from the various stages of the groundworks was inspected for archaeological artefacts.

**2.10** All recording work was carried out in accordance with the approved project design, current health and safety legislation, and both IfA and ALGAO standards.

### **MONITORING AND RECORDING**

**2.11** The development involved a programme of archaeological monitoring and recording on groundworks for a new garage and workshop, constructed on the same footprint as the existing garage, erected between 1960 and 1977, which was demolished as part of this development. (Figure 2).

**2.12** The former garage had been surrounded by hard standing, which extended to the south of the building, with a grass lawn to the east and south. A driveway defined the site to the north and west.

**2.13** The groundworks for the present project involved the monitoring of the excavation of a new service trench and the excavation of the footings for the new structure.



### *Service Trench*

**2.14** A new service trench, aligned broadly east – west, was excavated to the south-east of the new garage within the grassed area and across the backfilled southern end of the moat (Figure 3). This measured 12.5m in length, 0.30m in width and reached a maximum depth of c.0.60m. The stratigraphy revealed in the sections comprised layer of very dark greyish brown (10YR 3/2) clayey silt topsoil, [101] c.0.20m thick, overlying a light olive brown (2.5Y 5/3) clayey silt subsoil, [102].

**2.15** Two dumped deposits, interpreted as part of the backfill of the moat, were recorded below the subsoil in this trench. Context (103), a reddish brown (2.5YR 5/8) clayey silt with frequent brick and lime mortar fragments, was encountered at the western end of the trench. Its exposed area measured 1.65m in length and 0.10m in depth.

**2.16** Context (104), a dark grey (5Y 3/1) clayey sandy silt with some chalk fragments and unburnt coal inclusions, was observed towards the eastern end of the trench (Figure 4, Section 2). It measured over 1m in length and 0.07m in depth. Late post-medieval tile fragments were noted within this context.

**2.17** No other features, deposits or finds were encountered in this trench.

### *Footings*

**2.18** The footings trenches measured 0.60m in width and between 1.20 and 1.60m in depth (Figure 3).

**2.19** Within the footprint of the former garage the trench sections consisted of a complex series of layers of disturbed made ground.

**2.20** A pad foundation located along the northern edge the new footprint revealed a layer of tarmac over a thin layer of concrete (Figure 4, Section 4). Below this was a layer of silty loose brick fragments, 0.26m in depth, overlying a layer of sand, (207), 0.10m in depth. Beneath these modern layers was (208), a probable yard surface, 0.08m in depth, comprising dark greyish brown (10YR 4/2) rounded flint cobbles in sandy silt. Below this was a probable bedding layer of redeposited natural (209), comprising light yellowish brown (10YR 6/4) sandy clay silt, 0.10m in depth, containing frequent brick and tile fragments. Beneath this was a light yellowish brown (10YR 6/4) sandy silt layer, (210), 0.14m in depth, with sub-angular flint inclusions, which in turn overlaid (211), a yellowish brown (10YR 5/4) clay silt layer, 0.06m in depth, with post medieval brick and CBM fragments and sub-angular flint inclusions. This layer was above the natural clay, which was encountered at a depth of 0.90m from the surface.

**2.21** The stratigraphy to the south of the footprint of the former garage showed less disturbance and consisted of (201) a dark greyish brown (10YR 4/2) sandy clay topsoil, 0.10m in depth, above a series of three layers (212-214) overlying the natural clay. These layers were similar in nature, consisting of light greyish / yellowish brown (10YR 6/2) clay silt, between 0.10m and 0.20m in depth, with frequent sub-angular flints. The lowest layer (214) also contained post medieval debris similar to (211) which included post medieval brick and CBM fragments.

**2.22** The only cut feature was observed in the south-western corner of the new garage (Figure 3). This lay below a modern backfill layer, (202), which comprised light yellowish brown (10YR 6/4) sandy clay, 0.80m in depth, containing frequent brick rubble (Figure 4, Section 3).

**2.23** Cut [205] consisted of a steep-sided feature, [205], cut into the natural clay, with the base beyond limits of excavation. This feature, which may represent a robbed out foundation trench, appeared to be aligned NNE-SSW, and was located in the northern half of the eastern footings trench. It contained two fills (203) and (204). The upper fill, (203), comprised a yellowish brown (10YR 5/4) sandy silt, 0.24m in depth, containing brick fragments and sub-angular flint inclusions. The lower fill, (204), consisted of dark yellowish brown (10YR 4/4) silty clay, over 0.40m in depth, which extended below the base of the trench. No finds were recovered from this fill.

**2.24** Groundwater was present in the base of the south eastern footings, to a depth of approximately 0.10m.

**2.25** The natural yellowish brown (10YR 7/6) clay with chalk fragments and sub-angular flint inclusions, (206), was observed in all the trenches at a depth of between 0.60m and 0.90m.

## **2.26 ARTEFACTS AND ECOFACTS**

**2.27** Late post medieval and modern brick and CBM fragments, including 20<sup>th</sup> century glazed wall tile fragments were observed during the course of this work within the topsoil and upper fill of the moat (backfilled in the second half of the 20<sup>th</sup> century). This material was not retained as it was redeposited and fragmentary in nature.

**2.28** No other artefacts or ecofacts were encountered during the current monitoring programme.

## 3. Discussion

### ARCHAEOLOGICAL SETTING

**3.1** The present site lies in open countryside to the east of Wyddial. It formed part of the manorial site of *Affledauwicha*, recorded in the Domesday Book of 1086.

**3.2** The manorial site at Beauchamps was moated (HER 4044). Ordnance Survey maps of late 19<sup>th</sup> and early 20<sup>th</sup> century date appear to show that it was a double moat, with a central arm and a second western arm which curves round to the south of the house. Only the north arm survives as a water-filled garden feature, the remainder of the moat has been infilled, with the southern continuation being backfilled between 1960 and 1977 (Ashworth 2010a, Figures 6-7). The 19<sup>th</sup> century farmstead was constructed across part of the southern arm.

**3.3** The present house at Beauchamps (HER 15904) is thought to have been built in the 1650s by Ralph Baesh, using materials from the largely demolished Ardeley Place, which were given to him by his relative, Justinian Sherburne (Smith 1993, 215). The materials were presumably timber, but there is no clear evidence of re-used timbers in the structure (ibid). It is described as *an unusually large version of the internal-chimney, lobby entrance plan* (ibid). It has a ground plan of four rooms in line, with short wings to the north-east and north-west. The house was refronted in polychrome brick, probably in the 1860s. At the same time the internal stack was pierced to form an entrance hall and a corridor added to the north.

**3.4** Documentary evidence shows that the property was known by the name ‘Affledwick alias Beauchamps’ until the late 18<sup>th</sup> century. In 1700, the estate consisted of the manor house and farm, together with meadow, pasture and woodland measuring about 300 acres situated in Layston, Anstey, Great Hormead and Wyddial. From 1726, it formed part of the Wyddial estate, having been sold by Charles Crowch to Francis Gulston of Wyddial Hall.

**3.5** Cartographic evidence shows that the original farmstead was located to the south-east of the house, but was moved to its current location between 1838 and 1877 (Ashworth 2010a, Figures 2–3). A range of early outbuildings, which stood between the moat and the house, remained until the mid-20<sup>th</sup> century. They were presumably demolished at the time that the moat was infilled.

### Research Aims

**3.6** The aims of the investigation were:

- to identify any remains that are liable to be threatened by the development and establish their location, depth, extent, date, character and condition;
- to consider the local and regional archaeological and historical context of such remains, and their significance and quality, in relation to the current published regional research agenda (Glazebrook 1997, Brown and Glazebrook 2000, Medlycott 2011);
- to ensure that an appropriate strategy for the mitigation of damage or destruction of such remains by the development is adopted.

**3.7** It is considered that the investigation had the potential to contribute to a greater understanding of the development of moated manorial sites from the medieval period onwards.

## COLLECTED DATA

**3.8** The stratigraphic sequence recorded during the groundworks consisted of layers of made ground, including redeposited natural clay with post medieval and modern brick and tile fragments, indicative of demolition debris. The natural clay was observed at depths of between 0.60 and 0.90m from the modern surface.

**3.9** The cartographic evidence shows that the layout of the site changed little between the 1870s and 1960 (Ashworth 2010a, Figures 3-6). As late as 1960, the OS mapping shows the eastern arm of the moat still extending southwards beyond the present site. The study area lay across the southern end of an 'L' shaped range of outbuildings, extending from the north-eastern corner of the house and sited right on the western edge of the moat (Figure 5). By 1977 the southern end of the moat had been backfilled.

**3.10** Evidence for a possible cobbled surface, (208), was observed at a depth of 0.50m from the surface in the northern edge of the new footings. This surface appears to represent a yard associated with the post medieval 'L' shaped range of buildings that crossed the site. This layer was not observed across the site and may have been removed elsewhere by later activity (Figure 5).

**3.11** The only cut feature observed during the course of the monitoring was identified in the eastern footings trench (Figure 3). This was on a similar alignment to the range of buildings demolished in the latter half of the 20<sup>th</sup> century. The base of the cut was not observed as it extended beyond the limits of the footings, but groundwater did appear in the trench at this point. Two fills, (203) and (204), were recorded within the feature. The upper fill (203) contained post-medieval / modern demolition debris. It is unclear whether this feature represents either the western edge of the backfilled moat or, more probably, a robbed out foundation trench.

**3.12** It is likely that any potential archaeological remains in this area have been disturbed prior to the present work. The site has clearly been subject to significant disturbance, including the demolition of the former outbuildings, the backfilling of the moat and the construction of the former garage and the present driveway between 1960 and 1977. The evidence comes from the observed stratigraphy, with demolition debris identified at the base of extensive layers of made ground directly above the natural clay.

**3.13** The narrow service trench was located within the area of the former moat. No evidence for the moat was observed within this narrow excavation. The stratigraphy observed within this element of the monitoring was consistent with modern backfill.

## CONCLUSIONS

**3.14** It was considered that the investigation had the potential to contribute to a greater understanding of the origins and development of medieval and later settlement of Beauchamps and its moat. The monitoring of the groundworks for the present project revealed a disturbed stratigraphy consisting of layers of made ground and demolition material overlying the natural clay.

**3.15** A linear cut, [205], was identified on the eastern side of the site. This feature is likely to represent a robbed out foundation trench, relating to the former outbuildings that occupied the site until the mid 20<sup>th</sup> century.

**3.16** A service trench was excavated within the line of the backfilled moat, but only revealed the upper layers of modern backfill.

**3.17** The observations made during the present project support the cartographic evidence, which shows that site was located at the southern end of a range of outbuildings which stood until at least 1960. These were demolished between 1960 and 1977. By 1977, the southern end of the moat had been backfilled and the former garage constructed

### ***Confidence Rating***

**3.18** Conditions on site were generally acceptable for the identification and recording of any potential archaeological remains, and as such there are no circumstances which would lead to a confidence rating for the work which was less than *high*.

## 4. Schedule of site visits

Date	Staff	Hours	Comments
22/07/2014	RGD	8	Monitoring of ground preparation
23/07/2014	RGD	8.5	Monitoring of service trench and footings
25/07/2014	RGD	12	Monitoring of footings

## 5. Bibliography

Archaeology Data Service: <http://www.ads.ahds.ac.uk/catalogue>

Gateway: <http://www.heritagegateway.org.uk>

British Geological Survey: <http://bgs.ac.uk/opengeoscience>

Ashworth, H. 2010a *Beauchamps, Wyddial, Buntingford, Herts. Desk-based Archaeological Assessment*. Heritage Network report no.603

Ashworth, H. 2010b *Beauchamps, Wyddial, Buntingford, Herts. Archaeological Investigation*. Heritage Network Report no.616

Brown, N. & Glazebrook, J. 2000 *Research and Archaeology: a framework for the eastern counties, 2. Research agenda and strategy*. East Anglian Archaeology

Dobney *et al.* 1995, *Environmental Archaeology and Archaeological evaluations: recommendations concerning the environmental component of archaeological evaluations in England*. Working Papers of the Association for Environmental Archaeology, Number 2

Dept. of Communities and Local Government 2010 *Planning Policy Statement 5: Planning for the Historic Environment*. (TSO)

English Heritage 1991 *Management of Archaeological Projects*. (HBMC)

English Heritage 2006 *Management of Research Projects in the Historic Environment: The MoRPHE Project Managers' Guide*. (HBMC)

English Heritage 2008 *Management of Research Projects in the Historic Environment: PPN3 Archaeological Excavation*. (HBMC)

English Heritage 2010 *Historic Environment Planning Practice Guide*. (HBMC)

Glazebrook, J. (ed.) 1997 *Research and Archaeology: A Framework for the Eastern Counties. Resource Assessment*. East Anglian Archaeology Occasional Papers 3

Gurney, D. *et al* 2003 *Standards for Field Archaeology in the East of England*. ALGAO (EER)

Institute for Archaeologists 2008 *Standard and Guidance for an Archaeological Watching Brief*. (IfA)

Medlycott, M. (ed.) 2011 *Research and Archaeology Revisited: A Revised Framework for the East of England*. East Anglian Archaeology Occasional Paper no.24

Smith, J.T. 1993 *Hertfordshire Houses: Selective Inventory*. London: Royal Commission on the Historical Monuments of England

## 6. Illustrations

Figure 1 .....	Site location
Figure 2 .....	Site layout
Figure 3 .....	Areas Monitored
Figure 4 .....	Sections
Figure 5 .....	Site located on the 1921 OS map
Plate 1 .....	Section 4, looking N
Plate 2 .....	Section 5, looking N
Plate 3 .....	Cut [205], looking W
Plate 4 .....	Service trench, looking SE


**Page left blank**



THE HERITAGE NETWORK LTD

Beauchamps, Wyddial, Herts.


HN1145



538100

538200

538300



Site Location

Scale 1:1250

(Reproduced from the Ordnance Survey with the permission of the controller of Her Majesty's Stationery Office, Licence no.100020449)


Figure 1




Site layout

Scale 1:000


Figure 2



Areas Monitored



Site Sections



Site located on the 1921 OS map

Scale 1:800

Figure 5





Plate 1: Section 4, looking N



Plate 2: Section 5, looking N



Plate 3: Cut [205], looking W



Plate 4: Service trench, looking SE



## Appendix 1

### Recorded Contexts

Context	Type	Description	Dimensions (m)		
			Length	Width	Depth
101	Layer	Service Trench - Dark greyish brown (10YR 3/2) clayey silt topsoil	>12.5	>0.30	0.20
102	Layer	Service Trench – Light Olive brown (2.5YR 5/3) clayey silt with some small sub-angular flint inclusions. Subsoil	>12.5	>0.30	>1.00
103	Layer	Service Trench – Reddish brown (2.5YR 5/8) clayey silt with frequent brick and lime mortar fragments.	>1.65	0.30	>0.25
104	Layer	Service Trench – dark grey (5Y 3/1) clayey sandy silt with some chalk fragments and unburnt coal inclusions. Post med tile fragments also observed.	>1	9.30	>0.08
201	Layer	Footings – Dark greyish brown (10YR 4/2) sandy clay silt topsoil with sub-angular flint inclusions.	>6.00	>1.00	0.04
202	Layer	Footings – Light yellowish brown (10YR 6/4) sandy clay silt with frequent brick fragments, chalk flecks and sub-angular flint inclusions.	>6.00	>0.60	0.76
203	Fill	Footings – Yellowish brown (10YR 5/4) sandy silt with brick fragments and sub-angular flint inclusions. Upper fill of [205]	>3.20	>1.00	0.22
204	Fill	Footings – Dark yellowish brown (10YR 4/4) silty clay. Lower fill of [205]	>2.40	>1.00	0.36
205	Cut	Footings – steep sided cut observed in the eastern side of footings, base beyond limits of excavation. Contains fill (203) and (204). Possible robber trench.	>3.20	>1.00	>0.70
206	Layer	Footings – Yellowish brown (10YR 7/6) clay with chalk fragments and sub-angular flint inclusions. Natural	>6.00	>0.60	>0.50
207	Layer	Footings – Pale yellowish brown (10YR 7/4) sand.	>1.20	>1.00	0.12
208	Layer	Footings – Dark greyish brown (10YR 4/2) rounded flint cobbles in sandy silt. Cobble yard surface	>1.00	>1.10	0.08
209	Layer	Footings – Light yellowish brown (10YR 6/4) sandy clay silt with frequent brick and tile fragments, and chalk fleck inclusions.	>1.10	>0.15	0.14
210	Layer	Footings – Light yellowish brown (10YR 6/4) sandy silt with sub-angular flint inclusions.	>1.10	>1.00	0.16
211	Layer	Footings – Yellowish brown (10YR 5/4) clay silt with brick and CBM fragments and sub-angular flint inclusions.	>1.10	>0.70	0.08
212	Layer	Footings – Light greyish brown (10YR 6/2) Clay silt and frequent sub-angular flints.	>1.00	>0.60	0.10
213	Layer	Footings – yellowish brown (10YR 6/6) sandy clay silt and frequent sub-angular flints.	>1.00	>0.60	0.10
214	Layer	Footings – Pale yellowish brown (10YR 7/3) clay silt with brick, tile and chalk fragments, and sub-angular flint inclusions.	>1.00	>0.60	0.20

**Page left blank**

## Appendix 2

### OASIS Data form

<i>OASIS ID: heritage1- 181937</i>	
<b>Project details</b>	
Project name	Beauchamps, Wyddial, Hertfordshire
Short description of the project	<p>In response to a planning condition on the demolition of an existing garage and its replacement on the same footprint by a new garage/workshop with an office at Beauchamps, Wyddial, Hertfordshire, the Heritage Network was commissioned by the owner to undertake a programme of archaeological monitoring of the groundworks.</p> <p>The monitoring the groundworks for the new garage revealed a disturbed stratigraphy consisting of layers of made ground and demolition material overlying natural clay.</p> <p>A single cut feature, [205], was identified on the eastern side of the site [205]. This extended beyond the depth of the footings trench and is likely to represent the footings to a range of now demolished post-medieval outbuildings. A service trench was excavated within the line of the backfilled moat, but only revealed the upper layers of modern backfill.</p> <p>The observations made during the present project support the cartographic evidence, which shows that the site was located across the southern end of a range of outbuildings, which stood until at least 1960. These were demolished between 1960 and 1977. By 1977, the southern end of the moat had been backfilled and the former garage constructed.</p> <p>No earlier features, finds or deposits were observed during this project</p>
Project dates	Start: 22-07-2014 End: 25-07-2014
Previous/future work	Yes / No
Any associated project reference codes	HN1145 - Contracting Unit No.
Type of project	Recording project
Site status	Local Authority Designated Archaeological Area
Current Land use	Other 5 - Garden
Monument type	Moat Post Medieval
Monument type	Robber trench Modern
Significant Finds	None None
Investigation type	"Watching Brief"
Prompt	Planning condition
<b>Project location</b>	
Country	England
Site location	HERTFORDSHIRE EAST HERTFORDSHIRE WYDDIAL Beauchamps, replacement garage
Postcode	SG9 0EP
Study area	95 Square metres
Site coordinates	NGR - TL 38216 31399 LL - 51.9634157119 0.011981638317 (decimal) LL - 51 57 48 N 000 00 43 E (degrees) Point

<b>Project creators</b>	
Name of Organisation	Heritage Network
Project brief originator	Local Authority Archaeologist and/or Planning Authority/advisory body
Project design originator	Chris Turner
Project director/manager	David Hillelson
Project supervisor	Robin Densem
Type of sponsor/funding body	Landowner
<b>Project archives</b>	
Physical Archive Exists?	No
Digital Archive recipient	Hertford Museum
Digital Contents	"none"
Digital Media available	"Images raster / digital photography"
Paper Archive recipient	Hertford Museum
Paper Contents	"none"
Paper Media available	"Context sheet", "Diary", "Plan", "Report"
<b>Project bibliography 1</b>	
Publication type	Grey literature (unpublished document/manuscript)
Title	Beauchamps, Wyddial, Herts: archaeological monitoring report
Author(s)/Editor(s)	Turner, C.
Other bibliographic details	Report no 880
Date	2014
Issuer or publisher	Heritage Network
Place of issue or publication	Letchworth, Herts.
Description	A4 booklet, comb bound, green cover, 13 pages, 5 figures, 4 plates

THE HERITAGE NETWORK LTD

Attendance Record

Site Name:	Replacement Garage, Beauchamps, Wyddial Herts	HN ref:	HN1145
		Site Code:	

Recorder(s):	R.G. Denson (RGD)	Arrive time:	9.05	Return travel:	<del>7.45</del>
Date:	24/7/14	Depart time:	3.45	Total hours:	<del>8.50</del>

1.5 hrs  
8 hrs

Reported to:	MRS FORSYTH (AMANDA)	Position:	CLIENT
Purpose of visit:	SMR: 3 PLANS DRAWN (PLANS 1-3), PHOTOS, MONITORED INITIAL STRIP (STRIP)		

Photograph film no BW #565; COLOUR DIGITAL

Staff on site: RGD

Observations:

RGD left home 8.26am, 0 miles. Arrived site 9.05. 19.3 miles  
Left site 3.45, 19.3 miles; home 4.25pm, 38 miles.

A. OAKENFULL GROUNDWORKS LTD: GROUNDWORKS CONTRACTOR  
ANDY OAKENFULL [REDACTED] (GROUNDWORKS CONTRACTOR)  
ROB MONK " " (CONTRACTOR)

ALAN HOOKWAY, MAIN CONTRACTOR: [REDACTED]  
(HOOKWAY BUILDING CONTRACTORS) [REDACTED]

RGD also met MR. FORSYTH. RGD met: Andy, Alan, MR & MRS FORSYTH.

No trenching done - Alan came to re-plot building  
footprint at c. 12.00 (some stripping of rubble done and  
had been PRIOR TO TODAY - (REMOVAL OF RUBBLE)  
CONCRETE STRIP)

Most of initial strip done - there is still veg strip to do  
to remove soft veg from footprint - see plan 3

At 1pm a group chat: Amanda, Alan, Andy, RD: would trenching start  
today? they said yes!  
3.30pm Andy said that he would not start trenching today - up to that time his (& Alan's) plan had  
been to start start trenching today.

RGD packed up & left for home  
home. RD had drawn 3 plans,  
taken photos, established a  
datum line - see plan 2.

RGD appeared DSH of the  
situation.

Weather: SUNNY

Sheet	1	of	1
Additional records:			
Text sheet(s)			
Sketch sheet(s)			✓
Context form(s)			
A4 Scale dwng(s)			
A2 Scale dwng(s)			✓
Photographs			✓

Site Name:	REPLACEMENT GARAGE, BEAUCHAMPS, WYDDIAL, HERTS	HN ref:	HN 1145
		Site Code:	

NOTE NO WORK ABSENCE \* NOTE 1.25 hr absence

Recorder(s):	R.G. DENSEM (RGD)	Arrive time:	7.24	Return travel:	<del>1.5</del> 1.25
Date:	23/7/2014	Depart time:	8.45	Total hours:	<del>8.5</del> 8.75

~~5.00pm~~ 4.30pm\*

Reported to:	ANDY OAKENFULL / MR & MRS F	Position:	GROUNDWORKS MANAGER / CLIENTS
Purpose of visit:	WD: ONE ELECTRICITY CABLE W/INT. ABOVE GROUND.		

RECORDING AND DRAIN TRENCH 1 & STARTING TO PLAN PAINT DUG

Photograph film no	COLOUR DIGITAL & DW#565 MAIN FOOTPRINT.
--------------------	---

Staff on site:	RGD.
----------------	------

Observations:

RGD left home 6.55am, 0 miles; arrived site 7.24am, 17.6 miles  
 Andy had said it was 7.30 start  
 7.50 digging started: EASTERN N-S trench, begun at North  
 8.00 live elect cable hit, disconnect power to Beauchamps 3cm dia. cable.  
 8.30 ROB FORSYTH said electricity board say not to enter  
 trench as ground may be 'live' & asked RGD to leave -  
 they (he or Amanda) or Andy will phone RGD if want to  
 dig today - & they won't dig till I get back!  
 RGD Electricity Board due c. 3 hrs time ... 9.15  
 \* 8.45 RGD left site. RGD spoke with DJH & came back  
 back to site to collect drawing he had mistakenly left  
 10.00 RGD resumed work - Alan had got dug a test pit to locate drain.  
 (9.45 Electrician company "UK Power Networks" had arrived,  
 they reckon maybe 3 hours to fix electricity).  
 9.30 Rob, Amanda, Alan agreed RGD should stay on site,  
 RGD spoke with DJH: RGD to stay  
 \* HOURS WORKED: 7.24-8.45; 10.00 - 4.30; RGD time sheet: 7.25 hrs

Sheet	1	of	1
Additional records:			
Text sheet(s)			
Sketch sheet(s)			
Context form(s)			
A4 Scale dwng(s)			
A3 Scale dwng(s)			
Weather:		Photographs	

Site Name:	REPLACEMENT GARAGE, BEAUCHAMPS WYDDIAL, HERTFORDSHIRE	HN ref:	TIN 1145
		Site Code:	

Recorder(s):	R.G. DENSEM (RGD)	Arrive time:	7.15	Return travel:	1.25 hrs
Date:	24/7/2014	Depart time:	6.06	Total hours:	12.25 hrs

Reported to:	A. OAKENFULL / MRS FORSYTH & MR F	Position:	GROUNDWORKER / CLIENT
Purpose of visit:	WB: PLOTTING NEW GARAGE PLAN, DRAW SECTIONS 3-5, CONTEXT SHEETS		

PHOTOS  
& LEVELS

Photograph film no	BW # 565 & COLOUR DIGITAL.
--------------------	----------------------------

Staff on site:	RGD
----------------	-----

Observations:	
---------------	--

RGD left home: 6.40am, 0 miles. Arrived site 7.15. 19.2 miles.  
left site: 6.06 pm 19.2 miles, arrived home:

Finished site.

Moat [203] in section 3.

Rest of site is dumped layers, cobbles & gravel surfaces  
(section 4 & 5)

No cut features apart from Moat [203], no med or earlier finds.

Sheet	1	of	1
-------	---	----	---

Additional records:

Text sheet(s)	
---------------	--

PLANS - Sketch sheet(s) ✓

Context form(s)	✓
-----------------	---

A4 Scale dwng(s)	
------------------	--

A2 Scale dwng(s)	✓
------------------	---

Weather:	SUNNY	Photographs	✓
----------	-------	-------------	---





Site Name / Code		REPLACEMENT GARAGE, BEAUCHAMPS, WINDIAL, HERTS				Page No.	
HN1145						2 of 2	
Number	Category	Description and Related Contexts	Initial	Plan	Section	Matrix	Checked
201	LAYER	T/O SOIL	RGD	-	3, 5		
202	LAYER	DUMPING	RGD	-	3.		
203	FILL	MOAT FILL OF [205]	RGD	-	3.		
204	FILL	MOAT FILL OF [205]	RGD	-	3.		
205	CUT	MOAT, FILL 203 & 204	RGN	-	3, <del>4</del>		
206	LAYER	NATURAL	RGD	-	3, 4, 5		
207	LAYER	MAKE UP FOR BRICKS	RGD	-	4.		
208	LAYER	<del>DUMPED LAYER</del> <sup>COBBLES</sup>	RGN	-	4.		
209	LAYER	LAYER	RGN	-	4.		
210	LAYER	LAYER	RGN	-	4.		
211	LAYER	SUBSOIL?	RGN	-	4.		
212	LAYER	GRAVEL FLINT	RGN	-	5		
213	LAYER	GR FLINT	RGN	-	5		
214	LAYER	DUMPED MAKE-UP	RGN	-	5		

SITE CODE <b>HN1145</b>	Sub-division <b>TRENCH 1</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>101</b>
Fill/Layer	1. 10YR 3/2 VERY DARK GRAYISH BROWN			Cut
1. Matrix colour 2. Matrix composition 3. Matrix compaction 4. Inclusions (frequency & size) 5. Dimensions 6. Other comments	2. CLAYEY SILT			1. Shape in plan 2. Dimensions/depth 3. Sides 4. Base 5. Orientation 6. Other comments
Structure	3. LOOSE			Group
1. Material 2. Bonding 3. Dimensions 4. Orientation	4. MODERATE SUB-ANGULAR GRAVEL TO 3cm			1. Type 2. Contexts
	5. > 12.5m LONG x > 0.3m WIDE (IN BOTH SIDES OF TRENCH) x UP TO 0.2m THICK			
	6.			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below —	Above <b>102</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**TOP SOIL**

Checked interpretation Provisional date **POST-MED**

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no.	Photo (b/w) <b>X</b>	Signature <b>R. G. Denham</b>
Section no. <b>1, 2</b>	Photo (colour) <b>✓</b>	Date <b>23/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>WN1145</b>	Sub-division <b>TRENCH 1</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>102</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 2.5Y 5/3 LIGHT OUVÉ BROWN			1. Shape in plan
2. Matrix composition	2. <del>CLAY</del> CLAYEY/SILT			2. Dimensions/depth
3. Matrix compaction	3. COMPACT			3. Sides
4. Inclusions (frequency & size)				4. Base
5. Dimensions	4. MODERATE SUB-ANGULAR			5. Orientation
6. Other comments	GRAVEL TO 5cm			6. Other comments
Structure	5. 2x2m > 45° > 12.75m LONG x > 0.3m WIDE			Group
1. Material	6.			1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>101</b>	Above <b>103</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**DUMPED DEPOSIT**

**OVER (103) THAT HAS POST-MED BRICK RUBBLE**

**1 x (19 - (20 (PROB (20) GLASS POT.**

Checked interpretation

Provisional date **POST-MED**

Finds (circle):

None    Pottery    Metal     Glass    Tile    Brick    A.Bone    Shell    Burnt mats. ....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc    Flotation    Wet-sieve    Dry sieve    C14    Other: .....

Sample No.

Buckets/Litres

Reason for sample

Plan no. <b>2</b>	Photo (b/w) <b>X</b>	Signature <b>[Signature]</b>
Section no. <b>1,2</b>	Photo (colour) <b>✓</b>	Date <b>23/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HN1145</b>	Sub-division <b>TRENCH 1</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>103</b>
Fill/Layer	Description			Cut
1. Matrix colour	<b>1. 2 STR S/8 RED</b>			1. Shape in plan
2. Matrix composition	<b>2. BRICK RUBBLE</b>			2. Dimensions/depth
3. Matrix compaction	<b>3. COMPACT</b>			3. Sides
4. Inclusions (frequency & size)	<b>4. IN WHITE MORTAR FRAG TO 5cm</b>			4. Base
5. Dimensions				5. Orientation
6. Other comments				6. Other comments
Structure	<b>5.</b>			Group
1. Material	<b>5. 71.65M LONG X &gt;0.25M THICK X 0.3m WIDE (IN BOTH SIDES (SECTIONS) OF TRENCH,</b>			1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				
	<b>6. DUMPED</b>			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>103</b>	Above	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**RELATIONSHIP WITH 104 UNKNOWN**  
~~T PRESSURE~~ **PROBABLY SAME AS**

Checked interpretation Provisional date **POST-MED**

Finds (circle):

None   Pottery   Metal   Glass   Tile   **Brick**   A.Bone   Shell   Burnt mats.   Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc   Flotation   Wet-sieve   Dry sieve   C14   Other: .....

Sample No. \_\_\_\_\_  
 Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no.	Photo (b/w) <b>X</b>	Signature <b>R. C. LINDEN</b>
Section no. <b>1</b>	Photo (colour) <b>✓</b>	Date <b>23/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HNI/145</b>	Sub-division <b>TRENCH 1</b>	Co-ordinate	Context Type	CONTEXT No <b>104</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 54 3/1 VERY DARK GRAY			1. Shape in plan
2. Matrix composition	2. SILTY SAND			2. Dimensions/depth
3. Matrix compaction	3. FRIABLE			3. Sides
4. Inclusions (frequency & size)	4. MODERATE CHALK FRAGS (SUB-ANGULAR ANGULAR TO 1cm, MODERATE SUB-ANG FUNT TO 3cm, MODERATE UNBURNT COAL TO 1cm)			4. Base
5. Dimensions	5. >1m x >0.3m wide x >0.08m THICK			5. Orientation
6. Other comments	2 <del>0.5m</del> TILE FRAGS (ONE IS 19+2 PROBS 20)			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below 102	Above	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

PROB. SAME AS ~~102~~ **103**

DUMPED DEPOSIT

Checked interpretation

Provisional date **19 Feb**

Finds (circle):

None Pottery Metal Glass **Tile** Brick A.Bone Shell Burnt mats. Other:

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No.

Buckets/Litres

Reason for sample

Plan no.	Photo (b/w) <b>X</b>	Signature <b>R. Jensen</b>
Section no. <b>1</b>	Photo (colour) <b>✓</b>	Date <b>23/2/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHING</b>		Cont.

SITE CODE <b>HN 1145</b>	Sub-division <b>NEW GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>201</b>
Description				
Fill/Layer	1. 10YR 4/2 DARK GREYISH BROWN			Cut
1. Matrix colour				1. Shape in plan
2. Matrix composition				2. Dimensions/depth
3. Matrix compaction	2. SANDY CLAY			3. Sides
4. Inclusions (frequency & size)	3. LOOSE			4. Base
5. Dimensions				5. Orientation
6. Other comments	5. > 6m x > 1m WIDE X UP TO 0.4m THICK.			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding	5. 4. MODERATE SUB-ANGULAR GRAVEL TO 3cm			2. Contexts
3. Dimensions				
4. Orientation	6. .			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below -	Above <b>202</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**TOPSOIL.**

Checked interpretation Provisional date **POST-MED / MODERN**

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_  
Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>-</b>	Photo (b/w) <b>X</b>	Signature <b>R.G. Jensen</b>
Section no. <b>3</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HN1145</b>	Sub-division <b>NEW GARAGE</b>	Co-ordinate	Context Type <b>LAYER.</b>	CONTEXT No <b>202</b>
Description				
Fill/Layer				Cut
1. Matrix colour	<b>1. 10YR 6/4 LIGHT YELLOWISH BROWN</b>			1. Shape in plan
2. Matrix composition				2. Dimensions/depth
3. Matrix compaction	<b>2. SANDY CLAY</b>			3. Sides
4. Inclusions (frequency & size)				4. Base
5. Dimensions	<b>3. COMPACT</b>			5. Orientation
6. Other comments	<b>4. FREQUENT BRICK RUBBLE AT N. END - TOO DANGEROUS TO ENTER &amp; COLLECT &amp; OCCAS BRICK FRAGS ELSEWHERE, FREQUENT MOD GRAD CHALK FLECKS &amp; SUB-ANGULAR FINE GRAVEL TO 3CM, VERY FINE LAYER.</b>			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				
<b>5. &gt;6m x 70.6m (IN OPPOSING SECTION) X UP TO 0.76m THICK.</b>				<b>6. DUMPED.</b>

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>201</b>	Above	
	Butted by <b>203</b>	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**DUMPED POST-MEDIEVAL LAYER.**

Checked interpretation Provisional date **POST-MED**

Finds (circle):

None    Pottery    Metal    Glass    Tile    **Brick**    A.Bone    Shell    Burnt mats.    Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc    Flotation    Wet-sieve    Dry sieve    C14    Other: .....

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>1</b>	Photo (b/w) <b>X</b>	Signature <b>P.C. Jensen</b>
Section no. <b>3</b>	Photo (colour) <b>✓</b>	Date <b>29/7/16</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked <b>✓</b>
Excavation methods <b>MACHINE</b>		Cont. _____

SITE CODE <b>HN1145.</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type	CONTEXT No <b>HA 203</b>
Fill/Layer	Description			Cut
1. Matrix colour	<b>1. 10YR 5/4 YELLOWISH BROWN</b>			1. Shape in plan
2. Matrix composition	<b>2. SILTY SAND</b>			2. Dimensions/depth
3. Matrix compaction				3. Sides
4. Inclusions (frequency & size)	<b>3. FRIABLE</b>			4. Base
5. Dimensions	<b>4. 1x BRICK FRAG TO 5cm.</b>			5. Orientation
6. Other comments	<b>FREQUENT SUB ANGULAR FLINT TO 3mm</b>			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding	<b>5. &gt; 3-2m x &gt; 0.6m (IN BOTH SIDES OF <del>TRUSS</del> x 0.22m THICK &amp; UNSURE IF IN OPPOSING BRICK KURBLE FILLED SECTION.</b>			2. Contexts
3. Dimensions				
4. Orientation				
	<b>6. DUMPED LAYER.</b>			

Stratigraphic Relationships	Cut by Below	Cuts Above	Cut contains
	<b>202</b>	<b>204</b>	
	Butted by	Butts	Part of Group
	<b>205</b>	Same as	

Discussion and interpretation

**DUMPED FILL OF MORT. ~~DOES~~**

Checked interpretation Provisional date **POST-MED.**

Finds (circle):

None Pottery Metal Glass Tile **Brick** A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_  
Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>—</b>	Photo (b/w) <b>X</b>	Signature <b>R. Jensen</b>
Section no. <b>3</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked <b>✓</b>
Excavation methods <b>MACHINE</b>		Cont. _____



SITE CODE <b>HN1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>FILL</b>	CONTEXT No <b>204</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 10YR 4/4 DARK YELLOWISH BROWN			1. Shape in plan
2. Matrix composition	2. CLAY			2. Dimensions/depth
3. Matrix compaction				3. Sides
4. Inclusions (frequency & size)	3. <del>SOFT</del> STICKY			4. Base
5. Dimensions	4. <del>MODERATE</del> COARSE SAND GRITS			5. Orientation
6. Other comments				6. Other comments
Structure				Group
1. Material	5. 2.4m LONG X 0.36m THICK			1. Type
2. Bonding	X UNSURE IF IN OPPOSING DIRECTION			2. Contexts
3. Dimensions	BRICK RUBBLE SECTION			
4. Orientation	6. ALLUVIAL			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>203</b>	Above	
	Butted by	Butts	Part of Group
	Fill of <b>205</b>	Same as	

Discussion and interpretation

FILL OF MOAT CUT **205**

Checked interpretation Provisional date UNKNOWN

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_  
Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>-</b>	Photo (b/w) <b>x</b>	Signature <b>R.G. Jensen</b>
Section no. <b>3</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked <b>✓</b>
Excavation methods <b>MACHINE</b>		Cont. _____

SITE CODE <b>HN1145</b>	Sub-division <b>REPLACEMENT WALL</b>	Co-ordinate	Context Type <b>CUT</b>	CONTEXT No <b>2051</b>
Description				
Fill/Layer				Cut
1. Matrix colour	<b>1. E-W (PERPENDICULAR TO FOUNDATION TRENCH A-B (see plan 5 FOR LOCATION OF TRENCH IDENTIFICATION OF THIS TRENCH))</b>  <b>2. &gt;0.6m LONG X &gt; 3.2m WIDE X 70.5m DEEP</b>  <b>3. STEEP</b>  <b>4. NOT SEEN</b>  <b>5. E-W</b>  <b>6. ASSUMED TO BE THE <del>MOAT</del> MOAT ON (1982) HN 864 DBMAPS.</b>			1. Shape in plan
2. Matrix composition				2. Dimensions/depth
3. Matrix compaction				3. Sides
4. Inclusions (frequency & size)				4. Base
5. Dimensions				5. Orientation
6. Other comments				6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>204</b>	Above <b>206</b>	<b>203</b> <b>204</b>
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

MAINLY OBSCURED BY BRICK RUBBLE BUT CUT LINE IS VISIBLE A VERTICAL ELEMENT ON BOTH SIDES OF TRENCH (IN SECTIONS ON BOTH SIDES OF TRENCH) BOTH SIDES OF TRENCH PHOTOGRAPHED TODAY!  
 VERTICAL ELEMENT ON MOAT CUT IS CUT BY FOUNDATION TRENCH PERPENDICULARLY - SO LOCATE FROM SECTION 3.

Checked interpretation \_\_\_\_\_ Provisional date **17/5**

Finds (circle):

None Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: \_\_\_\_\_

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: \_\_\_\_\_

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>—</b>	Photo (b/w) <b>X</b>	Signature <b>R.G. DORSEM</b>
Section no. <b>3</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked <b>✓</b>
Excavation methods <b>MACHINE</b>		Cont. _____

SITE CODE <del>115</del> HN 1145	Sub-division REPLACEMENT GARAGE	Co-ordinate	Context Type LAYER	CONTEXT No 206
Fill/Layer	Description			Cut
1. Matrix colour	1. 10YR 7/6 YELLOW			1. Shape in plan
2. Matrix composition				2. Dimensions/depth
3. Matrix compaction	2. CLAYEY SILT			3. Sides
4. Inclusions (frequency & size)	3. <del>FREABLE</del> COMPACT			4. Base
5. Dimensions				5. Orientation
6. Other comments	4. FREQUENT CHALK & SUB- ANGULAR GRAVELS, MAINLY TO 4CM, <del>8</del> OCCAS CHACK TO 10CM			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions	5. >6m x >0.6m x >0.5m THICK			
4. Orientation	6. NATURAL			

Stratigraphic Relationships	Cut by	205	Cuts	Cut contains	
	Below	202	Above		
	Butted by		Butts		Part of Group
	Fill of		Same as		

Discussion and interpretation

NATURAL - ACROSS WHOLE FOOTPRINT OF REPLACEMENT GARAGE

Checked interpretation \_\_\_\_\_ Provisional date \_\_\_\_\_

Finds (circle):

None Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: \_\_\_\_\_

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: \_\_\_\_\_

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. -	Photo (b/w) x	Signature R.G. Jensen
Section no. 3,4	Photo (colour) ✓	Date 24/7/14
Weather conditions SUNNY	Risk of contamination LOW	Checked
Excavation methods MACHINE		Cont.

SITE CODE <b>HN1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>207</b>	
Fill/Layer	Description <b>1. 10YR 7/4 VERY PALE BROWN</b>			Cut	
1. Matrix colour	<b>2. MEDIUM SAND</b>			1. Shape in plan	
2. Matrix composition				2. Dimensions/depth	
3. Matrix compaction				3. Sides	
4. Inclusions (frequency & size)				<b>3. LOOSE</b>	4. Base
5. Dimensions				<b>4. -</b>	5. Orientation
6. Other comments					6. Other comments
Structure	<b>5. 7.1M X 7.2M X 0.12M THICK</b>			Group	
1. Material	<b>6.</b>			1. Type	
2. Bonding				2. Contexts	
3. Dimensions					
4. Orientation					

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>BRICK RUBBLES</b>	Above <b>208</b>	
	Butted by	Butts	
	Fill of	Same as	
			Part of Group

Discussion and interpretation

**SAND MAKE UP**

Checked interpretation \_\_\_\_\_ Provisional date **20**

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: \_\_\_\_\_

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: \_\_\_\_\_

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>-</b>	Photo (b/w) <b>X</b>	Signature <b>[Signature]</b>
Section no. <b>4</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>4N1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>208</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 10YR 4/2 DARK GRAYISH BROWN			1. Shape in plan
2. Matrix composition	2. CLAYEY SAND + FLINT (ROUNDED) CORBBES TO 6CMS.			2. Dimensions/depth
3. Matrix compaction				3. Sides
4. Inclusions (frequency & size)	3. FRAGILE			4. Base
5. Dimensions	4. <del>SEE</del> <sup>RARE</sup> <del>V-OC</del> SMALL C. 1CM BRICK FRAGS			5. Orientation
6. Other comments				6. Other comments
Structure	5. 1.1m x 0.08m THICK x MACHINED OUT BEYOND (SOUTH OF) SECTION 4			Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions	6. PROBLE CORALCED SURFACE (EXTERIOR I GIVES)			
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>207</b>	Above <b>209</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**PROB. CORALCED SURFACE / YAKI**

Checked interpretation Provisional date **POST-MEN**

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds		
Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_  
Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no.	Photo (b/w) <b>X</b>	Signature <b>R. C. Densen</b>
Section no. <b>4</b>	Photo (colour) <b>✓</b>	Date <b>24/7/12.</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HN 1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>209</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 107R 6/4 LIGHT YELLOWISH BROWN			1. Shape in plan
2. Matrix composition	2. CLAYEY SAND			2. Dimensions/depth
3. Matrix compaction	3. FRIABLE			3. Sides
4. Inclusions (frequency & size)	4. FREQUENT BRICKS (RED, UNFROGGED) FRAGS, LARGEST C. 0.12m; RARE YELLOW TILE FRAG (X1) TO 5cms, CHALK FRAGS (MODERATE) TO 12ms.			4. Base
5. Dimensions	5. 1.1m x c. 0.15m (DOESN'T EXTEND BEYOND 0.15m SOUTH OF SECTION 4) x 0.14m THICK.			5. Orientation
6. Other comments	6.			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>208</b>	Above <b>210</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**DUMPED LAYER, PERHAPS MAKE-UP FOR COBBLES 208**

Checked interpretation \_\_\_\_\_ Provisional date \_\_\_\_\_

Finds (circle):

None Pottery Metal Glass **Tile** **Brick** A.Bone Shell Burnt mats. Other: \_\_\_\_\_

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: \_\_\_\_\_

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. -	Photo (b/w) <b>X</b>	Signature <b>R. G. Jensen</b>
Section no. <b>4</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>WN 1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>210</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 10YR 6/4 LIGHT YELLOWISH BROWN FLINT			1. Shape in plan
2. Matrix composition	2. SILTY SAND & GRAVEL (SUB-ANGULAR, MAINLY <2mm)			2. Dimensions/depth
3. Matrix compaction	3. FRIABLE			3. Sides
4. Inclusions (frequency & size)	4. MODERATE SUB-ANGULAR FLINT TO 1cm)			4. Base
5. Dimensions	5. 1.1m x 0.16m THICK x ONLY IN N SECTION OF EXCAVATION, ie in section 4.			5. Orientation
6. Other comments	6. IS ? YARD SURFACE.			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>209</b>	Above <b>211</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**? YARDS.**

---

Checked interpretation Provisional date **POST-NCA**

Finds (circle):

**None** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>-</b>	Photo (b/w) <b>X</b>	Signature <b>R.S. Benson</b>
Section no. <b>4</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>WN1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>211</b>
Fill/Layer	Description			Cut
1. Matrix colour	<b>1. 10 YR 5/4 YELLOWISH BROWN</b>			1. Shape in plan
2. Matrix composition				2. Dimensions/depth
3. Matrix compaction	<b>2. CLAY</b>			3. Sides
4. Inclusions (frequency & size)	<b>3. COMPACT</b>			4. Base
5. Dimensions				5. Orientation
6. Other comments	<b>4 OCCAS CBM (2x RED TILE 2x RED BRICK - ALL CBM COLLECTED)</b>			6. Other comments
Structure				Group
1. Material	<b>OCCAS SUB-ANGULAR FUNTS TO - 5cm</b>			1. Type
2. Bonding				2. Contexts
3. Dimensions	<b>BS 1.1m x 0.08m THICK x &gt; 0.7m</b>			
4. Orientation	<b>6.</b>			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>210</b>	Above <b>206</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**SUBSOIL?**

**OVER NATURAL**

Checked interpretation Provisional date **POST-MED**

Finds (circle):

None   Pottery   Metal   Glass   **Tile**   **Brick**   A.Bone   Shell   Burnt mats. ....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc   Flotation   Wet-sieve   Dry sieve   C14   Other: .....

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>-</b>	Photo (b/w) <b>X</b>	Signature <b>R.G. Dence</b>
Section no. <b>4</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked <b>✓</b>
Excavation methods <b>MACHINE</b>		Cont. _____



SITE CODE <b>HN 1145</b>	Sub-division <b>REPLACEMENT GRAVEL</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>(212)</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. 10YR 6/2 LIGHT BROWNISH GREY.			1. Shape in plan
2. Matrix composition	2. SUB-ANGULAR FLINT TO 5CM			2. Dimensions/depth
3. Matrix compaction				3. Sides
4. Inclusions (frequency & size)	3. LOOSE			4. Base
5. Dimensions	4. -			5. Orientation
6. Other comments				6. Other comments
Structure	5. > 1M X > 0.6M (IN OPPOSING SECTION) X 0.10M THICK			Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions	6.			
4. Orientation				

Stratigraphic Relationships	Cut by	<b>(201)</b>	Cuts		Cut contains
	Below	<b>(201)</b>	Above	<b>(213)</b>	
	Butted by		Butts		Part of Group
	Fill of		Same as		

Discussion and interpretation

**GRAVEL - YARD?**

Checked interpretation Provisional date **POST-MED**

Finds (circle):

**(None)** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_  
Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no.	Photo (b/w) <b>X</b>	Signature <b>R. Jensen</b>
Section no. <b>5</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14.</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HN1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>213</b>
Fill/Layer	Description			Cut
1. Matrix colour	<b>(1) 10 YR 6/6 BROWNISH YELLOW</b>			1. Shape in plan
2. Matrix composition	<b>(2) SILTY SAND AND SUB-ANGULAR GRAVEL FUNT TO 5CMS</b>			2. Dimensions/depth
3. Matrix compaction	<b>(3) COMPACT</b>			3. Sides
4. Inclusions (frequency & size)				4. Base
5. Dimensions				5. Orientation
6. Other comments				6. Other comments
Structure	<b>5. &gt; 1m x &gt; 0.6m (IN OPPOSING SECTION) x 0.10m THICK</b>			Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions	<b>(4) —</b>			
4. Orientation	<b>6.</b>			

Stratigraphic Relationships	Cut by	Cuts	Cut contains
	Below <b>212</b>	Above <b>214</b>	
	Butted by	Butts	Part of Group
	Fill of	Same as	

Discussion and interpretation

**↖ YARD . UNDERLYING LAYER (214) HAS BACK (S tile)**

Checked interpretation Provisional date **POST - MCD**

Finds (circle):

**(None)** Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds

Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):

Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....

Sample No. \_\_\_\_\_

Buckets/Litres \_\_\_\_\_

Reason for sample \_\_\_\_\_

Plan no. <b>—</b>	Photo (b/w) <b>X</b>	Signature <b>R. G. Jensen</b>
Section no. <b>5</b>	Photo (colour) <b>✓</b>	Date <b>24/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

SITE CODE <b>HN1145</b>	Sub-division <b>REPLACEMENT GARAGE</b>	Co-ordinate	Context Type <b>LAYER</b>	CONTEXT No <b>(214)</b>
Fill/Layer	Description			Cut
1. Matrix colour	1. LOYR 7/3 VERY PALE BROWN			1. Shape in plan
2. Matrix composition	2. CLAYEY SILT			2. Dimensions/depth
3. Matrix compaction	3. COMPACT			3. Sides
4. Inclusions (frequency & size)	4. FREQUENT CHALK FRAGS TO 5cms, FREQUENT SUB-ANGULAR FLINT COBBLES TO 12cms, RARE BRICK (X1) FRAGS & OCCAS TILE FRAGS (X3).			4. Base
5. Dimensions	5. >1m x >0.6m (IN OPPOSING SECTION) x 0.2m THICK			5. Orientation
6. Other comments	6.			6. Other comments
Structure				Group
1. Material				1. Type
2. Bonding				2. Contexts
3. Dimensions				
4. Orientation				

Stratigraphic Relationships	Cut by Below	(213)	Cuts Above	(206)	Cut contains
	Butted by		Butts		Part of Group
	Fill of		Same as		

Discussion and interpretation

DUMPED MAKE UP FOR YARD, I THINK, SO JOX (213) (212)

The deposit produced a brick frag. ~~frag~~

The layer overlies natural.

Checked interpretation Provisional date POST-MED

Finds (circle):

None Pottery Metal Glass Tile Brick A.Bone Shell Burnt mats. Other: .....

Registered Finds		
Find No	Type	Coords & level:
Find No	Type	Coords & level:
Find No	Type	Coords & level:

Samples (circle):	Sample No.
Mollusc Flotation Wet-sieve Dry sieve C14 Other: .....	Buckets/Litres
Reason for sample	

Plan no. <b>5</b>	Photo (b/w) <b>X</b>	Signature <b>R.G. Jensen</b>
Section no. <b>5</b>	Photo (colour) <b>✓</b>	Date <b>29/7/14</b>
Weather conditions <b>SUNNY</b>	Risk of contamination <b>LOW</b>	Checked
Excavation methods <b>MACHINE</b>		Cont.

Site Name / Code REPLACEMENT GARAGE, BEAUCHAMPS HN1145					Page	
Date	Details	TBM value	Backsight	Collimation	Foresight	Reduced level
23/7/14	YELLOW SPOT ARBITRARY VALUE 100 m			101.41	2.17	99.24 m
1	SECTION 1	100 m	1.41	101.41	2.17	99.24 m
1	SECTION 2	100 m	1.41	101.41	2.25	99.16 m
YELLOW SPOT IS ON EXISTING SLAB IMMEDIATELY OUTSIDE (NW) ON						
- NW CORNER OF PROPOSED NEW REPLACEMENT GARAGE						
- THIS SLAB IS LIKELY TO BE REMOVED... LATER FOUND OUT.						
23/7/14	HALL FLOOR LEVEL IN	100 m	1.41	101.41	1.08	100.33 m
- BEAUCHAMPS INSIDE EAST DOORWAY.						
24/7/14	SECTION 3 New	100 m	1.41 m	101.41	1.74 m	99.67
24/7/14	SECTION 3 S end	100 m	1.41 m	101.41	1.99 m	99.42
24/7/14	SECTION 5	100 m	1.41 m	101.41 m	1.94	

Site Name / Code REPLACEMENT GARAGE, BEAUCHAMPS, WADDIAL, HERTS. HN1145						
Site	Shot Number	Details	View	Date	Time	Initials
HN1145	1	RUBBLE OVERBURDEN REMOVED	L. SE	22/7/14	11:00	RCD
	2		L. SE <del>L. NW</del>			
	3		L. NW			
	4					
	5	Potential cover shot	L. NW		12:30	
	6					
	7		L. NW			
	8					
	9					
	10	General view during stripping				
	11	General view during stripping	L. E		1:55	
	12	NB 150-200mm TO				
	13	BE REDUCED FROM	L. ESE			
	14	TURF AS 'UG STRIP'				
	15	General view to show levels	L. N		1:57	
	16					
	17	Potential cover shot	L. NW		3:17	
	18					
	19	start of trenching + live cable	L. S	23/7/14	9:23	
	20					
	21	Digging (UK Power Networks)	L. S		10:50	
	22					
	23	+ cable	L. SE			
	24					
	25	Trench 1 general view	L. ESE		11:30	
	26					
	27	T. 1.	L. WNW		11:40	
	28					
	29	T. 1.	L. E		11:42	
	30					
	31	103 BRICK & RUBBLE	L. W		1:15	RCD
	32					
	33					
	34					
	35	section 1	L. SW		1:25	
	36					
	37	Section 1	L. S			
	38					

Site Name / Code REPLACEMENT GARAGE, BEAUCHAMPS, / HN1145						
Site	Shot Number	Details	View	Date	Time	Initials
HN 1145	39	LOCATION OF 100MM ARBITRARY VALVE	L.N	23/7/14	-	RGA
-	-	HEIGHT DATUM - IMMEDIATELY OUTSIDE				
-	-	OF PROPOSED BUILDING - ON EXISTING	NE CORNER			
-	40	(104) LAYER	L.W	23/7/14	3.12	RCD
-	41	(104) '1				
-	42	SECTION 2	L.S	23/7/14	3.26	RCD
-	43	'1	L.S	23/7/14		
	44	WORKING SHOP	L.SW		3.28	
	45					
	46		L.SE			
	47					
	48	TRENCH PHOTO A-B (PHOTOS LOCATED ON PLAN 5)	L.S	24/7/14	8.20	RCD
	49					
	50					
	51					
	52	TRENCH A-B (PHOTOS LOCATED ON PLANS)	L.N		8.25	
	53					
	54					
	55					
	56	WORKING / PROGRESS SHOT	L.SW		8.26	
	57					
	58	TRENCH E-F (PHOTOS LOCATED ON PLAN 5)	L.S		8.38	RCD
	59					
	60					
	61					
	62		L.N		8.42	
	63					
	64					
	65					
	66	TRENCH C-D (PHOTOS LOCATED ON PLANS)	L.S		8.47	
	67					
	68					
	69					
	70	TRENCH C-D (PHOTOS LOCATED ON PLANS)	L.N		8.50	
	71					
	72					
	73					
	74	TRENCH F-A (PHOTO LOCATED ON PLAN 5)	L.E	8.58	24/7/14	RCD

Site Name / Code		REPLACEMENT GARAGE, BEAUCHAMPS, WYDDIAL HN 1145				
Site	Shot Number	Details	View	Date	Time	Initials
HN1145	75	TRENCH F-A, PHOTOS LOCATED ON PLANS	L.E	24/7/14	8.58	RCD
	76					
	77					
	78	SECTION 3	L.SW		9.08	
	79					
	80	SECTION 3	L.NW		9.15	
	81					
	82	detail of section 3	-			
	83		-			
	84	OPPOSING SECTION TO SECTION 3, TO SHOW MOUND CUT [205],	L.NE		11.50	
	85	8 BRICK RUBBLE FILLS	L.E			
	86	" "	L.E			
	87	" "	L.E			
	88	SECTION 4	C.N		12.28	
	89				12.28	
	90	TRENCH G-H (SEE PLAN 5 FOR LOCATION OF SHOTS)	L.E		2.48	
	91					
	92					
	93					
	94	TRENCH F-A (SEE PLAN 5 FOR LOCATION OF SHOTS)	L.E		2.55	
	95					
	96					
	97					
	98	TRENCH A-F (SEE PLANS FOR LOCATION OF SHOTS)	L.W		3.01	
	99					
	100					
	101					
	102	TRENCH J-I (SEE PLANS FOR LOCATION OF J&I)	L.E		3.15	
	103					
	104					
	105					
	106	TRENCH I-J (SEE PLAN 5 FOR LOCATION OF J&I)	L.W		3.21	
	107					
	108					
	109					
	110	PROGRESS SHOT	L.N			
	111					
	112		L.NW			







Site Name /Code		REPLACEMENT GARAGE, BENOCHAMPS, WYDDIAL, MERES.					Page No.	
Sheet	Drawing No	SECTION <del>SECTION</del> PLAN	Sheet size	Scale	Details	Drawn by	Date	
1		1	A2	1:51.3	TRACING OF PROPOSED BRICKWORK <sup>PLAN</sup>	RGD	22/7/14	
2		2	A2	1:50	GARAGE (REPLACEMENT)	RGD	22/7/14	
5	SKETCH SHEET	3	A4	1:100	STRIPPING GARAGE	RGD	22/7/14	
3		4	A2	1:100	TRENCH 1	RGD	23/7/14	
6	SKETCH SHEET	5	A4	NTS	GARAGE TO LOCATE MAIN BUILDING TRENCH PHOTOS	RGD	24/7/14	
SHEET		SECTION	SHEET SIZE	SCALE	DETAILS	DRAWN	DATE	
3		1	A2	1:10	TRENCH 1 RAIN WATER DRAINAGE TRENCH	RGD	23/7/14	
<del>3</del>		2	A2	1:10	TRENCH 1 RAIN WATER DRAINAGE TRENCH	RGD	23/7/14	
4		3	A2	1:20	GARAGE	RGD	24/7/14	
<del>4</del>		4	A2	1:20	GARAGE	RGD	24/7/14	
4		5	A2	1:20	GARAGE	RGD	24/7/14	

SITE CODE HN 1145	Site Name BEAUCHAMPS REPLACEMENT GARAGE	Sub-division	CONTEXT
----------------------	---	--------------	---------

Sketch Plan and Section (include all dimensions, north arrow and levels; remember to annotate)

PLAN TO SHOW DEPOSITS EXPOSED DURING SITE STRIP




NOTIONAL EDGE OF EXCAVATION FOR STRIP.  
NORTH EDGE OF EXCAVATION IN LINE WITH 'OPEN' NORTH EDGE OF DEMOLISHED 1960'S GARAGE  
TWO POINTSON DATUMLINE (SEE PLAN 2)

FOR DATUM LINE: 12.80

Discussion and interpretation			
Scale	1:100		
Signature	R.G. Dunsen		
Date	22/7/14		
Sheet	1	of	1
Checked			

SITE CODE HN 1145	Site Name REPLACEMENT GARAGE, BETHUAMPAS	Sub-division	CONTEXT
----------------------	--	--------------	---------

Sketch Plan and Section (include all dimensions, north arrow and levels; remember to annotate)



Discussion and interpretation

c. 1:100

Scale	c. 1:100 NTS
Signature	B. Jensen
Date	24/7/14
Checked	
Sheet	1 of 1

SITE CODE  HN 1145.	Site Name BEAUCHAMPS REPLACEMENT GARAGE,	Sub-division	Orientation E-W.	TRENCH No  1
	Length 13m	Width 0.3m	Depth 0.6m	
	Machine Type 360° 3.5 TONS <del>TRAKED</del>	Bucket Size 0.29m		

Topsoil/ Overburden								
Colour	Composition	SEE SECTIONS 1 & 2		Depth				
Subsoil								
Colour	Composition	SEE SECTIONS 1 & 2		Depth				
Natural								
Colour	Composition	SEE SECTIONS 1 & 2		Depth				
Observations (circle)	<input checked="" type="checkbox"/> Archaeology	Root activity	Structure	Contamination	Unstable	Mod truncation	Other:	
	<input type="checkbox"/> Buried horizon	A. Burrows	Services	Flooding	Blank	Plough mark		

Sketch Plan and Section (include all dimensions, north arrow and levels; remember to annotate)

SEE PLAN 4

Discussion and interpretation

RAINWATER DRAIN TRENCH TO BE INSERTED INTO EXISTING BURIED PLASTIC PIPE AT EAST END TRENCH 1.

POST-MED DUMPING. (102) (103) (104) under topsoil (101)

Contexts	101 - 104			
Finds	102, 103, 104			
Plan no.	1, 2	Photo (b/w)	<input checked="" type="checkbox"/>	Signature R. F. [unclear]
Section no.	1, 2	Photo (colour)	<input checked="" type="checkbox"/>	Date 24/7/14
Levelled	<input checked="" type="checkbox"/>	Located	<input checked="" type="checkbox"/>	Checked
Weather conditions	SUNNY			Cont.
		Samples	X	

SITE CODE <b>HN 1145</b>	Site Name <b>REPLACEMENT GARAGE, BEAUCHAMPS</b>		Map/plan reference	Project Phase	PLOT No <b>REPLACEMENT GARAGE</b>
	Length <b>10.75m</b>	Width <b>10.75</b>	Depth <b>UP TO 1.7m</b>		
	Machine Type <b>3.5TON 360° TRACKED</b>		Bucket Size <b>0.46m</b>		

Present land <b>DEMOLISHED 1960'S GARAGE</b>	Visibility (circle):	Poor	<b>Moderate</b>	Good				
Topsoil/ Overburden								
Colour	Composition			Depth				
<b>SEE SECTIONS 3-5</b>								
Subsoil								
Colour	Composition			Depth				
Natural								
Colour	Composition			Depth				
Observations (circle)	Archaeology	Root activity	Structure	Contaminat'n	Unstable	Land-drain	Other:	.....
	Bur'd horizon	Burrows	Services	Flooding	Blank	Plough		.....

Sketch Plan (include all dimensions, north arrow and levels; remember to annotate)

**SEE PLAN 2.**

**NO CUT FEATURES APART FROM MOAT (203)**  
**NO MEDIEVAL OR EARLIER FINDS**  
**NO SAMPLES**  
**NO CUT FEATURES APART FROM MOAT.**

Discussion and interpretation **Section 3: Moat only found in eastern N-S trench.**  
**NATURAL CUT BY MOAT (205) 2 layers of fill, lower (204) ? alluvial, upper fill dumped with post-med finds.**  
**2 separate sequences, sections 4 & 5.**  
**Essentially: 0.4 - 0.7m of post-med dumping over natural (layers in sections 4 & 5), overlain by upsoil.**

Contexts	<b>201 - 211</b>	Signature	<b>R. E. Jensen</b>
Finds	<b>202, 203, 209, 211, 214</b>	Date	<b>24/7/14</b>
Plan no.	<b>1, 2, 3, 5</b>	Checked	
Weather conditions	<b>SUNNY.</b>	Cont.	