

Chapter 7 Tables

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Orton Longueville, Orton Hall Farm		Rare but present – not fully quantified			
Haddon (Rollo 1994) Phase 6	EMC4	-	0.3	-	-
Haddon 1999, all-site		0.1	-	-	-
Haddon 1999, Phase 4	LC2–MC3	0.2	0.1	0	0
Sawtry, Tort Hill West, all-site		0.3	0.3	-	-
Sawtry, Tort Hill West, Phase 3B	C3/4	3.2	3.4	-	-
Sawtry, Tort Hill East, all-site		0.4	0.4	-	-
Sawtry, Tort Hill East Phase 2B	MC3–EC4	0.3	0.3	-	-
Sawtry, Tort Hill East, Phase 3	EMC4	0.6	0.6	-	-
Sawtry, Norman Cross, all-site	LC2–LC3	0.9	0.5	-	-
Sawtry, Norman Cross, Phase 2	C3	1.0	0.5	-	-
Stonea		-	Present?	-	-
Littleport, all-site		0.0	+	0.3	0.1
Earith, Langdale Hale, all-site	Flav–C4	0.5	-	-	-
Chatteris, Langwood Farm	C1–MC4	-	-	-	0.3
Godmanchester, London Road, all published groups	Flavian–last quarter C4	>1	-	-	-
Godmanchester, Phase 4A	LC3–EC4	1	-	-	-
Godmanchester, Phase 4B	C4	2	-	-	-
Waterbeach, Old Tillage	EAnt–MC4	0.0	0	0.0	0
Milton East Waste	C1–C4	0.1	0	0.0	0
Teversham, Hinton Fields, Group 3	LC2–MC3	0.6	0	0.4	0
Cambridge, Castle Hill, RGS, Group 5	LAnt–EC3	-	0.1	-	0.2
Cambridge, Castle Hill, RGS, Group 6	C3–C4	0.2	2.0	0.6	1.8
Cambridge, Castle Hill, RGS, Group 7	C3–C4	0.4	0.6	0.1	1.3
Cambridge, Castle Hill, RGS, Group 8	C3–C4	0.1	1.3	0.1	1.2
Cambridge, Castle Hill, RGS, Group 9	C3–C4	0.7	0.5	1.3	1.1
Foxton	post–Flav, mainly AD 270–400	0.2	0.2	-	0.6
Wimpole Lodge, all-site	c.AD 180–400+	1.5	1.5	-	1.1
Wimpole Lodge, Phase II	AD 240–300	-	-	-	1
Wimpole Lodge, Phase IV	360+	-	-	-	1
Little Paxton, all site	Flav–MC4	0.2	0.1	0.4	0.1
Little Paxton Phase 6	C3	0	0	0	0
Little Paxton Phase 7A	C3	0.5	0.3	0.6	2.0
Little Paxton Phase 7B	LC3–EC4	0.5	0.2	0	0
Little Barford, all site	C1–MC4	0.7	0.4	-	0.6

Table 7.1 The occurrence of BB1 on sites in the study area

0.0% = present at less than 0.05%

- = No data by this method

Phase	J	B	D	MNR
All site except Phase 2	31	0	69	45
Phase 2	4	19	77	108

Table 7.2 Towcester, Alchester Road. Functional analysis of BB1, percentage of MNR

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Orton Longueville, Orton Hall Farm		Rare but present – not quantified			
Stonea		-	Poss present?	-	-
Littleport, all-site		2.7	0.1	7.4	4.5
Littleport Phase 3	EMC3	2.5	2.3	5.9	4.0
Littleport Phase 4	MC3	3.0	4.8	8.3	6.4
Littleport Phase 5	MLC3	5.2	5.8	10.3	6.7
Littleport Phase 6	EC4	4.9	3.6	8.5	8.0
Littleport Phase 7	MC4	2.3	0.5	10	2.8
Littleport Phase 8	C4	2.2	1.7	10	3.3
Earith, Langdale Hale, all-site		0.9	-	-	-
Haddenham, West End, Phase 1	LC2–MC3	0.2	0.7	-	0.2
Bottisham, all-site	Flavian–EC3	0.03	+	0	0
Bottisham, Tunbridge Lane, Phase 5	Ant–EC3	0.4	0.6	0	0
Cambridge, Castle Hill, RGS, Group 5, Shrine	LC2–EC3	0.4	0.3	3.0	1.6
Cambridge, Castle Hill, RGS, Group 6	C3–C4	0.1	0.4	1.2	0.9
Cambridge, Castle Hill, RGS, Group 7	C3–C4	0.1	0.2	1.3	1.0
Foxton	post-Flavian, mainly AD 270–400	1.2	2.0	-	2.2
Wimpole Lodge, all-site	c.AD 180–400+	0.9%	1.2	-	3.5
Wimpole Lodge, Phase II	AD 240–300	-	-	-	2
Wimpole Lodge, Phase III	AD 300–360	-	-	-	2
Wimpole Lodge, Phase IV	360+	-	-	-	6
Little Barford, all-site	C1–MC4	5.9*	4.7*	-	7.0*

Table 7.3 The occurrence of BB2 on sites in the study area

* = Attribution of fabric questionable.

0.0% = present at less than 0.05%

- = No data by this method

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Maxey, RSG, F.161, Phase 8-9	E-MC3	-	-	26.0	-
Maxey, Bourne Shelly, F.161, Phase 8-9	E-MC3	-	-	0	-
Maxey, RSG, F.218, Phase 9	LC3-EC4	-	-	13.0	-
Maxey, Bourne Shelly, F.218, Phase 9	LC3-EC4	-	-	4.0	-
Chesterton, Courtyard, L3-7,	AD 200-250	-	-	-	11.0
Orton Longueville, Orton Hall Farm, Period 2	AD 175-225/250	32.0	-	-	-
Orton Longueville, Orton Hall Farm, Period 3	AD 225/250-300/325	30.0	-	-	-
Haddon 1989, Phase 5/6	C3-EC4	-	42.7	-	17.9
Sawtry, Tort Hill East, Phase 2A	LC2-EC3	21.2	35.9	20.4	26.2
Sawtry, Tort Hill East, Phase 2B	MC3-EC4	23.3	36.5	14.4	16.2
Sawtry, Norman Cross, Phase 2	C3+	43.8	58.6	27.5	26.8
Stonea, Phase III/IV	LC2-EC3	-	30.6	-	-
Stonea, Phase IV	C3	-	21.4	-	-
Stonea, Phase IV/V	LC3	-	23.2	-	-
Littleport, Phase 3	E-MC3	10.1	9.2	1.5	6.1
Littleport, Phase 4	MC3	5.6	8.9	4.2	9.6
Littleport, Phase 5	M-LC3	3.5	4.0	3.5	3.2
Earith, Langdale Hale, all-site	Flavian-C4	25	-	-	20.0
Haddenham shrine	C3-EC4	18.1	17.8	-	13.9
Haddenham, West End, Phase 1	LC2-MC3	5.7	7.7	-	4.4
Haddenham, West End, Phase 2	LC3-C4	12.0	17.7	-	18.0
Waterbeach, High Fen	Flavian-LC3	1.7	-	-	-
Denny Abbey	Flavian-LC4	3.9	-	-	-
Godmanchester, London Rd, Phase 3	LC2-MC3	7.0	-	-	-
Godmanchester, London Rd, Phase 4A	LC3-EC4	8.0	-	-	-
Irchester	C3-C4	-	50+	-	-
Teversham, Hinton Fields, Group 3	Ant-EC3	6.5	8.8	4.9	5.2
Waterbeach, Old Tillage	Ant-MC4	2.6	0.2	3.2	4.5
Waterbeach, Old Tillage, Phase 3a	C3-EC4	1.8	1.0	2.1	2.1
Waterbeach, Cambridge Rowing Lake	C2-C4	0.9	0.7	0.9	1.0
Milton East Waste	C1-C4	6.1	6.5	7.6	7.1
Cambridge, Newmarket Road	EC2-EC3	0.2	-	-	-
Cambridge, Castle Hill, RGS, Group 4	Ant-EC3	4.3	0.4	0.0	0.0
Cambridge, Castle Hill, RGS, Group 5	LAnt-EC3	1.2	0.1	1.5	1.2
Cambridge, Castle Hill, RGS, Group 6	C3/C4	6.4	0.6	7.2	7.8
Cambridge, Castle Hill, RGS, Group 7	C3/C4	5.2	0.3	8.0	3.9
Cambridge, Castle Hill, RGS, Group 8	C3/C4	8.4	0.6	14.0	10.6
Cambridge, Castle Hill, RGS, Group 9	C3/C4	1.9	0.2	4.4	5.2
Foxton	AD 270-400+	20.2	19.2	-	21.4
Wimpole Lodge	c. AD 180-400+	-	-	-	19.1
Wimpole Lodge, Phase I	AD 180-240	-	-	-	22.0
Wimpole Lodge, Phase II	AD 240-300	-	-	-	18.0
Little Paxton, Phase 6	L Ant-MC3	21.2	32.2	17.9	19.7
Little Paxton, Phase 7A	C3	16.7	21.6	13.3	12.4
Little Paxton, Phase 7B	LC3-EC4	14.4	21.5	24.7	12.6
Little Barford, all-site	C1-MC4	31.0	50.3	-	22.2

Table 7.4 The occurrence of shell and calcareously tempered fabrics in 3rd century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Maxey, F.161, Phase 8-9	E-MC3	-	-	22	-
Maxey, F.218, Phase 9	LC3-EC4	-	-	31	-
Orton Longueville, Orton Hall Farm, Period 2	AD 175-225/250	7	-	-	-
Orton Longueville, Orton Hall Farm, Period 3	AD 225/250-300/325	23	-	-	-
Chesterton, Courtyard, L3-7	AD 200-250	-	-	-	30.0
Haddon 1999, Phase 4	LC2-MC3	13.6	12.4	16.5	32.4
Sawtry, Tort Hill East, Phase 2A	LC2-EC3	4.5	1.5	5.4	5.5
Sawtry, Tort Hill East, Phase 2B	MC3-EC4	18.6	7.7	13.9	22.2
Sawtry, Tort Hill West, Phase 3B	C3/4	11.5	5.5	15.3	1.9
Sawtry, Norman Cross, Phase 2	C3+	23.2	10.5	22.5	25.1
Stonea, Phase III/IV*	Ant-EC3	-	5.7	-	-
Stonea, Phase IV*	AD C3	-	10.5	-	-
Stonea, Phase IV/V*	LC3	-	10.0	-	-
Littleport, Phase 3	E-MC3	0.2	0.1	0	0
Littleport, Phase 4	MC3	5.1	8.2	0	0
Littleport, Phase 5	M-LC3	3.9	1.5	10.4	14.0
Earith, Langdale Hale, all-site	Flavian-MC4	10.3	-	-	14.0
Chatteris, Langwood Farm, all-site	Flavian-C4	-	-	-	11.4
Haddenham shrine, all-site	C3-EC4	9.0	9.1	-	16.4
Haddenham, West End, Phase 1	LC2-MC3	4.4	4.1	-	7.7
Haddenham, West End, Phase 2		5.4	6.4	-	17.5
High Fen	Flavian-C3	1.8	-	-	-
Denny Abbey	Flavian-LC4	4.6	-	-	-
Godmanchester, London Rd, all published groups	Flavian-C4	6.0	-	-	-
Godmanchester, London Rd, Phase 4A	LC3-EC4	9.0	-	-	-
Teversham, Hinton Fields, Group 3	Ant-EC3	8.3	2.8	9.2	9.9
Waterbeach, Old Tillage	Ant-MC4	3.8	1.4	3.9	3.9
Waterbeach, Old Tillage, Phase 3a	C3-EC4	5.3	2.7	5.5	6.1
Waterbeach, Cambridge Rowing Lake	C2-C4	1.2	1.4	4.5	9.9
Milton East Waste	C1-C4	3.2	2.1	2.5	4.7
Cambridge, Newmarket Road	EC2-EC3	0.7	-	-	-
Cambridge, Castle Hill, RGS, Group 4	Ant-EC3	-	-	10.9	11.5
Cambridge, Castle Hill, RGS, Group 5	LAnt-EC3	-	-	1.3	1.4
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	12.9	14.6
Cambridge, Castle Hill, RGS, Group 7	C3/C4	8.9	3.9	13.3	14.3
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	1.2	1.4
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	14.3	14.0
Great Chesterford, Pit 13, fill 32, Trench VI	c.AD 200-250	-	6.8	-	3.9
Foxton	AD 270-400+	5.8	5.5	-	11.6
Wimpole Lodge, all-site	AD 180-400+	11.7	7.7	-	7.5
Wimpole Lodge, Phase I	AD 180-240	-	-	-	4.0
Wimpole Lodge, Phase II	AD 240-300	-	-	-	4.0
Little Paxton, Phase 6	C3	6.5	4.8	1.8	16.0
Little Paxton, Phase 7A	C3	14.1	12.2	18.4	17.4
Little Paxton, Phase 7B	LC3-EC4	12.6	11.7	11.8	24.6
Little Barford, all-site	C1-MC4	6.1	3.3	-	5.2

Table 7.5 The occurrence of Nene Valley colour-coated wares in 3rd-century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

* = excluding samian ware and amphorae

Phase	F	CJ	J	Bk	Cu	B	D	L	O	MNR
Sawtry, Normans Cross, Phase 2 C3	9.4	-	3.8	35.8	-	30.2	9.4	9.4	1.9	53
Sawtry, Tort Hill East, Phase 2B MC3-EC4	-	-	7	43	-	46	4	-	-	28
Sawtry, Tort Hill East, Phase 3 EC4	5.5	0.9	30.9	19.1	0.9	29.1	10.9	1.8	0.9	110

Table 7.6 Sawtry. Functional analysis of Nene Valley colour-coated wares (percentage of MNR)

	F	J	Bk	B	D	L	N
MNR	4.6	6.%	40.2	27.6	18.4	2.3	87
RE	6.4	5.9	49.8	22.9	12.2	2.7	8.25

Table 7.7 Cambridge, Castle Hill, Ridgeons Gardens South. Functional analysis of Nene Valley colour-coated wares in Groups 6–9 (percentages of MNR and RE)

Fabric	F	J	Bk	B	D	MNR
F01	0	30.0	15.0	22.5	32.5	40
F02	14	14	29	43	0	7

Table 7.8 Haddon 1999. Functional analysis of recorded Nene Valley colour-coated wares, percentage of MNR (after Evans 2003)

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Stonea, Phase IV*	C3	-	+	-	-
Earith, Langdale Hale, all-site	Flavian–MC4	0.1	-	-	0
Haddenham, West End, Phase 1	LC2–MC3	0.1	0.0	-	0
Teversham, Hinton Fields, Group 3	Ant–EC3	0.1	0.3	0	0
Milton East Waste	C1–C4	0.0	0.0	0	0
Great Chesterford, Pit 13, fill 32, Trench VI	c.AD 200–250	-	0.1	-	0

Table 7.9 The occurrence of Trier ‘Rhenish ware’ in 3rd-century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

* = excluding samian ware and amphorae

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Littleport, Phase 3	E–MC3	1.7	1.1	0	0
Littleport, Phase 5	M–LC3	19.1	10.5	0	0
Earith, Langdale Hale, all-site	Flavian–MC4	0.6	-	-	0.4
Haddenham shrine, all-site	C3–EC4	4.0	1.1	-	1.2
Haddenham, West End, Phase 1	LC2–MC3	0.1	0.2	-	-
Denny Abbey	Flavian–LC4	2.4	-	-	-
Teversham, Hinton Fields, Group 3	Ant–EC3	1.1	0.4	0.6	0.3
Waterbeach, Old Tillage	Ant–MC4	0.1	0.0	0	0
Waterbeach, Old Tillage, Phase 3a	C3–EC4	0.1	0.0	0	0
Waterbeach, Cambridge Rowing Lake	C2–C4	1.2	0.1	2.7	4.2
Milton East Waste	C1–C4	2.3	0.2	3.4	6.2
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	2.5	1.5
Cambridge, Castle Hill, RGS, Group 7	C3/C4	3.6	2.1	4.0	4.1
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	4.7	2.1
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	1.1	1.1
Great Chesterford, Pit 13, fill 32, Trench VI	c.AD 200–250	-	0.6	-	1.1
Foxton	AD 270–400+	12.6	8.3	-	10.7
Wimpole Lodge, all-site	AD 180–400+	6.2	5.2	-	5.8
Wimpole Lodge, Phase I	AD 180–240	-	-	-	5
Wimpole Lodge, Phase II	AD 240–300	-	-	-	2
Little Paxton, Phase 6	C3	0.9	0.3	1.8	0.6
Little Paxton, Phase 7A	C3	0.5	0.2	0	0
Little Paxton, Phase 7B	LC3–EC4	3.0	1.2	0	0.4
Little Barford, all-site	C1–MC4	1.3	0.4	-	0.7

Table 7.10 The occurrence of Hadham oxidised ware in 3rd-century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

* = excluding samian ware and amphorae

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Maxey, F.218, Phase 9	LC3-EC4	-	-	2.0	-
Earith, Langdale Hale, all-site	Flavian-MC4	0.2	-	-	0.1
Haddenham shrine, all-site	C3-EC4	0.5	0.8	-	1.2
Haddenham, West End, Phase 2	LC3-C4	0.2	0.5	-	0.5
Teversham, Hinton Fields, Group 3	Ant-EC3	0.2	0.1	0	0
Waterbeach, Old Tillage	Ant-MC4	0.1	0.0	0	0
Waterbeach, Old Tillage, Phase 3a	C3-EC4	0.0	0.0	0	0
Waterbeach, Cambridge Rowing Lake	C2-C4	0.1	0.0	0	0
Milton East Waste	C1-C4	0.4	+	1.4	1.4
Cambridge, Castle Hill, RGS, Group 5	LAnt-EC3	-	-	0.1#	0.0#
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	2.5	1.5
Cambridge, Castle Hill, RGS, Group 7	C3/C4	1.2	0.3	1.3	0.8
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	4.7	3.5
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	0.0	0.0
Foxtan	AD 270-400+	0.8	0.5	-	0.5
Wimpole Lodge, all-site	AD 180-400+	1.8	1.0	-	2.0
Wimpole Lodge, Phase II	AD 240-300	-	-	-	3.0
Little Paxton, Phase 7B	LC3-EC4	0.8	2.2	2.2	8.9
Little Barford, all-site	C1-MC4	0.2	0.0	-	2.3

Table 7.11 The occurrence of Oxfordshire colour-coated wares in 3rd-century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

* = excluding samian ware and amphorae

= intrusive

Site and Phasing Details	Phase Date	Fabric	% Nosh	% Wt	% MNR	% RE
Stonea, Phase III/IV*	Ant-EC3	Other fineware	-	0.3	-	-
Stonea, Phase IV*	C3	other fineware	-	1.0	-	-
Stonea, Phase IV/V*	LC3	other fineware	-	0.7	-	-
Earith, Langdale Hale, all-site		Harston CCW	0.1	-	-	0.1
		'New Forest' CCW	0.1	-	-	0.1
Haddenham shrine, all-site	C3-EC4	Harston CC	0.2	0.2	-	0.1
Chatteris, Langwood Farm, all-site	Flavian-C4	other finewares	-	-	-	2.1
Denny Abbey	Flavian-LC4	XCC	0.1	-	-	-
Teversham, Hinton Fields, Group 3	Ant-EC3	F05	0.1	0.1	0	0
		F071	0.1	0.01	0	0
		F072	0.1	0.01	0	0
		F51	0.2	0.1	0	0
Milton East Waste	C1-C4	F071, ?Harston	+	0.0	0	0
Great Chesterford, Pit 13, fill 32, Trench VI	c.AD 200-250	other CCW	-	0.1	-	1.1
Foxtan	AD 270-400+	Pompeian redware	0.2	0.1	-	0.1
Little Paxton, Phase 6	C3	F05, local redware	0.2	0.2	1.8	0.4
		F07, red slipped whiteware	1.6	2.2	0	5.4
Little Paxton, Phase 7A		F05, local redware	0.2	0.1	0	0
Little Barford, all-site	C1-MC4	Harston CC	0.2	0.1	-	-

Table 7.12 The occurrence of other fine wares in 3rd-century groups in the study area (see also Chapter 6)

0.0% = present at less than 0.05%

- = No data by this method

* = excluding samian ware and amphorae

Site and Phasing Details	Phase Date	Fabric	% Nosh	% Wt	% MNR	% RE
Haddon 1999 all site	LIA-MC4		0	-	-	-
Stonea, Phase III/IV	Ant-EC3		-	2.7	-	-
Stonea, Phase IV	AD C3		-	9.5	-	-
Stonea, Phase IV/V	LC3		-	10.4	-	-
Littleport, Phase 3	E-MC3	R02	21.4	15.1	7.4	8.1
		R021	20.8	35.1	11.8	8.6

Littleport, Phase 4	MC3	R04	2.8	1.5	4.4	4.7
		R02	34.3	21.0	16.7	18.3
		R021	6.6	17.9	0	0
Littleport, Phase 5	M-LC3	R04	1.0	0.4	4.2	6.1
		R02	28.3	26.6	31	44.2
		R021	16.5	31.4	3.5	2.6
RAF Lakenheath Outdoor Rec	C1-C4	R04	3.9	6.8	10.3	8.7
Icklingham, all-site	C1-C4	R02, R021, R04	18.3	29.6	-	-
Thetford, Melford Meadows	Flavian-MC4		7	15.4	-	-
Earith, Langdale Hale, all site	Flavian-C4	R02, R021, R04	4	8.1	-	1.9
Haddenham Shrine	C3-EC4	R02, R021, R04	15.5	-	-	-
Haddenham, West End, Phase 1	LC2-MC3	R02, R021, R04	52.6	50.7	-	48
Haddenham, West End, Phase 2	LC3-MC4	R02, R021, R04	78.6	73.7	-	65.9
Waterbeach, High Fen	Flavian-LC3	R02, R021, R04	72.4	68	-	53.8
Denny Abbey	Flavian-LC4	R02, R021, R04	92.6	-	-	-
Godmanchester, London Rd, Phase 3	LC2-MC3		80.3	-	-	-
Godmanchester, London Rd, Phase 4A	LC3-EC4		c.1.0	-	-	-
Teversham, Hinton Fields, Group 3	LC2-MC3	R02	c.1.0	-	-	-
Bottisham, Tunbridge Lane, Phase 5	Ant-EC3	R02	66.7	62.2	57.3	59.8
		R021	4.5	16.3	4.9	3.2
		R04	0.3	0.6	1.2	1.5
		R02	45.7	36.6	40	22
Waterbeach, Old Tillage	Ant-MC4	R021	10.7	15.8	4	1.1
		R04	3.4	4.7	20	12.1
		R02	65.7	40.5	73	69.3
Waterbeach, Old Tillage, Phase 3a	C3-EC4	R021	21.8	52.2	10.4	9.9
		R02	67.0	43.8	77.9	75.2
Milton East Waste	Flavian-C4	R021	18.1	45.5	4	2.7
		R02	41.3	27.7	46.2	37.7
		R021	14	1.0	9.0	5.9
Waterbeach, Cambridge Rowing Lake	C2-C4	R04	0.5	0.0	2.3	1.4
		R02	42.4	23.3	53.2	60.3
		R021	31	56.7	12.6	9.6
Cambridge, Newmarket Road	EC2-EC3		74.9	-	-	-
Cambridge, Castle Hill, RGS Group 4	Ant-EC3	R04	2.6	-	-	-
		R02	3.5	5.3	39.1	40.8
		R021	0.2	0.4	0.0	0.0
Cambridge, Castle Hill, RGS, Group 5	Ant-EC3	R04	0.8	2	6.5	10.3
		R02	-	-	28.6	18.5
		R021	-	-	3.5	1.3
Cambridge, Castle Hill, RGS, Group 6	C3-C4	R04	-	-	7.6	4.4
		R02	-	-	34.2	31.0
		R021	-	-	2.3	1.6
Cambridge, Castle Hill, RGS, Group 7	C3-C4	R04	-	-	5.5	5.0
		R02	42.1	23.2	24.0	21.2
		R021	16.0	46.8	4.0	3.3
Cambridge, Castle Hill, RGS, Group 8	C3-C4	R04	6.6	8.9	12.0	16.1
		R02	3.5	10.4	31.4	41.6
		R021	0.4	1.0	2.3	1.4
Cambridge, Castle Hill, RGS, Group 9	C3-C4	R04	1.0	1.5	9.3	10.5
		R02	3.4	4.9	27.5	23.7
		R021	0.9	6.0	5.5	4.3
Great Chesterford, Trench VI, context 32	EC3	R04	1.7	2.9	13.2	11.6
			-	5.0	-	-
			-	-	-	-
Foxton	AD 270-400	R02, R021, R04	64.4	69.9	-	49.5
Wimpole Lodge, all-site	AD 180-400	R02, R021, R04	35.4	37.3	-	29.6
Wimpole Lodge, Phase 1	AD 180-240	R02, R021, R04	-	-	-	37.0
Wimpole Lodge, Phase 2	AD 240-300	R02, R021, R04	-	-	-	35.0
Little Paxton, Area A, Phase 6	LAnt-MC3	R02, R021, R04	12.6	11.9	23.2	9.3
Little Paxton, Phase 7A	C3	R02, R021, R04	22.8	26.1	23.5	24.6
Little Paxton, Phase 7B	LC3-EC4	R02, R021, R04	22.5	19.2	22.5	24.3
Little Barford, all site	C1-MC4	R02, R021	27.2	17.0	-	32.0
		R04	5.9	4.7	-	7.0

Table 7.13 The occurrence of Horningsea greywares in 3rd-century groups in the study area

* - EVE data (not RE) ie RE+BE/2

0.0% = present at less than 0.05%

- = No data by this method

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Littleport, Phase 3	E-MC3	0.3	0.1	0	0
Littleport, Phase 5	M-LC3	0.4	0.4	0	0
Earith, Langdale Hale, all site	Flavian-C4	0.9	-	-	-
Haddenham Shrine	C3-EC4	4.1	4.7	-	3.2
Haddenham, West End, Phase 1	LC2-MC3	0.1	1.2	-	0
Haddenham, West End, Phase 2	LC3-MC4	1.1	1.2	-	0
Icklingham, all-site	C1-C4	0.1	0.1		
Teversham, Hinton Fields, Group 3	LC2-MC3	2.5	2.0	6.1	5.4
Waterbeach, Old Tillage	Ant-MC4	0.1	0.0	0	0
Waterbeach, Old Tillage, Phase 3a	C3-EC4	0.1	0.0	0	0
Milton East Waste	Flavian-C4	0.3	0.5	0.9	1.5
Waterbeach, Cambridge Rowing Lake	C2-C4	0.5	0.2	0.9	0.3
Cambridge, Castle Hill, RGS, Group 5	Ant-EC3	-	-	0.1	0.1
Cambridge, Castle Hill, RGS, Group 6	C3-C4	-	-	1.6	1.5
Cambridge, Castle Hill, RGS, Group 8	C3-C4	0.6	0.6	5.8	5.9
Cambridge, Castle Hill, RGS, Group 9	C3-C4	0.4	0.4	3.3	2.9
Great Chesterford, Trench VI, context 32	EC3	-	12.5	-	-
Foxton	AD 270-400	18.8	17.3	-	30.6
Wimpole Lodge, all-site	AD 180-400	4.4	3.3	-	11.4
Little Paxton, Area A, Phase 6	LAnt-MC3	0.5	0.3	0	0
Little Paxton, Phase 7A	C3	0.3	0.5	0	0
Little Paxton, Phase 7B	LC3-EC4	1.1	0.6	3.2	0.5
Little Barford, all site	C1-MC4	7.3	4.1	-	10.0

Table 7.14 The occurrence of Hadham greywares in 3rd-century groups in the study area

* - EVE data (not RE) ie RE+BE/2

0.0% = present at less than 0.05%

- = No data by this method

	CJ	J	B	D	N
MNR	3	25	31	42	36
RE	5.5	32.4	29.7	32.4	2.93

Table 7.15 Functional analysis of all Hadham greywares recorded in the study (percentages of MNR and RE)

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Maxey, all-site	C1-MC4	23.6	20.0	-	-
Maxey, F.161, Phase 8-9	E-MC3	-	-	39.0	-
Maxey, F.218, Phase 9	LC3-EC4	-	-	24.0	-
Orton Longueville, Orton Hall Farm, Period 2	AD 175- 225/50	29.0	-	-	-
Orton Longueville, Orton Hall Farm, Period 3	AD 225/50-300/325	27.0	-	-	-
Chesterton, Courtyard, L3-7	AD 200-250	44.0	-	-	-
Haddon 1999 all site	LIA-MC4	17.8	-	-	-
Haddon 1999, Phase 4	LC2-MC3	24.4	19.3	20.9	22.9*
Haddon 1989, Phase 5/6	C3	-	12.1	-	17.4
Sawtry, Tort Hill East Phase 2A	LC2-EC3	27.2	25.8	19.4	21.2
Sawtry, Tort Hill East Phase 2B	MC3-EC4	14.7	12.4	17.8	14.6
Sawtry, Norman Cross, Phase 2	C3	15.9	13.9	21.3	20.7
Stonea, Phase III/IV	Ant-EC3	-	16.8	-	-
Stonea, Phase IV	AD C3	-	18.0	-	-
Stonea, Phase IV/V	LC3	-	18.4	-	-
Littleport, Phase 3	E-MC3	0.6	0.2	2.9	1.5
Littleport, Phase 4	MC3	3.5	4.4	12.5	7.7
Icklingham, all-site	C1-C4	0.0	0.1	-	-
Thetford, Melford Meadows	Flavian-MC4	0	0	-	0
Earith, Langdale Hale, all site	Flavian-C4	2.0	-	-	-
Haddenham Shrine	C3-EC4	1.0	0.8	-	0.2
Haddenham, West End, Phase 1	LC2-MC3	1.7	3.6	-	4.9
Haddenham, West End, Phase 2	LC3-MC4	1.0	0.8	-	1.6
Waterbeach, High Fen	Flavian-LC3	0.4	-	-	-
Godmanchester, London Rd, Phase 3	LC2-MC3	2.5	-	-	-
Godmanchester, London Rd, Phase 4A	LC3-EC4	?	-	-	-
Teversham, Hinton Fields, Group 3	LC2-MC3	0.2	0.2	0.6	0.2
Waterbeach, Old Tillage	Ant-MC4	0.6	0.6	1.2	1.4
Waterbeach, Old Tillage, Phase 3a	C3-EC4	0.7	0.9	1.4	1.7
Milton East Waste	Flavian-C4	0.8	0.1	1.4	1.7
Waterbeach, Cambridge Rowing Lake	C2-C4	0.1	0.0	0.0	0.0
Cambridge, Castle Hill, RGS, Group 5	Ant-EC3	-	-	1.2	0.6
Cambridge, Castle Hill, RGS, Group 6	C3-C4	-	-	1.6	1.5
Cambridge, Castle Hill, RGS, Group 7	C3-C4	0.8	0.7	2.7	2.9
Great Chesterford, Trench VI, context 32	EC3	-	0.2	-	-
Foxton	AD 270-400	0.7	1.1	-	4.2
Little Paxton, Phase 7A	C3	0.5	0.7	1.0	1.6
Little Paxton, Phase 7B	LC3-EC4	0.9	1.2	2.2	0.9

Table 7.16 The occurrence of Nene Valley greywares in 3rd-century groups in the study area

* - EVE data (not RE) ie RE+BE/2

0.0% = present at less than 0.05%

- = No data by this method

Site and Phasing Details	Phase Date	Fabric	% Nosh	% Wt	% MNR	% RE
Littleport, Phase 3	E-MC3	R083, Nar Valley?	2.0	1.0	2.9	4.7
		R084, Nar Valley?	0.9	0.4	2.9	2.3
		R33, Wattisfield	5.9	1.6	4.4	3.6
Littleport, Phase 4	MC3	R083, Nar Valley?	1.5	0.8	0	0
		R084, Nar Valley?	0.5	0.1	0	0
		R085, Nar Valley	2.5	3.1	4.2	10.6
		R33, Wattisfield	2.0	1.8	4.2	3.5
Littleport, Phase 5	M-LC3	R083, Nar Valley?	1.7	0.8	0	0
		R084, Nar Valley?	2.2	0.7	0	0
		R33, Wattisfield	0.9	0.1	3.5	1.9
RAF Lakenheath Outdoor Rec	C1-C4	micaceous grey, R33?	26.2	20.4	-	-
Icklingham, all-site	C1-C4	micaceous grey, R33?	15.3	13.0	-	-
Thetford, Melford Meadows	Flavian-MC4	Wattisfield	65.8	33.5	-	54.9
Earith, Langdale Hale, all site	Flavian-C4	R085, Nar Valley,	0.2	-	-	-
		R33, Wattisfield	0.1	-	-	-
Haddenham, West End, Phase 1	LC2-MC3	R33, Wattisfield	0.9	0.4	-	0.5
Haddenham, West End, Phase 2	LC3-MC4	R33, Wattisfield	0.9	0.3	-	1.1
Denny Abbey	Flavian-LC4	R33, Wattisfield	1.9	-	-	-
Teversham, Hinton Fields, Group 3	LC2-MC3	R084, Nar Valley?	0.1	0.1	0	0
Bottisham, Tunbridge Lane, Phase 5	Ant-EC3	R33, Wattisfield	13.7	20.1	12	42.8
Waterbeach, Old Tillage	Ant-MC4	R33, Wattisfield	0.2	0.1	0.3	0.4
Waterbeach, Old Tillage, Phase 3a	C3-EC4	R33, Wattisfield	0.1	0.0	0.3	0
Waterbeach, Cambridge Rowing Lake	C2-C4	R33, Wattisfield	0.1	0.1	0.9	1
Milton East Waste	Flavian-C4	R33, Wattisfield	0.9	0.7	2.5	2.7
Cambridge, Castle Hill, RGS, Group 5	Ant-EC3	R084, Nar Valley?	-	-	0.1	0.1
		R33, Wattisfield	-	-	1.7	1.5
Cambridge, Castle Hill, RGS, Group 6	C3-C4	R33, Wattisfield	-	-	1.4	1.3
Cambridge, Castle Hill, RGS, Group 7	C3-C4	R33, Wattisfield	0.2	0.2	1.3	0.7
Cambridge, Castle Hill, RGS, Group 8	C3-C4	R33, Wattisfield	0.1	0.1	1.2	0.5
Cambridge, Castle Hill, RGS, Group 9	C3-C4	R33, Wattisfield	0.1	0.6	1.1	4.7

Table 7.17 The occurrence of Wattisfield and Nar Valley greywares in 3rd-century groups in the study area

* - EVE data (not RE) ie RE+BE/2

0.0% = present at less than 0.05%

- = No data by this method

F	CJ	J	Bk	B	D	L	MNR
2.2	3.3	50.5	1.1	15.4	26.3	1.1	91

Table 7.18 Functional analysis of Wattisfield (R33) greyware vessels in the project database (percentage of MNR)

Site and Phasing Details	Phase Date	Fabric	% Nosh	% Wt	% MNR	% RE
Maxey, all-site	C1–MC4	other greywares	15.5	12.3	-	-
Maxey, F.161, Phase 8–9	E–MC3	other greywares	-	-	13.0	-
Maxey, F.218, Phase 9	LC3–EC4	other greywares	-	-	11.0	-
Orton Longueville, Orton Hall Farm, Period 2	AD 175– 225/50	other greywares	24.0	-	-	-
Orton Longueville, Orton Hall Farm, Period 3	AD 225/50– 300/325	other greywares	10.0	-	-	-
Haddon 1999, all-site	LIA–MC4	other greywares	16.5	-	-	-
Haddon 1999, Phase 4	LC2–MC3	other greywares	12.2	7.4	14.7	9.3*
Haddon 1989, Phase 5/6	C3	other greywares	-	4.9	-	4.2
Sawtry, Tort Hill East, Phase 2A	LC2–EC3	other greywares	22.6	21.2	19.4	20.1
Sawtry, Tort Hill East, Phase 2B	MC3–EC4	other greywares	31.5	30.9	26.2	25.4
Sawtry, Norman Cross, Phase 2	C3	other greywares	13.3	13.4	18	18.6
Stonea, Phase III/IV	Ant–EC3	other greyware	-	24.3	-	-
Stonea, Phase IV	AD C3	other greywares	-	24.4	-	-
Stonea, Phase IV/V	LC3	other greywares	-	24.6	-	-
Littleport, Phase 3	E–MC3	R01	7.3	9.4	8.8	7.6
		R05	1.1	0.5	2.9	2.2
		R11	0.3	0.1	0	0
		other greywares	3.9	1.2	0	0
Littleport, Phase 4	MC3	R01	4.6	1.9	0	0
		R05	0.5	0.1	0	0
		R11	0.5	0.3	0	0
		other greywares	2.1	0.9	12.6	9.3
Littleport, Phase 5	M–LC3	R01	2.6	1.5	0	0
		R05	0.4	0.4	0	0
		R12	0.4	0.5	0	0
		other greywares	2.2	0.5	3.5	2.6
Earith, Langdale Hale, all site	Flavian–C4	fine sandy, R05?/R11? 'Swanpool white-slipped ware'	3.1	-	-	-
		other greywares	0.4	-	-	-
		other greywares	14.8	-	-	-
Haddenham Shrine	C3–EC4	other greywares	4.1	3.9	-	7.2
Haddenham, West End, Phase 1	LC2–MC3	flint gritted	0.1	0.1	-	0
Haddenham, West End, Phase 2	LC3–MC4	flint gritted	0.1	0.1	-	0
Waterbeach, High Fen	Flavian–LC3	other greywares	2.8	-	-	-
Denny Abbey	Flavian–LC4	other greywares	0.2	-	-	-
Godmanchester, London Rd, Phase 3	LC2–MC3	The Parks greyware other greywares (slipped and unslipped)	12.0	-	-	-
		other greywares (slipped and unslipped)	53.0	-	-	-
Godmanchester, London Rd, Phase 4A	LC3–EC4	The Parks greyware other greywares (slipped and unslipped)	7.0	-	-	-
		other greywares (slipped and unslipped)	52.0	-	-	-
Teversham, Hinton Fields, Group 3	LC2–MC3	R01	2.7	1.3	3.7	4.9
		R05	0.3	0.1	0	0
		R086	0.3	0.2	0	0
		R11	0.1	0	0	0
		R12	0.1	0	0	0
		other greywares	0.3	0.3	0	0
Bottisham, Tunbridge Lane, Phase 5	Ant–EC3	R01	1.3	1.1	4	3.4
		R05	2.1	1.2	0	0
		other greywares	4.7	1.4	0	0
Waterbeach, Old Tillage	Ant–MC4	R01	0.1	0.0	0	0
		R05	0.5	0.4	0.2	1.9
		other greyware	0.6	0.5	0.2	1.9
Waterbeach, Old Tillage, Phase 3a	C3–EC4	R01	0.1	0.0	0	0
		R05	0.7	0.8	0.3	3
		other greywares	0.1	0.1	0	0
Milton East Waste	Flavian–C4	R05	0.7	0.8	0.3	3
		R11	1.2	0.9	2	1.9
		R51	0.3	0.2	0.6	0.2
		R55	0.1	0.0	0.1	0.5
		other greywares	10.1	4.1	6.4	8.4
Waterbeach, Cambridge Rowing Lake	C2–C4	R01	0.4	0.2	1.8	5.2
		other greywares	0.6	0.3	1.8	5.2
Cambridge, Newmarket Road	EC2–EC3	other greywares	11	-	-	-
Cambridge, Castle Hill, RGS Group 4	Ant–EC3	R01	2	2.4	21.7	18.9
Cambridge, Castle Hill, RGS, Group 5	Ant–EC3	R01	-	-	7.7	4.8
		R05	-	-	0.2	0.2
		R11	-	-	0.6	0.4
		other greywares	-	-	0.7	1

Cambridge, Castle Hill, RGS, Group 6	C3–C4	R01	-	-	10.2	10.5
		R05	-	-	0.6	0.7
		R11	-	-	0.4	0.9
		other greywares	-	-	1.0	0.9
Cambridge, Castle Hill, RGS, Group 7	C3–C4	R01	3.9	2.5	9.3	10.5
		R51	0.2	0.1	0	0
		other greywares	0.9	0.3	1.3	1.3
Cambridge, Castle Hill, RGS, Group 8	C3–C4	R01	0.8	0.5	8.1	7.2
		R11	0.1	0.2	1.2	0.9
		R12	0.2	0.7	2.3	2.9
		other greywares	65.6	56.8	4.7	3
Cambridge, Castle Hill, RGS, Group 9	C3–C4	R01	1.7	2	12.1	13.5
		R05	0.3	0.1	2.2	2.8
		R11	0.7	0.5	5.5	4.2
		other greywares	65.7	64	0	0
		other greywares	-	60.5	-	65.5
Great Chesterford, Trench VI, context 32 Foxton	EC3 AD 270–400	Colchester	4.4	2.7	-	5.1
		R01, grey slipware	8.2	5.3	-	7.0
		R11, fine greyware	3.4	3.7	-	3.7
		R11, fine grey flint tempered	14.2	11	-	13.1
Wimpole Lodge, all-site	AD 180–400	R11, fine grey	0.5	0.7	-	0
		R11, fine grey	-	-	-	22.0
Wimpole Lodge, Phase 1	AD 180–240	R11, fine grey	-	-	-	15.0
Wimpole Lodge, Phase 2	AD 240–300	R11, fine grey	-	-	-	15.0
Little Paxton, Area A, Phase 6	LAnt–MC3	R01	26.6	21.5	26.8	27.3
		R05	1.6	0.4	0	0
		R11	8	15.1	8.9	10.5
		R12	3.7	3.7	3.5	7.1
		other greywares	1.4	0.8	3.6	1.1
		R01	31.4	28.0	28.6	28.2
		R05	0.9	0.5	2	0.9
Little Paxton, Phase 7A	C3	R11	1.4	1.4	3.1	1.3
		R12	5.5	4.1	2	3
		other greywares	0.9	1.2	1	5.3
		R01	21.6	18.0	21.5	19
		R05	3.0	1.6	1.1	4.6
Little Paxton, Phase 7B	LC3–EC4	R11	5.1	5.0	2.2	3.5
		R12	8.6	7.3	4.3	2.8
		other greywares	1.4	1.6	1.1	4.8
		R01	6.2	5.3	-	11.8
		R11, fine grey	4.7	2.7	-	1.6
Little Barford, all site	C1–MC4	other greywares	0.3	0.2	-	0.3

Table 7.19 The occurrence of other greywares in 3rd-century groups in the study area

* - EVE data (not RE) ie RE+BE/2

0.0% = present at less than 0.05%

- = No data by this method

Site	% EGS	Total samian ware
Littleport	7	147 sherds
Orton Longueville, Orton Hall Farm	-	175 sherds
Werrington	6?	17 vessels
Maxey	1.2	100 vessels
Orton Longueville, Monument 97	0	32 vessels
Grandford	2.4	362 sherds
Haddon	5	60 sherds
Stonea	-	c 3300 sherds
Sawtry, Tort Hill East	8.9	179 sherds
Sawtry, Tort Hill West	3	31 sherds
Earith, Langdale Hale	28.8 (19% RE)	
Haddenham Shrine	17	6 sherds
Haddenham, West End, Phase 1	83	29 sherds
Haddenham, West End, Phase 2	50	4 sherds
Godmanchester, London Road	2.5	80 sherds
Godmanchester, London Road and The Parks	3.2	125 sherds
Denny Abbey	14	14 sherds
Waterbeach, High Fen	50	2 sherds
Bottisham, Tunbridge Lane	0	72 vessels
Teversham, Hinton Fields, Group 3	0	12 vessels
Milton East Waste	14.3	43 sherds
Waterbeach, Cambridge Rowing Lake	0	4 sherds
Waterbeach, Old Tillage	13.7	51 vessels
Cambridge, Newmarket Road	0	8 sherds
Cambridge, Castle Hill	9.4	1664 vessels
Foxton (including Arretine ware)	0.01	26 vessels; 74 sherds
Foxton	-	122 sherds
Wimpole Lodge	12.0	217 sherds
Little Barford	-	27 sherds
Little Paxton	11	33 sherds

Table 7.20 The occurrence of East Gaulish samian ware on sites in the study area
- no data in report