

Chapter 9 Tables

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Great Casterton	LC4-EC5	-	-	21.0	-
Orton Longueville, Orton Hall Farm, Period 5	AD 375-400+	43.0	-	-	-
Chesterton, B. 9B, L.4/5	M-LC4	-	-	-	20.0
Werrington Period 4	AD 300/325+	43.5	40.9	-	-
Haddon 1989, Phase 6	MC4	-	39.8	-	27.4
Littleport, Phase 7	MC4	8.0	11.8	0	0
Littleport, Phase 8	MC4	7.0	8.5	6.7	5.7
Earith, Langdale Hale, all site	Flavian-C4	25.0	-	-	20.0
Denny Abbey	Flavian-LC4	3.9	-	-	-
Huntingdon, Watersmeet, F.2276 etc	M-LC4	35.0	41.1	28.8	27.5
Huntingdon, Watersmeet, Cemetery	LC4	21.7	29.3	-	26.8
Godmanchester, London Rd, Phase 4B	LC4	8.0	-	-	-
Irchester	C3-C4	-	50+	c.40	-
Teversham, Hinton Fields Group 2	LC4+	14.3	18.1	12.2	15.7
Bottisham Tunbridge Hall, Phase 4	MC4	4.5	5.8	-	-
Milton East Waste	LIA-C4	6.1	6.5	7.6	7.1
Waterbeach, Cambridge Rowing Lake	C2-C4	0.9	0.7	0.9	1.0
Milton, King's Hedges, Apollo Way	C4	19.0	32.0	-	29.0
Cambridge, Castle Hill, RGS, Group 6	C3/C4	6.4	0.6	7.2	7.8
Cambridge, Castle Hill, RGS, Group 7	C3/C4	5.2	0.3	8.0	3.9
Cambridge, Castle Hill, RGS, Group 8	C3/C4	8.4	0.6	14.0	10.6
Cambridge, Castle Hill, RGS, Group 9	C3/C4	1.9	0.2	4.4	5.2
Foxton	AD 270-400+	20.2	19.2	-	21.4
Wimpole Lodge, Phase IV	360+	-	-	-	17.0
Little Paxton, Phase 8	MC4	22.7	30.3	11.5	11.7
Little Barford, all site	C1-MC4	31.0	50.3	-	22.2

Table 9.1 The occurrence of shell and calcareously tempered fabrics in later 4th–5th-century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Great Casterton	LC4-EC5	-	-	58.6	-
Werrington, Period 4	AD 300/325+	26.6	30.0	-	-
Orton Longueville, Orton Hall Farm, Period 5	AD 375-400+	32.0	-	-	-
Chesterton, B.9, L.4/5	M-LC4	-	-	-	52.0
Haddon 1989, Phase 6	MC4	-	31.1	-	42.5
Huntingdon, Watersmeet	M-LC4	24.6	22.4	25.0	36.8
Huntingdon, Watersmeet	LC4	8.6	16.0	18	28.0
Bottisham, Tunbridge Hall, Phase 4	MC4	4.9	5.9	-	-
Teversham, Hinton Field, Group 2	LC4+	27.3	26.5	27.0	33.1
Waterbeach, Cambridge Rowing Lake	C2-C4	1.2	0.1	4.5	9.9
Milton East Waste	C1-C4	3.2	0.2	2.5	4.7
Milton, King's Hedges, Apollo Farm	C4	10.0	14.0	-	10.0
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	12.9	14.6
Cambridge, Castle Hill, RGS, Group 7	C3/C4	8.9	3.9	13.3	14.3
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	1.2	1.4
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	14.3	14.0
Foxton	AD 270-400+	5.8	5.5	-	11.6
Wimpole Lodge, Phase IV	AD 360-400+	-	-	-	10.0
Little Paxton, Phase 8	MC4	12.7	14.8	22.3	26.3
Little Barford, all site	C1-MC4	6.1	3.3	-	5.2

Table 9.2 The occurrence of Nene Valley colour-coated ware in later 4th century groups in the study area

Fabric	% MNR	%RE
C11 Shell	14.1	14.9
C12 Shell	24.1	25.8
F01 NVCC	29.5	32.5
F02 NVCC	0.7	0.3
F03 Hadham	13.4	10.3
F06 Oxfordshire	11.4	8.2
M03 Nene Valley mortaria	4.0	3.6
M09 Oxfordshire whiteware mortaria	1.4	2.4
M11 Oxfordshire red-slipped mortaria	1.3	2.2
N	149 rims	11.51 RE

Table 9.3 Cambridge, Castle Hill, Ridgeons Garden South. Potential late 4th century material in Groups 6–9

Fabric	F	J	Bk & Cu	B	D	M	MNR
NVCC	0	7	4	10	78	0	68
Hadham oxidised	6	65	2	25	2	0	52
Oxfordshire	0	0	0	81	0	19	59
Total	3	39	4	68	54	11	179

Table 9.4 Teversham, Hinton Fields. Functional analysis of colour-coated fine wares in Group 2 (AD 390+), percentage of MNR

Fabric	F	CJ	J	WMJ	Bk & Cu	B	D	L	Other	MNR
NVCC	8.5	8.5	18.4	4.5	4.0	37.3	16.4	2.0	1.0	201

Table 9.5 Great Casterton. Functional analysis of Nene Valley colour-coated ware fabrics in the late 4th/early 5th century villa destruction group (after Corder 1951), percentage of MNR

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Great Casterton	LC4–EC5	-	-	2.3	-
Great Casterton, mortaria	LC4–EC5	-	-	0.3	-
Haddon 1989, Phase 6	MC4	-	0.01	-	0.0
Earith, Langdale Hale, all-site	Flavian–C4	0.2	-	-	0.1
Denny Abbey	Flavian–LC4	0.1	-	-	-
Huntingdon, Watersmeet	M–LC4	2.5	1.2	2.5	1.7
Huntingdon, Watersmeet	LC4	0.6	0.3	4.0	4.6
Bottisham, Tunbridge Hall, Phase 4	MC4	0.9	1.1	-	-
Teversham, Hinton Field, Group 2	LC4+	13.2	10.0	18.9	13.9
Waterbeach, Cambridge Rowing Lake	C2–C4	0.3	+	0.9	0.7
Milton East Waste	C1–C4	0.4	0.0	1.4	1.4
Milton, King's Hedges, Apollo Farm	C4	1.0	1.0	-	0
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	2.5	1.5
Cambridge, Castle Hill, RGS, Group 7	C3/C4	1.2	0.3	1.3	0.8
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	4.7	3.5
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	0.0	0.0
Foxton	AD 270–400+	0.8	0.5	-	0.5
Wimpole Lodge, Phase IV	AD 360–400+	-	-	-	2.0
Little Barford, all site	C1–MC4	0.2	0.0	-	2.3

Table 9.6 The occurrence of Oxfordshire colour-coated ware in later 4th century groups in the study area

Site and Phasing Details	Phase Date	% Nosh	% Wt	% MNR	% RE
Great Casterton	LC4-EC5	-	-	0.9	-
Haddon 1989, Phase 6	MC4	-	0.3	-	0
Earith, Langdale Hale, all-site	Flavian-C4	0.6	-	-	0.4
Denny Abbey	Flavian-LC4	2.4	-	-	-
Huntingdon, Watersmeet	M-LC4	2.5	1.7	3.8	2.2
Huntingdon, Watersmeet	LC4	1.5	1.2	2.0	0
Bottisham, Tunbridge Hall, Phase 4	MC4	2.6	1.6	-	-
Teversham, Hinton Field, Group 2	LC4+	22.5	15.3	19.3	20.7
Waterbeach, Cambridge Rowing Lake	C2-C4	1.2	0.1	2.7	4.2
Milton East Waste	C1-C4	2.3	0.2	3.4	6.2
Milton, King's Hedges, Apollo Farm	C4	14.0	12.0	-	20.0
Cambridge, Castle Hill, RGS, Group 6	C3/C4	-	-	2.5	1.5
Cambridge, Castle Hill, RGS, Group 7	C3/C4	3.6	2.1	4.0	4.1
Cambridge, Castle Hill, RGS, Group 8	C3/C4	-	-	4.7	2.1
Cambridge, Castle Hill, RGS, Group 9	C3/C4	-	-	1.1	1.1
Foxton	AD 270-400+	12.6	8.3	-	10.7
Wimpole Lodge, Phase IV	AD 360-400+	-	-	-	8.0
Little Paxton, Phase 8	MC4	0.4	0.2	0.8	0.5
Little Barford, all site	C1-MC4	1.3	0.4	-	0.7

Table 9.7 The occurrence of Hadham oxidised wares in later 4th century groups in the study area

Site and Phasing Details	Phase Date	Fabric	% Nosh	% Wt	% MNR	% RE
Great Casterton	LC4-EC5	other greywares	-	-	12.2	-
Orton Longueville, Orton Hall Farm, Period 5	AD 375-400+	other greywares	5.0	-	-	-
Chesterton, B. 9B, L4-5	M-LC4	NVGW	11.0	-	-	-
		other greywares	2.0	-	-	-
		NVGW	2.0	-	-	-
Godmanchester, London Road, Phase 4B	MC4	NVGW	1.0	-	-	-
		Horningsea	c.1	-	-	-
		The Parks greyware	9.0	-	-	-
		other greywares,	46.0	-	-	-
		slipped and unslipped sandy greyware (R01 etc?)	14.8	8.3	10.0	6.4
Huntingdon, Watersmeet, Ditch system F.2276 etc	M-LC4	Horningsea	1.4	4.7	0	0
		R06, Hadham,	2.1	3.0	3.8	4.0
		R21-23, NVGW,	>1	>1	>1	>1
		other greywares,	13.1	10.0	0	0
		including The Parks sandy greyware (R01 etc?)	35.7	36.5	0	0
Huntingdon, Watersmeet, Cemetery ditches	LC4	other greywares(?)	3.4	3.2	0	0
		R01	0.7	0.8	1.5	1.8
Teversham, Hinton Field, Group 2	LC4	R02, Horningsea	12.8	12.2	8.9	5.5
		R021, Horningsea	1.9	8.0	0	0
		R04, Horningsea	0.1	0.6	0.4	0.3
		R06, Hadham	1.5	0.9	1.9	1.3
		R21-23, NVGW	0.4	0.2	0.7	0.5
		R33, Wattisfield	0.3	0.5	0.4	0.5
		R55	0.1	0.0	0	0
		other greywares	0.1	0.1	0	0
		Horningsea	-	-	-	20.0
		R11, fine grey	-	-	-	9.0
Little Paxton, Phase 8	MC4	R01	20.4	14.4	10.8	16.6
		Horningsea	20.8	20.0	28.5	19.8
		R05	1.3	0.7	2.3	1.1
		R11	2.5	2.8	4.6	4.1
		R12	15.4	11.6	13.1	13.5
		R21-23, NVGW	1.5	2.7	3.1	2.5
		other greyware	0.5	0.2	0.0	0.0

Table 9.8 The occurrence of greywares in later 4th century groups in the study area

0.0% = present at less than 0.05%

- = No data by this method