

An Archaeological Watching Brief at Baker Court, Rocks Park Road Uckfield East Sussex

Planning Ref.: WD/2007/1431

NGR TQ 4700 2148 ASE Project No.: 3341 Site Code: BCU 08

ASE Report No.: 2009014 OASIS NO.: 47686



Clive Meaton

January 2009

An Archaeological Watching Brief at Baker Court, Rocks Park Road Uckfield East Sussex

Planning Ref.: WD/2007/1431

NGR TQ 4700 2148 ASE Project No.: 3341 Site Code: BCU 08

ASE Report No.: 2009014 OASIS NO.: 47686

Clive Meaton

January 2009

Archaeology South East
Units 1 & 2
2 Chapel Place
Portslade
East Sussex
BN41 1DR

Tel: 01273 426830 Fax: 01273 420866 Email: fau@ucl.ac.uk Webite: www.archaeologyse.co.uk

Abstract

An archaeological watching brief was undertaken at Baker Court, Rocks Park Road, Uckfield on the 1st September 2008 and between 6th-8th January 2009. This work was commissioned by Saxton Chartered Building Surveyors and required the observation of geotechnical investigations and groundworks associated with residential redevelopment on the site.

Made ground was encountered between c. 0.05m and c. 2m below the ground surface, with the substrate comprising clays overlying silts of the Lower Tunbridge Wells Sands Group. Some truncation of the upper deposits was thought to have occurred during earlier episodes of development activity. No significant archaeological deposits, features or artefacts were encountered during the course of the watching brief.

CONTENTS

- 1. Introduction
- 2. Archaeological and Historical Background
- 3. Methodology
- 5. Results
- 6. Conclusions

Bibliography Acknowledgements

Appendix 1: HER Records

Appendix 2: Geotechnical Report (Brief) and Borehole Logs

OASIS Form

LIST OF FIGURES

Figure 1 Site Location

Figure 2 Location of Boreholes and Intrusive Groundwork

Figure 3 The Site

Figure 4 Drilling the Boreholes

Figure 5 Detail of ground reduction

LIST OF TABLES

Table 1 HER Data

1.0 INTRODUCTION

1.1 Site Background

- 1.1.1 Archaeology South-East (ASE), a division of University College London Centre for Applied Archaeology (UCLCAA), were commissioned by Saxton Chartered Building Surveyors to undertake an archaeological watching brief during residential redevelopment at Baker Court, Rocks Park Road, Uckfield (NGR TQ 4700 2148), hitherto referred to as 'the site' (Figure 1). The work comprised preliminary geotechnical investigations followed by groundworks associated with the redevelopment (Figure 2).
- 1.1.2 The site lay in the back-lot of a previous residential development and covered an area approximately 900m². It was bounded to the north, west and east by light scrub and to the south by residential units.
- 1.1.3 According to the British Geological Survey, Sheet 319 Solid and Drift Edition, Lewes, the site lies on Head Deposits and Tunbridge Wells Sands.

1.2 Planning Background

1.2.1 The site is located within an archaeologically sensitive area. Therefore a planning condition was imposed by Casper Johnson, Archaeologist, East Sussex County Council, requiring a watching brief to be maintained during both the geotechnical investigations and any intrusive groundworks (planning reference WD/2007/1431).

1.3 Scope of the Report

- 1.3.1 This document details the results of the work undertaken in accordance with the Written Schemes of Investigation prepared in response to the condition placed upon the redevelopment works.
- 1.3.2 The geotechnical work was monitored on 1st September 2008, and the groundworks between 6th-8th January 2009 by Dave Fallon (Archaeologist). The project was managed by Giles Dawkes (Field) and Dan Swift (Post-Excavation).

2.0 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND

- 2.1 The site lies in the historic core of the medieval and post-medieval village of Uckfield, and is in close proximity to a medieval church in an area formally occupied by a large post-medieval country house and its extensive gardens known as Belmont.
- 2.2 A 500m radius search of the East Sussex County Council Sites and Monuments Record identified 46 Listed Buildings as well as three Mesolithic flints, a Roman Road and a medieval/post-medieval bloomery (ironworks). These results are listed in full in Appendix 1 and summarised below:

No	HER No	Туре	Date	Description	NGR
1	MES4818	Listed	18 th C	House	TQ4719
		Building			2145
2	MES4819	Listed	18 th C	House	TQ4742
		Building			2153
3	MES4822	Listed	20 TH C	Station	TQ472 209
		Building			
4	MES4823	Listed	/	/	TQ472 209
		Building			
5	MES4824	Find Spot	Mesolithic	Flints	TQ47 21
6	MES5138	Monument	Roman	Road	TQ4225
					4610
7	MES6903	Monument	19 th C	Ice House	TQ467 216
8	MES7132	Monument	11 th C –	Bloomery	TQ47028
			Modern	_	21584

Table 1: Tabulation of HER Data

3.0 METHODOLOGY

- 3.1 The general aim of the archaeological work was to ensure that any artefacts or ecofacts of archaeological interest encountered during the geotechnical investigations were located and recorded to appropriate standards. Specifically, the main aims of the archaeological work was to establish the location, extent and date of any archaeology present and to ascertain at what depth the underlying geology was reached.
- 3.2 The drilling of the boreholes was carried out by the geotechnical contractor and comprised the mechanical boring of five window sample boreholes (BH 1 5) spaced throughout the footprint of the proposed development (Fig. 2). The boreholes were up to c. 3.00m deep except BH 1 which continued to a depth of c. 5.00m. A log of the work was kept and each borehole was recorded using a pro-forma Archaeology South-East borehole record sheet. A digital photographic record was kept of the works.
- 3.3 Intrusive groundworks associated with the redevelopment comprised the mechanical excavation of strip footings using a 550mm wide bucket fitted to a 5 tonne tracked excavator. The footings were between c. 1m and c. 2.3m deep from ground surface.
- 3.4 All groundworks and geotechnical investigations were monitored by a member of Archaeology South-East staff.

4.0 RESULTS

Boreholes

- 4.1 The geotechnical works revealed varying depths of modern made ground (.05m 2m) overlying natural geological drift deposits (Figure 2).
- 4.2 To the west and northwest of the development area (boreholes 1, 2 and 5) made ground deposits were found to directly overly natural clays. However, in boreholes 2 and 5 specifically, these clays directly overlay silts of the Lower Tonbridge Wells Sand Group, whereas the alluvial clay encountered in borehole 1 was not bottomed at a depth of c. 5m.
- 4.3 To the east of the site (boreholes 3 and 4), the substrate comprised silts of the Lower Tunbridge Wells Sand Group, and no overlying clay deposits encountered.
- 4.4 No archaeologically significant features, deposits, artefacts or ecofacts were seen in the geotechnical watching brief.
- 4.5 Further stratigraphic detail of the boreholes can be found in Appendix 2: the brief geotechnical report and associated borehole logs produced by Ashdown Site Investigation Limited following their on site investigations.

Wall Footings

- 4.6 Mechanical excavation of trenches for wall footings and a retaining wall in the east of the site were also monitored (Figure 2).
- 4.7 These trenches were of varying widths and were excavated to a maximum depth of c. 1.8m from ground surface.
- 4.8 The trenches revealed generally natural Head Deposits and Tunbridge Wells Sand, though occasional thin layers of modern made-ground were also encountered.
- 4.9 No archaeologically significant features, deposits, artefacts or ecofacts were seen in the groundwork watching brief.

5.0 CONCLUSIONS

- 5.1 No archaeological features, finds, or ecofacts were recorded during either element of the watching brief
- 5.2 It seems that previous ground reduction and/or levelling has occurred at the site (Figure 6). This has removed any top and subsoils and has probably also truncated the natural geology across the site accounting for the disparate profiles encountered in the boreholes.

Bibliography

Archaeology South-East, 2008, Baker Court, Rocks Park Road, Uckfield, East Sussex, An Archaeological Watching Brief: Written Scheme of Investigation, unpublished ASE report

Archaeology South-East, 2009, Baker Court, Rocks Park Road, Uckfield, East Sussex, An Archaeological Watching Brief: Written Scheme of Investigation, unpublished ASE report

East Sussex County Council, 2008, Standards For Archaeological Fieldwork, Recording, and Post Excavation Work in East Sussex

Acknowledgements

Archaeology South-East would like to thank Saxton Chartered Building Surveyors for commissioning the work and Casper Johnson (ESCC) for his guidance throughout the works.

Appendix 1: SMR Record

Number of records: 8

Uckfield search for ASE

SMR Number Site Name Record

Type

MES4818 C18 house Listed

Building

early C18th listed building

Monument Types and Dates

HOUSE (Post Medieval - 1540 AD to 1900 AD)

Description and Sources

Description

(TQ 46192145-OS 1:2500 1978 5208 UCKFIELD CHURCH STREET (north side) No 46 (Copping Hall) TQ 4721 42/800

26.11.53 II* GV 2. Early C18. Two storeys and attic. Three windows. Two dormers.

Grey headers with red brick dressings

and quoins. Dentilled cornice. Tiled roof. Casement windows with small square

panes. Doorway with flat hood on

brackets and door of six fielded panels. (1)

Sources - None recorded

Location

National Grid Reference

Centroid TQ 4719 2145 (MBR: 10m by 10m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names

COPPING HALL, 46 CHURCH STREET, UCKFIELD

Designations, Statuses and Scorings

Associated Legal Designations

Listed Building - 46 Church Street Title not entered

Active DES148

Listed Building (A) - NAR Title not entered

Active DES372

Other Statuses and Cross-References

National Monuments Record - TQ 42 SE23

Active

Monarch UID - 406888

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations

PROBERT, CHRISTINE A. - delete Compiler

SMR Number MES4819 Site Name C18 house

SMR Number Site Name Record

Type

MES4819 C18 house Listed Building

C18th listed building

Monument Types and Dates

HOUSE (Post Medieval - 1540 AD to 1900 AD)

Description and Sources

Description

(TQ 47422153) Hooke Hall (NAT) (1) 5208 UCKFIELD HIGH STREET (east side) No 250 (Hooke Hall) TQ 4721 42/835

26.11.53 II* 2. C18. Two storeys and attic. Five windows. Three pedimented dormers. Red brick and grey headers

alternately. Wooden eaves cornice. Steeply-pitched hipped tiled roof. Windows with segmental headers and glazing bars

intact. Doorway with modern curved hood. Garden front tile-hung. Modern addition at south-east corner. (2)

Sources

(1) Article in serial: OS 1:2500 1978.

Location

National Grid Reference

Centroid TQ 4742 2153 (MBR: 10m by 10m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names

HOOKE HALL, HIGH STREET, UCKFIELD

Designations, Statuses and Scorings

Associated Legal Designations

Listed Building (A) - NAR Title not entered

Active DES372

Other Statuses and Cross-References

National Monuments Record - TQ 42 SE24

Active

Monarch UID - 406889

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations

PROBERT, CHRISTINE A. - delete Compiler

SMR Number MES4822 Site Name station

SMR Number Site Name Record

Type

MES4822 station Listed Building

Monument Types and Dates

RAILWAY PLATFORM (AD 20th Century - 1900 AD to 1999 AD)

Description and Sources

Description - None recorded

Sources - None recorded

Location

National Grid Reference

Centroid TQ 472 209 (MBR: 100m by 100m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names UCKFIELD STATION

Designations, Statuses and Scorings

Associated Legal Designations - None recorded

Other Statuses and Cross-References

National Monuments Record - TQ 42 SE

Active

NBR Index Number - 6240

Active

Monarch UID - 501148

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations - None recorded

SMR Number MES4823 Site Name Ib

SMR Number Site Name Record

Type

MES4823 Ib Listed Building

Monument Types and Dates

Description and Sources

Description - None recorded

Sources - None recorded

Location

National Grid Reference

Centroid TQ 472 209 (MBR: 100m by 100m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names

BRIDGE COTTAGE, 51-53 ODD, HIGH STREET

Designations, Statuses and Scorings

Associated Legal Designations

Listed Building - 51-53 ODD HIGH STREET Title not entered

Active DES159

Listed Building () - NBR Title not entered

Active DES373

Other Statuses and Cross-References

National Monuments Record - TQ 42 SE

Active

Monarch UID - 519486

Active

NBR Index Number - 38640

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations - None recorded

SMR Number MES4824 Site Name meso flints

SMR Number Site Name Record

Type

MES4824 meso flints Find Spot

Mesolithic flints

Monument Types and Dates

SITE (Undated)

Evidence FIND

FINDSPOT (Mesolithic - 10000 BC to 4001 BC)

Description and Sources

Description

One blade or flake, one scraper and one other flint implement have been found here by Mr D C Keef. They have been

deposited in Barbican House Museum, Lewes. (1)

Sources

(1) Article in serial: CBA Research Report no. 20 1977 323 (J J Wymer)

Location

National Grid Reference

Centroid TQ 47 21 (MBR: 1000m by 1000m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names RIDGEWOOD SANDPIT

Designations, Statuses and Scorings

Associated Legal Designations - None recorded

Other Statuses and Cross-References

National Monuments Record - TQ 42 SE49

Active

Sites & Monuments Record (East Sussex) - TQ 42 SE 48

Active

Superfile Number - 6548

Active

Monarch UID - 972866

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Associated Finds

FES4367 FLAKE (Mesolithic - 10000 BC to 4001 BC)

FES4368 SCRAPER (TOOL) (Mesolithic - 10000 BC to 4001 BC)

FES4369 BLADE (Mesolithic - 10000 BC to 4001 BC)

Associated Events/Activities - None recorded

Associated Individuals/Organisations

LEES, M - East Sussex County Council Compiler

MR Number MES5138 Site Name Roman road

SMR Number Site Name Record

Type

MES5138 Roman road Monument

Roman road, (Greater London-Surrey-Kent-East Sussex) London - Lewes.

Monument Types and Dates

SITE (Undated)

Evidence DOCUMENTARY EVIDENCE

ROAD (Roman - 43 AD to 409 AD)

Description and Sources

Description

Roman road RR 14 (Margary), London-Lewes, - For full details including bibliography and OS field investigator comments,

see Ordnance Survey Linear Archive file (RR 14), held at NMRC. (1)

Sources

(1) Article in serial: Ordnance Survey Linear Archive file (RR 14)

Location

National Grid Reference

Centroid TQ 4225 4610 (MBR: 12400m by 66410m) TQ44NW

Dispersed

Administrative Areas

Civil Parish BARCOMBE, LEWES, EAST SUSSEX
Civil Parish BROMLEY, BROMLEY, GREATER LONDON
Civil Parish BROMLEY, BROMLEY, GREATER LONDON

Civil Parish BUXTED, WEALDEN, EAST SUSSEX

Civil Parish CHELSHAM AND FARLEIGH, TANDRIDGE, SURREY

Civil Parish COWDEN, SEVENOAKS, KENT

Civil Parish CROYDON, CROYDON, GREATER LONDON

Civil Parish EDENBRIDGE, SEVENOAKS, KENT
Civil Parish FLETCHING, WEALDEN, EAST SUSSEX
Civil Parish HARTFIELD, WEALDEN, EAST SUSSEX
Civil Parish ISFIELD, WEALDEN, EAST SUSSEX
Civil Parish LEWES, LEWES, EAST SUSSEX

Civil Parish LEWISHAM AND BLACKHEATH, LEWISHAM,

GREATER LONDON

Civil Parish LIMPSFIELD, TANDRIDGE, SURREY
Civil Parish MARESFIELD, WEALDEN, EAST SUSSEX

Civil Parish RINGMER, LEWES, EAST SUSSEX

Civil Parish SOUTHWARK, SOUTHWARK, GREATER LONDON

Civil Parish TATSFIELD, TANDRIDGE, SURREY
Civil Parish TITSEY, TANDRIDGE, SURREY
Civil Parish WESTERHAM, SEVENOAKS, KENT
Civil Parish WITHYHAM, WEALDEN, EAST SUSSEX

Address/Historic Names

London to Lewes Roman Road

Designations, Statuses and Scorings

Associated Legal Designations - None recorded

Other Statuses and Cross-References

SMR Number MES5138 Site Name Roman road

National Monuments Record - LINEAR343

Active

Roman Road Number - RR 14

Active

Monarch UID - 1042783

Active

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities

EES9602 ESSO PIPELINE (Event - Intervention)

Associated Individuals/Organisations

MILLER, ANDREW - RCHME Swindon Compiler

SMR Number MES6903 Site Name Ice House

SMR Number Site Name Record

Type

MES6903 Ice House Monument

Ice house built after 1838. Cut into the sandstone of the local rock outcrop. Circular plan, 4.8m in diameter with a rounded

bottom and sump. Battered brick lining to lower part, vault exposed and neatly trimmed. Access is by a passage 2.2m

Monument Types and Dates

ICEHOUSE (Constructed, Undated)

Description and Sources

Description

Mid 19th century ice house. Rion Martin's type 1 structure. Cut into the sandstone of the local rock outcrop. Circular plan,

4.8m in diameter with a rounded bottom and sump. Battered brick lining to lower part, vault exposed and neatly trimmed.

Access is by a passage 2.2m long.

Apparently built to service Buckswood Grange, formerly The Rocks.

Sources - None recorded

Location

National Grid Reference

Centroid TQ 467 216 (MBR: 100m by 100m) TQ42SE

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names Buckswood Grange

Designations, Statuses and Scorings

Associated Legal Designations - None recorded

Other Statuses and Cross-References - None recorded

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations - None recordedSMR Number MES7132 **Site Name** ?bloomery

SMR Number Site Name Record

Type

MES7132 ?bloomery Monument

Quantities of bloomery slag found

Monument Types and Dates

BLOOMERY (Medieval to Modern - 1066 AD to 2050 AD)

Description and Sources

Description

Quantities of bloomery slag have been found in the garden by Mrs Fox. A sherd of probable post medieval stoneware was

also recovered from a hole dug to a depth of 2metres, the sherd has a red glaze in areas and a zig-zag red design on a

very hard grey stoneware fabric. The finds have been retained by the finder.[1]

Sources

Article in serial: pers comm G.Chuter 2004

Location

National Grid Reference

Centroid TQ 47028 21584 (MBR: 1m by 1m) TQ42SE Point

Administrative Areas

Civil Parish UCKFIELD, WEALDEN, EAST SUSSEX

Address/Historic Names

16 THE DRIVE, CHURCH COOMBE, UCKFIELD

Designations, Statuses and Scorings

Associated Legal Designations - None recorded

Other Statuses and Cross-References - None recorded

Ratings and Scorings - None recorded

Land Use

Associated Historic Landscape Character Records - None recorded

Other Land Classes - None recorded

Related Monuments - None Recorded

Finds - None recorded

Associated Events/Activities - None recorded

Associated Individuals/Organisations

Chuter, Greg - East Sussex County Council

Informant

Appendix 2: Borehole Log

ASHDOWN SITE INVESTIGATION LTD

Site: Bakers Court, Rocks Park Road, Uckfield, East Sussex Report No.: LW19190
Date: September 2008

BRIEF GEOTECHNICAL REPORT

GROUND CONDITIONS

Geological Model	Comment
Published Geological Information	Reference to the British Geological Survey 1:50000 map, Sheet 319/ 334 (Lewes and Eastbourne), indicates that the Site is underlain by the Tunbridge Wells Sand Member strata.
Tunbridge Wells Sand Member	The Tunbridge Wells Sand Member generally consists of interbedded thinly to thickly bedded sandstone, mudstone, and occasional thin beds of clay ironstone. It is commonly differentially weathered to form dense sand or silt and stiff clay.
Ground Investigation	The ground investigation was undertaken on the 1 st September 2008 and comprised the excavation of a series of window sampler boreholes to depths of up to 5.0m.
Made Ground	Made ground, generally comprising clay containing a variable proportion of brick, concrete, clinker and flint was recorded to depths of between 0.05m and 2.0m below ground level. In general, the thickness of the made ground increased over the western part of the site.
Alluvium/ Head	Within boreholes WS1, WS2 and WS5 (located over the central and western parts of the site) soft and firm silty clay was recorded to depths of between 1.80m and in excess of 5m below ground level. Although not specifically recorded on the published geological map for the area, these soils are considered to represent recent Alluvial/ Head deposits associated with the shallow valley that the site is located within.
Tunbridge Wells Sand Member	Underlying the made ground and/ or Alluvium/ Head deposits (where penetrated), the boreholes passed down into generally medium-dense silt to the full depth of investigation.
	These soils are thought to represent the Tunbridge Wells Sand Member soils predicted on the published geology map.
Groundwater and stability	Standing water was recorded at depths of 2.90m and 2.70m in boreholes WS1 and WS2 respectively on completion. The remaining boreholes were noted to be dry.
	All of the boreholes remained stable during excavation.



Borehole No.: WS1

Site Name: Bakers Court, Rocks Park Road, Uckfield

Job No.: LW19190

Start Date: 01.09.2008

End Date: 01.09.2008

				and the same of th						
		Samples and Testing				Strata				
Standpipe Installation	Sample		pths	Vane/ Pen Test	Legend	Depth / Reduced	Strata Descriptions			
	Туре	From (m)	To (m)	N Value	Logonia	Level	30x404 (905 per 4000 400) (905 per 4000 400)			
						0.00	Ground Level			
	- - D -	0.20					MADE GROUND: Orange brown slightly sandy silty clay with some fine to coarse gravel of brick, flint and clinker.			
	E					0.90				
l	_ D	1.00 1.10		80		1.20	MADE GROUND: Orange brown and pale grey mottled slightly silty clay with much iron staining. with a little silt partings below 1.0m depth.			
	- _ DН	1.40		55			MADE GROUND: Pale grey very silty clay with occasional black staining and a slight organic odour.			
	-						with brick at 2.0m depth			
	E			1		2.00	with brick at 2.0m depth. Firm pale grey very silty CLAY with occasional black staining and a			
	- - - - - - -	2.50		50	x x x x x x x x x x x x x x x x x x x	- - - - - -	slight organic odour. (Álluvium)			
	- - - - -				x x x x x x x x x x x x x x x x x x x	- - - - -				
	- - - - -	4.20		48	x x x x x x x x x x x x x x x x x x x	-				
	- - - D	4.60			x x x		becoming grey with some organic fragments below 4.5m depth.			
	-				-X-X-	5.00				
	1									

Remarks:	•
----------	---

Hand dug service pit excavated to 0.9m depth.

Standing water level at 2.9m depth on completion.

Borehole remained stable during excavation.

Excavation Method: Window Sampler

Borehole Diameter: Various

Made By: SG



Borehole No.: WS2

Site Name: Bakers Court, Rocks Park Road, Uckfield

Job No.: LW19190

Start Date: 01.09.2008

End Date: 01.09.2008

		San	ipies ar	d Testing				Strata
Standpipe nstallation	Sample	Depths		Vane/ Pen	DPSH Profile Blows/100mm		Depth / Reduced Strata Descriptions	
	Type	From (m)	To (m)	Test N Value	5 , 1,5 , 2,5	Legend	Reduced Level	Strata Descriptions
							0.00	Ground Level
	_ D	0.10					0.30	MADE GROUND: Dark brown sand with much medium to coarse gravel of flint, roadstone and brick with some roots (<5mm ∅).
	_ D	0.40				× × ×	-	Firm to stiff orange brown silty CLAY with occasional black speckling. (Head? Alluvium)
	- - DH -	0.90		75			- - -	becoming soft brown with no black speckling below 1.1m
	- D - -	1.20				becoming soft depth.		
1	-				(1.80	
	_ D	1.90				X X X X X X X X X X X X X X X X X X X	-	Medium dense orange brown and pale orange brown SILT with some gravel of siltstone and a little black speckling. (Lower Tunbridge Wells Sand Member)
-	- D	2.60				* * * * * * * * * * * * * * * * * * *	2.50	Medium dense green grey and orange brown SILT . (Lowe Tunbridge Wells Sand Member)
						* * * * * * * * * * * * * * * * * * *	3.00	
- - - - - - - - - - - - - - - - - - -								End of Borehole
				1				

Remarks:	Excavation Method: Window Sampler	
Hand dug service pit excavated to 0.6m depth.		
Standing water level at 2.7m depth on completion.	Borehole Diameter: Various	
Borehole remained stable during excavation.	bolefiole Diameter, Various	
Dynamic probe test carried out adjacent to borehole.		
	Made By: SG	



Borehole No.: WS3

Site Name: Bakers Court, Rocks Park Road, Uckfield

Job No.: LW19190

Start Date: 01.09.2008

End Date: 01.09.2008

		Start	Date. C	11.09.20	End Date: 01.09.2008						
Samples and Testing			9			Strata					
Standpipe Installation	Sample	De	Depths			Depth / gend Reduced Strata Descriptions					
	Туре	From (m)	To (m)	Test N Value	Legend	Level	Strata Descriptions				
					****	0.00	Ground Level				
	_ D	0.10	13		* * * *	0.05	MADE GROUND: Brown slightly silty clay with much medium to coarse gravel of flint (50mm).				
-	D	0.20			* * * * *		Pale grey and orange brown mottled slightly clavey SILT with a little				
					x x x x	ļ	gravel of iron cemented siltstone. (Lower Tunbridge Wells Sand Member)				
ŀ	-				* * * *	' -					
-	_ D	0.70			* * * * *	F	becoming pale grey with thin laminations of ironstone below 0.7m				
ţ					* * * * *	Ļ	depth.				
ŀ	-				* * * *	-	becoming pale orange brown below 1.1m depth.				
1					* x x x	-	becoming paid drange brown below 1. Im depth.				
	- 1				* * * *	Ė					
	- D	1.50			* * * *	-					
					* x x x x						
E	_				* * * *	Ŀ	becoming orange brown with a little orange staining and a little grave				
-	- _D	2.10			x x x x x x x x x x x x x x x x x x x	2.20	of siltstone below 2.0m depth.				
	-				- · ·	_	End of Borehole				
E											
-	. 1	H				_					
	-					-					
E	-0					L I					
-	-81					-					
						_					
E											
-						-					
						-					
	_					_					
-	. [-					
						-					
E			-			-					
-			П			-					
				1		-					
Ŀ					ŀ	-					
Remarks											
		s below 2.	.2m depth	- too den	se.		Excavation Method: Window Sampler				
Borehole i	remained	dry and s	stable on c	ompletion) .		Borehole Diameter: Various				
							Made By: SG				
							The state of the s				



Borehole No.: WS4

Site Name: Bakers Court, Rocks Park Road, Uckfield

Job No.: LW19190

Start Date: 01.09.2008

End Date: 01.09.2008

	Samples and Testing						Strata			
Standpipe Installation	Sample	Depths		Vane/ Pen DPSH Prot Blows/100r			Depth /			
	Туре	From (m)	To (m)	Test N Value	5 , 15 , 25	Legend	Reduced Level	Strata Descriptions		
							0.00	Ground Level		
	_ D	0.10					- 0.15 - -	MADE GROUND: Brown silty clay with some fine to coarse gravel of brick, concrete, clinker and flint with some fine roots (<1mm ∅).		
	- - - D	0.60					- - 0.70	MADE GROUND: Orange brown and pale brown mottled silty clay with some medium to coarse gravel of flint and occasional brick and concrete.		
	_ D	0.80				x x x x x x x x x x x x x x x x x x x	_	Medium dense orange brown clayey SILT with a little fine to coarse gravel of ironstone. (Lower Tunbridge Wells Sand Member) becoming pale grey mottled below 0.9m depth.		
	- <i>U</i>	1.00				***** **** **** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *		becoming pale orange brown at 1.3m depth.		
	_ _ D _	2.00				* * * * * * * * * * * * * * * * * * *	2.20	becoming loose between 2.0m and 2.30m depth.		
-	- - - D	2.50				********* ******** ******** ********	- - - 2.60	Weak orange brown SILTSTONE with thin laminations of ironstone. (Lower Tunbridge Wells Sand Member)		
								End of Borehole		

Remarks:

Hand dug service pit excavated to 0.80m depth.

No further progress below 2.6m depth - too dense.

Borehole remained dry and stable on completion.

Dynamic probe test carried out adjacent to borehole.

Excavation Method: Window Sampler

Borehole Diameter: Various

Made By: SG



Borehole No.: WS5

Site Name: Bakers Court, Rocks Park Road, Uckfield

Job No.: LW19190

Start Date: 01.09.2008

End Date: 01.09.2008

	Samples and Testing				Strata					
Standpipe Installation	Sample Depths Type From To			Vane/ Pen Test	Legend Reduced		Strata Descriptions			
	Туре	From (m)	To (m)	N Value		Level	Sidd Soonplons			
						0.00	Ground Level			
	- - D	0.20				0.30	MADE GROUND: Dark brown slightly clayey sand with much fine to coarse gravel of flint, clinker, brick, roadastone and concrete.			
	- _D	0.40				-	Stiff orange brown very silty CLAY with occasional fine to medium			
	- v	0.50		>130		-	gravel of flint and occasional black speckling. (Head/ Alluvium)			
	-					-	with no flight group below 0.7m doubt			
	E				×	E	with no flint gravel below 0.7m depth.			
	_ _D	1.00				_				
		1.00				_	becoming firm below 1.1m depth.			
					<u> </u>	-				
					- x - x -					
	_	10			<u>_</u>	-				
					<u>*</u> * _;	1.80				
	- _D	1.90				2.00	Firm pale grey and orange brown mottled silty CLAY with much iron staining. (Lower Tunbridge Wells Sand Member)			
	_				* * * *	_	with some gravel of siltstone towards the base.			
	-				* * * * *	-	Medium dense orange and pale brown SILT with much gravel of siltstone. (Lower Tunbridge Wells Sand Member)			
					* * * * *	_	with occasional thin laminations of ironstone below 2.1m depth.			
	-				* * * * *	-	becoming orange brown and pale brown mottled below 2.2m.			
	-				*	_				
	-				* * * * *	-				
	D	2.90			* * * * *	3.00				
Ì	_						End of Borehole			
-	-									
l	_									
}										
t	_									
-	_8					-				
İ	-	i			į	-				
-	-				- 1	-				
ţ	_					-				
-	-				-	-				
	_					-				
	-	1			-	-				
	_									

R	en	nar	ks:

Hand dug starter pit excavated to 0.7m depth.

Borehole remained dry and stable on completion.

Excavation Method: Window Sampler

Borehole Diameter: Various

Made By: SG

OASIS Form

OASIS ID: archaeol6-47686

Project details

Project name Baker Court Rocks Park Road Uckfield

Short description of the project Watching Brief on five geotechnical window samples

Project dates Start: 01-09-2008 End: 01-09-2008

Previous/future work No / Not known

Any associated project reference BCU 08 - Sitecode

codes

Type of project Recording project

Monument type NONE None

Monument type NONE None

Significant Finds NONE None

Significant Finds NONE None

Investigation type 'Watching Brief'

Planning condition Prompt

Project location

Country England

EAST SUSSEX WEALDEN UCKFIELD Baker Court Site location

Postcode TN22 1

Study area 900.00 Square metres

Site coordinates TQ 4700 2148 50.9733815563 0.09402522343240 50 58 24 N 000 05

38 E Point

Project creators

Name of Organisation Archaeology South-East

Project brief originator East Sussex County Council

Project design originator Archaeology South-East Project director/manager Giles Dawkes

Project supervisor David Fallon

Type of sponsor/funding body Client

Project archives

Physical Archive Exists? No

Digital Archive recipient Local Museum

Digital Contents 'none'

Digital Media available 'Images raster / digital photography'

Paper Archive recipient Local Museum

Paper Contents 'none'

Paper Media available 'Section','Unpublished Text'

Project bibliography 1

Grey literature (unpublished document/manuscript)

Publication type

Title

An Archaeological Watching Brief at Baker Court Rocks Park Road

Uckfield East Sussex

Author(s)/Editor(s) Falloln, D

Date 2008

Issuer or publisher Archaeology South-East


Place of issue or publication Units 1 and 2 2 Chapel Place Portslade

David Fallon (d.fallon@ucl.ac.uk)

Entered by

2 September 2008

Entered on



© Archaeology South-East		outh-East	Baker Court, Uckfield			
Project Re	ef: 3341	Jan 2009	Site Location Plan	Fig. 1		
Report Re	ef: 2009014	Drawn by: JLR	Site Location Plan			






Fig. 3: The Site [1038]



Fig. 4: Drilling the boreholes [1040]



Fig. 5: Detail of ground reduction [1037]

© Archaeology S	outh-East	Baker Court, Uckfield			
Project Ref: 3341	Jan 2009		3-5		
Report Ref: 2009014	Drawn by: JLR				

Head Office Units 1 & 2 2 Chapel Place Portslade East Sussex BN41 1DR Tel: +44(0)1273 426830 Fax:+44(0)1273 420866 email: fau@ucl.ac.uk Web: www.archaeologyse.co.uk



London Office Centre for Applied Archaeology Institute of Archaeology University College London 31-34 Gordon Square, London, WC1 0PY Tel: +44(0)20 7679 4778 Fax:+44(0)20 7383 2572 Web: www.ucl.ac.uk/caa

The contracts division of the Centre for Applied Archaeology, University College London

