

T H A M E S V A L L E Y

ARCHAEOLOGICAL

S E R V I C E S

**Kentwood Farm, Warren House Road,
Wokingham, Berkshire**

Archaeological Evaluation

by Andy Taylor

Site Code: KFW10/95

(SU 8200 7020)

**Kentwood Farm, Warren House Road,
Wokingham, Berkshire**

An Archaeological Evaluation (Phase 2)

for CgMs Consulting

by Andy Taylor

Thames Valley Archaeological Services Ltd

Site Code KFW 10/95

October 2012

Summary

Site name: Kentwood Farm, Warren House Road, Wokingham, Berkshire

Grid reference: SU 8200 7020

Site activity: Evaluation

Date and duration of project: 23rd–31st October 2012

Project manager: Steve Ford

Site supervisor: Andy Taylor

Site code: KFW 10/95

Area of site: *c.* 7.25 ha

Summary of results: Four gullies and a ditch, were observed during the evaluation. All were undated but appear to match up with boundaries shown on late post-medieval maps.. The only artefact of archaeological interest was a fragment of glass bead of Iron Age date recovered from the surface of the field. On the basis of these results the site has very low archaeological potential.

Location and reference of archive: The archive is presently held at Thames Valley Archaeological Services, Reading and will be deposited with an appropriate repository in due course.

This report may be copied for bona fide research or planning purposes without the explicit permission of the copyright holder

Report edited/checked by: Steve Ford ✓ 08.11.12 Steve Preston ✓ 08.11.12

Kentwood Farm, Warren House Road, Wokingham, Berkshire An Archaeological Evaluation (Phase 2)

by Andy Taylor

Report 10/95b

Introduction

This report documents the results of an archaeological field evaluation carried out at Kentwood Farm, Wokingham, Berkshire (SU 8200 7020) (Fig. 1). The work was commissioned by Mr Duncan Hawkins of CgMs Consulting, Morley House, 26 Holborn Viaduct, London, EC1A 2AT on behalf of their client as a part of a proposal to develop part of the site for residential housing.

This is in accordance with the National Planning Policy Framework (NPPF 2012) and the Borough Council's policies on archaeology. The field investigation was carried out to a specification prepared by CgMs which had been approved by Berkshire Archaeology, advisers to the Borough on matters relating to archaeology. The fieldwork was undertaken by Andy Taylor along with Aidan Colyer and James Earley between the 23rd and 31st October 2012 and the site code is KFW 10/95. The archive is presently held at Thames Valley Archaeological Services, Reading and will be deposited with an appropriate repository in due course.

Location, topography and geology

The site is located c.1.5km to the north of Wokingham town centre with the A329(M) immediately to the north of the site forming the site boundary (Figs 1 and 2). The site consists of arable farmland. According to the geology map for the area the underlying bedrock consists of London Clay (BGS 1981). However this was rarely observed and the geology consisted mostly of gravel and sand with occasional bands of clay. The site lies at a height of c.56m above Ordnance Datum.

Archaeological background

The archaeological potential of the site has been highlighted in an archaeological specification provided by CgMs consulting (Hawkins 2010). In summary the site lies close to findspots of prehistoric struck flint recorded by earlier field survey (Ford 1987). A single sherd of Roman pottery was found 400m to the north-east of the site. A possible medieval woodland boundary is located to the south of the site with seven sherds of medieval pottery found at seven separate locations within 500m of the site. Geophysical survey carried out in May 2010

(Bunn 2010) had revealed nothing of clear archaeological interest, although some ephemeral anomalies might be ditches, and one area contained anomalies interpreted as ridge and furrow cultivation. To the south of the site Keeper's Cottage is a Grade II listed building of 16th-century date. An evaluation was carried out in 2010 (Taylor 2010) in the areas of a proposed noise bund adjacent to the A329(M), that confirmed the majority of the geophysical anomalies were mapped post-medieval boundaries, land drains or of natural origin, although a ditch of 3rd-4th century date was identified next to the drainage ditch in the western field.

Objectives and methodology

The purpose of the evaluation was to determine the presence/absence, extent, condition, character, quality and date of any archaeological deposits within the area of development.

Specific aims of the project were:

- to establish the presence or otherwise of any archaeological remains, including the date range, extent, condition, state of preservation and complexity or otherwise of such remains;

- to establish the environmental context of any archaeological remains, together with any earlier and/or later activity;

- to evaluate the likely impact of past land use and development; and

- to provide sufficient information to construct an archaeological mitigation strategy.

It was proposed to dig 102 trenches each 30m long, using a 360° type machine fitted with a toothless grading bucket under constant archaeological supervision. All spoilheaps were monitored for finds. A sufficient amount of features would be investigated with discrete features half sectioned and a minimum of a metre long slot dug through linear features.

Results

All but one of the trenches were dug as intended. One trench could not be dug due to its location within a heavily wooded area. All trenchers measured 1.80m wide, with the exception of trenches 121–126, which measured 1.60m wide. The trenches were between 17m and 32.20m in length and between 0.25m and 0.50m deep. These were set out using a GPS system. A complete list of trenches giving lengths, breadths, depths and a description of sections and geology is given in Appendix 1. The trench numbering continues the sequence from the previous phase of work and thus starts at 26.

The stratigraphy within the trenches consisted of topsoil which in the cases of trenches 26-101, 103-105, 107, 110-112 and 114-120 directly overlay silty clay and gravel natural geology. Trenches 102, 106, 108, 109,

113 and 121-126 consisted of topsoil overlying subsoil overlying silty clay and gravel natural. Trenches 87, 89 and 112 were heavily truncated with modern rubble, possibly from structures, probably barns. In the case of trenches 87 and 89 structures are shown in this location on the 1875 Ordnance Survey (Hawkins 2010, fig. 7).

Trenches 37, 38, 51, 53, 63, 72, 73, 74 and 75 contained linear features, all of which were certainly modern in date, containing brick, tile, land drain pipes, plastic and/or concrete. None of these were investigated further. Only the trenches containing features that were not unambiguously modern are described below.

Trench 60 (Figs 3 and 4; Pl. 1)

This trench was aligned East-West and measured 30.70m in length and 0.36m deep. The stratigraphy consisted of 0.28m of topsoil directly overlying silty clay and gravel natural geology. A gully (9) was located at 8m from the west end of the trench, which measured 0.60m wide and 0.19m deep. Its pale brownish grey silty sand fill (63) did not produce any dating evidence.

Trench 63 (Figs 3 and 4; Pl. 2)

This trench was aligned approximately north-south and measured 31.10m in length and 0.35m deep. The stratigraphy consisted of 0.25m of topsoil directly overlying silty clay and gravel natural geology. A gully (7) was located at 10m from the south end that measured 0.80m wide and 0.24m deep. It was aligned roughly west-east and its pale brownish grey silty sand fill (61) did not produce any dating evidence. This is likely to be the same feature as observed in Trench 64.

Trench 64 (Figs 3 and 4; Pls. 3 and 4)

This trench was aligned east-west and measured 30.70m in length and 0.39m deep. The stratigraphy consisted of 0.33m of topsoil directly overlying silty clay and gravel natural geology. A gully (6) was located at the eastern end of the trench measuring 0.80m wide and 0.20m deep. No dating evidence was recovered from its pale brownish grey silty sand fill (60). This gully is likely to be the same feature as observed in Trench 63; however it did not appear to continue as far as Trench 86 to the east.

Trench 68 (Figs 3 and 4)

This trench was aligned approximately NW-SE and measured 30.30m in length and 0.30m deep. The stratigraphy consisted of 0.28m of topsoil directly overlying silty clay and gravel natural geology. A north-south gully (8) was located at the north-west end of the trench measuring 0.50m wide and 0.16m deep. No dating

evidence was recovered from its pale brownish grey silty sand fill (62). Ditch 8 did not appear to continue into either of Trenches 66 to the north or 69 to the south.

Trench 99 (Figs 3 and 4; Pl. 5)

This trench was aligned east-west and measured 31.70m in length and 0.26m deep. The stratigraphy consisted of 0.26m of topsoil directly overlying silty clay and gravel natural geology. A NW–SE aligned ditch (10) was observed at 15m measuring 1.50m wide and 0.30m deep. No dating evidence was recovered and this feature was not observed in either Trench 96 to the north or Trench 106 to the south.

Finds

Glass Bead by Andy Taylor

Half of a pennanular glass bead was recovered from the surface of the field between the northern end of trench 98 and the western end of trench 99. This measures 25mm in diameter with an internal hole of 11mm. It is a dark blue colour almost black, with white spirals, occasionally raised on small bosses. This is likely to be a bead of Guido's 'Oldbury type' (Guido 1978) of Iron Age date, but they do sometimes survive into the Roman period (Williams and Zeepvat 1994).

Conclusion

The evaluation has revealed a small number of linear features that are possibly of an archaeological nature. It is possible that these are just grubbed out hedge lines, but as none produced any finds they remain undated. However the lightness of their fills (due to leaching over time) would suggest that they are earlier than the modern linear features observed which all contained much darker, siltier fills. All of the ditch lines appear likely to be reasonable matches for boundaries shown on the 1823 map (Hawkins 2010, fig. 5), making allowance for the degree of accuracy expected in such a map. The Roman linear feature that was observed in the western field, during the first phase of trenching, is certainly not part of a wider archaeological landscape that continues into the eastern field. If the features observed in this phase of trenching are archaeological in origin it would seem that they are located in a particularly small area at the south-western end of the site with one other possible ditch to the north-east that did not continue into nearby trenches on its projected line. The site appears to have very low archaeological potential.

References

- BGS, 1981, *British Geological Survey*, 1:50000, Sheet 269, Solid and Drift Edition, Keyworth
- Bunn, D, 2010, 'Geophysical Survey: North Wokingham SDL Berkshire', Pre-Construct Geophysics, Lincoln
- Ford, S, 1987, *East Berkshire Archaeological Survey*, Berkshire County Council Dept Highways and Planning Occas Pap **1**, Reading
- Guido, M, 1978, *The Glass Beads of the prehistoric and Roman periods in Britain and Ireland*, Rep Res Comm Soc Antiq London, **35**, London
- Hawkins, D, 2010, 'North Wokingham SDL, Specification for an Archaeological Evaluation', CgMs Consulting, London
- NPPF 2012, *National Planning Policy Framework*, Department of Communities and Local Government, London (TSO)
- Taylor, A, 2010, 'Kentwood Farm, Wokingham, Berkshire, an archaeological evaluation', Thames Valley Archaeological Services report 10/95, Reading
- Williams, R J and Zeepvat, R J, 1994, *Bancroft: A Late Bronze Age/Iron Age Settlement, Roman Villa and Temple Mausoleum, Vol 2, Finds and Environmental Evidence* Buckinghamshire Archaeol Soc Monogr **7**, Aylesbury

APPENDIX 1: Trench details

0m at S or W end

(Trenches 1-25 comprised the earlier phase of fieldwork on the site overall)


<i>Trench</i>	<i>Length (m)</i>	<i>Breadth (m)</i>	<i>Depth (m)</i>	<i>Comment</i>
26	31.60	1.80	0.42	0.00m-0.36m topsoil; 0.36m-0.42m+ mid brown silty clay with occasional gravel natural geology.
27	30.10	1.80	0.34	0.00m-0.28m topsoil; 0.28m-0.34m+ mid grey brown silty clay with occasional gravel natural geology.
28	30.00	1.80	0.31	0.00m-0.27m topsoil; 0.27m-0.31+ mid grey brown silty clay with gravel patches natural geology.
29	30.50	1.80	0.39	0.00m-0.33m topsoil; 0.33m-0.39m+ light yellow grey silty clay with gravel patches natural geology.
30	30.70	1.80	0.37	0.00m-0.33m topsoil; 0.33m-0.37m+ light yellow grey silty clay with gravel patches natural geology.
31	30.50	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ light yellow grey silty clay with gravel patches natural geology.
32	29.60	1.80	0.37	0.00m-0.32m topsoil; 0.32m-0.37m+ mid brown grey silty clay natural geology.
33	28.80	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ mid brown grey silty clay natural geology.
34	29.90	1.80	0.37	0.00m-0.33m topsoil; 0.33m-0.37m+ mid grey brown silty clay natural geology.
35	29.00	1.80	0.36	0.00m-0.32m topsoil; 0.32m-0.36m+ mid grey brown silty clay natural geology.
36	30.10	1.80	0.35	0.00m-0.28m topsoil; 0.28m-0.35m+ mid grey brown silty clay natural geology.
37	30.30	1.80	0.30	0.00m-0.25m topsoil; 0.25m-0.30m+ mid grey brown silty clay natural geology.
38	29.80	1.80	0.37	0.00m-0.32m topsoil; 0.32m-0.37m+ mid yellow grey silty clay natural geology.
39	31.00	1.80	0.32	0.00m-0.28m topsoil; 0.28m-0.32m+ light yellow grey silty clay natural geology.
40	31.10	1.80	0.31	0.00m-0.29m topsoil; 0.29m-0.31m+ light yellow grey silty clay natural geology.
41	30.00	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ light yellow grey silty clay with gravel patches natural geology.
42	31.20	1.80	0.37	0.00m-0.31m topsoil; 0.31m-0.37m+ light yellow grey silty clay natural geology.
43	30.70	1.80	0.35	0.00m-0.28m topsoil; 0.28m-0.35m+ light yellow grey silty clay with large gravel patches natural geology.
44	31.50	1.80	0.30	0.00m-0.28m topsoil; 0.28m-0.30m+ light yellow grey silty clay with large gravel patches natural geology.
45	31.20	1.80	0.36	0.00m-0.32m topsoil; 0.32m-0.36m+ light yellow grey silty clay natural geology.
46	30.50	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ light yellow grey silty clay natural geology.
47	30.80	1.80	0.39	0.00m-0.33m topsoil; 0.33m-0.39m+ light yellow grey silty clay natural geology.
48	31.10	1.80	0.38	0.00m-0.27m topsoil; 0.27m-0.38m+ light yellow grey silty clay natural geology.
49	30.70	1.80	0.27	0.00m-0.25m topsoil; 0.25m-0.27m+ light yellow grey silty clay natural geology.
50	31.20	1.80	0.30	0.00m-0.26m topsoil; 0.26m-0.30m+ mid grey brown silty clay with gravel patches natural geology.
51	29.40	1.80	0.37	0.00m-0.33m topsoil; 0.33m-0.37m+ mid grey brown silty clay with gravel patches natural geology.
52	30.50	1.80	0.27	0.00m-0.22m topsoil; 0.22m-0.27m+ mid grey brown silty clay with gravel patches natural geology.
53	30.90	1.80	0.32	0.00m-0.25m topsoil; 0.25m-0.32m+ mid grey brown silty clay with gravel patches natural geology.
54	30.90	1.80	0.33	0.00-0.29m topsoil; 0.29m-0.33m+ mid grey brown silty clay natural geology.
55	31.20	1.80	0.34	0.00m-0.29m topsoil; 0.29m-0.34m+ mid grey brown silty clay natural geology.
56	31.40	1.80	0.37	0.00m-0.35m topsoil; 0.35m-0.37m+ mid grey brown silty clay with gravel patches natural geology.
57	31.10	1.80	0.29	0.00m-0.22m topsoil; 0.22m-0.29m+ light brown grey silty clay with frequent gravel natural geology.

<i>Trench</i>	<i>Length (m)</i>	<i>Breadth (m)</i>	<i>Depth (m)</i>	<i>Comment</i>
58	31.20	1.80	0.27	0.00m-0.25m topsoil; 0.25m-0.27m+ mid brown grey silty clay natural geology.
59	30.30	1.80	0.34	0.00m-0.29m topsoil; 0.29m-0.34m+ mid yellow brown silty clay natural geology.
60	30.70	1.80	0.36	0.00m-0.28m topsoil; 0.28m-0.36m+ mid yellow brown silty clay natural geology. Gully 9. [Pl. 1]
61	30.40	1.80	0.25	0.00m-0.25m topsoil; 0.25m+ mid yellow brown silty clay natural geology.
62	30.20	1.80	0.30	0.00m-0.27m topsoil; 0.27m-0.30m+ mid yellow brown silty clay natural geology.
63	31.10	1.80	0.35	0.00m-0.25m topsoil; 0.25m-0.35m+ mid yellow brown silty clay natural geology. Gully 7. [Pl. 2]
64	30.70	1.80	0.39	0.00m-0.33m topsoil; 0.33m-0.39m+ mid yellow brown silty clay natural geology. Gully 6. [Pls 3 and 4]
65	30.00	1.80	0.42	0.00m-0.34m topsoil; 0.34m-0.42m+ mid yellow brown silty clay natural geology.
66	24.50	1.80	0.39	0.00m-0.33m topsoil; 0.33m-0.39m+ mid grey brown silty clay natural geology.
67	28.60	1.80	0.34	0.00m-0.29m topsoil; 0.29m-0.34m+ mid yellow brown silty clay natural geology.
68	30.30	1.80	0.30	0.00m-0.28m topsoil; 0.28m-0.30m+ mid yellow brown silty clay natural geology. Gully 8.
69	28.70	1.80	0.30	0.00m-0.26m topsoil; 0.26m-0.30m+ mid reddish brown silty gravelly clay natural geology.
70	31.40	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ mid brown grey silty clay natural geology.
71	29.00	1.80	0.38	0.00m-0.32m topsoil; 0.32m+ mid brown grey silty clay natural geology. No archaeological features observed
72	31.30	1.80	0.31	0.00m-0.31m topsoil; 0.31m+ mid brown grey silty clay natural geology.
73	30.10	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ mid brown grey silty clay with gravel patches natural geology.
74	30.00	1.80	0.36	0.00m-0.31m topsoil; 0.31m-0.36m+ mid brown grey silty clay natural geology.
75	29.50	1.80	0.31	0.00m-0.28m topsoil; 0.28m-0.31m+ mid brown grey silty clay natural geology.
76	30.20	1.80	0.30	0.00m-0.26m topsoil; 0.26m-0.30m+ mid brown grey silty clay natural geology.
77	31.10	1.80	0.31	0.00m-0.25m topsoil; 0.25m-0.31m+ mid brown grey silty clay natural geology.
78	30.50	1.80	0.31	0.00m-0.29m topsoil; 0.29m-0.31m+ mid brown grey silty clay with gravel patches natural geology.
79	30.20	1.80	0.36	0.00m-0.32m topsoil; 0.32m-0.36m+ mid brown grey silty clay natural geology.
80	29.90	1.80	0.34	0.00m-0.28m topsoil; 0.28m-0.34m+ light yellow grey silty clay natural geology.
81	30.30	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m very disturbed light yellow grey silty clay with gravel patches natural geology.
82	30.00	1.80	0.36	0.00m-0.32m topsoil; 0.32m-0.36m+ mid yellow grey silty clay natural geology.
83	29.50	1.80	0.37	0.00m-0.32m topsoil; 0.32m-0.37m+ mid yellow grey silty clay natural geology.
84	30.20	1.80	0.37	0.00m-0.25m topsoil; 0.25m-0.37m+ disturbed and mixed rubble.
85	31.30	1.80	0.37	0.00m-0.32m topsoil; 0.32m-0.37m+ mid yellow grey silty clay natural geology.
86	30.40	1.80	0.39	0.00m-0.29m topsoil; 0.29m-0.39m+ mid yellow grey silty clay natural geology.
87	30.00	1.80	0.36	0.00m-0.30m topsoil; 0.30m-0.36m+ mid yellow grey silty clay natural geology. Modern truncation at 14.00m modern brick footings at 25.50m
88	28.90	1.80	0.39	0.00m-0.36m topsoil; 0.36m-0.39m+ mid yellow grey silty gravel natural geology.
89	29.00	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid grey yellow sandy silt with occasional small/medium stones natural geology.
90	29.20	1.80	0.30	0.00m-0.28m topsoil; 0.28m-0.30m+ pale brownish grey silty sand with occasional stones natural geology.
91	30.70	1.80	0.32	0.00m-0.32m topsoil; 0.32m+ mid brownish yellow silty sand with frequent gravel natural geology.
92	29.60	1.80	0.35	0.00m-0.30m topsoil; 0.30m-0.35m+ mid brownish grey sandy silt with occasional gravel patches natural geology.
93	30.30	1.80	0.36	0.00m-0.30m topsoil; 0.30m-0.36m+ mid brownish grey sandy silt with occasional gravel patches natural geology.

<i>Trench</i>	<i>Length (m)</i>	<i>Breadth (m)</i>	<i>Depth (m)</i>	<i>Comment</i>
94	30.90	1.80	0.36	0.00m-0.28m topsoil; 0.28m-0.36m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology. Field drain at 21.00m
95	31.40	1.80	0.28	0-0.28m topsoil, 0.28+m mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
96	31.60	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
97	31.40	1.80	0.32	0.00m-0.29m topsoil; 0.29m-0.32m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
98	31.00	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
99	31.70	1.80	0.26	0.00m-0.26m topsoil; 0.26m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology. Ditch 10. [PI 5]
100	31.60	1.80	0.32	0.00m-0.27m topsoil; 0.27m-0.32m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
101	30.60	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
102	30.80	1.80	0.43	0.00m-0.37m topsoil; 0.37m-0.43m mid grey brown clayey silt subsoil, 0.43m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
103	30.10	1.80	0.28	0.00m-0.28m topsoil; 0.28m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
104	30.60	1.80	0.32	0.00m-0.30m topsoil; 0.30m-0.32m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
105	30.70	1.80	0.36	0.00m-0.33m topsoil; 0.33m-0.36m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
106	30.60	1.80	0.45	0.00m-0.28m topsoil; 0.28m-0.38m mid grey brown clayey silt subsoil, 0.38m-0.45m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
107	31.10	1.80	0.35	0.00m-0.29m topsoil; 0.29m-0.35m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
108	30.50	1.80	0.30	0.00m-0.25m topsoil; 0.25m-0.30m mid grey brown clayey silt subsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
109	31.40	1.80	0.38	0.00m-0.29m topsoil; 0.29m-0.38m mid grey brown clayey silt subsoil; 0.38m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
110	31.50	1.80	0.34	0.00m-0.30m topsoil; 0.30m-0.34m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
111	30.00	1.80	0.25	0.00m-0.25m topsoil; 0.25m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
112	31.00	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
113	26.50	1.80	0.50	0.00m-0.34m topsoil; 0.34m-0.48m mid brown grey clayey silt subsoil; 0.48m-0.50m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
114	17.00	1.80	0.30	0.00m-0.30m topsoil; 0.30m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
115	31.50	1.80	0.35	0.00m-0.28m topsoil; 0.28m-0.35m mid brown grey clayey silt subsoil; 0.35m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
116	31.00	1.80	0.33	0.00m-0.28m topsoil; 0.28m-0.33m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
117	31.50	1.80	0.32	0.00m-0.30m topsoil; 0.30m-0.32m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
118	30.60	1.80	0.25	0.00m-0.20m topsoil; 0.20m-0.25m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
119	32.20	1.80	0.32	0.00m-0.32m topsoil; 0.32m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
120	31.30	1.80	0.28	0.00m-0.28m topsoil; 0.28m+ mid brownish grey and mid yellow sandy silt with frequent gravel natural geology.
121	30.00	1.60	0.34	0.00m-0.28m topsoil; 0.28m-0.34m mid brown grey silty clay subsoil; 0.34m+ mid grey brown silty clay and mid yellow sandy silt with frequent gravel and iron pan natural geology.
122	30.00	1.60	0.45	0.00m-0.30m topsoil; 0.30m-0.45m mid brown grey silty clay subsoil; 0.45m+ mid grey brown silty clay and mid yellow sandy silt with frequent gravel and iron pan natural geology.
123	30.50	1.60	0.40	0.00m-0.30m topsoil; 0.30m-0.40m mid brown grey silty clay subsoil; 0.40m+ mid grey brown silty clay and mid yellow sandy silt with frequent gravel and iron pan natural geology.
124	29.80	1.60	0.45	0.00m-0.32m topsoil; 0.32m-0.45m mid brown grey silty clay subsoil; 0.45m+ mid grey brown silty clay and mid yellow sandy silt with frequent gravel and iron pan natural geology.
125	31.00	1.60	0.42	0.00m-0.30m topsoil; 0.30m-0.40m mid grey silty clay subsoil; 0.40m-0.42m+ mid grey brown and yellow silty clay with frequent gravel natural geology.
126	29.00	1.60	0.35	0.00m-0.30m topsoil; 0.30m-0.35m mid grey silty clay subsoil, 0.35m+ mid grey brown and yellow silty clay with frequent gravel natural geology.

APPENDIX 2: Feature details


<i>Trench</i>	<i>Cut</i>	<i>Fill (s)</i>	<i>Type</i>	<i>Date</i>	<i>Dating evidence</i>
60	9	63	Gully	Unknown	None
63	7	61	Gully	Unknown	None
64	6	60	Gully	Unknown	None
68	8	62	Gully	Unknown	None
99	10	64	Ditch	Unknown	None



**Land at Kentwood Farm, Warren House Road,
Wokingham, Berkshire, 2012**
Archaeological Evaluation - Phase 2
 Figure 1. Location of site in relation to Wokingham and Berkshire.

Reproduced from Ordnance Survey Explorer 159 at 1:12500
 Ordnance Survey Licence 100025880











KFW 10/95b

**Land at Kentwood Farm, Warren House Road,
Wokingham, Berkshire, 2012
Archaeological Evaluation - Phase 2**

Figure 2. Trench locations.






KFW 10/95b

**Land at Kentwood Farm, Warren House Road, Wokingham,
Berkshire, 2012
Archaeological Evaluation - Phase 2**

Figure 3. Detail of trenches.






KFW 10/95b

**Land at Kentwood Farm, Warren House Road, Wokingham,
Berkshire, 2012
Archaeological Evaluation - Phase 2**



Figure 4. Sections.





KFW 10/95b

**Land at Kentwood Farm, Warren House Road,
Wokingham, Berkshire, 2012
Archaeological Evaluation - Phase 2**

Figure 5. Location of features investigated.






Plate 1. Trench 60, looking east, Scales: 2m and 1m.



Plate 2. Trench 63, looking north, Scales: 2m and 1m.

KFW 10/95b

**Land at Kentwood Farm, Warren House Road, Wokingham,
Berkshire, 2012**

Archaeological Evaluation - Phase 2

Plates 1 and 2.

THAMES VALLEY
ARCHAEOLOGICAL
SERVICES



Plate 3. Trench 64, looking east, Scales: 2m and 1m.



Plate 4. Trench 64, gully slot 6, looking west, Scales: 0.5m and 0.1m.

KFW 10/95b

Land at Kentwood Farm, Warren House Road, Wokingham,
Berkshire, 2012

Archaeological Evaluation - Phase 2

Plates 3 and 4.

THAMES VALLEY
ARCHAEOLOGICAL
SERVICES



Plate 5. Trench 99, ditch slot 10, looking west, Scales: 1m and 0.3m.

KFW 10/95b

**Land at Kentwood Farm, Warren House Road, Wokingham,
Berkshire, 2012**
Archaeological Evaluation - Phase 2



Plates 5.

THAMES VALLEY
ARCHAEOLOGICAL
SERVICES

TIME CHART

	Calendar Years
Modern _____	AD 1901
Victorian _____	AD 1837
Post Medieval _____	AD 1500
Medieval _____	AD 1066
Saxon _____	AD 410
Roman _____	AD 43
Iron Age _____	BC/AD 750 BC
Bronze Age: Late -----	1300 BC
Bronze Age: Middle -----	1700 BC
Bronze Age: Early -----	2100 BC
Neolithic: Late	3300 BC
Neolithic: Early	4300 BC
Mesolithic: Late	6000 BC
Mesolithic: Early	10000 BC
Palaeolithic: Upper	30000 BC
Palaeolithic: Middle	70000 BC
Palaeolithic: Lower	2,000,000 BC





**Thames Valley Archaeological Services Ltd,
47-49 De Beauvoir Road, Reading,
Berkshire, RG1 5NR**

**Tel: 0118 9260552
Fax: 0118 9260553
Email: tvas@tvas.co.uk
Web: www.tvas.co.uk**