

**A428 CAXTON TO HARDWICK
IMPROVEMENT SCHEME, CAMBRIDGESHIRE**

**INTRUSIVE ARCHAEOLOGICAL
FIELD EVALUATION**

Document: 2005/44
Project: CH1055

29th September 2005

Produced for:
CgMs
Acting on behalf of
Edmund Nuttall Capita - Symonds

© Copyright Albion Archaeology 2005, *all rights reserved*

Contents

List of Figures.....	3
Preface.....	4
Structure of this Report.....	4
Key Terms.....	6
Non-Technical Summary.....	7
1. INTRODUCTION.....	8
1.1 Site Location and Description.....	9
1.2 Archaeological Background.....	9
1.3 Methodologies.....	9
1.4 Professional standards.....	10
2. AIMS AND METHOD STATEMENT – TRIAL TRENCHING AND OBSERVATION.....	11
2.1 Trial Trenching Methodology.....	11
2.2 Observation Methodology.....	11
3. RESULTS - TRIAL TRENCHING AND OBSERVATION.....	13
3.1 Introduction.....	13
3.2 Trenches 1 to 12 and AAE 1.....	13
3.3 Trenches 13 to 15.....	13
3.4 Trenches 16 to 30 and AAE 3.....	14
3.5 Trenches 31 to 41 and AAE 4.....	15
3.6 Trenches 43 to 52 and AAE 5.....	15
3.7 Trenches 53 to 69 and AAE 6/ AAE 7.....	16
3.8 Trenches 70 to 80 and AAE 8/ AAE 9.....	17
3.9 Trenches 81 to 85.....	17
3.10 Observation on the Edmund Nuttall Compound (Trench 88).....	18
Table 1: Areas of Archaeological Evidence.....	21
4. SYNTHESIS.....	22

4.1	Discussion	22
4.2	AAE 1 – Caxton Gibbett (Area A, Field 2, Figures 2, 6, 7 and 26)	22
4.3	AAE 2 – Land west of Bourn Airfield (Wessex Evaluation, Fields 10 and 11, Figures 4 and 27)	22
4.4	AAE 3 – Bourn Airfield (Area C, Field 12, Figures 4, 9, 10 and 28).....	23
4.5	AAE 4 – Land west of Childerley Gate (Area D, Field 14, Figures 4, 11, 12 and 30)...	24
4.6	AAE 5 - Land east of Childerley Gate (Area D, Field 16, Figures 5, 13 and 14).	25
4.7	AAE 6 - Land south-west of Scotland Farm (Area D, Field 17, Figures 5 and 16).....	25
4.8	AAE 7 - Land south of Scotland Farm (Area D, Field 18, Figures 5, 17, 18 and 32) ...	26
4.9	AAE 8 - Land north-west of Hardwick (Area E, Field 19, Figures 5, 20 and 33).....	26
4.10	AAE 9 - Land north of Hardwick (Area E, Field 19, Figures 5, 21 and 34).....	26
4.11	AAE 10 - Land north-east of Bourn Airfield.....	27
4.12	Summary.....	27
5.	BIBLIOGRAPHY	28
6.	APPENDICES	30
6.1	Appendix 1 – Trench Summaries	30
6.2	Appendix 2 – Artefact and Ecofact Summary	125
	Table 2: Summary of the artefact assemblages identified during fieldwalking.....	126
	Table 3: Artefact summary by AAE.....	128
	Table 4: AAE 5 - Copper alloy artefacts	131
	Table 5: Pottery Type series	134
	Table 6: Summary of environmental samples	134

List of Figures

Figure 1: Site location

Figure 2: Fields 1 and 2: Trial trench and AAE locations

Figure 3: Field 24: Trial trench locations

Figure 4: Fields 12 to 16: Trial trench and AAE locations

Figure 5: Fields 15 to 21: Trial trench and AAE locations

Figure 6: Fields 1 and 2; Caxton Gibbett, all features

Figure 7: Area of Archaeological Evidence 1, Caxton Gibbett (Field 2), all features

Figure 8: Field 24, Balancing Pond, all features

Figure 9: Field 12, Bourn Airfield, all features

Figure 10: Area of Archaeological Evidence 3, Bourn Airfield (Field 12), all features

Figure 11: Fields 14 and 15, Childerley Gate, all features

Figure 12: Area of Archaeological Evidence 4, Land west of Childerley Gate (Field 14), all features

Figure 13: Field 16 and Edmund Nuttalls compound; all features

Figure 14: Area of Archaeological Evidence 5, land east of Childerley Gate (Field 16), all features

Figure 15: Field 17, Scotland Farm, all features

Figure 16: Area of Archaeological Evidence 6, Trench 57, colluvium

Figure 17: Field 18, Scotland Farm, all features

Figure 18: Area of Archaeological Evidence 7, Land south of Scotland Farm (Field 18), all features

Figure 19: Field 19, land north of Hardwick, all features

Figure 20: Area of Archaeological Evidence 8, Land north-west of Hardwick (Field 19), all features

Figure 21: Area of Archaeological Evidence 9, Land north of Hardwick (Field 19), all features

Figure 22: Fields 20 and 21, Land north of Hardwick, all features

Figure 23: Selected Sections

Figure 24: Selected Sections

Figure 25: Selected Sections

Figure 26: Area of Archaeological Evidence 1, Caxton Gibbett (Field 2)

Figure 27: Area of Archaeological Evidence 2, Land west of Bourn Airfield (Fields 10 and 11)

Figure 28: Area of Archaeological Evidence 3, Bourn Airfield (Field 12)

Figure 29: Area of Archaeological Evidence 10, Land north-east of Bourn Airfield

Figure 30: Area of Archaeological Evidence 4, Land west of Childerley Gate (Field 14)

Figure 31: Area of Archaeological Evidence 5, Land east of Childerley Gate (Field 16)

Figure 32: Area of Archaeological Evidence 7, Land south of Scotland Farm (Field 18)

Figure 33: Area of Archaeological Evidence 8, Land north-west of Hardwick (Field 19)

Figure 34: Area of Archaeological Evidence 9, Land north of Hardwick (Field 19)

Preface

Every effort has been made in the preparation of this document to provide as complete an assessment as possible, within the terms of the specification. All statements and opinions in this document are offered in good faith. Albion Archaeology cannot accept responsibility for errors of fact or opinion resulting from data supplied by a third party, or for any loss or other consequence arising from decisions or actions made upon the basis of facts or opinions expressed in this document.

This report has been prepared by Joe Abrams (Project Manager). James Pixley (Project Officer and Jackie Wells (Artefacts Officer) contributed to the text and Joan Lightning (CAD Technician) prepared all the figures. Day to day management of the project was undertaken by Joe Abrams. All Albion projects are under the overall management of Drew Shotliff (Operations Manager).

James Pixley was responsible for co-ordinating the Archaeological Supervisors and for organising the deployment of plant and staff within the proposed road corridor. David Ingham (Archaeological Supervisor) supervised Area D, Richard Gregson (Archaeological Supervisor) supervised Area C, Adrian Woolmer (Assistant Archaeological Supervisor) supervised Areas A and B and Alison Bell (Assistant Archaeological Supervisor) supervised Area E. The hardworking field team consisted of Lennard Anderson (Archaeological Technician), Anthony Clifton-Jones (Archaeological Technician), Mick Garside (Archaeological Technician), Phil Henderson (Archaeological Technician) and Chris Swain (Archaeological Technician).

Dan Hounsell (Archaeological Supervisor) and Adam Lee (Assistant Archaeological Supervisor) assisted in the set-up of the fieldwork in its early stages.

Albion Archaeology is grateful to Mike Dawson for awarding the contract for this phase of the works on behalf of Edmund Nuttall Capita - Symonds. Our gratitude is extended to the following Edmund Nuttall Capita - Symonds staff; Jim Moran (Roadworks Agent), Pete Higgs (Roadworks Sub-Agent) and Graham Crabb (foreman). All three assisted in the successful execution of this project thanks to their co-operative, and flexible, style of working which allowed the rapid deployment of new staff and equipment as these became necessary.

*Albion Archaeology
St Mary's Church
St Mary's Street
Bedford, MK42 0AS
☎: 01234 294001
Fax: 01234 294008
e-mail: office@albion-arch.com
Website: www.albion-arch.com*

Structure of this Report

Section 1 serves as an introduction to the site, describing its location, archaeological background and giving details of the planning background. Section 2 summarises the

aims and methodology of the trial trenching and observation phases of work. Section 3 describes the results of both the trial trenching and observation phases of work, and Section 4 summarises the results and assesses the relative significance of each Area of Archaeological Evidence (AAE). Section 5 is a bibliography.

Appendix 1 contains all trench summary information. Appendix 2 contains an artefact summary.

All figures are bound at the back of this report.

Key Terms

Throughout this document the following terms or abbreviations are used:

Albion	Albion Archaeology
Client	Edmund Nuttall Capita - Symonds
Client's Consultant	Mike Dawson, CgMs Consulting Ltd
AAE	Area of Archaeological Evidence
Fieldwalking	Collection of archaeologically significant artefacts from the existing ground surface
SMR	Sites and Monuments Record
NMR	National Monuments Record
IFA	Institute of Field Archaeologists
MAP II	Management of Archaeological Projects. English Heritage 1991
WYAS	West Yorkshire Archaeological Services WYAS (geophysics sub-contractors)
Observation	Watching Brief on groundworks required ahead of the construction of the main Nuttalls Compound

Non-Technical Summary

Following receipt of an invitation to tender from CgMs Consulting (CgMs 2004); Albion Archaeology was commissioned in September 2004 by Edmund Nuttall Capita - Symonds to undertake this archaeological evaluation on land within the corridor of the A428 Caxton to Hardwick Improvement Scheme in Cambridgeshire. Albion's Project Design stipulated a strategy for the implementation of a programme of archaeological works within the road improvement corridor. It outlined a four-staged approach to the evaluation:

- *Stage I – Fieldwalking survey (non-intrusive evaluation)*
- *Stage II – Geophysical survey (non-intrusive evaluation)*
- *Stage III – Trial trenching (intrusive evaluation)*
- *Stage IV - Appraisal of the results of the archaeological field evaluation*

The results of the non-intrusive evaluation (Stages I and II) have been fully described elsewhere (Albion Archaeology 2004). In summary, these stages were used to define Areas of Archaeological evidence (AAE) which have been targeted during the intrusive evaluation (Stage III). The archaeological potential of 'blank' areas has been targeted using arrayed trenches.

The intrusive evaluation was completed between June and July 2005. As a result, ten AAE have been identified as worthy of further consideration during the formulation of a mitigation strategy to be undertaken in advance of construction work. Seven of the AAE lie on land which had been identified as having archaeological potential during the non-intrusive evaluation. Two AAE were identified on land which had not previously shown any signs of having archaeological potential. One AAE lies on land occupied by the existing A428; this was not subject to any evaluative work, although its potential is briefly discussed within this document.

The Areas of Archaeological Significance are as follows:

AAE 1 – Caxton Gibbett (Area A, Field 2). Undated Field system. One ditch contained Roman pottery sherds.

AAE 2 – Land west of Bourn Airfield (Wessex Evaluation, Fields 10 and 11). Iron Age enclosure and associated pit.

AAE 3 – Bourn Airfield (Area C, Field 12). Ditches containing Roman pottery sherds.

AAE 4 – Land west of Childerley Gate (Area D, Field 14). Post-medieval moat.

AAE 5 - Land east of Childerley Gate (Area D, Field 16). Roman enclosures, associated pits and ditches.

AAE 6 – Land south-west of Scotland Farm (Area D, Field 17). Flint bearing colluvium.

AAE 7– Land south of Scotland Farm (Area D, Field 18). Iron Age enclosures and associated remains.

AAE 8 – Land north-west of Hardwick (Area E, Field 19). Late Bronze Age/ early Iron Age pit containing burnt deposit.

AAE 9 - Land north of Hardwick (Area E, Field 19). Flint bearing colluvium.

AAE 10 – Land north-east of Bourn Airfield (within the existing A428). Possible route of Roman road, remains of which may be preserved below the 20th century road.

1. INTRODUCTION

The project background is fully described in the specification (CgMs 2004). In summary, a route has been identified for the A428 Caxton to Hardwick road improvement scheme and an archaeological evaluation is required to locate and assess the significance of buried archaeological remains within the land-take of the scheme.

Following receipt of an invitation to tender from CgMs Consulting (CgMs 2004); Albion Archaeology was commissioned in September 2004 by Edmund Nuttall Capita - Symonds to undertake this archaeological evaluation. Albion's Project Design stipulated a strategy for the implementation of a programme of archaeological works within the road improvement corridor. It outlined a four-staged approach to the evaluation:

- Stage I – Fieldwalking survey (non-intrusive evaluation).
- Stage II – Geophysical survey (non-intrusive evaluation).
- Stage III – Trial trenching (intrusive evaluation)
- Stage IV - Appraisal of the results of the archaeological field evaluation.

Following negotiations between CgMs Consulting, Edmund Nuttall Capita - Symonds and Albion Archaeology the following amendments to this approach were agreed by all parties.

- Stage I – Fieldwalking survey (non-intrusive evaluation).
- Stage II – Geophysical survey (non-intrusive evaluation).
- Stage III - Appraisal of the results of the non-intrusive archaeological field evaluation.
- Stage IV – Trial trenching (intrusive evaluation)
- Stage V - Appraisal of the results of the intrusive archaeological field evaluation.

The results of Stage III have already been fully reported (Albion Archaeology 2004). A preliminary report on the results of intrusive evaluation (Albion Archaeology 2005) was prepared solely to inform a post-fieldwork meeting held on the 29th July 2005. This meeting was, in effect, Stage V of the evaluation and the initial, relative values of archaeological remains within the proposed road corridor were discussed and reviewed at this meeting. Following that meeting a mitigation strategy was formulated and tender documentation circulated. Albion Archaeology was awarded the contract for mitigation works on the 26th August 2005. These works are ongoing at the time of writing.

This document represents the full report on the intrusive archaeological field evaluation for this road scheme a copy of which will be included in the archive for the project.

1.1 Site Location and Description

The A428 improvement scheme corridor is approximately 9km long; it stretches from the Caxton Gibbet roundabout in the west, to the A14/Cambridge junction in the east. Dualling as part of the Cambourne development has already taken place along a stretch of the route; the current scheme will affect land on either side of this stretch of road (Figure 1).

The present A428 follows a broadly east-west orientated clay ridge. This extends from St Neots in the west to Cambridge in the east. Most of the land is relatively flat and comprises large, open fields. The valley of Bourn lies to the south, whilst to the north the land drops away to form a series of small ridges and shallow valleys.

The geology of the corridor consists almost exclusively of a thick blanket of Boulder Clay. This overlies the clays and shales of the Kimmeridge Clays and Corallian Beds, which come to the surface in the vicinity of the road improvement scheme; particularly around Knapwell and Caxton (Oxford Archaeology 2002).

The scheme affects a total of twenty-three land parcels. For ease of reference these have been numbered from west (Field 1) to east (Field 23). The scheme is illustrated in Figures 1 – 5. Figure 1 shows the entire scheme; Figures 2, 3, 4 and 5 illustrate the location of the trial trenches and Areas of Archaeological Evidence (AAE) identified during the intrusive evaluation; Figures 6 to 22 show detailed trench plans for the entire scheme; Figures 23 to 25 illustrate a selection of section drawings from the evaluation and Figures 26 to 34 illustrate the size and shape of the AAE's which were selected for mitigation works prior to the start of construction (AAE 6 was not selected and is therefore not shown).

1.2 Archaeological Background

A desk-based assessment (Oxford Archaeology 2002) deals extensively with this subject. As a result, it has already been established that find spots and monuments spanning the prehistoric to the modern period exist within the immediate vicinity of the road corridor.

1.3 Methodologies

The Project Design (Albion Archaeology 2004) stipulated three stages of works; utilising non-intrusive and intrusive evaluation techniques. These comprised fieldwalking, geophysical survey and trial trenching.

With the exception of land immediately north of Cambourne, which had already been evaluated by Wessex Archaeology (Wessex Archaeology 2002, 2003), all suitable land within the proposed new road corridor was subject to field artefact collection and geophysical survey as part of the non-intrusive evaluation (Albion Archaeology 2004).

The non-intrusive phase of works was used to design a trenching strategy (Section 2) which would test potential areas of archaeological interest identified during the non-intrusive stages (geophysical survey and fieldwalking) of the evaluation.

Areas thought to be blank were also tested with arrayed trenches in order to confirm the presence/absence of archaeological remains.

1.4 Professional standards

Throughout the project the standards set out in the following documents were adhered to:

- Albion Archaeology's *Procedures Manual: Volume 1 Fieldwork* (2nd ed, 2001).
- IFA's *Codes of Conduct, Standards and Guidance for Archaeological Field Evaluation*.
- IFA *Guidelines for Finds Work*.
- English Heritage's *The Management of Archaeological Projects* (1991).
- Cambridgeshire County Council, County Archaeology Office, 2004 *Deposition of Archaeological Archives in the County Store*. Guidelines (ref SMR 2004/1).

2. AIMS AND METHOD STATEMENT – TRIAL TRENCHING AND OBSERVATION

2.1 *Trial Trenching Methodology*

The trial trenching strategy (Figures 2, 3, 4 and 5) was designed in discussion with Mike Dawson, CgMs and reflects the results of desk-based assessment, field artefact collection and geophysical survey. A copy of the proposed trench layout was lodged with Cambridgeshire County Council in December 2004.

The trenches were designed to:

- Determine the location, extent, nature and date of any archaeological features or deposits that were present.
- Obtain information on the integrity and state of preservation of any archaeological features or deposits that were present.
- Test anomalies, blank areas and potential areas of archaeological interest identified during the non-intrusive stages (geophysical survey and fieldwalking) of the evaluation.

The location of all trenches was marked out on the ground in advance of machine excavation using differential GPS survey equipment. Topsoil and modern overburden were mechanically removed by a tracked excavator, fitted with a toothless ditching bucket and operating under close archaeological supervision. These deposits were removed down to the top of the archaeological deposits, or undisturbed geological deposits, whichever was encountered first. The spoil heaps were scanned for artefacts.

The bases and sections of all trenches were cleaned by hand. The deposits and any potential archaeological features were noted, cleaned, excavated by hand and recorded using Albion Archaeology's *pro forma* sheets. The trenches were subsequently drawn, and photographed as appropriate. All deposits were recorded using a unique recording number sequence commencing at 100 for Trench 1, 200 for Trench 2 etc.

The trenches were monitored on two occasions, 12th July and 22nd July, by Kasia Gdaniec, Cambridgeshire County Council, acting on behalf of English Heritage. John Ette of English Heritage attended the first monitoring session on the 12th July.

2.2 *Observation Methodology*

The observation (watching brief) strategy was designed in discussion with Mike Dawson, CgMs, and reflects the results of desk-based assessment, field artefact collection, geophysical survey and trial trenching.

2.2.1 Machine Stripping and Observation

Machine stripping of the topsoil, subsoil and undisturbed geological deposit was conducted by a 360° tracked excavator fitted with a toothless ditching bucket. The machine was operated by an experienced driver under close archaeological observation. It was safe, in good working order and powerful enough for the work.

The supervising archaeologist had experience of working in the vicinity of heavy plant and adhered to site health and safety rules with regards to machine monitoring, including wearing a high visibility safety vest, hard hat and safety boots.

Topsoil and subsoil were removed in a relatively small portion of the site (300m², Figure 13). As a result archaeological features were revealed only in this area. Only topsoil was stripped on the remainder of the site.

The location of these remains was marked on the ground to prevent them 'disappearing' and to ensure their location was known and accurately planned.

The deposits and any potential archaeological features were noted, cleaned, excavated by hand and recorded using Albion Archaeology's *pro forma* sheets. The features were subsequently drawn, and photographed as appropriate. All deposits were recorded using a unique recording number sequence commencing at 8800.

3. RESULTS - TRIAL TRENCHING AND OBSERVATION

3.1 Introduction

This section briefly describes the remains encountered within all the trenches. The more significant deposits and features are also included; these have been grouped together as Areas of Archaeological Evidence (AAE). Table 1 lists the AAE and describes their relative importance (low, moderate, high) alongside their significance in terms of various relevant research priorities (local, regional, national and international).

Detailed descriptions of the deposits and features encountered in all the trenches are listed in Appendix 1.

3.2 Trenches 1 to 12 and AAE 1

Figures 6 and 7 illustrate the distribution of archaeological remains within Trenches 1 – 12. These trenches were located at the western end of the road scheme (Caxton Gibbett).

The vast majority consisted of the backfilled remnants of medieval furrows. Such features are considered to be of low archaeological interest. Trenches 8, 9, 10, 11 and 12 contained ditches, which although undated, are considered to be of archaeological significance.

Ditch [904] (Trench 9) produced two sherds of undiagnostic, abraded Roman pottery (Appendix 2) no other artefactual remains were recovered from this area.

The ditches within Trenches 8 – 12 are interpreted as a series of field boundary ditches. Such landscape features have been in use in this region from prehistoric times to the present day. Within Trenches 8, 9 and 10 it was possible to discern an E-W to N-S alignment for several ditches. Together these ditches are believed to have formed a contemporary field system. As a result land within this part of the road scheme has been designated Area of Archaeological Evidence 1 (AAE 1, Table 1, Figure 7).

3.3 Trenches 13 to 15

Figure 8 illustrates the distribution of archaeological remains within Trenches 13 to 15. These trenches were located within land north of the existing A428. It is proposed that this area will be used as a balancing pond.

As with Trenches 1 – 12 the vast majority of remains revealed within this area were the backfilled remnants of medieval furrows. Five ditches were also revealed.

No artefactual remains were recovered from any of these ditches and they remain undated. It is considered likely that they form part of a field system in use during the post-medieval period.

3.4 Trenches 16 to 30 and AAE 3

Trenches 16 to 30 were located within Bourn Airfield to the south of the existing A428. Figures 9 and 10 illustrate the location of archaeological remains within these trenches.

Although a large proportion of features within these trenches were of relatively low archaeological significance (medieval furrows and modern intrusions associated with the Airfield) a series of potentially more significant ditches and gullies were also recorded.

The majority of potentially significant features were located within Trenches 21 to 25. As a result, this part of the road scheme has been designated AAE 3. Perhaps the most significant features are ditches [2203] and [2221] (Trench 22). These parallel ditches are both aligned E-W and are spaced c.12m apart. They were amongst the deepest, widest ditches within AAE 3 (1.30m wide and 0.47m to 0.90m deep) and it is considered possible that they are roadside ditches.

The present day A428 road has been constructed along the line of a putative Roman road (Section 4.4.1). However, it is possible that the actual line of this road was a short distance south of the modern road. If this were so, it may run through Bourn Airfield. Clearly, any large E-W aligned ditches are potential candidates for such a feature.

Ditches [2103], [2108], [2110], [2112], [2224], [2305], [2310], [2312], [2315], [2317], [2319], [2321], [2542], [2517], [2511] and [2515] fall into the category of field boundaries and/or possible bedding trenches used in the cultivation of certain crops. Figure 23, Sections 1 - 3 depict the excavated sections of [2103], [2108], [2321] and [2319].

The majority of dateable artefactual material recovered from these ditches was created during the late Iron Age/Roman period (Appendix 2, Section 6.2.2.4). A single, complete early Bronze Age barbed-and-tanged arrowhead was recovered from ditch [2103] (Plate 2). This is believed to be residual within this feature.

Other, dispersed gullies and ditches were recorded to the west of AAE 3. These consisted of ditches [1604], [1608], [1705], and [1707] (Trenches 16 and 17). All are undated, although fragments of fired clay were recovered from [1604] and [1706] (Appendix 2, Section 6.2.2.11). Such artefacts are difficult to date and these examples are likely to be residual. It is suggested these are likely to have been field boundaries or horticultural/bedding trenches.

To the east of AAE 3 a further series of ditches were recorded. This comprised [2513], [2704], [2733], [2733], [2709], [2731], [2807] and [2809] (Trenches 25 to 28). All are undated. They are similar in character to those recorded in Trenches 16 and 17 and are probably field boundary ditches.

An unstratified Mesolithic flint pick was recovered within the topsoil layer at Bourn Airfield (Plate 1). Such artefacts are relatively rare; its presence here will

be of interest to the Cambridgeshire Historic Environment Record which maps the findspots of such material.

3.5 Trenches 31 to 41 and AAE 4

Trenches 31 to 41 were located immediately north and west of Childerley Gate (Figures 11 and 12).

Trenches 38 and 39 were deliberately targeted on the suspected remains of a post-medieval ditch (SMR 01099, SMRCB395). This targeting proved to be effective; as two large arms of a rectangular moated feature were revealed (Figure 12 and Figure 23, Section 4). This area has been designated AAE 4 (Table 1).

Artefactual material dating to the post-medieval period was recovered from the excavated segment of this ditch (Appendix 2, Section 6.2.2.5). The dimensions of this segment were relatively large (7.95m wide, 1.55m deep). It is probably a post-medieval garden/boundary feature, rather than a medieval moated site as was previously suspected.

In addition to the moated feature, trenches 31 – 41 all contained undated field boundary ditches. These were all very similar in character and morphology (Appendix 1) and are therefore considered to be part of a contemporary field system. Part of this field system also lies within the boundaries of AAE 4.

3.6 Trenches 43 to 52 and AAE 5

Figures 13 and 14 illustrate (in plan) the archaeological remains encountered in this area, which is located in the central part of the road scheme immediately east of Childerley Gate. Selected section drawings showing excavated segments in this area are shown in Figure 24.

Trenches 49 and 50 were deliberately targeted on a circular cropmark identified on an aerial photograph (NMR: OS/78132 FR.28 21 AUG 78). This was previously interpreted as the ploughed out remains of a Bronze Age barrow. This cropmark was accurately located by Albion Archaeology using GIS software, and then tested during the intrusive evaluation.

No remains dating to the Bronze Age were recorded. However, two enclosures, two pits, several postholes and a possible water pit were identified on this land. Many of these features contained Roman pottery dating to between the 2nd and 3rd centuries AD (Appendix 2, Section 6.2.2.6) and it is thought the majority of features in this area probably date to this period. It is thought that the first (north-eastern) enclosure (Trenches 49 and 50, Figure 14, [4928], [5003], [5009], [5027], [5031]) may have caused the cropmark visible in aerial photograph NMR: OS/78132 FR.28 21 AUG 78.

A coin hoard consisting of 4,485 3rd/4th century copper alloy and a small number of 3rd/4th century silver wash coins was recovered from pit [4907], Trench 49. This pit had truncated the disuse deposit of ditch [4937].

Ditch [4942] represents a re-cut on the same line as an earlier ditch [4940], it also truncated ditch [4937]. Both [4942] and [4940] form part of a second, (south-western) enclosure which was recorded within Trench 49, Trench 44 ([4404] and [4406]) and Trench 45 ([4503] and [4505]). Despite being stratigraphically earlier than re-cut [4942], ditch [4937] may form a sub-division within this enclosure. Open area excavation will clarify this matter, and by so doing help to demonstrate whether or not the hoard was deposited when the enclosure was still in use or when it had already been backfilled.

A possible water pit [5005] was excavated to a depth of 1.20m. This feature may be considerably deeper and has the potential to contain rich organic deposits. Artefactual material dating to the Roman period was recovered from the upper deposit of this pit. This suggests that its period of use coincides with the majority of other features in this area. Several pits, postholes and other ditches thought to be broadly Roman in date were also recorded in this area.

Significantly, pit [5023] (Trench 50) was recognised as the possible remains of a sunken featured building. This pit had an irregular shape thought to be due in part to the possible presence of postholes on its edges. Such remains generally date to the Anglo-Saxon period and their presence on a possible site of Roman settlement would be very significant. However, no dating evidence currently exists to support this theory. Due consideration should be given to this possibility during the creation of a mitigation strategy for the site.

Less significant remains include post-medieval drainage/boundary ditches [4704], [4932] and [5205].

Trenches 43, 46 and 48 contained no archaeological remains at all.

3.7 Trenches 53 to 69 and AAE 6/ AAE 7

Figures 15 to 18 illustrate (in plan) the archaeological remains encountered in this area, which is located towards the eastern end of the road scheme, immediately south of Scotland Farm (Dry Drayton). Selected section drawings showing excavated segments in this area are shown in Figure 25.

Trenches 53 to 60 contained the backfilled remnants of medieval furrows, part of a palaeochannel and three undated ditches (Figure 15).

Trench 57 (Figure 16) was located in the lowest lying part of this field and it contained a relatively deep (0.60m) layer of colluvium (soil particles which have moved downhill). This material can sometimes conceal archaeological remains, dug (prior to its deposition) into underlying geological deposits. This area was designated AAE 6. Two test-pits were excavated in order to search for artefactual material and to test for hidden archaeological features. No artefactual material was recovered and no archaeological features were revealed.

Trenches 61 to 69 had been deliberately targeted on two large (archaeological) geophysical anomalies picked up during the non-intrusive evaluation (Albion

Archaeology 2005). At the time these were thought to comprise at least two prehistoric enclosures.

Trenches 62, 63, 64 and 65 succeeded in determining the limits of these anomalies and in confirming that there were at least two early-mid Iron Age enclosures. This area was subsequently designated AAE 7 (Figure 17).

The enclosures were bounded by ditches [6227], [6316], [6413], [6520] and [6518]. Several other ditches were also recorded (Appendix 1). These are likely to form sub-divisions within the enclosures or perhaps comprise further, smaller enclosures. The full complexity of the remains in this area will only be understood during open area excavation. Pottery recovered during the intrusive evaluation dates mainly to the early/middle Iron Age, although some late Iron Age sherds were recovered (Appendix 2, Section 6.2.2.8).

A possible pond ([6247]) was recorded in the lowest lying part of this area, in Trench 62. This was located immediately east of an existing brook.

Trenches 68 and 69 did not contain any archaeological features.

3.8 Trenches 70 to 80 and AAE 8/ AAE 9

Trenches 70 to 80 were located towards the eastern end of the road scheme on land north of Hardwick (Figure 19).

Perhaps the most significant archaeological features were recorded within Trench 71. As a result, the area around this trench has been designated AAE 8 (Table 1). Two pits were recorded within Trench 71; both produced late Bronze Age/ early Iron Age pottery sherds. The vast majority of which (sixty sherds) were recovered from pit [7103].

It is possible these pits are associated with the early/middle Iron Age activity recorded in AAE 7 (Section 3.7) which lies a short distance to the west.

Trench 80 contained one layer of colluvial material (8001) from which three patinated flint flakes were recovered. Four postholes ([8003], [8005], [8012] and [8016]) one ditch ([8009]) and one modern drain ([8007]) were recorded truncating this layer. The date and function of these features remains unknown. However, their stratigraphic position (above 8001) confirms they post-date its deposition.

Layer 8001 was not removed from the base of Trench 80 during trial trenching. Therefore the possibility that other features remain below this colluvial deposit was given consideration during the formulation of a mitigation strategy for the road scheme. This area has been designated AAE 9 (Table 1).

3.9 Trenches 81 to 85

Trenches 81 to 85 were located at the eastern end of the road scheme to the north of Hardwick (Figure 22).

The vast majority of remains revealed within this area were the backfilled remnants of medieval furrows. One ditch was also revealed.

No artefactual remains were recovered from this ditch and it remains undated. It is considered likely that it may have formed part of a field system in use during the post-medieval period.

3.10 Observation on the Edmund Nuttall Compound (Trench 88)

Archaeological observation, excavation and recording was carried out during the groundworks required ahead of the construction of the main Edmund Nuttall Compound. The compound is located immediately east of Childerley Gate in the central part of the road scheme (Figure 4).

For recording purposes this area has been referred to as Trench 88 (Appendix 1).

Two undated ditches were ([8803], [8805]) and one undated pit [8807] were recorded in this area (Figure 13). The ditches are similar to those found immediately west of Childerley Gate (Figure 11) and were probably also field boundary ditches in use during the post-medieval period.

The function of pit [8807] remains unknown.



Area of Archaeological Evidence (AAE)	Size of (AAE)	Description of remains contained within AAE	Chronological Period to which the remains are thought to date	Relative significance of the AAE	Significance relative to regional and national research priorities	Source of regional and national research priorities
AAE 1	0.90 ha	Undated field system. One ditch within field system contained Roman pottery sherds.	Roman/post-Roman	Low	Local	Regional Research Framework: Going and Plouviez, 2000 - Landscapes , P. 21, paragraph 1
AAE 2	3.70 ha	Enclosure ditches containing sherds of Roman pottery and a pit containing Iron Age pottery sherds.	Iron Age/Romano-British	High	Regional	Regional Research Framework: Going and Plouviez, 2000 – Rural Settlements , P. 22, paragraph 4; Bryant, 2000 – Settlement chronology and dynamics , P. 16, paragraph 3 National Research Framework: English Heritage, 1997 – P8, Late Iron Age hillforts, enclosures and settlements
AAE 3	1.45 ha	Field systems (ditches) containing Roman pottery.	Roman	Moderate	Local	Regional Research Framework: Going and Plouviez, 2000, Landscapes , P. 21, paragraph 1
AAE 4	1.30 ha	Moat containing post-medieval pottery	Post-medieval	Moderate	Local	National Research Framework: English Heritage, 1997 – L2, Gardens
AAE 5	1.80 ha	Coin hoard, enclosure ditches, pits, postholes and a possible water pit. * The hoard may be of <u>national</u> significance. This	Roman	High	Regional/ National*	Regional Research Framework: Going and Plouviez, 2000 – Rural Settlements , P. 22, paragraph 4; Going, 1997 – Religion , P. 40, paragraph 1 National Research Framework: English Heritage, 1997 – H1, Military and Civil Interaction



Area of Archaeological Evidence (AAE)	Size of (AAE)	Description of remains contained within AAE	Chronological Period to which the remains are thought to date	Relative significance of the AAE	Significance relative to regional and national research priorities	Source of regional and national research priorities
		needs to be established by a process of post-excavation assessment, analysis and publication.				<p>The Hoard</p> <p>* Dr Peter Guest, Cardiff University was consulted regarding the hoard. His opinion was that a large coin hoard of that date has the potential to be significant (Dr Pete Guest, <i>pers comm.</i>). However, further assessment and analysis will be required before Dr Guest make any formal statement on its significance.</p>
AAE 6	0.90 ha	Layer of colluvium	Prehistoric	Low	Local	n/a
AAE 7	2.80 ha	Two enclosures and a pond. Iron Age pottery recovered.	Iron Age	High	Regional	<p>Regional Research Framework: Bryant, 2000 – The development of the agrarian economy, P. 16, paragraph 1;</p> <p>Bryant, 2000 – Settlement chronology and dynamics, P. 16, paragraph 3</p> <p>National Research Framework: English Heritage, 1997 – P8, Late Iron Age hillforts, enclosures and settlements</p> <p>Period specific research framework: Haselgrove et al, 2001 – C2 Areas for future concern, Settlements, P. 9 – P. 10</p>



Area of Archaeological Evidence (AAE)	Size of (AAE)	Description of remains contained within AAE	Chronological Period to which the remains are thought to date	Relative significance of the AAE	Significance relative to regional and national research priorities	Source of regional and national research priorities
AAE 8	0.9 ha	One pit containing late Bronze Age/early Iron Age pottery sherds within a burnt deposit.	Late Bronze Age/Iron Age	High	Regional	Period specific research framework: Haselgrove et al, 2001 – C2 Areas for future concern, Landscapes , P. 11, paragraph 2
AAE 9	0.5 ha	Layer of colluvium containing possible struck flints.	Prehistoric	Low	Local	n/a
AAE 10	n/a	Putative route of Roman Road to the west of Cambridge.	Roman	Moderate	Regional	Regional Research Framework: Going, 1997 – Roman , Roads, P. 37, paragraphs 1 and 2;

Table 1: Areas of Archaeological Evidence

4. SYNTHESIS

4.1 Discussion

The site contains archaeological remains dating from the late Bronze Age/ early Iron Age to the post-medieval period. The likely presence of further remains was identified during the non-intrusive evaluation. Data on the character, state of preservation, date and importance of those remains has been gathered during the intrusive evaluation.

The most important remains have been grouped together and identified spatially as ten Areas of Archaeological Evidence (AAE). These are listed above in Table 1; their geographical location is shown in Figures 2 - 22.

4.2 AAE 1 – Caxton Gibbett (Area A, Field 2, Figures 2, 6, 7 and 26)

4.2.1 Description of AAE

AAE 1 contained trenches 8, 9 and 10. Trenches 8 and 10 revealed an E-W aligned boundary ditch. Trench 9 contained three N-S and three NNW-SSE aligned ditches (Figure 7). Other features in the vicinity include medieval furrows. All the features in this area are considered to be either field boundaries and/or part of an un-dated field system. There is no evidence to suggest that this land lies close to a settlement.

4.2.2 Potential of remains

The density of archaeological features in this area was very low. Therefore the potential for finding further remains dating to the Roman, or other periods, is considered low.

Dating the remains in this area by the small quantity of pottery recovered is not possible. They are likely to be Roman or post-Roman in date and are considered to be of local significance.

4.3 AAE 2 – Land west of Bourn Airfield (Wessex Evaluation, Fields 10 and 11, Figures 4 and 27)

4.3.1 Description of AAE

Wessex Archaeology (Wessex Archaeology 2002) undertook trial trenching evaluation in several of the fields through which the road improvement scheme will pass. The majority of these trenches revealed no significant archaeological remains.

However, land immediately west of Bourn Airfield and south of the existing A428 (Figure 4) did contain significant remains: two ditches which together formed part of a sub-rectangular enclosure containing pottery sherds dating to the Romano-British period. This enclosure is also visible as a cropmark (Wessex Archaeology 2002). A pit containing material dating to the Iron Age was also identified.

4.3.2 Potential of remains

The density of remains in this area is low. However, cropmark data confirms that further remains are likely to be present. Therefore the potential for finding more remains dating to this period is considered high.

Such remains are considered to be of regional significance.

4.4 AAE 3 – Bourn Airfield (Area C, Field 12, Figures 4, 9, 10 and 28)

4.4.1 Description of AAE

Several ditches were recorded in the central, northern part of Bourn Airfield. Relatively small quantities of moderately to highly abraded Iron Age and Roman pottery sherds were recovered from deposits within several of these ditches (Appendix 2, Section 6.2.2.4).

These ditches were generally aligned at right angles to, or parallel with, the existing A428 (Figure 9). Given that the A428 is thought to be on the same alignment as a Roman road (NMR linear 458, Oxford Archaeology 2004), it is likely that the features identified in AAE 3 are in fact field systems running off this road.

The road would have linked the medium sized Roman town (and administrative centre) at Cambridge with a number of smaller settlements located to the west of that town. The road would also have linked with Ermine Street at the Caxton Gibbet. This road was of enormous importance running from London to the north of England.

The possibility that a part of the Roman road exists within Bourn Airfield should not be ruled out. If it does then AAE 3 is the most likely point at which its course will be picked up. Indeed, some of the ditches excavated within AAE 3 were aligned east to west (as would be expected for this road). However, no traces of metallurgy were recorded in the bases of any trench or within any of the vertical sections of the ditches which were sampled during the evaluation.

On current evidence it is suggested that we have recorded field systems which are respecting an east-west aligned Roman road, and we have not identified a stretch of road/roadside ditch.

A residual early Bronze Age barbed and tanged arrowhead was also recovered from a ditch within this area (Appendix 2, Section 6.2.2.5).

4.4.2 Potential of remains

The density of remains within AAE 3 was moderate and therefore the potential for locating more remains which date to this period is considered moderate to high.

Field systems of this date are considered to be of local significance.

4.5 AAE 4 – Land west of Childerley Gate (Area D, Field 14, Figures 4, 11, 12 and 30).

4.5.1 Description of AAE

The SMR records the location of a possible medieval or post-medieval moated site (SMR 01099, SMR CB395) immediately north of the existing A428 in Field 14 (Figure 4). This was visible as a landscape feature during the 19th century and is recorded on the 1891 Ordnance Survey map of the area.

A watching brief carried out by the AFU, Cambridgeshire County Council, in 1995 confirmed the existence of a substantial ditch dating to the medieval or post-medieval periods. Moated sites were generally constructed as symbols of status around the houses of wealthy farmers. The peak period of construction is thought to have been between AD1250 and AD1350, although their construction continued into the 15th century.

Medieval moated sites have been identified as valuable topics for research in the eastern region of England (Wade 1997), making these remains potentially very important. However, the morphology of this putative moated site is somewhat unusual, being very rectangular in shape, and clinging to the modern line of the A428. Both factors raised suspicions about its antiquity even before the intrusive evaluation began (Albion Archaeology 2004).

The trial trenching evaluation revealed two arms of this moat (Trenches 38 and 39, Figure 11 and 12) and resulted in the recovery of several post-medieval sherds of pottery (Appendix 1). This being the case, it seems highly likely that the moat was constructed and subsequently backfilled within the post-medieval period. If so, these remains would be of reduced archaeological importance.

The possibility that this deep feature contains islands of early (medieval) waterlogged organic archaeological deposits was given consideration during the formulation of a mitigation strategy.

Five field boundary ditches (Figure 12) were also recorded in this area. Four of these formed part of the same field system. These ditches were sealed by topsoil and truncated the subsoil and undisturbed geological layer. No dating material was recovered from these ditches. However, the stratigraphic position, truncating the subsoil, suggests they may be relatively recent in date. They also pre-date the moat and were therefore probably in use during the medieval or early post-medieval periods.

4.5.2 Potential of remains

Clearly, a large proportion of this moat lies within the road corridor. Such remains are considered to be of local significance.

4.6 AAE 5 - Land east of Childerley Gate (Area D, Field 16, Figures 5, 13 and 14).

4.6.1 Description of AAE

Two enclosures, two pits, several postholes and a possible water pit were identified on this land. Many of these features contained Roman pottery dating to between the 2nd and 3rd centuries AD (Appendix 2, Section 6.2.2.6) and it is thought the majority of features in this area probably date to this period.

A coin hoard consisting of 4,485 3rd/4th century copper alloy and a small number of 3rd/4th century silver wash coins was recovered from pit [4907], Trench 49. This pit had been cut into the disuse deposit of ditch [4937].

4.6.2 Potential of remains

AAE 5 contains the most significant archaeological remains so far encountered within the proposed new road corridor.

The presence of relatively large quantities of pottery (3.7kg) dating to the 2nd/3rd centuries AD found in association with these remains may indicate settlement activity. However, the presence of a coin hoard (Section 3.6) found in association with an enclosure ditch and water pit may indicate a more ritual function for the remains (*c.f.* Wilstead, Albion Archaeology, *forthcoming*).

Clearly, it is too early to say whether AAE 5 will produce similar remains. However, the presence of a hoard in association with such features means that the settlement versus ritual rubbish function of the site should be given due consideration during any open area excavation which follows.

Such remains are of regional and possibly national significance.

4.7 AAE 6 - Land south-west of Scotland Farm (Area D, Field 17, Figures 5 and 16).

4.7.1 Description of AAE

A layer of colluvium was identified in a low-lying part of Area D (Figure 16, Trench 57). This was sampled using two 1m x 1m test pits in order to test for the presence of struck flint artefacts (Appendix 2). The spoil heaps and trench base were scanned for further examples. No artefactual material was recovered as a result (Appendix 2, Section 6.2.2.7).

4.7.2 Potential of remains

The lack of any artefactual material or features in this area have reduced the archaeological potential of this area to very low.

4.8 AAE 7 - Land south of Scotland Farm (Area D, Field 18, Figures 5, 17, 18 and 32)

4.8.1 Description of AAE

Two prehistoric enclosures and a large depression/pond were identified in AAE 7 (Figure 18). These were first identified during the non-intrusive evaluation (Albion Archaeology 2005) and were thought to be Iron Age enclosures. Pottery recovered during the intrusive evaluation dates mainly to the early/middle Iron Age, although some late Iron Age sherds were recovered (Appendix 2, Section 6.2.2.8).

4.8.2 Potential of remains

Clearly the remainder of these enclosures and almost certainly some associated pits and other remains will be revealed during open area excavation at this site.

The pit/pond identified in the low-lying western part of the area was augered in order to safely ascertain its depth. As a result it was shown to be between 1.00m and 1.50m in depth. The possibility that this feature contains waterlogged, organic deposits dating to the Iron Age should be considered during the formulation of any mitigation strategy. The water table was reached during the auger survey.

Such remains are considered to be of regional interest.

4.9 AAE 8 - Land north-west of Hardwick (Area E, Field 19, Figures 5, 20 and 33).

4.9.1 Description of AAE

Two pits containing burnt deposits were identified in Trench 71 (Figure 20). Sherds of late Bronze Age/ early Iron Age pottery (Appendix 2) were recovered from pit [7103]. It was considered a possibility that this may have contained cremated human or animal bone. As a result it was 100% excavated and the deposit has been retained for further processing and analysis. At present no cremated bone has been identified.

4.9.2 Potential of remains

The density of remains in this area is low. However, such features tend to be dispersed rather than occurring in clusters and therefore it is possible that other, similar features will be found within relatively close proximity.

Such remains are considered to be of regional interest.

4.10 AAE 9 - Land north of Hardwick (Area E, Field 19, Figures 5, 21 and 34).

4.10.1 Description of AAE

A layer of colluvium was identified in a low-lying part of Area E, Field 19 (Trench 80). The spoil heaps and trench base were scanned in order to retrieve examples of struck flints. Three patinated flakes were recovered as a result (Appendix 2, Section 6.2.2.10).

Truncating the colluvium one undated ditch and five undated postholes were also recorded. The function of these features remains obscure.

4.10.2 Potential of remains

The presence of such a layer is potentially of local interest and should be registered on the SMR.

4.11 AAE 10 - Land north-east of Bourn Airfield.

4.11.1 Description of AAE

A part of the existing A428 will, in due course, be subject to groundworks as the new road is constructed. When this work occurs an opportunity will arise to inspect the land which is currently concealed by the modern road. It is possible that the remains of a putative Roman road (Section 4.4.1) will be revealed at this time.

4.11.2 Potential of remains

The presence of remains associated with a Roman road would be of moderate, regional interest.

4.12 Summary

The site contains significant remains from several periods. In particular there is evidence for late Bronze Age/ early Iron Age pitting (AAE 8); Iron Age settlement/agricultural activity (AAE 2 and AAE 7), Roman settlement/religious activity (AAE 2 and AAE 5), Roman (or later) field systems (AAE 1 and AAE 3). A putative Roman road may be encountered in AAE 10 and/or AAE 3 and a post-medieval moat was revealed in AAE 4.

Two areas containing a colluvial layer with struck flints (AAE 6 and AAE 9) were also identified.

5. BIBLIOGRAPHY

- Albion Archaeology, *forthcoming*. *Iron Age, Roman and Saxo-Norman settlement on the Oxford Clay at Luton Road, Wilstead*. Bedfordshire Archaeology.
- Albion Archaeology, 2001. *Procedures Manual: Volume 1 Fieldwork* (2nd ed, 2001).
- Albion Archaeology, 2004. *A428 Caxton to Hardwick Improvement Scheme, Cambridgeshire: Non-Intrusive Archaeological Field Evaluation*. 2004/109.
- Albion Archaeology, 2005. *A428 Caxton to Hardwick Improvement Scheme, Cambridgeshire: Preliminary Report on the Results of Intrusive Archaeological Field Evaluation*. 2005/39.
- Albion Archaeology, *forthcoming*. *Iron Age, Roman and Saxo-Norman settlement on the Oxford Clay at Luton Road, Wilstead*. Bedfordshire Archaeology.
- Bryant, S, 2000, *The Iron Age*. In: Brown and Glazebrook, 2000, *Research and Archaeology: a Framework for the Eastern Counties 2*. Research Agenda and Strategy. East Anglian Archaeology, Occasional Paper No.8.
- Cambridgeshire County Council, County Archaeology Office, 2004, *Deposition of Archaeological Archives in the County Store*. Guidelines (SMR 2004/1).
- CgMs, 2004, *A428 Caxton to Hardwick Improvements: Invitation to Tender, Archaeological Evaluation Comprising Field Artefact Collection, Geophysical Survey & Trial Trenching*.
- English Heritage, 1991. *The Management of Archaeological Projects*.
- English Heritage, 1995. *Geophysical Survey in Archaeological Field Evaluation*.
- English Heritage, 1997. *English Heritage, Archaeology Division, Research Agenda*. English Heritage.
- Going, C and Plouviez, J, 2000, *Roman*. In: Brown and Glazebrook, 2000, *Research and Archaeology: a Framework for the Eastern Counties 2*. Research Agenda and Strategy. East Anglian Archaeology, Occasional Paper No.8.
- Going, C, 1997, *Roman*. In: Brown and Glazebrook, 1997, *Research and Archaeology: a Framework for the Eastern Counties 2*. Resource Assessment. East Anglian Archaeology, Occasional Paper No.3.
- Haselgrove et al, 2001, *Understanding the British Iron Age: An Agenda for Action*. English Heritage, Historic Scotland, Trust for Wessex Archaeology.

- IFA 1999a Institute of Field Archaeologists, *Standards and Guidance documents (Desk based Assessments, Watching Briefs, Evaluations, Excavations, Investigation and Recording of Standing Buildings)*.
- IFA 1999b Institute of Field Archaeologists *Code of Conduct*.
- IFA 1999 *Guidelines for Finds Work*.
- Kenney, S, 2000, *Roman and undated remains along the Bourn-Caldecote Highfields and Bourn-Cambourne Water Pipelines: Archaeological Recording*. AFU Report 184. Cambridgeshire County Council.
- Oxford Archaeology, 2004, *A428 Caxton to Hardwick Improvement. Stage 3, Cultural Heritage Assessment*.
- Wade 1997 *Anglo-Saxon and Medieval (Rural)*. In. Glazebrook, J, 1997, *Research and Archaeology: A framework for the Eastern Counties – 1 Resource Assessment (East Anglian Archaeology Occasional Paper 3)*
- Wessex Archaeology 2002 *Cambourne New Settlement Archaeological Evaluation*. Report 45976.02.
- Wessex Archaeology 2003 *Cambourne New Settlement, Cambridgeshire. Archaeological Excavations at Lower Cambourne, Knapwell Plantation, Jeavons Lane, Poplar Plantation, Mill Farm, Broadway Farm, Great Common Farm, North Caxton Bypass and The Grange*. Interim Statement of Results. Report 45973.1.

6. APPENDICES

6.1 Appendix 1 – Trench Summaries



Trench: 1

Max Dimensions: Length: 28.00 m. Width: 2.00 m. Depth to Archaeology Min: 0.38 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL2964360731 Ref. 2: TL2967160720

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
100	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.26m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
101	Subsoil	Firm light yellow brown silty clay moderate flecks manganese staining, moderate small stones, occasional medium stones 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
102	Natural	Firm light brown grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
104	Furrow	Linear NW-SE dimensions: max breadth 0.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
103	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
106	Furrow	Linear NW-SE dimensions: max breadth 0.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
105	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 2

Max Dimensions: Length: 98.90 m. Width: 2.00 m. Depth to Archaeology Min: 0.3 m. Max: 0.46 m.

OS Co-ordinates: Ref. 1: TL2970360696 Ref. 2: TL2980260708

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
200	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
201	Subsoil	Firm light yellow brown silty clay occasional flecks manganese staining, moderate small stones, occasional medium stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
202	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
204	Furrow	Linear NNW-SSE dimensions: max breadth 0.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
203	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
206	Furrow	Linear NNW-SSE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
205	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
208	Furrow	Linear N-S dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
207	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
210	Furrow	Linear NNW-SSE dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
209	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
212	Furrow	Linear NNW-SSE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
211	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
214	Furrow	Linear NW-SE dimensions: max breadth 0.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
213	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
216	Furrow	Linear NW-SE dimensions: max breadth 0.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
215	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 3

Max Dimensions: Length: 99.60 m. Width: 2.00 m. Depth to Archaeology Min: 0.48 m. Max: 0.52 m.

OS Co-ordinates: Ref. 1: TL2982260729 Ref. 2: TL2982860680

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
300	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
301	Subsoil	Firm light yellow brown silty clay moderate flecks manganese staining, moderate small stones, occasional medium stones 0.18m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
302	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
304	Furrow	Linear NW-SE dimensions: max breadth 0.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
303	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
306	Furrow	Linear NW-SE dimensions: max breadth 1.07m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
305	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 4

Max Dimensions: Length: 99.35 m. Width: 2.00 m. Depth to Archaeology Min: 0.38 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL2985060726 Ref. 2: TL2995060737

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
400	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
401	Subsoil	Firm mid yellow brown silty clay moderate flecks manganese staining, moderate small stones, occasional medium stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
404	Furrow	Linear NW-SE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
403	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
406	Furrow	Linear NW-SE dimensions: max breadth 1.05m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
405	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
408	Furrow	Linear NW-SE dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
407	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
410	Furrow	Linear NW-SE dimensions: max breadth 0.92m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
409	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
412	Furrow	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.5m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
411	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
414	Furrow	Linear NW-SE profile: concave base: flat dimensions: max breadth 0.28m, max depth 0.12m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
413	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
416	Furrow	Linear N-S profile: concave base: flat dimensions: min breadth 0.6m, max depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
415	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
418	Furrow	Linear NW-SE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
417	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
420	Furrow	Linear NW-SE dimensions: max breadth 0.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
419	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
422	Furrow	Linear NW-SE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
421	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
424	Furrow	Linear NW-SE dimensions: max breadth 0.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
423	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
426	Furrow	Linear NE-SW dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
425	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
428	Furrow	Linear NE-SW dimensions: max breadth 0.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
427	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
430	Furrow	Linear NE-SW dimensions: max breadth 0.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
429	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 4

Max Dimensions: Length: 99.35 m. Width: 2.00 m. Depth to Archaeology Min: 0.38 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL2985060726 Ref. 2: TL2995060737

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
432	Furrow	Linear NW-SE dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
431	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
434	Furrow	Linear NW-SE dimensions: max breadth 0.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
433	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
436	Furrow	Linear NE-SW profile: concave dimensions: min breadth 0.3m, min depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
435	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 5

Max Dimensions: Length: 49.40 m. Width: 2.00 m. Depth to Archaeology Min: 0.5 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL2998760737 Ref. 2: TL2999360687

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
500	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.36m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
501	Subsoil	Firm mid yellow brown silty clay moderate flecks chalk, occasional small stones 0.22m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
502	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
504	Furrow	Linear E-W dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
503	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
506	Furrow	Linear E-W profile: concave base: flat dimensions: max breadth 0.5m, max depth 0.13m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
505	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
508	Furrow	Linear E-W dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
507	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
510	Furrow	Linear E-W dimensions: max breadth 0.35m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
509	Fill	Firm mid orange brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
512	Pit	Sub-circular profile: convex base: uneven dimensions: max depth 0.35m, max diameter 0.67m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
511	Fill	Firm light grey brown silty clay moderate flecks charcoal	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 6

Max Dimensions: Length: 100.00 m. Width: 2.00 m. Depth to Archaeology Min: 0.3 m. Max: 0.55 m.

OS Co-ordinates: Ref. 1: TL3002060743 Ref. 2: TL3012060749

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
600	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.40m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
601	Subsoil	Firm light yellow brown silty clay moderate flecks manganese staining, moderate small stones, occasional medium stones 0.12m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
602	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
604	Furrow	Linear NNE-SSW dimensions: max breadth 2.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
603	Fill	Firm light orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
606	Furrow	Linear NNE-SSW dimensions: max breadth 1.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
605	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
608	Furrow	Linear NNE-SSW dimensions: max breadth 1.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
607	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
610	Furrow	Linear NNE-SSW dimensions: max breadth 1.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
609	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
612	Furrow	Linear NNE-SSW dimensions: max breadth 1.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
611	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 7

Max Dimensions: Length: 99.50 m. Width: 2.00 m. Depth to Archaeology Min: 0.41 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3005160693 Ref. 2: TL3015060701

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
700	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.42m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
701	Subsoil	Firm mid yellow brown silty clay moderate flecks manganese staining, moderate small stones, occasional medium stones 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
702	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
704	Furrow	Linear NNW-SSE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
703	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
706	Furrow	Linear NNW-SSE dimensions: max breadth 1.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
705	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
708	Furrow	Linear NNE-SSW dimensions: max breadth 1.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
707	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
710	Furrow	Linear N-S dimensions: max breadth 1.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
709	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
712	Furrow	Linear N-S profile: concave base: flat dimensions: max breadth 1.65m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
711	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
716	Furrow	Linear N-S dimensions: max breadth 1.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
715	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
718	Furrow	Linear N-S dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
717	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 8

Max Dimensions: Length: 68.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3025160699 Ref. 2: TL3025560769

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
800	Ploughsoil	Firm mid brown grey silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
801	Subsoil	Firm mid grey brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
802	Natural	Firm light blue grey clay	<input type="checkbox"/>	<input type="checkbox"/>
803	Furrow	Linear E-W dimensions: max breadth 2.15m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
804	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
805	Ditch	Linear NE-SW dimensions: max breadth 1.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
806	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
807	Ditch	Linear NE-SW dimensions: max breadth 1.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
808	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 9

Max Dimensions: Length: 74.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.46 m.

OS Co-ordinates: Ref. 1: TL3026260742 Ref. 2: TL3034260740

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
900	Ploughsoil	Firm mid brown grey silty clay moderate flecks manganese staining, occasional small stones 0.38m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
901	Subsoil	Firm mid grey brown silty clay occasional flecks chalk, moderate flecks manganese staining 0.1m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
902	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
904	Ditch	Linear N-S profile: 45 degrees base: flat dimensions: max breadth 1.02m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
903	Fill	Firm mid blue grey silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
905	Ditch	Linear NW-SE profile: 45 degrees base: flat dimensions: max breadth 0.45m, max depth 0.13m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
906	Fill	Firm mid green brown silty clay occasional flecks chalk, moderate flecks manganese staining	<input checked="" type="checkbox"/>	<input type="checkbox"/>
907	Furrow	Linear NE-SW dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
908	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
909	Furrow	Linear N-S dimensions: max breadth 1.17m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
910	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
911	Ditch	Linear N-S dimensions: max breadth 1.47m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
912	Fill	Firm mid blue grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
913	Ditch	Linear NW-SE dimensions: max breadth 0.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
914	Fill	Firm mid blue grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
915	Ditch	Linear N-S dimensions: max breadth 0.97m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
916	Fill	Firm mid blue grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
917	Ditch	Linear NW-SE dimensions: max breadth 0.53m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
918	Fill	Firm mid green brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
919	Furrow	Linear N-S dimensions: max breadth 1.09m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
920	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 10

Max Dimensions: Length: 68.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.41 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3035660694 Ref. 2: TL3036060764

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
1000	Ploughsoil	Firm mid brown grey silty clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1001	Subsoil	Firm mid grey brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1002	Natural	Firm light blue grey clay	<input type="checkbox"/>	<input type="checkbox"/>
1004	Furrow	Linear E-W dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1003	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1006	Ditch	Linear NW-SE dimensions: max breadth 1.05m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1005	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1008	Ditch	Linear NE-SW dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1007	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1010	Ditch	Linear E-W dimensions: max breadth 1.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1009	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1012	Ditch	Linear E-W dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1011	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1014	Ditch	Linear NE-SW dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1013	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 11

Max Dimensions: Length: 68.60 m. Width: 2.00 m. Depth to Archaeology Min: 0.4 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL3036960736 Ref. 2: TL3043960733

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
1100	Ploughsoil	Firm dark grey brown silt 0.45m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1101	Subsoil	Firm mid brown orange silty clay 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1102	Natural	Firm light orange grey clay	<input type="checkbox"/>	<input type="checkbox"/>
1103	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.5m, max depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1104	Fill	Firm dark orange brown clay silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1105	Ditch	Linear ESE-WNW profile: concave base: concave dimensions: max breadth 0.83m, max depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1106	Fill	Firm dark orange brown silty clay occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1107	Furrow	Linear NW-SE dimensions: max breadth 1.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1108	Fill	Firm mid orange brown clay silt occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
1109	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.7m, max depth 0.59m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1110	Fill	Firm dark orange brown clay silt occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1111	Ditch	Linear NW-SE dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1112	Fill	Firm mid green brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 12

Max Dimensions: Length: 68.80 m. Width: 2.00 m. Depth to Archaeology Min: 0.36 m. Max: 0.53 m.

OS Co-ordinates: Ref. 1: TL3045960690 Ref. 2: TL3046560760

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
1200	Ploughsoil	Firm mid brown grey silty clay moderate flecks chalk, occasional flecks manganese staining, moderate small stones 0.43m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1201	Subsoil	Firm mid grey brown silty clay occasional flecks chalk, moderate flecks manganese staining 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1202	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1204	Ditch	Linear NE-SW profile: near vertical base: flat dimensions: max breadth 0.77m, max depth 0.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1203	Fill	Firm mid orange brown silty clay occasional medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1206	Ditch	Linear NE-SW profile: near vertical base: flat dimensions: min breadth 0.29m, min depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1205	Fill	Firm mid orange brown silty clay occasional medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1208	Furrow	Linear E-W profile: near vertical base: flat dimensions: max breadth 0.35m, max depth 0.05m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1207	Fill	Firm light orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1210	Ditch	Linear E-W profile: near vertical base: uneven dimensions: max breadth 0.5m, max depth 0.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1209	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1212	Ditch	Linear E-W profile: 45 degrees base: uneven dimensions: max breadth 0.73m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1211	Fill	Firm light orange grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1214	Furrow	Linear E-W dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1213	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1216	Ditch	Linear E-W dimensions: max breadth 1.1m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1215	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1218	Treethrow	Irregular profile: irregular base: uneven dimensions: min breadth 0.14m, min depth 0.11m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1217	Fill	Firm light grey yellow silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 13

Max Dimensions: Length: 97.30 m. Width: 2.00 m. Depth to Archaeology Min: 0.46 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3251560401 Ref. 2: TL3257660322

Reason: Evaluate proposed balancing pond site

Context:	Type:	Description:	Excavated:	Finds Present:
1300	Ploughsoil	Firm dark grey brown silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.36m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1301	Subsoil	Firm mid orange brown silty clay moderate small stones 0.43m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1303	Palaeochannel	Linear NE-SW dimensions: min breadth 9.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1302	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1305	Furrow	Linear NW-SE dimensions: max breadth 3.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1304	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1307	Furrow	Linear NNE-SSW dimensions: max breadth 2.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1306	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1309	Furrow	Linear NNE-SSW dimensions: max breadth 3.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1308	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1311	Furrow	Linear NNE-SSW dimensions: max breadth 2.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1310	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1313	Furrow	Linear NNE-SSW dimensions: max breadth 2.05m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1312	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1315	Furrow	Linear NNE-SSW dimensions: max breadth 2.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1314	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1317	Furrow	Linear NNE-SSW dimensions: max breadth 3.15m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1316	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1319	Posthole	Oval profile: concave base: concave dimensions: max breadth 0.2m, max depth 0.2m, max length 0.45m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1318	Fill	Firm mid orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1321	Furrow	Linear NE-SW dimensions: max breadth 1.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1320	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1322	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 14

Max Dimensions: Length: 49.50 m. Width: 2.00 m. Depth to Archaeology Min: 0.44 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3248760347 Ref. 2: TL3257260294

Reason: Evaluate proposed balancing pond site

Context:	Type:	Description:	Excavated:	Finds Present:
1400	Ploughsoil	Firm dark grey brown silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.36m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1401	Subsoil	Firm mid orange brown silty clay moderate small stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1403	Furrow	Linear ESE-WNW profile: concave base: concave dimensions: max breadth 1.45m, max depth 0.06m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1402	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1405	Gulley	Linear NNE-SSW profile: concave base: concave dimensions: max breadth 0.6m, max depth 0.08m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1404	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1407	Gulley	Linear NE-SW profile: 45 degrees base: v-shaped dimensions: max breadth 0.45m, max depth 0.14m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1406	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1408	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 15

Max Dimensions: Length: 100.00 m. Width: 2.00 m. Depth to Archaeology Min: 0.44 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3246360287 Ref. 2: TL3256360276

Reason: Evaluate proposed balancing pond site

Context:	Type:	Description:	Excavated:	Finds Present:
1500	Ploughsoil	Firm dark grey brown silty clay moderate flecks chalk, moderate small stones, occasional medium stones 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1501	Subsoil	Firm mid orange brown silty clay moderate small stones 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1502	Natural	Firm light blue grey clay frequent flecks chalk, frequent small chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1504	Furrow	Linear NW-SE profile: concave base: uneven dimensions: min breadth 0.62m, max depth 0.04m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1503	Fill	Firm mid orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1506	Ditch	Linear NE-SW profile: convex base: uneven dimensions: max breadth 0.57m, max depth 0.07m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1505	Fill	Firm mid orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1508	Furrow	Linear NW-SE dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1507	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1510	Gulley	Linear NE-SW profile: convex base: concave dimensions: max breadth 0.67m, max depth 0.34m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1509	Fill	Firm light grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1512	Gulley	Linear NE-SW profile: convex base: flat dimensions: max breadth 0.74m, max depth 0.36m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1511	Fill	Firm light orange brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1514	Furrow	Linear NW-SE dimensions: min breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1513	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1516	Furrow	Linear NW-SE dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1515	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1518	Furrow	Linear NW-SE dimensions: max breadth 1.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1517	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 16

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.45 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3369159840 Ref. 2: TL3379059826

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
1600	Ploughsoil	Friable dark grey brown clay silt moderate flecks chalk, moderate small stones, occasional medium stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1601	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.18m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1602	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1603	Natural	Compact mid yellow orange silty sand frequent flecks chalk, moderate small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1604	Ditch	Linear ENE-WSW profile: vertical base: flat dimensions: max breadth 0.7m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1605	Fill	Firm mid orange brown clay silt occasional flecks chalk, occasional flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1606	Furrow	Linear ESE-WNW profile: concave base: concave dimensions: max breadth 0.8m, max depth 0.07m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1607	Fill	Firm mid grey brown silty clay occasional flecks chalk, moderate small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1608	Ditch	Linear N-S dimensions: max breadth 1.95m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1609	Fill	Firm dark blue grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 17

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.42 m. Max: 0.45 m.

OS Co-ordinates: Ref. 1: TL3377859797 Ref. 2: TL3387859786

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
1700	Ploughsoil	Friable dark grey brown clay silt moderate flecks chalk, moderate small stones, occasional medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1701	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1702	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1703	Natural	Compact light grey orange sand frequent small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1704	Subsoil	Loose mid brown orange silty sand moderate small stones 0.07m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1705	Ditch	Linear NNE-SSW profile: vertical base: flat dimensions: max breadth 0.4m, max depth 0.34m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1706	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1707	Ditch	Linear NNE-SSW profile: near vertical base: concave dimensions: max breadth 0.5m, max depth 0.21m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1708	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1709	Furrow	Linear ESE-WNW profile: concave base: flat dimensions: max breadth 0.85m, max depth 0.11m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1710	Fill	Firm mid grey brown clay silt occasional flecks chalk, occasional small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 18

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.47 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3391159772 Ref. 2: TL3392059821

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
1800	Ploughsoil	Friable dark grey brown clay silt occasional small chalk, moderate small-medium stones 0.41m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1801	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.22m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1802	Natural	Firm light orange grey clay frequent flecks chalk, occasional medium chalk, moderate small stones, occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>
1803	Subsoil	Loose mid orange sand occasional flecks chalk, moderate small stones, occasional medium stones 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1804	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.71m, max depth 0.14m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1805	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1806	Gulley	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.37m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1807	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1808	Gulley	Linear E-W profile: 45 degrees base: v-shaped dimensions: max breadth 0.36m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1809	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1810	Natural	Loose mid grey orange silty sand occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
1811	Furrow	Linear E-W profile: irregular base: v-shaped dimensions: max breadth 3.75m, max depth 0.43m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1812	Fill	Firm mid grey brown clay silt occasional flecks chalk, occasional small-large stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 19

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.37 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3394159770 Ref. 2: TL3394959819

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
1900	Ploughsoil	Friable dark grey brown clay silt moderate small stones, occasional medium stones, occasional small stones 0.33m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1901	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1902	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, moderate small stones, occasional medium stones	<input type="checkbox"/>	<input type="checkbox"/>
1903	Natural	Loose mid brown orange silty sand occasional flecks chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
1904	Ditch	Linear NE-SW profile: near vertical base: flat dimensions: max breadth 0.7m, max depth 0.23m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1905	Fill	Firm mid orange brown clay silt occasional flecks chalk, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1906	Gulley	Linear ENE-WSW profile: concave base: uneven dimensions: max breadth 0.42m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1907	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1908	Furrow	Linear E-W dimensions: max breadth 1.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1909	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1910	Furrow	Linear E-W dimensions: max breadth 3.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1911	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1912	Furrow	Linear E-W dimensions: max breadth 1.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
1913	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
1914	Natural	Firm mid grey blue silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 20

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.36 m. Max: 0.48 m.

OS Co-ordinates: Ref. 1: TL3395459776 Ref. 2: TL3405459773

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
2000	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, moderate small stones, occasional medium stones 0.34m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2001	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.27m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2002	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2003	Ditch	Linear NNE-SSW profile: concave base: concave dimensions: max breadth 0.7m, max depth 0.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2004	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2005	Gulley	Linear N-S profile: concave base: concave dimensions: max breadth 0.3m, max depth 0.13m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2006	Fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2007	Natural	Loose mid brown orange clay sand occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2008	Ditch	Linear N-S profile: 45 degrees base: v-shaped dimensions: max breadth 1.5m, max depth 0.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2009	Backfill	Firm mid orange brown silty clay occasional flecks chalk, occasional small chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2010	Furrow	Linear NE-SW dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2011	Fill	Friable mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 21

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.39 m. Max: 0.46 m.

OS Co-ordinates: Ref. 1: TL3407359765 Ref. 2: TL3408059814

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2100	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, moderate small stones, occasional medium-large stones 0.36m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2101	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.31m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2102	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2103	Ditch	Linear NW-SE profile: assymetrical base: concave dimensions: max breadth 1.26m, max depth 0.44m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2104	Upper fill	Firm light brown grey silty clay occasional flecks chalk, occasional small chalk, occasional flecks charcoal, occasional flecks manganese staining, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2105	Fill	Firm light brown grey silty clay moderate flecks chalk, moderate small chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2106	Fill	Firm light brown grey silty clay frequent flecks chalk, frequent small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2107	Primary fill	Firm mid grey brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2108	Ditch	Linear NW-SE profile: 45 degrees base: concave dimensions: max breadth 0.62m, max depth 0.27m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2109	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small chalk, moderate flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2110	Ditch	Linear ESE-WNW profile: near vertical base: flat dimensions: max breadth 0.93m, max depth 0.24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2111	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small chalk, occasional flecks charcoal, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2112	Ditch	Linear NW-SE profile: near vertical base: concave dimensions: min breadth 0.46m, max depth 0.43m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2113	Fill	Firm dark brown grey silty clay occasional flecks chalk, occasional small chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2116	Modern Intrusion	Oval NE-SW dimensions: max breadth 0.54m, min length 1.06m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2117	Fill	Firm mid red brown clay silt frequent flecks charcoal, occasional large concrete, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2118	Modern Intrusion	Sub-oval NW-SE dimensions: max breadth 0.54m, min length 1.06m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2119	Fill	Firm mid red brown clay silt occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2122	Modern Intrusion	Linear E-W dimensions: max breadth 0.92m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2123	Fill	Firm mid red brown clay silt occasional large concrete, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2124	Furrow	Linear N-S dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2125	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2126	Furrow	Linear E-W dimensions: max breadth 2.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2127	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2128	Natural	Firm light orange brown sandy silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 22

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.37 m. Max: 0.58 m.

OS Co-ordinates: Ref. 1: TL3410259765 Ref. 2: TL3419959786

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2200	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, moderate small stones, occasional medium-large stones 0.30m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2201	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2202	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2203	Ditch	Linear ESE-WNW profile: convex base: concave dimensions: max breadth 1.3m, max depth 0.47m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2204	Fill	Firm mid orange brown silty clay occasional medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2205	Subsoil	Firm dark orange brown sandy silt occasional flecks chalk, frequent small stones, occasional medium-large stones 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2207	Ditch	Linear ESE-WNW profile: 45 degrees base: concave dimensions: max breadth 1.35m, max depth 0.4m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2206	Fill	Firm light orange brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2209	Furrow	Linear N-S dimensions: max breadth 0.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2208	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2211	Ditch	Linear N-S profile: 45 degrees base: v-shaped dimensions: max breadth 1.2m, min depth 0.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2210	Backfill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2213	Furrow	Linear N-S dimensions: max breadth 0.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2212	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2215	Furrow	Linear N-S dimensions: max breadth 1.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2214	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2217	Furrow	Linear N-S dimensions: max breadth 2.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2216	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2219	Furrow	Linear NNE-SSW dimensions: max breadth 2.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2218	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2221	Ditch	Linear NW-SE profile: 45 degrees base: v-shaped dimensions: max breadth 1.35m, max depth 0.9m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2220	Fill	Firm mid grey brown silty clay occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2222	Primary fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2224	Furrow	Linear N-S dimensions: max breadth 1.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2223	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 23

Max Dimensions: Length: 46.25 m. Width: 1.95 m. Depth to Archaeology Min: 0.47 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3422559754 Ref. 2: TL3423559800

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2300	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, moderate small stones, occasional medium-large stones 0.37m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2301	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.21m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2302	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium-large chalk, moderate small stones, occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2303	Natural	Loose mid brown orange silty sand occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2304	Modern disturbance	Loose dark grey silty sand occasional flecks chalk, moderate small stones 0.11m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2305	Ditch	Linear N-S profile: convex base: concave dimensions: min breadth 1.06m, max depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2306	Lower fill	Firm light grey brown silty clay occasional flecks chalk, occasional flecks charcoal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2307	Upper fill	Firm mid brown grey clay silt occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2310	Ditch	Linear E-W profile: 45 degrees base: flat dimensions: min breadth 0.9m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2311	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2312	Ditch	Linear E-W profile: 45 degrees base: v-shaped dimensions: max breadth 0.62m, max depth 0.54m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2313	Upper fill	Firm mid brown grey silty clay occasional flecks chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2314	Primary fill	Firm mid orange brown silty clay occasional flecks chalk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2315	Ditch	Linear E-W profile: concave base: concave dimensions: max breadth 0.76m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2316	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2317	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.57m, max depth 0.35m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2318	Fill	Firm light brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2319	Ditch	Linear E-W profile: concave base: flat dimensions: max breadth 0.78m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2320	Fill	Firm light brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2321	Palaeochannel	Linear NE-SW profile: irregular base: uneven dimensions: max breadth 6m, min depth 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2322	Fill	Firm light grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2323	Furrow	Linear E-W dimensions: min breadth 2.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2324	Fill	Firm light grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2325	Furrow	Linear E-W dimensions: max breadth 1.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2326	Fill	Firm light orange brown silty clay occasional medium-large chalk, occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2327	Furrow	Linear E-W dimensions: max breadth 1.95m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2328	Fill	Firm mid grey brown silty clay occasional medium-large chalk, occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 24

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.45 m. Max: 0.46 m.

OS Co-ordinates: Ref. 1: TL3430159756 Ref. 2: TL3430959795

Reason: Evaluate geophysical anomaly and area of known Roman activity (AFU 2000)

Context:	Type:	Description:	Excavated:	Finds Present:
2400	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, occasional small-medium stones 0.28m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2401	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.17m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2402	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, moderate medium chalk, moderate small stones, occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2403	Natural	Firm mid orange brown sandy silt occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2404	Subsoil	Firm mid orange brown sandy silt occasional flecks chalk, occasional small stones 0.09m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2406	Natural	Loose mid brown clay sand	<input type="checkbox"/>	<input type="checkbox"/>
2409	Furrow	Linear E-W dimensions: max breadth 2.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2410	Fill	Hard light brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 25

Max Dimensions: Length: 200.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.42 m. Max: 0.56 m.

OS Co-ordinates: Ref. 1: TL3427359797 Ref. 2: TL3447359790

Reason: Evaluate geophysical anomaly and area of known Roman activity (AFU 2000)

Context:	Type:	Description:	Excavated:	Finds Present:
2500	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, occasional flecks charcoal, occasional small-medium stones 0.30m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2501	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2502	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2503	Natural	Loose mid brown orange silty sand occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2504	Subsoil	Firm mid grey brown clay silt occasional flecks charcoal, occasional small-medium stones 0.19m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2505	Redeposited Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium-large chalk, occasional small stones 0.08m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2506	Buried topsoil	Firm dark brown grey clay silt occasional flecks chalk, occasional small stones 0.07m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2507	Ditch	Linear NE-SW base: uneven dimensions: min breadth 0.5m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2508	Fill	Firm mid brown grey silty clay moderate flecks chalk, occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2509	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.86m, max depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2510	Fill	Firm dark brown grey silty clay occasional flecks chalk, occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2511	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.4m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2512	Fill	Firm dark brown grey silty clay occasional flecks chalk, occasional flecks charcoal, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2513	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 1.04m, max depth 0.24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2514	Fill	Firm light grey brown clay silt occasional flecks chalk, occasional flecks manganese staining, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2515	Ditch	Curving linear NE-SW profile: concave base: flat dimensions: max breadth 0.87m, max depth 0.24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2516	Fill	Firm mid orange brown silty clay occasional flecks chalk, occasional small chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2517	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 1.44m, max depth 0.47m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2518	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2519	Treethrow	Irregular dimensions: min breadth 0.4m, min depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2520	Fill	Firm light grey yellow silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2521	Furrow	Linear NW-SE dimensions: max breadth 1.16m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2522	Fill	Firm mid grey brown silty clay moderate flecks chalk, moderate small chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2523	Ditch	Linear NW-SE profile: irregular base: concave dimensions: max breadth 1.23m, max depth 0.64m	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Trench: 25****Max Dimensions: Length: 200.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.42 m. Max: 0.56 m.****OS Co-ordinates: Ref. 1: TL3427359797 Ref. 2: TL3447359790****Reason: Evaluate geophysical anomaly and area of known Roman activity (AFU 2000)**

Context:	Type:	Description:	Excavated:	Finds Present:
2524	Fill	Firm dark green grey silty clay occasional flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2525	Furrow	Linear N-S dimensions: max breadth 1.45m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2526	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2527	Furrow	Linear NW-SE dimensions: max breadth 2.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2528	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2529	Furrow	Linear NNE-SSW dimensions: max breadth 1.37m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2530	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2531	Furrow	Linear NE-SW dimensions: max breadth 1.58m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2532	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2533	Furrow	Linear N-S dimensions: max breadth 1.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2534	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2535	Furrow	Linear N-S dimensions: max breadth 2.07m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2536	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2537	Furrow	Linear N-S dimensions: max breadth 1.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2538	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2539	Modern Intrusion	Oval NW-SE profile: concave base: flat dimensions: max breadth 0.32m, max depth 0.14m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2540	Fill	Firm dark grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2541	Modern disturbance	Firm dark grey brown silty clay 0.26m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2542	Ditch	Linear NE-SW dimensions: max breadth 0.73m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2543	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2544	Furrow	Linear NW-SE dimensions: max breadth 1.62m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2545	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2546	Furrow	Linear N-S dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2547	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2548	Furrow	Linear NW-SE dimensions: max breadth 1.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2549	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2550	Furrow	Linear N-S dimensions: max breadth 1.58m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2551	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2552	Furrow	Linear N-S dimensions: max breadth 2.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2553	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2554	Furrow	Linear NW-SE dimensions: max breadth 2.05m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2555	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 26

Max Dimensions: Length: 50.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.35 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL3435859763 Ref. 2: TL3440859763

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
2600	Ploughsoil	Friable dark grey brown clay silt occasional medium-large stones, occasional small stones 0.26m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2601	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small-medium stones 0.14m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2602	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2603	Natural	Loose mid brown orange sandy gravel occasional medium-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2604	Furrow	Linear N-S dimensions: max breadth 1.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2605	Fill	Firm light grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2606	Furrow	Linear N-S dimensions: max breadth 1.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2607	Fill	Firm light grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2608	Furrow	Linear N-S dimensions: max breadth 1.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2609	Fill	Firm light grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 27

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.32 m. Max: 0.39 m.

OS Co-ordinates: Ref. 1: TL3446559766 Ref. 2: TL3456559764

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
2700	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, occasional flecks charcoal, moderate small stones, occasional medium stones 0.32m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2701	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2702	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional medium chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2703	Natural	Loose mid grey orange silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2704	Ditch	Linear N-S profile: near vertical base: uneven dimensions: max breadth 1.2m, max depth 0.48m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2705	Primary fill	Firm light brown grey silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2706	Fill	Firm mid brown orange clay silt occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2707	Fill	Firm mid brown orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2708	Upper fill	Firm light orange brown silt occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2709	Ditch	Linear ENE-WSW profile: near vertical base: flat dimensions: max breadth 0.65m, max depth 0.07m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2710	Fill	Firm mid orange brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2711	Treethrow	Linear profile: concave base: uneven dimensions: max breadth 0.42m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2712	Fill	Firm mid blue orange silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2713	Treethrow	Curving linear profile: irregular base: v-shaped dimensions: max breadth 0.55m, max depth 0.24m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2714	Fill	Firm mid blue orange silty clay occasional flecks chalk, occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2715	Furrow	Linear N-S dimensions: max breadth 2.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2716	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2717	Furrow	Linear N-S dimensions: max breadth 0.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2718	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2719	Furrow	Linear N-S dimensions: max breadth 0.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2720	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2721	Furrow	Linear N-S dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2722	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2723	Furrow	Linear N-S dimensions: max breadth 1.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2724	Fill	Firm mid orange brown clay silt occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2725	Furrow	Linear N-S dimensions: max breadth 1.95m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2726	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2727	Furrow	Linear N-S dimensions: max breadth 1.1m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2728	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2729	Furrow	Linear N-S dimensions: max breadth 0.51m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 27

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.32 m. Max: 0.39 m.

OS Co-ordinates: Ref. 1: TL3446559766 Ref. 2: TL3456559764

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
2730	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2731	Ditch	Linear N-S profile: near vertical base: flat dimensions: max breadth 0.72m, max depth 0.22m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2732	Fill	Firm mid grey brown silty clay occasional small-medium stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2733	Ditch	Linear NNE-SSW profile: 45 degrees base: v-shaped dimensions: max breadth 1.05m, max depth 0.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2734	Fill	Firm dark grey brown clay silt occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 28

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.45 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3458159795 Ref. 2: TL3467659763

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2800	Ploughsoil	Friable dark grey brown clay silt moderate flecks chalk, moderate small stones, occasional medium stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2801	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2802	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2803	Natural	Firm mid orange brown sandy silt occasional flecks chalk	<input type="checkbox"/>	<input type="checkbox"/>
2804	Modern disturbance	Compact mid brown grey silty clay frequent flecks chalk, occasional flecks charcoal, occasional small stones 0.03m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2805	Subsoil	Firm mid grey brown silty clay occasional flecks chalk, occasional small-medium stones 0.16m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2807	Gulley	Linear E-W profile: 45 degrees base: flat dimensions: max breadth 0.45m, max depth 0.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2806	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2809	Gulley	Linear E-W profile: 45 degrees base: flat dimensions: max breadth 0.7m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2808	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2811	Furrow	Linear N-S dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2810	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2813	Furrow	Linear N-S dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2812	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2815	Furrow	Linear N-S dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2814	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2817	Furrow	Linear NE-SW dimensions: max breadth 0.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2816	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2819	Furrow	Linear N-S dimensions: max breadth 2.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2818	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2821	Furrow	Linear N-S dimensions: max breadth 1.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2820	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2823	Furrow	Linear N-S dimensions: max breadth 3.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2822	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2825	Furrow	Linear N-S dimensions: max breadth 2.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2824	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2827	Furrow	Linear N-S dimensions: max breadth 3.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2826	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2829	Furrow	Linear N-S dimensions: max breadth 2.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2828	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 28

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.45 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3458159795 Ref. 2: TL3467659763

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2831	Furrow	Linear NNE-SSW dimensions: max breadth 1.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2830	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2833	Furrow	Linear N-S dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2832	Fill	Firm mid orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 29

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.3 m. Max: 0.51 m.

OS Co-ordinates: Ref. 1: TL3467559794 Ref. 2: TL3477159768

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
2900	Ploughsoil	Friable dark grey brown clay silt occasional flecks chalk, occasional small-medium stones 0.30m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2901	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2902	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
2903	Redeposited Natural	Firm light brown grey silty clay frequent flecks chalk, frequent small chalk, occasional small stones 0.13m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2904	Natural	Loose light brown orange sandy gravel occasional medium stones	<input type="checkbox"/>	<input type="checkbox"/>
2905	Natural	Loose mid brown orange silty sand occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
2907	Furrow	Linear E-W dimensions: max breadth 1.15m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2908	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2909	Furrow	Linear N-S dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2910	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2911	Furrow	Linear N-S dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2912	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2913	Furrow	Linear N-S dimensions: max breadth 0.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2914	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2915	Furrow	Linear N-S dimensions: max breadth 1.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
2917	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
2916	Gulley	Linear N-S profile: irregular base: concave dimensions: max breadth 0.5m, max depth 0.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2906	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 30

Max Dimensions: Length: 100.00 m. Width: 1.95 m. Depth to Archaeology Min: 0.45 m. Max: 0.59 m.

OS Co-ordinates: Ref. 1: TL3479359785 Ref. 2: TL3489259772

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3000	Ploughsoil	Friable dark grey brown clay silt moderate flecks chalk, occasional small-medium stones 0.32m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3001	Subsoil	Firm mid orange brown silty clay occasional flecks chalk, occasional small stones 0.27m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3002	Natural	Firm light orange grey clay frequent flecks chalk, frequent small chalk, occasional small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
3003	Natural	Firm mid orange brown sandy silt occasional flecks chalk, moderate small stones	<input type="checkbox"/>	<input type="checkbox"/>
3004	Subsoil	Firm mid red brown clay silt moderate flecks fired clay 0.10m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3005	Furrow	Linear N-S dimensions: max breadth 1.15m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3006	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
3007	Furrow	Linear N-S dimensions: max breadth 1.35m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3008	Fill	Firm mid grey brown silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
3009	Furrow	Linear N-S dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3010	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
3011	Furrow	Linear N-S dimensions: max breadth 1.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3012	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
3013	Furrow	Linear N-S dimensions: max breadth 2.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3014	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>
3015	Furrow	Linear N-S dimensions: max breadth 1.25m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3016	Fill	Firm mid brown grey silty clay occasional flecks chalk, occasional small stones	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 31

Max Dimensions: Length: 97.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.42 m. Max: 0.45 m.

OS Co-ordinates: Ref. 1: TL3488859834 Ref. 2: TL3498659817

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3100	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3101	Subsoil	Firm mid orange brown sandy clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3102	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3103	Furrow	Linear ENE-WSW dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
3104	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3105	Furrow	Linear NNW-SSE dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
3106	Fill	Firm dark grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 32

Max Dimensions: Length: 99.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.44 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL3491659885 Ref. 2: TL3501559868

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3200	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3201	Subsoil	Firm mid yellow brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3202	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3203	Ditch	Linear NNW-SSE profile: near vertical base: concave dimensions: max breadth 0.87m, max depth 0.47m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3204	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3205	Furrow	Linear ENE-WSW dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
3206	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3207	Pit	Sub-oval dimensions: max breadth 1.05m, min length 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
3208	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 33

Max Dimensions: Length: 97.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.41 m. Max: 0.49 m.

OS Co-ordinates: Ref. 1: TL3497659846 Ref. 2: TL3507559831

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3300	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3301	Subsoil	Firm mid orange brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3302	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3303	Ditch	Linear NNW-SSE dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
3304	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3305	Ditch	Linear ENE-WSW dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3306	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 34

Max Dimensions: Length: 98.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3506859807 Ref. 2: TL3516759796

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3400	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3401	Subsoil	Firm mid orange brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3402	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3403	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.35m, max depth 0.07m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3404	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3405	Ditch	Linear NE-SW profile: near vertical base: concave dimensions: max breadth 0.43m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3406	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3407	Posthole	Circular profile: near vertical base: flat dimensions: max depth 0.07m, max diameter 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3408	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3410	Posthole	Sub-oval profile: concave base: flat dimensions: max breadth 0.34m, max depth 0.1m, max length 0.45m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3411	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3413	Ditch	Linear ENE-WSW profile: near vertical base: flat dimensions: max breadth 0.5m, max depth 0.22m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3414	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3415	Postpipe	Circular profile: vertical base: concave dimensions: max depth 0.09m, max diameter 0.12m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3409	Fill	Firm dark grey black clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3416	Postpipe	Circular profile: vertical base: flat dimensions: max depth 0.1m, max diameter 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3412	Fill	Firm dark grey black clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3417	Ditch	Linear NNW-SSE dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
3418	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3419	Ditch	Linear ENE-WSW dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
3420	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3421	Ditch	Linear ENE-WSW dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
3422	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 35

Max Dimensions: Length: 100.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3505859875 Ref. 2: TL3515759858

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3500	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3501	Subsoil	Firm mid orange brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3502	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3503	Furrow	Linear NNW-SSE dimensions: max breadth 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
3504	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3505	Furrow	Linear NNW-SSE dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
3506	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3507	Ditch	Linear ENE-WSW dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3508	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3509	Ditch	Linear NNW-SSE dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
3510	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 36

Max Dimensions: Length: 100.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.43 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3516759826 Ref. 2: TL3526759823

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3600	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3601	Subsoil	Firm mid orange brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3602	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3603	Ditch	Linear NW-SE profile: 45 degrees base: uneven dimensions: min breadth 1.1m, max depth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
3604	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3605	Ditch	Linear NW-SE profile: 45 degrees base: uneven dimensions: min breadth 0.77m, min depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3606	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3607	Ditch	Linear NNW-SSE profile: concave base: concave dimensions: max breadth 1.5m, max depth 0.49m Contained a land drain in its base.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3608	Fill	Firm dark yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3609	Ditch	Linear NNW-SSE dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3610	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3611	Ditch	Linear NNW-SSE dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3612	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3613	Ditch	Linear ENE-WSW dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
3614	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 37

Max Dimensions: Length: 99.30 m. Width: 2.10 m. Depth to Archaeology Min: 0.48 m. Max: 0.51 m.

OS Co-ordinates: Ref. 1: TL3520559854 Ref. 2: TL3530559850

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
3700	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3701	Subsoil	Firm dark yellow brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3702	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3703	Ditch	Linear ENE-WSW dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
3704	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3705	Ditch	Linear ENE-WSW dimensions: max breadth 0.45m	<input type="checkbox"/>	<input type="checkbox"/>
3706	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3707	Ditch	Linear NNW-SSE dimensions: max breadth 1.05m	<input type="checkbox"/>	<input type="checkbox"/>
3708	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3709	Ditch	Linear NNW-SSE dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
3710	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3711	Ditch	Linear NNW-SSE dimensions: max breadth 0.5m	<input type="checkbox"/>	<input type="checkbox"/>
3712	Fill	Firm mid brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3713	Ditch	Linear NE-SW profile: near vertical base: flat dimensions: max breadth 0.89m, max depth 0.39m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3714	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3715	Ditch	Linear NNW-SSE dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
3716	Fill	Firm mid brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 38

Max Dimensions: Length: 73.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.51 m.

OS Co-ordinates: Ref. 1: TL3524459794 Ref. 2: TL3531859784

Reason: Evaluate moated site (SMR 01099, SMRCB395)

Context:	Type:	Description:	Excavated:	Finds Present:
3800	Ploughsoil	Friable dark grey brown silty clay Thickness - 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3801	Subsoil	Firm mid yellow brown silty clay Thickness - 0.15m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3802	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3803	Ditch	Linear N-S profile: 45 degrees base: flat dimensions: max breadth 7.95m, max depth 1.55m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3804	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3805	Fill	Firm mid orange grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3806	Fill	Firm mid grey orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3807	Fill	Firm mid grey orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3808	Fill	Firm dark grey black silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3809	Fill	Firm mid brown orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3810	Fill	Firm light grey orange silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3811	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3812	Fill	Firm light grey orange clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3813	Fill	Firm mid orange brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3814	Fill	Firm light grey orange clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3815	Fill	Firm dark grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3816	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3817	Ditch	Linear NE-SW dimensions: max breadth 0.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3818	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3819	Ditch	Linear NW-SE dimensions: max breadth 0.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3820	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 39

Max Dimensions: Length: 50.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.43 m. Max: 0.56 m.

OS Co-ordinates: Ref. 1: TL3528259790 Ref. 2: TL3528459840

Reason: Evaluate moated site (SMR 01099, SMRCB395)

Context:	Type:	Description:	Excavated:	Finds Present:
3900	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3901	Subsoil	Firm mid orange brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3902	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
3903	Ditch	Linear NW-SE profile: near vertical base: flat dimensions: max breadth 0.61m, max depth 0.21m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3904	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3905	Fill	Firm mid grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3906	Ditch	Linear NW-SE dimensions: max breadth 0.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3907	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3908	Ditch	Linear E-W dimensions: max breadth 5.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
3909	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
3910	Ditch	Linear N-S base: flat dimensions: max breadth 0.55m, max depth 0.04m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3911	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 40

Max Dimensions: Length: 99.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.41 m. Max: 0.42 m.

OS Co-ordinates: Ref. 1: TL3533859835 Ref. 2: TL3543859837

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
4000	Ploughsoil	Friable dark grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4001	Subsoil	Firm mid orange brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4002	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4003	Ditch	Linear NNW-SSE dimensions: max breadth 0.5m	<input type="checkbox"/>	<input type="checkbox"/>
4004	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4005	Ditch	Linear NNW-SSE dimensions: max breadth 0.25m	<input type="checkbox"/>	<input type="checkbox"/>
4006			<input type="checkbox"/>	<input type="checkbox"/>



Trench: 41

Max Dimensions: Length: 99.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.57 m. Max: 0.6 m.

OS Co-ordinates: Ref. 1: TL3549559794 Ref. 2: TL3558359841

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
4100	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4101	Subsoil	Firm mid orange brown sandy clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4102	Natural Interface	Firm light brown grey sandy clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4103	Natural	Firm light orange grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4104	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 1.18m, max depth 0.56m, max length 2.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4105	Fill	Firm mid grey brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 42

Max Dimensions: Length: 11.40 m. Width: 2.10 m. Depth to Archaeology Min: 0.4 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL3621659814 Ref. 2: TL3621759802

Reason: Contingency

Context:	Type:	Description:	Excavated:	Finds Present:
4200	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4201	Subsoil	Firm mid yellow brown sandy clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4202	Colluvium	Firm mid orange brown sandy clay Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4203	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4204	Furrow	Linear NW-SE dimensions: max breadth 1.1m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4205	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 43

Max Dimensions: Length: 48.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.54 m.

OS Co-ordinates: Ref. 1: TL3561359832 Ref. 2: TL3564759795

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
4300	Ploughsoil	Friable dark grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4301	Subsoil	Firm mid orange brown sandy clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4302	Natural	Firm light orange grey chalky clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 44

Max Dimensions: Length: 31.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.38 m.

OS Co-ordinates: Ref. 1: TL3588959822 Ref. 2: TL3592059809

Reason: Contingency

Context:	Type:	Description:	Excavated:	Finds Present:
4400	Ploughsoil	Friable dark grey brown silty clay 0.3m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4401	Subsoil	Firm mid yellow brown clay silt 0.07m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4402	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4404	Ditch	Linear NE-SW profile: 45 degrees base: v-shaped dimensions: max breadth 1.6m, max depth 0.59m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4405	Fill	Firm dark brown grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4406	Ditch	Linear NE-SW profile: convex base: flat dimensions: max breadth 3.75m, max depth 1.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4407	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4408	Fill	Firm light yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4409	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4410	Ditch	Linear NE-SW profile: near vertical base: concave dimensions: max breadth 0.44m, max depth 0.22m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4403	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 45

Max Dimensions: Length: 24.70 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL3592059809 Ref. 2: TL3591159787

Reason: Contingency

Context:	Type:	Description:	Excavated:	Finds Present:
4500	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4501	Subsoil	Firm mid yellow brown clay silt 0.07m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4502	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4503	Ditch	Linear NE-SW dimensions: min breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
4504	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4505	Ditch	Linear NE-SW dimensions: min breadth 2.m	<input type="checkbox"/>	<input type="checkbox"/>
4506	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4507	Furrow	Linear ESE-WNW dimensions: max breadth 1.05m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4508	Fill	Firm dark yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 46

Max Dimensions: Length: 99.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.6 m.

OS Co-ordinates: Ref. 1: TL3567659855 Ref. 2: TL3575959798

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
4600	Ploughsoil	Friable dark grey brown silty clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4601	Subsoil	Firm mid orange brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4602	Natural Interface	Firm light brown grey silty clay 0.1m thick.	<input type="checkbox"/>	<input type="checkbox"/>
4603	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 47

Max Dimensions: Length: 99.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3580259850 Ref. 2: TL3590259860

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
4700	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4701	Subsoil	Firm mid orange brown sandy clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4702	Natural Interface	Firm light grey silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4703	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4704	Ditch	Linear NW-SE profile; near vertical base; v-shaped dimensions: max breadth 1.5m, max depth 1.15m Contained a land drain in its base.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4705	Fill	Firm mid brown grey sandy clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 48

Max Dimensions: Length: 49.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.56 m.

OS Co-ordinates: Ref. 1: TL3583259836 Ref. 2: TL3583759786

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
4800	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4801	Subsoil	Firm mid orange brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4802	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>

**Trench: 49**

Max Dimensions: Length: 101.45 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3587059831 Ref. 2: TL3596959847

Reason: Evaluate aerial photograph anomaly (NMR: OS/78132 FR28)

Context:	Type:	Description:	Excavated:	Finds Present:
4900	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4901	Subsoil	Firm mid yellow brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4902	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
4903	Pit	Sub-circular dimensions: min breadth 1.2m, min length 2.3m Same as [5025]. Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4904	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4905	Ditch	Linear NE-SW dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4906	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4907	Pit	Sub-oval profile: concave base: flat dimensions: max breadth 0.55m, max depth 0.14m, max length 0.71m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4908	Backfill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4909	Fill	Firm mid brown grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4910	Finds deposit	Coin hoard.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4911	Ditch	Linear NE-SW profile: near vertical base: flat dimensions: max breadth 0.65m, max depth 0.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4912	Fill	Firm mid red grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4913	Fill	Firm dark brown grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4914	Ditch	Linear NE-SW profile: concave base: concave dimensions: max breadth 0.8m, max depth 0.44m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4915	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4916	Fill	Firm dark grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4917	Ditch	Circular N-S profile: concave base: concave dimensions: max breadth 0.54m, max depth 0.18m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4918	Fill	Firm mid red grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4919	Ditch	Linear NW-SE profile: near vertical base: flat dimensions: max breadth 0.6m, max depth 0.34m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4920	Fill	Firm mid orange grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4921	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4922	Ditch	Linear NW-SE profile: 45 degrees base: concave dimensions: max breadth 0.57m, max depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4923	Fill	Firm mid brown grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4924	Posthole	Circular profile: near vertical base: concave dimensions: max depth 0.08m, max diameter 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4925	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4926	Posthole	Oval profile: near vertical base: concave dimensions: max breadth 0.32m, max depth 0.17m, max length 0.4m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4927	Fill	Firm mid orange brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4928	Ditch	Linear NW-SE dimensions: min breadth 2.45m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 49

Max Dimensions: Length: 101.45 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3587059831 Ref. 2: TL3596959847

Reason: Evaluate aerial photograph anomaly (NMR: OS/78132 FR28)

Context:	Type:	Description:	Excavated:	Finds Present:
4929	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4930	Ditch	Linear NW-SE dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4931	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4932	Ditch	Linear ESE-WNW dimensions: max breadth 1.15m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4933	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4934	Ditch	Linear NW-SE profile: concave base: concave dimensions: max breadth 0.82m, max depth 0.37m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4935	Fill	Firm light yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4936	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4937	Ditch	Linear NW-SE profile: concave base: concave dimensions: min breadth 1.2m, max depth 0.4m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4938	Fill	Firm light yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4939	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4940	Ditch	Linear NE-SW dimensions: min breadth 1.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4941	Fill	Firm mid orange brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4942	Ditch	Linear NE-SW dimensions: max breadth 1.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4943	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
4944	Ditch	Linear NW-SE dimensions: max breadth 1.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
4945	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 50

Max Dimensions: Length: 60.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.42 m.

OS Co-ordinates: Ref. 1: TL3593259873 Ref. 2: TL3594259814

Reason: Evaluate aerial photograph anomaly (NMR: OS/78132 FR28)

Context:	Type:	Description:	Excavated:	Finds Present:
5000	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5001	Subsoil	Firm mid yellow brown silty clay 0.1m thick..	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5002	Natural	Firm light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5003	Ditch	Linear NE-SW dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5004	Fill	Firm light brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5005	Well	Profile: stepped dimensions: min breadth 2.1m, min depth 0.8m, max length 8.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5006	General Number	Firm dark brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5014	Fill	Firm mid yellow grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5015	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5016	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5033	Fill	Firm dark brown grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5007	Well	Same as [5005].	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5008	Fill	Same as (5006).	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5009	Ditch	Curving linear NW-SE profile: near vertical base: v-shaped dimensions: min breadth 1.35m, max depth 0.87m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5010	General Number	Firm mid brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5011	Fill	Firm mid yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5012	Fill	Firm mid red grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5013	Fill	Firm mid brown grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5017	Ditch	Linear ENE-WSW profile: concave base: flat dimensions: max breadth 0.45m, max depth 0.22m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5018	Fill	Firm mid yellow grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5019	Ditch	Linear ESE-WNW profile: 45 degrees base: flat dimensions: max breadth 1.4m, max depth 0.65m Contained a land drain in its base.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5020	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5021	Ditch	Linear E-W dimensions: max breadth 0.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5022	Fill	Firm mid orange brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5023	Feature	Irregular dimensions: min breadth 2.1m, min length 2.55m Possible sunken featured building. Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5024	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5025	Pit	Sub-circular dimensions: min breadth 0.5m, min length 3.8m Same as [4903]. Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5026	Fill	Firm mid brown grey clay silt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5027	Ditch	Linear NW-SE profile: concave base: flat dimensions: max breadth 1.2m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5028	Fill	Firm mid brown grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5029	Ditch	Linear NW-SE dimensions: max breadth 0.3m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 50

Max Dimensions: Length: 60.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.42 m.

OS Co-ordinates: Ref. 1: TL3593259873 Ref. 2: TL3594259814

Reason: Evaluate aerial photograph anomaly (NMR: OS/78132 FR28)

Context:	Type:	Description:	Excavated:	Finds Present:
5030	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5031	Ditch	Linear NW-SE profile: near vertical base: concave dimensions: max breadth 0.39m, max depth 0.11m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5032	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5034	Furrow	Linear ESE-WNW dimensions: max breadth 0.95m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5035	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 51

Max Dimensions: Length: 98.10 m. Width: 2.10 m. Depth to Archaeology Min: 0.26 m. Max: 0.41 m.

OS Co-ordinates: Ref. 1: TL3597259872 Ref. 2: TL3607159882

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5100	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5101	Subsoil	Firm mid yellow grey silty clay 0.05m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5102	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5103	Ditch	Linear NNW-SSE profile: concave base: concave dimensions: max breadth 0.58m, max depth 0.36m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5104	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5105	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 0.6m, max depth 0.26m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5106	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5107	Ditch	Linear NNW-SSE dimensions: max breadth 0.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5108	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 52

Max Dimensions: Length: 101.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.3 m. Max: 0.42 m.

OS Co-ordinates: Ref. 1: TL3597259809 Ref. 2: TL3607159821

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5200	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5201	Subsoil	Firm mid yellow brown silty clay 0.15m thick. Only present in western 75m of trench.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5202	Natural	Hard light grey chalky clay	<input type="checkbox"/>	<input type="checkbox"/>
5203	Ditch	Linear NW-SE profile: near vertical base: concave dimensions: max breadth 0.78m, max depth 0.19m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5204	Fill	Firm light brown grey sandy silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5205	Ditch	Linear ESE-WNW dimensions: max breadth 0.75m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5206	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5207	Ditch	Linear N-S profile: concave base: concave dimensions: max breadth 0.98m, max depth 0.28m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5208	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5209	Ditch	Linear N-S profile: 45 degrees base: concave dimensions: max breadth 0.68m, max depth 0.16m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5210	Fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5211	Ditch	Linear NNW-SSE profile: near vertical base: concave dimensions: min breadth 0.87m, max depth 0.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5212	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5213	Ditch	Linear NNW-SSE profile: concave base: v-shaped dimensions: max breadth 1.2m, max depth 0.53m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5214	Fill	Firm dark grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5215	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5216	Ditch	Linear NNW-SSE profile: 45 degrees base: concave dimensions: min breadth 1.6m, max depth 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5217	Fill	Firm light grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5218	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5219	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5220	Fill	Friable dark grey sandy clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5221	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5222	Pit	Sub-oval dimensions: max breadth 1.05m, max length 1.55m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
5223	Fill	Firm mid brown grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 53

Max Dimensions: Length: 98.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.25 m. Max: 0.46 m.

OS Co-ordinates: Ref. 1: TL3611359739 Ref. 2: TL3613759836

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5300	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5301	Subsoil	Firm mid red brown sandy clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5302	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5303	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.65m, max depth 0.24m, max length 3.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5304	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5305	Furrow	Linear NE-SW profile: concave base: concave	<input type="checkbox"/>	<input type="checkbox"/>
5306	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5307	Furrow	Linear E-W dimensions: max depth 0.95m, max length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
5308	Feature	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5309	Furrow	Linear E-W profile: concave base: flat dimensions: max breadth 0.7m, max length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
5310	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5311	Land drain	Linear profile: concave base: concave dimensions: min breadth 0.57m, max length 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
5312	Fill	Firm dark yellow grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 54

Max Dimensions: Length: 98.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.43 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL3615559898 Ref. 2: TL3625459914

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5400	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5401	Subsoil	Firm mid orange brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5402	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5403	Furrow	Linear NW-SE dimensions: max breadth 0.3m	<input type="checkbox"/>	<input type="checkbox"/>
5404	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5405	Furrow	Linear NW-SE dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
5406	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5407	Furrow	Linear NW-SE dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
5408	Fill	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 55

Max Dimensions: Length: 98.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.33 m. Max: 0.4 m.

OS Co-ordinates: Ref. 1: TL3616159842 Ref. 2: TL3626059855

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5500	Ploughsoil	Friable dark grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5501	Subsoil	Firm mid yellow brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5502	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5503	Palaeochannel	Curving linear	<input type="checkbox"/>	<input type="checkbox"/>
5504	Fill	Firm dark yellow grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 56

Max Dimensions: Length: 99.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.47 m. Max: 0.49 m.

OS Co-ordinates: Ref. 1: TL3621659814 Ref. 2: TL3631559825

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5600	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5601	Subsoil	Firm mid orange brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5602	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5603	Palaeochannel	Linear dimensions: min breadth 12.7m	<input type="checkbox"/>	<input type="checkbox"/>
5604	Fill	Firm dark yellow grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
5605	Furrow	Linear NW-SE dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
5606	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5607	Furrow	Linear NW-SE dimensions: max breadth 0.75m	<input type="checkbox"/>	<input type="checkbox"/>
5608	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5609	Furrow	Linear NW-SE dimensions: max breadth 1.7m	<input type="checkbox"/>	<input type="checkbox"/>
5610	Subsoil	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5611	Furrow	Linear NW-SE dimensions: max breadth 1.8m	<input type="checkbox"/>	<input type="checkbox"/>
5612	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 57

Max Dimensions: Length: 99.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.58 m.

OS Co-ordinates: Ref. 1: TL3615359769 Ref. 2: TL3625159784

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5700	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5701	Subsoil	Firm mid orange brown sandy silt 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5702	Colluvium	Firm mid brown orange clay sand 0.6m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5703	Natural	Hard light blue grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5704	Ditch	Linear ENE-WSW dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
5705	Fill	Firm dark grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 58

Max Dimensions: Length: 98.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.28 m. Max: 0.38 m.

OS Co-ordinates: Ref. 1: TL3628659937 Ref. 2: TL3630059838

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5800	Ploughsoil	Friable dark grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5801	Subsoil	Firm mid orange brown silty clay 0.05m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5802	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5803	Furrow	Linear NW-SE dimensions: max breadth 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
5804	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5805	Furrow	Linear NW-SE dimensions: max breadth 0.65m	<input type="checkbox"/>	<input type="checkbox"/>
5806	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5807	Furrow	Linear NW-SE dimensions: max breadth 1.2m	<input type="checkbox"/>	<input type="checkbox"/>
5808	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 59

Max Dimensions: Length: 98.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3633059928 Ref. 2: TL3642959938

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
5900	Ploughsoil	Friable dark grey brown silty clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5901	Subsoil	Firm mid orange brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5902	Natural	Firm light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
5903	Furrow	Linear NW-SE dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
5904	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5905	Furrow	Linear NW-SE dimensions: max breadth 0.55m	<input type="checkbox"/>	<input type="checkbox"/>
5906	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
5907	Colluvium	Firm mid brown orange sandy silt Present only at east end of trench.	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 60

Max Dimensions: Length: 99.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.31 m. Max: 0.52 m.

OS Co-ordinates: Ref. 1: TL3633959860 Ref. 2: TL3643859871

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6000	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6001	Subsoil	Firm mid orange brown silty clay 0.2m thick. Not present at west end of trench.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6002	Colluvium	Firm mid brown orange sandy silt	<input type="checkbox"/>	<input type="checkbox"/>
6003	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
6004	Furrow	Linear ESE-WNW dimensions: max breadth 0.4m	<input type="checkbox"/>	<input type="checkbox"/>
6005	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6006	Furrow	Linear ESE-WNW dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
6007	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 61

Max Dimensions: Length: 98.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.39 m. Max: 0.53 m.

OS Co-ordinates: Ref. 1: TL3642459895 Ref. 2: TL3650959948

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6100	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6101	Subsoil	Firm mid orange brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6102	Colluvium	Firm mid brown orange silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6103	Natural	Firm light yellow grey clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6104	Ditch	Linear NE-SW profile: convex base: flat dimensions: max breadth 1.23m, max depth 0.62m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6105	Fill	Compact mid brown grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6106	Furrow	Linear NW-SE dimensions: max breadth 1.m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6107	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6108	Furrow	Linear NW-SE dimensions: max breadth 0.8m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6109	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6110	Furrow	Linear NW-SE dimensions: max breadth 0.85m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6111	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6112	Furrow	Linear NW-SE dimensions: max breadth 0.85m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6113	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6114	Furrow	Linear NW-SE dimensions: max breadth 0.8m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6115	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6116	Furrow	Linear NW-SE dimensions: max breadth 0.8m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6117	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6118	Furrow	Linear NW-SE dimensions: max breadth 0.9m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6119	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6120	Furrow	Linear NW-SE dimensions: max breadth 1.m Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>
6121	Fill	Firm mid brown silty clay Unexcavated.	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 62

Max Dimensions: Length: 99.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL3648459855 Ref. 2: TL3654959932

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
6200	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6201	Subsoil	Firm mid brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6203	Furrow	Linear NW-SE dimensions: max breadth 3.m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6202	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6204	Furrow	Linear NW-SE profile: concave base: flat dimensions: max breadth 3.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6220	Fill	Firm light grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6205	Pit	Sub-oval profile: concave base: flat dimensions: min breadth 1.3m, max depth 0.36m, min length 1.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6210	Fill	Firm light yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6211	Fill	Friable light grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6214	Ditch	Linear E-W profile: 45 degrees base: flat dimensions: min breadth 0.3m, max depth 0.08m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6215	Fill	Firm light grey yellow clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6216	Ditch	Linear NW-SE profile: concave base: flat dimensions: min breadth 0.5m, max depth 0.05m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6217	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6218	Ditch	Linear NW-SE profile: 45 degrees base: uneven dimensions: max breadth 0.25m, max depth 0.04m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6219	Fill	Firm mid grey clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6221	Pit	Oval profile: concave base: flat dimensions: max breadth 0.4m, max depth 0.1m, max length 0.6m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6222	Fill	Firm mid grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6223	Pit	Oval profile: concave base: flat dimensions: max breadth 0.3m, max depth 0.38m, max length 0.48m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6209	Fill	Firm light grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6224	Pit	Oval profile: concave base: uneven dimensions: max breadth 0.4m, max depth 0.35m, max length 1.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6206	Fill	Firm light yellow grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6207	Fill	Firm light yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6208	Fill	Firm light yellow grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6225	Pit	Sub-oval profile: concave base: flat dimensions: max breadth 1.m, max length 1.8m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6226	Fill	Firm dark grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6227	Ditch	Linear NW-SE dimensions: max breadth 1.6m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6228	Fill	Firm mid grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6229	Furrow	Linear NW-SE dimensions: max breadth 1.9m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6230	Fill	Firm light grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6231	Natural	Firm light grey yellow clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 62

Max Dimensions: Length: 99.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.44 m.

OS Co-ordinates: Ref. 1: TL3648459855 Ref. 2: TL3654959932

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
6232	Natural Interface	Firm light yellow grey silty clay 0.1m thick. Only present in middle of trench.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6233	Ditch	Linear N-S dimensions: max breadth 0.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6234	Fill	Firm mid grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6235	Ditch	Linear NE-SW dimensions: max breadth 0.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6236	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6237	Ditch	Curving linear E-W dimensions: max breadth 3.4m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6238	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6239	Furrow	Linear NW-SE dimensions: max breadth 0.85m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6240	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6241	Furrow	Linear NW-SE dimensions: max breadth 0.65m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6242	Fill	Firm mid grey brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6243	Ditch	Linear NW-SE dimensions: max breadth 2.1m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6244	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6245	Ditch	Linear NW-SE dimensions: max breadth 2.7m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6246	Fill	Firm dark brown grey clay silt	<input type="checkbox"/>	<input type="checkbox"/>
6247	Pond	Dimensions: min breadth 2.1m, min depth 1.5m, min length 12.5m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
6248	Fill	Firm dark grey brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6249	Furrow	Linear E-W dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
6250	Fill	Firm mid yellow brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 63

Max Dimensions: Length: 98.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.35 m. Max: 0.43 m.

OS Co-ordinates: Ref. 1: TL3651559890 Ref. 2: TL3659859834

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
6300	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6301	Subsoil	Firm mid orange brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6302	Natural Interface	Firm light yellow grey silty clay 0.1m thick. Only present in eastern 9m of trench.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6303	Natural	Hard light yellow grey clay	<input type="checkbox"/>	<input type="checkbox"/>
6304	Furrow	Linear E-W dimensions: max breadth 0.95m	<input type="checkbox"/>	<input type="checkbox"/>
6305	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6306	Furrow	Linear E-W dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
6307	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6308	Furrow	Linear E-W dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
6309	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6310	Furrow	Linear E-W dimensions: max breadth 2.05m	<input type="checkbox"/>	<input type="checkbox"/>
6311	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6312	Furrow	Linear E-W dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
6313	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6314	Ditch	Linear N-S dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
6315	Fill	Firm mid brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6316	Ditch	Linear N-S dimensions: max breadth 3.6m	<input type="checkbox"/>	<input type="checkbox"/>
6317	Fill	Firm mid grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
6318	Ditch	Linear N-S profile: convex base: concave dimensions: max breadth 0.91m, max depth 0.5m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6319	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6320	Ditch	Linear N-S profile: near vertical base: concave dimensions: max breadth 0.43m, max depth 0.38m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6321	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6322	Ditch	Linear NE-SW profile: concave base: flat dimensions: max breadth 0.51m, max depth 0.08m Perhaps slightly curved.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6323	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 64

Max Dimensions: Length: 98.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.43 m. Max: 0.53 m.

OS Co-ordinates: Ref. 1: TL3653359911 Ref. 2: TL3662659875

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
6400	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6401	Subsoil	Firm mid orange brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6404	Ditch	Linear NE-SW profile: 45 degrees base: v-shaped dimensions: max breadth 0.79m, max depth 0.45m Contained a land drain in its base.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6402	Fill	Firm light grey brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6403	Fill	Firm light brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6418	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6405	Natural	Firm light yellow grey chalky clay	<input type="checkbox"/>	<input type="checkbox"/>
6413	Ditch	Linear NE-SW profile: concave base: v-shaped dimensions: max breadth 2.3m, max depth 1.25m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6406	Fill	Firm mid grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6407	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6408	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6409	Fill	Firm mid grey brown clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6410	Fill	Firm light brown grey clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6411	Fill	Firm light grey yellow clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6412	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6416	Ditch	Linear NW-SE profile: 45 degrees base: v-shaped dimensions: max breadth 0.7m, max depth 0.47m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6414	Fill	Firm mid grey brown clay silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6415	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6419	Pit	Oval profile: concave base: uneven dimensions: max breadth 0.45m, max depth 0.07m, max length 0.98m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6420	Fill	Firm mid grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6422	Pit	Oval profile: concave base: uneven dimensions: max breadth 0.5m, max depth 0.07m, max length 0.75m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6423	Fill	Hard light grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6425	Ditch	Linear NW-SE profile: concave base: flat dimensions: max breadth 0.5m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6426	Fill	Firm light grey brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 65

Max Dimensions: Length: 99.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.29 m. Max: 0.59 m.

OS Co-ordinates: Ref. 1: TL3656159944 Ref. 2: TL3666159943

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6500	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6501	Subsoil	Firm mid orange brown sandy clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6503	Pit	Sub-oval profile: concave base: flat dimensions: max breadth 1.2m, max depth 0.3m, max length 2.m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6502	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6505	Ditch	Linear N-S profile: vertical base: flat dimensions: max breadth 0.3m, max depth 0.25m Probably a land drain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6504	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6507	Pit	Linear N-S profile: vertical base: flat dimensions: max breadth 0.3m, max depth 0.3m, max length 1.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6506	Fill	Firm dark grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6509	Ditch	Linear NE-SW profile: 45 degrees base: v-shaped dimensions: max breadth 1.8m, max depth 0.6m Contained a land drain in its base.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6508	Fill	Firm mid orange brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6510	Natural	Firm light yellow grey clay	<input type="checkbox"/>	<input type="checkbox"/>
6511	Ditch	Linear N-S profile: concave base: flat dimensions: max breadth 0.53m, max depth 0.53m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6512	Fill	Firm mid brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6513	Ditch	Linear N-S profile: 45 degrees base: flat dimensions: max breadth 0.91m, max depth 0.76m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6514	Fill	Firm mid red brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6515	Fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6516	Fill	Firm dark grey brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6517	Fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6518	Ditch	Linear N-S profile: concave base: flat dimensions: max breadth 0.88m, max depth 0.41m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6519	Fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6520	Ditch	Linear NW-SE profile: 45 degrees dimensions: max breadth 3.m, min depth 1.m Base of ditch not reached.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6521	Fill	Firm mid red grey clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6522	Fill	Firm light yellow grey silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6523	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6524	Fill	Firm dark brown grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Trench: 66

Max Dimensions: Length: 98.90 m. Width: 2.10 m. Depth to Archaeology Min: 0.5 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3661759829 Ref. 2: TL3671259860

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6600	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6601	Subsoil	Firm light yellow brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6602	Natural	Hard light yellow grey clay	<input type="checkbox"/>	<input type="checkbox"/>
6603	Ditch	Linear NW-SE profile: 45 degrees base: flat dimensions: max breadth 0.59m, max depth 0.17m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6604	Fill	Firm mid grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 67

Max Dimensions: Length: 100.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.47 m. Max: 0.57 m.

OS Co-ordinates: Ref. 1: TL3667359966 Ref. 2: TL3668759867

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6700	Ploughsoil	Friable dark grey brown silty clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6701	Subsoil	Firm mid yellow grey silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6702	Natural	Hard light yellow grey clay	<input type="checkbox"/>	<input type="checkbox"/>
6703	Ditch	Linear NW-SE profile: 45 degrees base: v-shaped dimensions: max breadth 1.1m, max depth 0.7m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6704	Fill	Hard light yellow brown silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6705	Fill	Hard light yellow grey clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6706	Furrow	Linear ESE-WNW dimensions: max breadth 1.1m	<input type="checkbox"/>	<input type="checkbox"/>
6707	Fill	Firm mid orange brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
6708	Furrow	Linear ESE-WNW dimensions: max breadth 2.3m	<input type="checkbox"/>	<input type="checkbox"/>
6709	Fill	Firm mid orange brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
6710	Furrow	Linear ESE-WNW dimensions: max breadth 1.85m	<input type="checkbox"/>	<input type="checkbox"/>
6711	Fill	Firm mid orange brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>
6712	Furrow	Linear ESE-WNW dimensions: max breadth 0.85m	<input type="checkbox"/>	<input type="checkbox"/>
6713	Fill	Firm mid orange brown sandy clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 68

Max Dimensions: Length: 99.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.47 m. Max: 0.58 m.

OS Co-ordinates: Ref. 1: TL3668959969 Ref. 2: TL3678659944

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6800	Ploughsoil	Friable dark grey brown silty clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6801	Subsoil	Firm mid yellow brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6802	Natural	Hard light yellow grey clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 69

Max Dimensions: Length: 99.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.45 m.

OS Co-ordinates: Ref. 1: TL3671759987 Ref. 2: TL3681460012

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
6900	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6901	Subsoil	Firm mid orange brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6902	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 70

Max Dimensions: Length: 99.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.38 m. Max: 0.41 m.

OS Co-ordinates: Ref. 1: TL3678159802 Ref. 2: TL3682159893

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
7000	Ploughsoil	Firm dark orange brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7001	Subsoil	Firm mid orange brown clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7002	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7003	Palaeochannel	Linear N-S dimensions: max breadth 27.5m	<input type="checkbox"/>	<input type="checkbox"/>
7004	Fill	Firm dark orange grey clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 71

Max Dimensions: Length: 62.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.49 m. Max: 0.55 m.

OS Co-ordinates: Ref. 1: TL3685559901 Ref. 2: TL3685959962

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7100	Ploughsoil	Friable mid grey brown silty clay occasional small stones 0.35m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7101	Subsoil	Firm light yellow white clay 0.20m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7102	Natural	Hard light brown yellow clay	<input type="checkbox"/>	<input type="checkbox"/>
7103	Pit	Oval NW-SE profile: concave base: flat dimensions: max depth 0.45m, max diameter 1.35m, max length 1.8m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7104	Fill	Firm dark grey black silty clay occasional medium-large burnt stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7105	Fill	Firm mid brown grey silty clay occasional small stones	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7106	Fill	Firm light grey silty clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7107	Fill	Hard light grey sandy clay moderate flecks manganese staining	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7108	Fill	Firm light grey brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7109	Fill	Hard light yellow grey clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7110	Primary fill	Friable light grey yellow clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7111	Cut	Sub-oval N-S profile: 45 degrees base: flat dimensions: max depth 0.21m, max length 0.76m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7112	Fill	Firm mid grey yellow silt	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7113	Fill	Firm dark brown grey silty clay moderate flecks charcoal, moderate small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Trench: 72

Max Dimensions: Length: 99.80 m. Width: 2.10 m. Depth to Archaeology Min: 0.44 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3680259796 Ref. 2: TL3689759765

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7200	Ploughsoil	Firm dark grey brown clay silt 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7201	Subsoil	Firm dark yellow brown silty clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7202	Natural	Hard light yellow grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
7203	Natural	Hard mid yellow grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 73

Max Dimensions: Length: 100.50 m. Width: 2.10 m. Depth to Archaeology Min: 0.23 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3682359839 Ref. 2: TL3691859809

Reason: Evaluate geophysical anomaly

Context:	Type:	Description:	Excavated:	Finds Present:
7300	Ploughsoil	Firm dark grey brown clay silt 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7301	Subsoil	Firm mid yellow brown silty clay 0.15m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7302	Natural	Hard light yellow grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>
7303	Natural	Hard mid yellow grey silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 74

Max Dimensions: Length: 100.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.32 m. Max: 0.35 m.

OS Co-ordinates: Ref. 1: TL3688159841 Ref. 2: TL3691459936

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7400	Ploughsoil	Firm dark orange brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7401	Subsoil	Firm mid orange brown clay 0.1m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7402	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 75

Max Dimensions: Length: 80.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.33 m. Max: 0.35 m.

OS Co-ordinates: Ref. 1: TL3691159900 Ref. 2: TL3698859878

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7500	Ploughsoil	Firm dark orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7501	Subsoil	Firm mid orange brown clay 0.05m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7502	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7503	Pit	Sub-oval dimensions: min breadth 0.8m, min length 1.55m	<input type="checkbox"/>	<input type="checkbox"/>
7504	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7505	Ditch	Linear NW-SE dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
7506	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7507	Ditch	Linear NE-SW dimensions: max breadth 0.5m	<input type="checkbox"/>	<input type="checkbox"/>
7508	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 76

Max Dimensions: Length: 100.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.25 m. Max: 0.25 m.

OS Co-ordinates: Ref. 1: TL3693059757 Ref. 2: TL3696259851

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7600	Ploughsoil	Firm dark orange brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7601	Subsoil	Firm mid orange brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7602	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7603	Natural	Loose light orange brown silty clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 77

Max Dimensions: Length: 100.30 m. Width: 2.10 m. Depth to Archaeology Min: 0.37 m. Max: 0.47 m.

OS Co-ordinates: Ref. 1: TL3699859787 Ref. 2: TL3709659765

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7700	Ploughsoil	Firm dark orange brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7701	Subsoil	Firm mid orange brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7702	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 78

Max Dimensions: Length: 98.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.32 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: TL3700959834 Ref. 2: TL3710759812

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7800	Ploughsoil	Firm dark orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7801	Subsoil	Firm mid orange brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7802	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 79

Max Dimensions: Length: 99.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.47 m. Max: 0.52 m.

OS Co-ordinates: Ref. 1: TL3707859850 Ref. 2: TL3717459821

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
7900	Ploughsoil	Firm dark orange brown clay 0.35m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7901	Subsoil	Firm mid orange brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7902	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7903	Furrow	Linear N-S dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
7904	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7905	Furrow	Linear N-S dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
7906	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
7907	Furrow	Linear N-S dimensions: max breadth 2.3m	<input type="checkbox"/>	<input type="checkbox"/>
7908	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 80

Max Dimensions: Length: 100.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.49 m. Max: 0.76 m.

OS Co-ordinates: Ref. 1: TL3708559726 Ref. 2: TL3716559785

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8000	Ploughsoil	Friable dark grey brown silty clay occasional medium-large stones 0.25m thick	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8001	Colluvium	Firm mid orange brown silty clay occasional small-large stones 0.65m thick	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8002	Natural	Hard light orange brown clay frequent small-large stones	<input type="checkbox"/>	<input type="checkbox"/>
8003	Posthole	Circular profile: near vertical base: flat dimensions: max depth 0.22m, max diameter 0.35m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8004	Fill	Firm light grey brown clay silt moderate small charcoal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8005	Posthole	Sub-circular profile: near vertical base: v-shaped dimensions: max depth 0.24m, max diameter 0.3m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8006	Fill	Firm light grey brown clay silt moderate small charcoal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8007	Modern Intrusion	Linear ENE-WSW profile: 45 degrees base: flat dimensions: max breadth 0.53m, max depth 0.26m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8008	Fill	Firm mid grey brown silty clay occasional small chalk	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8009	Ditch	Linear ENE-WSW profile: irregular base: flat dimensions: max breadth 0.32m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8010	Fill	Firm mid yellow brown silty clay occasional small stones	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8011	Layer	Firm dark orange brown silty clay Probable area of burning	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8012	Posthole	Sub-circular dimensions: max diameter 0.2m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
8013	Fill	Firm light grey brown clay silt moderate small charcoal	<input type="checkbox"/>	<input type="checkbox"/>
8014	Posthole	Circular dimensions: max diameter 0.45m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
8015	Fill	Firm light grey brown clay silt moderate small charcoal	<input type="checkbox"/>	<input type="checkbox"/>
8016	Posthole	Oval NW-SE dimensions: max breadth 0.28m, max length 0.45m Unexcavated	<input type="checkbox"/>	<input type="checkbox"/>
8017	Fill	Firm light grey brown clay silt moderate flecks charcoal	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 81

Max Dimensions: Length: 100.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.36 m. Max: 0.53 m.

OS Co-ordinates: Ref. 1: TL3718459725 Ref. 2: TL3725259798

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8100	Ploughsoil	Firm dark orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8101	Subsoil	Firm mid orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8102	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8103	Furrow	Linear NW-SE dimensions: max breadth 2.5m	<input type="checkbox"/>	<input type="checkbox"/>
8104	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8105	Ditch	Linear NW-SE profile: concave base: flat dimensions: max breadth 0.5m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8106	Fill	Firm mid orange brown clay	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8107	Furrow	Linear NW-SE dimensions: max breadth 0.9m	<input type="checkbox"/>	<input type="checkbox"/>
8108	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8109	Furrow	Linear NW-SE dimensions: max breadth 2.7m	<input type="checkbox"/>	<input type="checkbox"/>
8110	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8111	Furrow	Linear NW-SE dimensions: max breadth 1.6m	<input type="checkbox"/>	<input type="checkbox"/>
8112	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8113	Furrow	Linear NW-SE dimensions: max breadth 3.5m	<input type="checkbox"/>	<input type="checkbox"/>
8114	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8115	Furrow	Linear NW-SE dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
8116	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8117	Furrow	Linear NW-SE dimensions: max breadth 2.1m	<input type="checkbox"/>	<input type="checkbox"/>
8118	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8119	Furrow	Linear NW-SE dimensions: max breadth 3.4m	<input type="checkbox"/>	<input type="checkbox"/>
8120	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8121	Furrow	Linear NW-SE dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
8122	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8123	Furrow	Linear NW-SE dimensions: max breadth 0.8m	<input type="checkbox"/>	<input type="checkbox"/>
8124	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8125	Furrow	Linear NW-SE dimensions: max breadth 1.3m	<input type="checkbox"/>	<input type="checkbox"/>
8126	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8127	Furrow	Linear NW-SE dimensions: max breadth 0.7m	<input type="checkbox"/>	<input type="checkbox"/>
8128	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 82

Max Dimensions: Length: 100.00 m. Width: 2.10 m. Depth to Archaeology Min: 0.24 m. Max: 0.33 m.

OS Co-ordinates: Ref. 1: TL3724259752 Ref. 2: TL3733959729

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8200	Ploughsoil	Firm dark orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8201	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8202	Palaeochannel	Linear NE-SW dimensions: max breadth 3.9m	<input type="checkbox"/>	<input type="checkbox"/>
8203	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8204	Ditch	Linear N-S dimensions: max breadth 2.2m	<input type="checkbox"/>	<input type="checkbox"/>
8205	Fill	Firm dark brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8206	Furrow	Linear NW-SE dimensions: max breadth 1.m	<input type="checkbox"/>	<input type="checkbox"/>
8207	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8208	Furrow	Linear NW-SE dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
8209	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8210	Furrow	Linear NW-SE dimensions: max breadth 0.6m	<input type="checkbox"/>	<input type="checkbox"/>
8211	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 83

Max Dimensions: Length: 99.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.27 m. Max: 0.33 m.

OS Co-ordinates: Ref. 1: TL3732859766 Ref. 2: TL3742459737

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8300	Ploughsoil	Firm dark orange brown clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8301	Natural	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8302	Treethrow	Oval dimensions: max breadth 1.3m, max length 1.8m	<input type="checkbox"/>	<input type="checkbox"/>
8303	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8304	Fill		<input type="checkbox"/>	<input type="checkbox"/>
8305	Fill	Firm light orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8306	Furrow	Linear NW-SE dimensions: max breadth 4.3m	<input type="checkbox"/>	<input type="checkbox"/>
8307	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8308	Furrow	Linear NW-SE dimensions: max breadth 1.5m	<input type="checkbox"/>	<input type="checkbox"/>
8309	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>
8310	Furrow	Linear NW-SE dimensions: max breadth 1.4m	<input type="checkbox"/>	<input type="checkbox"/>
8311	Fill	Firm mid orange brown clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 84

Max Dimensions: Length: 98.20 m. Width: 2.10 m. Depth to Archaeology Min: 0.2 m. Max: 0.24 m.

OS Co-ordinates: Ref. 1: TL3737459707 Ref. 2: TL3747359694

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8400	Ploughsoil	Firm dark yellow brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8401	Subsoil	Firm mid orange brown clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8402	Natural	Firm light orange grey clay	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 85

Max Dimensions: Length: 98.60 m. Width: 2.10 m. Depth to Archaeology Min: 0.45 m. Max: 0.57 m.

OS Co-ordinates: Ref. 1: TL3752159679 Ref. 2: TL3762159678

Reason: Determine general archaeological potential

Context:	Type:	Description:	Excavated:	Finds Present:
8500	Ploughsoil	Firm dark yellow brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8501	Subsoil	Firm mid yellow brown clay 0.25m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8502	Natural	Firm mid yellow brown clay silt	<input type="checkbox"/>	<input type="checkbox"/>



Trench: 88

Max Dimensions: Length: 25.00 m. Width: 12.20 m. Depth to Archaeology Min: 0.5 m. Max: 0.5 m.

OS Co-ordinates: Ref. 1: Ref. 2:

Reason: Watching brief on machining of main compound area

Context:	Type:	Description:	Excavated:	Finds Present:
8800	Ploughsoil	Friable dark grey brown silty clay 0.3m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8801	Subsoil	Firm mid orange brown silty clay 0.2m thick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8802	Natural	Hard light grey clay	<input type="checkbox"/>	<input type="checkbox"/>
8803	Ditch	Linear NE-SW profile: 45 degrees base: v-shaped dimensions: max breadth 0.2m, max depth 0.06m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8804	Fill	Firm mid yellow brown clay silt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8805	Ditch	Linear NE-SW profile: 45 degrees base: flat dimensions: max breadth 0.41m, max depth 0.1m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8806	Fill	Firm mid yellow brown silty clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8807	Ditch	Linear NW-SE profile: concave base: flat dimensions: max breadth 0.9m, max depth 0.2m	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8808	Fill	Firm mid yellow brown clay	<input checked="" type="checkbox"/>	<input type="checkbox"/>



6.2 Appendix 2 – Artefact and Ecofact Summary

6.2.1 Fieldwalking

6.2.1.1 Introduction

All material considered to be artefactual was retrieved. Finds were cleaned, weighed and quantified by type and date. The resulting information was entered onto an Access database which was used for plotting the survey results as dot-density distributions (Albion Archaeology 2004). Artefacts recovered are summarised below by Area of Archaeological Evidence (AAE), field number and type (Table 2). With the exception of worked flint and Roman pottery, the majority are of post-medieval and modern date.

AAE	Field Number	Find type	Number of sherds/ or fragments	Weight (g)
		Worked flint		
4	14	Flake	1	18
6	17	?Notched flake	1	7
8	19	Flake	1	8
8	19	Flake	1	5
8	19	?Unfinished arrowhead	1	2
-	24	Flake	1	3
		Pottery		
1	2	Modern: Teapot lid	1	11
1	2	Modern: Mocha ware (C18-19)	1	6
3	12	Roman: Greyware	2	26
4	14	Roman: Micaceous ware	1	2
4	14	Modern: Flower pot	1	2
5	16	Roman: Greyware	1	9
6	17	Modern: Brown stoneware (C18-19)	2	103
6	17	Modern: Creamware (C18-19)	1	8
8	19	Roman: Greyware	1	7
8	19	Post-medieval: Tin-glazed ware (C17-18)	1	24
8	19	Modern: Transfer-printed ware (C19)	1	1
8	19	Modern: Brown stoneware (C18-19)	1	13
8	19	Modern: Transfer-printed ware (C19)	2	3
8	19	Modern: Earthenware	1	4
8	19	Modern: Transfer-printed ware (C19)	1	3
8	19	Undiagnostic pottery (Roman or medieval)	1	7
-	24	Post-medieval: Glazed earthenware (C17-	1	6
-	15	Modern: Black basalt	1	13
		Ceramic building material		
1	2	Modern brick	1	55
-	24	Modern brick	1	28
		Glass		
3	12	Post-medieval vessel glass	1	36
8	19	Modern bottle glass	1	13
		Metalworking residues		



AAE	Field Number	Find type	Number of sherds/ or fragments	Weight (g)
3	12	Ferrous slag	1	19
4	14	Ferrous slag	1	4
9	19	Ferrous slag	1	28
9	19	Ferrous slag	1	9
-	15	Ferrous slag	1	3

Table 2: Summary of the artefact assemblages identified during fieldwalking

6.2.2 Trial trenching

6.2.2.1 Introduction

The intrusive evaluation produced a finds assemblage comprising pottery, fired clay, flint, shell, metal artefacts, and faunal remains, the majority associated with features in AAE 5 (Table 3). The material was scanned to ascertain its nature, condition and, where possible, date range. Pottery fabric types were identified using common names and type codes in accordance with the Bedfordshire Ceramic Type Series, held by Albion Archaeology (Table 5). Artefacts are summarised below by Areas of Archaeological Evidence (AAE).

AAE	Tr.	Feature	Type	Context	Spotdate	Pottery	Animal bone	Other finds
1	09	904	Ditch	903	Roman	2:7		
3	21	2103	Ditch	2104	-			Flint arrowhead (RA)
		2103	Ditch	2107	Roman	1:11		
		2108	Ditch	2109	E-M Iron Age	4:53		
	22	2110	Ditch	2111	Roman	6:20		
		2200	Ploughsoil	2200	Roman	1:6		
		2203	Ditch	2204	Late Iron Age	2:15	4:51	Ca sheet fragment (RA)
	23	2221	Ditch	2220	Late Iron Age	1:8		
		2305	Ditch	2306	Roman	1:22		
		2312	Ditch	2313	Roman	4:50	8:20	CBM (37g) Shell (13g), fe nail (4g)
		2312	Ditch	2314	-		7:102	
		2317	Ditch	2318	Roman	1:10	2:42	
	25	2319	Ditch	2320	Post-medieval			Clay pipe (2g)
		2500	Ploughsoil	2500	Modern	1:5		
2515		Ditch	2516	Roman	6:67	72:547	Fe horseshoe (RA)	
4	38	2552	Furrow	2553	-		18:307	
		3803	Ditch	3808	Modern	2:38		
		3803	Ditch	3811	Modern	9:143		CBM (962g), clay pipe (6g), vessel glass (56g), fe nail (77g)
5	44	3803	Ditch	3815	Post-medieval	1:122		
		4404	Ditch	4405	Roman	10:152	39:146	



AAE	Tr.	Feature	Type	Context	Spotdate	Pottery	Animal bone	Other finds	
	49	4406	Ditch	4407	Roman	1:5	24:133	Burnt stone (1g) Ca coin (RA) Ca bracelet (RA) Ca coin hoard (RA) Charcoal (1g) Fired clay (4g) Shell (14g) Shell (10g) CBM (54g), fired clay (12g)	
		4406	Ditch	4409	Roman	7:26	20:79		
		4903	Pit	4904	Roman	1:15			
		4905	Ditch	4906	Roman				
		4907	Pit	4910	Roman	32:549	15:71		
		4911	Ditch	4913	Roman				
		4914	Ditch	4915	-		1:109		
		4914	Ditch	4916	Roman	7:56	32:185		
		4919	Ditch	4920	Roman	8:76	1:8		
		4919	Ditch	4921	Roman	24:206	8:11		
		50	4922	Ditch	4923	Roman	1:9		9:122
			4937	Ditch	4939	Roman	1:4		1:18
			5000	Ploughsoil	5000	Roman	1:343		
			5001	Subsoil	5001	Roman			
	5003		Ditch	5004	Roman				
	5005		Well	5006	Roman	57:678	22:334		
	5005		Well	5014	Roman	1:110	4:46		
	5005		Well	5015	Roman	4:30			
	5005		Well	5016	Roman	48:398			
	5005		Well	5033	Roman	38:246	84:450		
	5007		Well	5008	Roman	1:42			
	5009		Ditch	5010	Roman				
	5009		Ditch	5013	Roman	9:87	11:67		
	5019		Ditch	5020	Roman	1:4	Fired clay (2g)		
	5023	?SFB	5024	Roman	7:63				
	5025	Pit	5026	Roman	2:49				
	5211	Ditch	5212	Roman	26:542				
	5213	Ditch	5215	-		1:7			
	5216	Ditch	5218	Roman	3:80	6:65			
	5216	Ditch	5220	Roman	6:64				
	7	62	6214	Ditch	6215	-	1:4	Fired clay (3g) Fired clay (1g)	
			6216	Ditch	6217	E-M Iron Age			
			6218 6224	Ditch Pit	6219 6206	Iron Age -			1:1
		64	6413	Ditch	6406	E-M Iron Age	11:38	5:5	Fired clay (8g), burnt stone (7g) Fired clay (8g), shell (1g), charcoal (1g), burnt stone (2g)
6413			Ditch	6408	E-M Iron Age	1:5			
6413			Ditch	6409	E-M Iron	8:38	3:14	Fired clay	



Twenty-eight sherds, weighing 267g were recovered from ditches [2103], [2108], [2110] Trench 21; [2204], [2221] Trench 22; [2305], [2312], [2317] Trench 23; and [2515] Trench 25. All are small (average sherd weight 10g) and moderately to highly abraded. Few vessels are represented by more than single sherds. The earliest pottery comprises four undiagnostic quartz and organic sherds (53g) of early to middle Iron Age date, recovered from ditch [2108]. Three undiagnostic shell and grog/sand tempered late Iron Age sherds (23g) derived from ditches [2204] and [2221]. The remainder of the assemblage is datable to the early Roman period, although two sherds (one unstratified) of 3rd-4th century Nene Valley colour coat (29g) were also identified. Roman fabric types are sand tempered coarsewares (mainly reduced) of probable local manufacture. Diagnostic forms are rare, and comprise a combed bead rim jar, a dog dish, and a black-slipped jar.

A small piece of a modern teapot lid was recovered from ploughsoil (2500), Trench 25.

Brick and tile

The fill of ditch [2305] Trench 25 yielded a highly abraded piece of sand tempered tile c.15mm thick, representing a possible *tegula* fragment.

Other finds

The upper fill (2104) of ditch [2103] Trench 21, yielded a complete barbed-and-tanged flint arrowhead of early Bronze Age date. An undatable perforated copper alloy sheet fragment was recovered from ditch [2203] Trench 22. Iron objects comprise a complete late medieval horseshoe and an undatable nail shank, recovered respectively from ditches [2515] Trench 25 and [2312] Trench 23. The latter also yielded a small piece of oyster shell (13g). A fragment of post-medieval clay pipe stem (2g) was the sole find from ditch [2319] Trench 23.

Animal bone

A total of 111 animal bone fragments, weighing 1.1kg was recovered. The majority derived from ditch [2515] and furrow [2552] Trench 25, which respectively contained 547g and 368g of bone. Small amounts were collected from ditches [2204] Trench 22, [2312] and [2317] Trench 23. Fragments are generally small (average weight 10g), and abraded. Diagnostic elements comprise mainly long bones and mandible fragments. A piece of scapula and a number of cow teeth were also identified.

6.2.2.5 AAE 4

The finds assemblage from AAE 4 derived entirely from the fills (3808), (3811) and (3815) of ditch [3803] Trench 38.

Pottery

Twelve sherds, weighing 303g were collected. All are fairly large (average sherd weight 26g) and unabraded. The earliest pottery is two sherds of 17th-18th century glazed earthenware. Ten sherds of 18th-19th century pottery, including transfer-printed ware, creamware; mocha ware and stoneware were also identified. Diagnostic forms are plates, bowls and saucers.



Brick and tile

Ceramic building material comprises two pieces of post-medieval flat roof tile (28g), a possible pantile fragment (38g), and 25 brick fragments (896g). All occur in an oxidised sand tempered fabric and are abraded.

Other finds

Other finds comprise a 16th-17th century clay pipe stem and three pieces of modern bottle glass.

6.2.2.6 AAE 5

Pottery

A total of 293 Roman pottery sherds, weighing 3.7kg was recovered from Trenches 44 (ditches [4404], [4406]); 49 (ditches [4905], [4911], [4914], [4919], [4922], [4937]); 50 (ditches [5009], [5019], [5023], [5025], well [5005]) and 52 (ditches [5211], [5216]). The bulk of the assemblage derived from well [5005] and ditch [4911], which yielded 1.5kg and 549g respectively. All sherds are small (average sherd weight 13g) and exhibit variable degrees of abrasion. Several vessels are represented by more than one sherd, including 20 sherds (544g) from a coarseware jar recovered from the fill (5212) of ditch [5211].

The majority of the assemblage is of 2nd-3rd century date and comprises reduced and oxidised sand tempered coarsewares. Shell tempered wares also occur in small quantities. A later Roman element to the assemblage is attested by the presence of finewares from Oxfordshire and Nene Valley colour coat vessels. Continental imports comprise five sherds of Gaulish samian, recovered from ditches [5025] and [5216]. Diagnostic forms are dog dishes, everted and bead rim jars, cordoned vessels, bowls with undercut rims, storage jars, and single examples of a flanged *mortarium*, reeded rim bowl and colour coat flagon. Decoration is rare and comprises black slipping, rouletting, rilling and incised motifs.

Brick and tile

Roman ceramic building material was recovered from ditch [4919] Trench 49, and well [5005] Trench 50. The former contained a sand tempered *tegula* or flue tile fragment (33g) and the latter an abraded piece of shell tempered *tegula* (124g). A small piece of post-medieval flat roof tile (21g) was present in ditch [4919].

Fired clay

Fifteen amorphous fired clay fragments (84g) in a sand and calcareous fabric were recovered from ditches [4914], [4919], [5019] and well [5005].

Other finds

In addition to a hoard of 4,485 3rd / 4th century coins recovered from pit [4907], ten copper alloy coins and a bracelet fragment were collected from features in Trenches 49 and 50 (Table 4). Iron objects comprise two incomplete timber nails, a hobnail and a possible staple arm, recovered from well [5005] Trench 50. Three oyster shell fragments (24g) were recovered from ditches [4914] and [4919] Trench 49.



Feature	Feature type	Artefact description	Date range
4903	Pit	Coin	?4th century
4905	Ditch	Bracelet fragment	3 rd -4 th century
4907	Pit	Coin hoard	3 rd century
4937	Ditch	Coin	3 rd century
5000	Ploughsoil	Coin x 2	Roman
5003	Ditch	Coin	Roman
5005	Well	Coin x 2	4 th century
5007	Well	Coin	?4 th century
5009	Ditch	Coin x 2	3 rd century

Table 4: AAE 5 - Copper alloy artefacts

Animal bone

A total of 305 animal bone fragments, weighing 2.1kg was recovered from Trenches 44, 49, 50 and 52. The majority derived from the fills of well [5005] Trench 50, which contained 1.1kg of bone. Fragments are generally small (average weight 7g), and abraded. Diagnostic elements comprise mainly long bones; vertebrae and horn fragments were also identified. Identifiable species are cow and sheep/goat.

6.2.2.7 AAE 6

No artefacts recovered.

6.2.2.8 AAE 7

Pottery

Fifty sherds, weighing 441g were recovered, the majority deriving from ditches [6507], [6518] and [6520] Trench 65. Smaller amounts occurred in ditches [6212], [6218] Trench 62, [6413] and [6416] Trench 64. All are small (average sherd weight 9g) and abraded. Few vessels are represented by more than single sherds. Most sherds are of early to middle Iron age date. Fabrics are predominantly sand and calcareous, with a small number of shell and organic types. No diagnostic forms occur.

Pottery of later date comprises an undiagnostic shell tempered sherd (6g) of probable late Iron Age date and sixteen sherds of a sand tempered necked jar (143g) broadly datable to the Roman period, recovered respectively from ditches [6413] and [6416] Trench 64.

Fired clay

Eight amorphous fired clay fragments (21g) in a sand and calcareous fabric were recovered from ditches [6216] and [6413], and pit [6224].

Burnt stone

Nine burnt sandstone pieces weighing 504g were collected from pit [6224] and ditches [6413] and [6520].

Animal bone

Forty-eight animal bone fragments (413g) were recovered, the majority associated with features in Trench 65. Diagnostic elements comprise mainly long bones,



although a phalange and calcaneus were also present. Species represented include horse and cow.

6.2.2.9 AAE 8

Pottery

The fills of pit [7103] Trench 71, yielded 60 pottery sherds weighing 837g. Three further sherds (7g) were recovered from pit [7111]. All are small (average sherd weight 13g) and moderately abraded. Four vessels are represented by more than single sherds. The assemblage is datable to the late Bronze Age/early Iron Age, and comprises quartz, flint, shell and organic tempered fabric types. No diagnostic forms occur.

Fired clay

One piece of possible daub (84g) in a sand and calcareous fabric was recovered from the fill of pit [7103] Trench 71.

Flint

Although no flint artefacts were collected, an abraded nodule (175g) was recovered from pit [7103].

Animal bone

Thirty small animal bone fragments (92g) were recovered from the fills of pit [7103] Trench 71. Diagnostic elements comprise miscellaneous long bones, phalanges, pig mandible and pig teeth fragments.

6.2.2.10 AAE 9

Flint

Three patinated flint flakes were recovered from colluvium (8001) Trench 80.

6.2.2.11 Other Areas

Pottery

Nine Roman pottery sherds (141g) were recovered from ditches [1906], [2704], [6703] and [7505]. Ploughsoil (7600) Trench 76 yielded a piece of modern flower pot (5g).

Other finds

A complete flint pick of early Mesolithic date was recovered from ploughsoil (2700) Trench 27, an iron nail from medieval ditch [2809] Trench 28, and a copper alloy ?strapmount from furrow [712] Trench 7.

Seven amorphous sand tempered fired clay fragments (4g) derived from ditches [1604] Trench 16 and [1706] Trench 17.

The fill of ditch [8105] Trench 81 yielded a piece of modern land drain (27g).

Fabric Type	Common name	Sherd No.	Context/Sherd No.
LBA/Early Iron Age F01C	Flint and quartz	31	(7104):9, (7105):20, (7106):2
Early to middle Iron Age F03	Grog and sand	4	(7104):4
F15	Coarse mixed	1	(7101):1



Fabric Type	Common name	Sherd No.	Context/Sherd No.
F16	inclusions Coarse shell	11	(6409):1, (6519):1, (6524):1, (7104):7, (7106):1
F19	Sand and organic	36	(6406):6, (6519):4, (6524):1, (7104):25
F20	Calcareous	15	(6217):1, (6406):5, (6408):1, (6506):2, (6519):2, (6524):3, (7104):1
F28	Fine sand	11	(6519):5, (7104):3, (7105):1, (7112):2
F29	Coarse sand	12	(2109):3, (4405):2, (7104):5, (7106):2
F35	Micaceous	1	(7112):1
F37	Calcareous mixed	7	(6409):7
F	Non-specific Iron Age	2	(2109):1, (6219):1
Late Iron Age			
F07	Shell	2	(2204):2
F09	Sand and grog	1	(2220):1
Roman			
R01	Samian ware	5	(5026):2, (5218):3
R03	Whiteware	1	(4921):1
R05A	Orange sandy	36	(903):2, (2516):2, (4913):1, (4921):3, (5006):7, (5016):2, (5033):2, (6414):16, (6704):1, (
R06A	Nene Valley greyware	1	(5016):1
R06B	Coarse greyware	96	(2107):1, (2516):3, (4405):1, (4409):4, (4906):1, (4913):8, (4916):4, (4920):4, (4921):6, (5001):1, (5006):8, (5013):9, (5015):2, (5016):14, (5020):1, (5024):7, (5033):7, (5212):4, (5220):6, (7506):5
R06C	Fine greyware	12	(4916):1, (5006):5, (5016):6
R06D	Micaceous greyware	4	(4913):1, (4916):1, (5006):2
R06E	Calcareous greyware	1	(5033):1
R06F	Grog and sand greyware	1	(2708):1
R07B	Sandy blackware	24	(2306):1, (2318):1, (4405):3, (4913):1, (4921):2, (5010):1, (5016):2, (5033):9, (5212):4
R07C	Gritty blackware	9	(2111):6, (2516):1, (4913):1, (5033):1
R08	Micaceous blackware	4	(4409):2, (5033):2
R11	Oxford oxidised	17	(4921):1, (5006):5, (5016):6, (5033):5
R11F	Oxford mortaria	3	(4405):3
R12B	Nene Valley Colour Coat	24	(2200):1, (2313):1, (4916):1, (5006):13, (5016):5, (5033):3
R13	Shell	40	(4405):1, (4409):1, (4913):1, (4920):3, (4921):11, (5006):11, (5016):11, (5033):1
R14	Sand (red-brown harsh)	60	(1907):1, (2313):3, (2706):1, (4407):1, (4913):18, (4920):1, (4923):1, (4939):1, (5006):5, (5015):2, (5016):1, (5033):7, (5212):18
R31	Lumpy white ware	1	(5014):1
R	Non-specific Roman	2	(4913):1, (5006):1
Post-medieval & modern			
P01	Fine glazed red	1	(3811):1



Fabric Type	Common name	Sherd No.	Context/Sherd No.
P03	earthenware Black-glazed	1	(3815):1
P38	earthenware Creamware	1	(3811):1
P39	Mocha ware	1	(3811):1
P45	Transfer-printed ware	2	(3808):2
MOD	Miscellaneous modern	8	(2500):1, (3811):6, (7600):1
UNID	Unidentified ware	2	(6412):1, (7110):1

Table 5: Pottery Type series

6.2.2.12 Environmental samples

Six samples were taken for the extraction of charred plant remains and artefacts. They were processed by bulk flotation in a peroxide solution, with volumes ranging from 10 to 40 litres. Flots were taken from all samples on a 300 micron meshed sieve. The residues were then passed through a 5.6mm, 2.0mm and 1.0mm sieve stack. The 5.6mm residues were sorted for artefacts, while the 2.0mm and 1.0mm residues were retained unsorted. The latter appear to be largely sterile.

AAE	Feature	Type	Context	Sample	Sample type	Charcoal	Molluscs
3	2108	Ditch	2109	3	Charred plant	1*	0
	2207	Ditch	2206	4	Charred plant	1	3
7	6413	Ditch	6406	1	Charred plant	2	2
	6224	Pit	6206	2	Charred plant	1	2
8	7103	Pit	7110	5	Charred plant / artefacts	1	1
	7103	Pit	7104	6	Charred plant	5	2

* - 1 = very sparse; 5 = very frequent

Table 6: Summary of environmental samples

AAE 3

Small quantities of charcoal and land snails were noted in the flots from Iron Age ditch [2108] (sample 3) and undated ditch [2207] (sample 4). The latter also contained a moderate amount of land snails. Both contained modern root material.

AAE 7

Small quantities of charcoal were observed in the flots from Iron Age ditch [6413] (sample 2) and undated pit [6224] (sample 1). Both contained modern root material.

AAE 8

Two samples (5 and 6) were taken from undated pit [7103]. The flot from primary fill (7110) contained small quantities of land snails, charcoal and modern root material. The flot from upper fill (7104) contained moderate to abundant charcoal.





Figure 1: Site location

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.






Figure 2: Fields 1 and 2: Trial trench and AAE locations
 Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.






Figure 3: Field 24: Trial trench locations

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 4: Fields 12 to 16: Trial trench and AAE locations
Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 5: Fields 15 to 21: Trial trench and AAE locations

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.







Figure 6: Fields 1 and 2; Caxton Gibbett, all features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



- Archaeological Feature
- Archaeological Feature; excavated segment
- Modern Feature
- Geological feature
- Medieval Furrow
- Projected alignment of linear feature

Figure 7:
Area of Archaeological Evidence 1, Caxton
Gibbett (Field 2), All features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.








Figure 8:
 Field 24, Balancing Pond; All features
 Base map reproduced from the Ordnance Survey Map with the permission of the
 Controller of Her Majesty's Stationery Office, by Bedfordshire County Council,
 County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



- Archaeological Feature
- Modern Feature
- Furrow
- Tree throw hole
- Projected alignment of linear feature

Figure 9:
 Field 12, Bourn Airfield; all features
 Base map reproduced from the Ordnance Survey Map with the permission of the
 Controller of Her Majesty's Stationery Office, by Bedfordshire County Council,
 County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



- Paleochannel
- Archaeological Feature
- Excavated segment
- Modern Feature
- Tree throw hole
- Medieval Furrow
- Layer
- Layer; excavated segment
- Airfield Disturbance
- Projected alignment of linear feature









Figure 10:
Area of Archaeological Evidence 3, Bourn Airfield (Field 12), All features



Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



- Archaeological Feature
- Modern Feature
- Furrow
- Tree throw hole

Projected alignment of linear feature


Figure 11:
Fields 14 and 15, Childerly Gate; all features
Base map reproduced from the Ordnance Survey Map with the permission of the
Controller of Her Majesty's Stationery Office, by Bedfordshire County Council,
County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.





- Archaeological Feature
- Archaeological Feature; excavated segment
- Modern Feature
- Projected alignment of linear feature

Figure 12:
Area of Archaeological Evidence 4, Land west of Childerley Gate (Field 14), all features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.









- Archaeological Feature
- Palaeochannel
- Furrow
- Modern Feature
- Layer
- Projected alignment of linear feature

Figure 15:
Field 17, Scotland Farm, All features
 Base map reproduced from the Ordnance Survey Map with the permission of the
 Controller of Her Majesty's Stationery Office, by Bedfordshire County Council,
 County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.








-  Archaeological Feature
-  Layer
-  Layer; excavated segment
-  Projected alignment of linear feature

Figure 16:
Area of Archaeological Evidence 6, Trench 57,
colluvium

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.









Figure 18:
Area of Archaeological Evidence 7, Land south of Scotland Farm (Field 18), all features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.







- Archaeological Feature
- Archaeological Feature; excavated segment

Figure 20:
Area of Archaeological Evidence 8, land north-west of
Hardwick (Field 19), all features



Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



- Archaeological Feature
- Archaeological Feature; excavated segment
- Modern Feature
- Layer
- Layer; excavated segment
- Projected alignment of linear feature

Figure 21:
Area of Archaeological Evidence 9, Land north of Hardwick (Field 19), all features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.









- | | | | | | |
|---|------------------------|---|-----------------|---|---------------------------------------|
|  | Archaeological Feature |  | Modern Feature |  | Palaeochannel |
|  | Furrow |  | Tree throw hole |  | Projected alignment of linear feature |

Figure 22:
Fields 20 and 21, Land north of Hardwick), All features

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 23: Selected sections




Figure 24: Selected sections




Figure 25: Selected sections



Figure 26:
Area of Archaeological Evidence 1, Caxton
Gibbett (Field 2)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 27:
Area of Archaeological Evidence 2,
Land west of Bourn
Airfield
(Fields 10 and 11)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA).




Figure 28:
Area of Archaeological Evidence 3,
Bourn Airfield (Field 12)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA).
© Crown Copyright.




Figure 29:
Area of Archaeological Evidence 10,
Land north-east of Bourn Airfield

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA).
© Crown Copyright.




Figure 30:
Area of Archaeological Evidence 4,
Land west of Childerley Gate (Field 14)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 31:
Area of Archaeological Evidence 5,
Land east of Childerley Gate (Field 16)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 32:
Area of Archaeological Evidence 7,
Land south of Scotland Farm (Field 18)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 33:
Area of Archaeological Evidence 8,
Land north-west of Hardwick Farm (Field 19)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.




Figure 34:
Area of Archaeological Evidence 9,
Land north of Hardwick Farm (Field 19)

Base map reproduced from the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office, by Bedfordshire County Council, County Hall, Bedford. OS Licence No. 076465(LA). © Crown Copyright.



Plate 1: A Mesolithic flint pick



Plate 2: An early Bronze Age barbed and tanged arrowhead