

2EE02 EEW - HS2 Phase 2a Early Environmental Works

Site 215 - Geophysics Survey Report

Heritage Non-intrusive Survey Reports Group 005

Document no: 2EE02-BAF-EV-REP-WS02-000018

Revision	Author	Reviewed by	Approved by		Date approved	Reason for revision
			Headland	BB		
C01	Matt Berry	Sam Harrison	Alistair Webb	Antje Budge	31/10/2022	1 st Issue
C02	Matt Berry	Sam Harrison	Alistair Webb	Antje Budge	08/2/2023	Re-issue after HS2 comments

Methodology	Project Plan Site Code
Gradiometer (Magnetometer) Survey	2a20DBLIMG

Security classification: OFFICIAL

Handling Instructions: None

HS2 Ltd - Code 1 - Accepted

Contents

1	Executive Summary	1
2	Introduction	2
2.1	Project Background	2
2.2	Scope of Document	2
2.3	The Site	2
3	Archaeological Background	4
3.1	Summary of the archaeological resource	4
4	Methodology	6
4.1	Magnetometry	6
4.2	Aims and Objectives	6
4.4	Fieldwork Methodology	7
4.5	Data processing	7
5	Geophysical Survey Results and Interpretation	8
5.1	Gradiometer survey results and interpretation	8
6	Discussion	9
	References	10
	Annex 1: Magnetometer survey	11
	Annex 2: Geophysical Interpretation	12
	Annex 3: OASIS Form	18

List of Figures

- Figure 1 Site location and GPS swaths
- Figure 2 Processed greyscale magnetometer data
- Figure 3 XY trace plot of minimally processed magnetometer data
- Figure 4 Interpretation of magnetometer data

1 Executive Summary

- 1.1.1 This document comprises a Final Report for a non-intrusive geophysical survey on the route of the proposed Phase 2a of High Speed Two (HS2) covering land proposed for development or likely to be impacted during the scheme as part of the Early Environmental Works (EEW) package. This report contains the results of a magnetometer survey undertaken on 4th February 2022 at Site 215 within Group 005.
- 1.1.2 The aim of the survey is to establish the presence/absence, extent and character of detectable archaeological remains within the proposed route of HS2 Phase 2a. The scope of the surveys is dependent upon securing access to the land and for the areas to be suitable for survey.
- 1.1.3 Site 215 is located approximately 1.3km north-west of the village of Blithbury, to the north of Hurst Wood Farm and adjacent to Hadley Gate. The Site encompasses an area of c. 3.4ha of which only 1.3ha spread across two separate parcels immediately to the east and west of Hurst Wood was required for geophysical survey.
- 1.1.4 The site does not lie within a Recognized Archaeological Zone (RAZ) and no known assets are identified within or immediately adjacent to the site.
- 1.1.5 Survey at Site 215 has not identified any anomalies of definite or possible archaeological origin or any that can be tied to possible extraction pits and ridge and furrow cultivation identified in LiDAR/remote sensing data. The only anomalies recorded are occasional discrete low magnitude and dipolar 'spike' anomalies of natural and modern origin respectively.
- 1.1.6 The findings of the survey are consistent with the known limited archaeological potential of the site and broader geographical area covering LS-WSI Group 005.

2 Introduction

2.1 Project Background

2.1.1 HS2 is a new railway network proposed by the Government to provide a new link between London, the West Midlands, the East Midlands, South Yorkshire, Leeds and Manchester. HS2 Phase 2a comprises approximately 36 miles of railway starting at Fradley at its southern end and connects with the West Coast Main Line (WCML), south of Crewe, to allow HS2 services to join the existing network and call at Crewe Station.

2.1.2 The overall framework within which archaeological work will be undertaken is set out in the draft Environmental Minimum Requirements (EMR) for HS2 Phase 2a. Accordingly, the nominated undertaker or any contractors will be required to implement certain control measures in relation to archaeology before construction work begins.

2.1.3 The works have been undertaken in accordance with Written Scheme of Investigation (WSI, HS2 2019a) and conform with current best practice and guidance for geophysical surveys as outlined in the Chartered Institute for Archaeologists' (CIfA) Standard and Guidance for archaeological geophysical survey (CIfA 2014) and European Archaeologiae Consilium Guidelines for the use of Geophysics in Archaeology (EAC 2016).

2.1.4 The selection of areas required for geophysical survey included as part of this Early Environmental Works (EEW) package are set out in location specific Written Scheme of Investigations (WSIs) based on Groups containing individual sites. HS2 Ltd has provided each EEW site along the Phase 2a route with a unique identifier Site Code.

2.1.5 Within EEW Group 005 (HS2 2020) the Site Code for geophysical survey is:
• Site 215: 2a20DBLIMG

2.2 Scope of Document

2.2.1 This report presents a brief description of the methodology followed by the detailed survey results and the archaeological interpretation of the geophysical data.

2.3 The Site

2.3.1 Site 215 is located approximately 1.3km north-west of the village of Blithbury, to the north of Hurst Wood Farm and adjacent to Hadley Gate. The site is centred at NGR 406765 320557 and encompasses c. 3.4ha of which only 1.3ha was required for geophysical survey (Figure 1).

2.3.2 The site consists of two broadly rectangular parcels immediately to the east and west of Hurst Wood which were under pasture at the time of survey.

2.3.3 The westernmost parcel slopes down to the west from approximately 106m above Ordnance Datum (aOD) at the wood to 94m at the western limit of the parcel. The eastern parcel is relatively flat at 110m above Ordnance Datum (aOD).

- 2.3.4 The solid geology across Sites 215 is recorded as mudstone of the Mercia Mudstone Group. No superficial deposits are recorded over the Site (BGS 2021).
- 2.3.5 The soils covering Site 215 area classified in Soilscape 18 Association, being described as slowly permeable and seasonally wet, slightly acid but base-rich loamy and clayey soils (Cranfield University 2020).
- 2.3.6 Average responses of magnetometer surveys over mudstone deposits are generally poor but results can be very variable depending on the nature and depth of overlying deposits (English Heritage 2008; Table 4). It remains that magnetometry was the most appropriate geophysical technique for evaluating the Site taking account of the limitations noted in Section 4.3 below.

3 Archaeological Background

3.1 Summary of the archaeological resource

- 3.1.1 The following archaeological background summarises details from the Location Specific Written Scheme of Investigation (LSWSI) together with information from publicly available online resources and other in-house resources.
- 3.1.2 The assessment and determination of the significance of archaeological assets is defined by Chapter 10 of the HS2 Ltd EIA Scope and Methodology Report (HS2 2017a).
- 3.1.3 The Recognised Archaeological Zones (RAZ) represent a high-level indication of likely concentrations of archaeological remains across the Phase 2a route. The location and spatial extent of RAZs has been determined using HS2 Environmental Statement (ES) Cultural Heritage information (HS2 2017b) and subsequent survey data. Site 215 does not lie within a RAZ.
- 3.1.4 The HS2 ES (2017b) and the Staffordshire Historic Environment Record (HER) has identified no known archaeological assets within or immediately adjacent to Site 215.
- 3.1.5 Yates's County of Staffordshire map of 1798 and the Colton Tithe map of 1845 shows a country lane that runs across the site, aligned north-west to south-east, which connects Colton to Blithbury. This was a possible 'green lane' which would likely be of archaeological interest. The Tithe map of 1845 indicates that the site configuration is the same as the present-day.
- 3.1.6 CA 1: Fradley to Colton: Cultural heritage survey report (HS2 2017c) noted that geophysical survey work has been undertaken in part of the area covered by EEW Group 005. The survey, undertaken in survey area CA1-619, occurred to the north of Hadley Gate Field Farm but south of Stonyford Lane. This area is immediately adjacent to the site access entrance to Site 212 via Stonyford Lane. The anomalies identified within CA1-619 consisted of modern buried services, plough marks, and drainage ditches.
- 3.1.7 Geophysical surveys have not been carried in any other area of LS-WSI Group 005.
- 3.1.8 LiDAR/remote sensing survey data (HS2 2017c) identified features in or adjacent the Site which comprise:
- LiDAR Object 1090: Situated immediately adjacent to the western boundary of Site 215s northern parcel, an irregular depression was identified. Now obscured by woodland it likely represents a former late post-medieval extraction pit.

- LiDAR Object 1092: Situated immediately adjacent to the eastern boundary of Site 215s western parcel, an irregular depression was identified. Now obscured by Hurst Wood, the feature measures approximately 140m by 50m and likely represents a former late post-medieval extraction pit.
- LiDAR Object 1195: a north-east to south-east aligned linear feature, likely a former field boundary, approximately 185m long situated is in the south-eastern parcel of the site and east of Hurst Wood.
- LiDAR Object 1264: An area of faintly defined ridge and furrow located within the south-eastern parcel of the site. Ridge and furrow features are orientated north-east to south-west; the same alignment as LiDAR Object 1195.
- LiDAR Object 1265: An area of faintly defined ridge and furrow located within the western parcel of the site. Ridge and furrow features are orientated north-east to south-west; the same alignment as LiDAR Objects 1195 and 1264.

3.1.9 Heritage asset data supplied from the HS2 APS database identifies the following within Site 215:

- Asset ID CA1-54: An extensive area of post-medieval ridge and furrow identified through RAF aerial photography in 1948 within the west and north EEW work areas. If extant, these remains would be of low significance.

4 Methodology

4.1 Magnetometry

Magnetic survey methods rely on the ability of a variety of instruments to measure very small magnetic fields associated with buried archaeological remains. A feature such as a ditch, pit or kiln can act like a small magnet, or series of magnets, that produce distortions (anomalies) in the earth's magnetic field. In mapping these slight variations, detailed plans of sites can be obtained as buried features often produce reasonably characteristic anomaly shapes and strengths (Gaffney and Gater 2003). Further information on soil magnetism and the interpretation of magnetic anomalies is provided in Annex 1 and Annex 2 respectively.

4.2 Aims and Objectives

4.2.1 The aims of the survey comprise the following:

- To determine, as far as is reasonably possible, the nature of the detectable archaeological resource within a specified area using appropriate methods and practices; and
- To inform either the scope and nature of any further archaeological work that may be required; or the formation of a mitigation strategy (to offset the impact of the development on the archaeological resource); or a management strategy.

4.2.2 In order to achieve the above aims, the objectives of the geophysical survey are:

- To conduct a geophysical survey covering as much of the specified area as possible, allowing for on-site obstructions;
- To clarify the presence/absence of anomalies of archaeological potential; and
- Where possible, to determine the general nature of any anomalies of archaeological potential.

4.3 Assumptions and limitations

Magnetometry is the most widely used geophysical survey technique in archaeology as it can quickly evaluate large areas and, under favourable conditions, identify a wide range of archaeological features including infilled cut features such as large pits, gullies and ditches, hearths, and areas of burning and kilns and brick structures. It is therefore good at locating settlements of all periods, prehistoric field systems and enclosures and areas of industrial or modern activity, amongst others. It is less successful in identifying smaller features such as post-holes and small pits (except when using a non-standard sampling interval), unenclosed (prehistoric) settlement sites and graves/burial grounds. Magnetometry has the potential to rapidly confirm the presence/absence of a wide range of potential archaeological remains within

the site and was thus chosen as the most appropriate technique in this instance.

4.4 Fieldwork Methodology

4.4.1 The survey was undertaken using four Bartington Grad601 sensors mounted at 1m intervals (1m traverse interval) onto a rigid carrying frame. The system was programmed to take readings at a frequency of 10Hz (allowing for a 10-15cm sample interval) on roaming traverses (swaths) 4m apart (Figure 1). These readings were stored on an external weatherproof laptop and later downloaded for processing and interpretation. The system was linked to a Trimble R8s Real Time Kinetic (RTK) differential Global Positioning System (dGPS) outputting in NMEA mode to ensure a high positional accuracy for each data point, in accordance with EAC guidelines (EAC 2016).

4.4.2 Unenclosed areas were surveyed using the co-ordinates of the pre-determined Site boundary visible as an outline on the MLGrad601 software during data collection.

4.4.3 MLGrad601 (Geomar Software Inc.) software was used to collect the data.

4.5 Data processing

4.5.1 Data collected using RTK GPS-based methods cannot be produced without minimal processing of the data. The minimally processed data has been interpolated to project the data onto a regular grid and de-striped to correct for slight variations in instrument calibration drift and any other artificial data.

4.5.2 A high pass filter has been applied to the greyscale plots to remove low frequency anomalies (relating to survey tracks and modern agricultural features) to maximise the clarity and interpretability of the archaeological anomalies.

4.5.3 The data has also been clipped to remove extreme values and to improve data contrast.

4.5.4 MultiGrad601 (Geomar Software Inc.) software was used to export the survey data files.

4.5.5 Terrasurveyor V3.0.37.0 (DWConsulting) software was used to process and export graphical plots the data.

5 Geophysical Survey Results and Interpretation

5.1 Gradiometer survey results and interpretation

- 5.1.1 The magnetometer survey was carried out on the 4th February 2022 and covered an area of 1.3ha.
- 5.1.2 Fully processed (greyscale) data, minimally processed data (XY trace plot) and interpretative plans are presented at a scale of 1:1,500 in Figures 2 – 4 inclusive.
- 5.1.3 The magnetic background is homogenous across the Site containing few magnetic anomalies likely a result of the underlying mudstone geology.
- 5.1.4 Findings from the survey are limited to occasional discrete low magnitude and dipolar 'spike' anomalies of likely natural and modern origin respectively and areas of magnetic disturbance caused by fences or accumulation of magnetic debris at the field boundaries.

6 Discussion

- 6.1.1 The survey has not identified any anomalies of definite or possible archaeological origin. The only anomalies evident in the data are occasional discrete low magnitude and dipolar 'spike' anomalies of likely natural and modern origin respectively and areas of magnetic disturbance caused by fences or accumulation of magnetic debris at the field boundaries.
- 6.1.2 No anomalies can be tied to possible extraction pits and ridge and furrow cultivation identified in LiDAR/remote sensing data from within or adjacent the Site.
- 6.1.3 The findings from the survey are consistent with the known limited archaeological potential of the area covered by LS-WSI Group 005 which does not lie within a RAZ and contains a limited number of archaeological assets recorded in The HS2 Environmental Statement (ES) and Staffordshire Historic Environment Record (HER)

References

Bibliography

British Geological Survey (BGS) 2022 Geology of Britain 3D <http://www.bgs.ac.uk/> accessed 18th July 2022

Chartered Institute for Archaeologists (CIfA) 2014 Standard and guidance for archaeological geophysical survey (Reading) https://www.archaeologists.net/sites/default/files/CIfAS%26GGeophysics_3.pdf accessed 18th July 2022

Cranfield University 2020 Cranfield Soil and Agrifood Institute Soilscales <http://www.landis.org.uk/soilscales/> accessed 18th July 2022

English Heritage 2008 Geophysical Survey in Archaeological Field Evaluation

Europae Archaeologia Consilium (EAC) 2016 EAC Guidelines for the Use of Geophysics in Archaeology: Question to Ask and Points to Consider (Namur, Belgium) <https://www.europae-archaeologiae-consilium.org/eac-guidlines> accessed 18th July 2022

Gaffney C & Gater J 2003 Revealing the Buried Past: Geophysics for Archaeologists Stroud

HS2 Ltd, 2017a High Speed Rail (West Midlands-Crewe). Environmental Statement. Volume 5: Technical appendices. Environment Impact Assessment Scope and Methodology Report (CT-001-001). Available at: <https://www.gov.uk/government/publications/scope-and-methodology-report-for-hs2-phase-2a>

HS2 Ltd, 2017b High Speed Rail (West Midlands-Crewe). Environmental Statement. Volume 5: Technical appendices. CA1: Fradley to Colton. Gazetteer of heritage assets. (CH-002-001). Available at: <https://www.gov.uk/government/collections/hs2-phase-2a-environmental-statement#volume-5:-environmental-reports-and-maps-by-community-area>

HS2 Ltd, 2017c High Speed Two Phase 2a (West Midlands-Crewe). Background Information and Data. CA1: Fradley to Colton. Cultural heritage survey reports. (BID-CH-004-001). Available at: <https://www.gov.uk/government/collections/hs2-phase-2a-environmental-statement#volume-5:-environmental-reports-and-maps-by-community-area>

HS2 2019a HS2 Phase 2a Written Scheme of Investigation for EI-711 Surveys Package 1: Magnetometry (HS2-HS2-EV-MST-A000001)

HS2 Ltd, 2019b High Speed Two Phase 2a (West Midlands-Crewe). Background Information and Data. Cultural heritage survey data used in the Supplementary Environmental Statement 2 and Additional Provision 2 Environmental Statement. (BID-CH-004-000). Available at: <https://www.gov.uk/government/publications/hs2-phase-2a-background-information-and-data-cultural-heritage-february-2019>

HS2, 2020, Phase 2a LS-WSI: EEW U&A Group 005, EEW Sites 209, 210, 212 & 215 (HS2 Document no: 2EE01-BAF-EV-PRO-A000-000063)

Annex 1: Magnetometer survey

Magnetic susceptibility and soil magnetism

Iron makes up about 6% of the earth's crust and is mostly present in soils and rocks as minerals such as maghaemite and haematite. These minerals have a weak, measurable magnetic property termed magnetic susceptibility. Human activities can redistribute these minerals and change (enhance) others into more magnetic forms so that by measuring the magnetic susceptibility of the topsoil, areas where human occupation or settlement has occurred can be identified by virtue of the attendant increase (enhancement) in magnetic susceptibility. If the enhanced material subsequently comes to fill features, such as ditches or pits, localised isolated and linear magnetic anomalies can result whose presence can be detected by a magnetometer (fluxgate gradiometer).

In general, it is the contrast between the magnetic susceptibility of deposits filling cut features, such as ditches or pits, and the magnetic susceptibility of the topsoil, subsoil and rock, into which these features have been cut, which causes the most recognisable responses. This is primarily because there is a tendency for magnetic ferrous compounds to become concentrated in the topsoil, thereby making it more magnetic than the subsoil or the bedrock. Linear features cut into the subsoil or geology, such as ditches, that have been silted up or have been backfilled with topsoil will therefore usually produce a positive magnetic response relative to the background soil levels. Discrete feature, such as pits, can also be detected.

The magnetic susceptibility of a soil can also be enhanced by the application of heat. This effect can lead to the detection of features such as hearths, kilns, or areas of burning

Annex 2: Geophysical Interpretation

Most anomalies are termed 'positive'. This means that they have a positive magnetic value relative to the magnetic background on any given site. However, some features can manifest themselves as 'negative' anomalies that, conversely, means that the response is negative relative to the mean magnetic background.

Where it is not possible to give a probable cause of an observed anomaly a '?' is appended. It should be noted that anomalies interpreted as modern in origin might be caused by features that are present in the topsoil or upper layers of the subsoil. Removal of soil to an archaeological or natural layer can therefore remove the feature causing the anomaly.

The types of response mentioned above can be divided into five main categories that are used in the graphical interpretation of the magnetic data:

Isolated dipolar anomalies (iron spikes)

These responses are typically caused by ferrous material either on the surface or in the topsoil. They cause a rapid variation in the magnetic response giving a characteristic 'spiky' trace. Although ferrous archaeological artefacts could produce this type of response, unless there is supporting evidence for an archaeological interpretation, little emphasis is normally given to such anomalies, as modern ferrous objects are common on rural sites, often being introduced into the soil during manuring.

Areas of magnetic disturbance

These responses can have several causes often being associated with burnt material, such as slag waste or brick rubble or other strongly magnetised/fired material. Ferrous structures such as pylons, mesh or barbed wire fencing and buried pipes can also cause the same disturbed response. A modern origin is usually assumed unless there is other supporting information.

Lightning-induced remnant magnetisation (LIRM)

LIRM anomalies are thought to be caused in the near surface soil horizons by the flow of an electrical current associated with lightning strikes. These observed anomalies have a strong bipolar signal which decreases with distance from the spike point and often appear as linear or radial in shape.

Linear trend

This is usually a weak or broad linear anomaly of unknown cause or date. These anomalies are often caused by agricultural activity, either ploughing or land drains being a common cause.


Areas of magnetic enhancement/positive isolated anomalies

Areas of enhanced response are characterised by a general increase in the magnetic background over a localised area whilst discrete anomalies are manifest by an increased response (sometimes only visible on an


XY trace plot) on two or three successive traces. In neither instance is there the intense dipolar response characteristic exhibited by an area of magnetic disturbance or of an 'iron spike' anomaly (see above). These anomalies can be caused by infilled discrete archaeological features such as pits or post-holes or by kilns. They can also be caused by pedological variations or by natural infilled features on certain geologies. Ferrous material in the subsoil can also give a similar response. It can often therefore be very difficult to establish an anthropogenic origin without intrusive investigation or other supporting information.

Linear and curvilinear anomalies


Such anomalies have a variety of origins. They may be caused by agricultural practice (recent ploughing trends, earlier ridge and furrow regimes or land drains), natural geomorphological features such as palaeochannels or by infilled archaeological ditches




HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted

HS2 Ltd - Code 1 - Accepted

Annex 3: OASIS Form

Project Details:

Project name	Phase 2a Heritage Non-intrusive Surveys Report: Group 005 Site 215 Geophysics survey report	
Type of project	Geophysical Survey, MAGNETOMETRY SURVEY	
Project description	<p>The survey was undertaken using four Bartington Grad601 sensors mounted at 1m intervals (1m traverse interval) onto a rigid carrying frame. The system was programmed to take readings at a frequency of 10Hz (allowing for a 10-15cm sample interval) on roaming traverses (swaths) 4m apart. These readings were stored on an external weatherproof laptop and later downloaded for processing and interpretation. The system was linked to a Trimble R8s Real Time Kinetic (RTK) differential Global Positioning System (dGPS) outputting in NMEA mode to ensure a high positional accuracy for each data point, in accordance with EAC guidelines (EAC 2016).</p> <p>Survey at Site 215 has not identified any anomalies of definite or possible archaeological origin or any that can be tied to possible extraction pits and ridge and furrow cultivation identified in LiDAR/remote sensing data. The only anomalies recorded are occasional discrete low magnitude and dipolar 'spike' anomalies of natural and modern origin respectively. The findings of the survey are consistent with the known limited archaeological potential of the site and broader geographical area covering LS-WSI Group 005.</p>	
Project dates	Start: 04-Feb-2022	End: 04-Feb-2022
Previous work	N/A	
Future work	N/A	

HS2 Ltd - Code 1 - Accepted

Project Code:	Group 005 Site 215	HER event no.	N/A		
----------------------	-----------------------	----------------------	-----	--	--

		NMR no.		OASIS form ID:	hs2head11-509403
		SM no.			
Planning Application Ref.					
Site Status		None			
Land use		Arable and Pasture			
Monument type		N/A	Period	N/A	

Project Location:

Site Address	located approximately 1.3km north-west of the village of Blithbury, to the north of Hurst Wood Farm and adjacent to Hadley Gate			Postcode	
County	Staffordshire	District	Lichfield	Parish	Colton
Study Area	1.3ha	Height OD	Between 97 and 110m Above Ordnance Datum	NGR	SK 06746 20498

Project Creators:

Name of Organisation	HS2 Headland Archaeology (UK) Ltd				
Project brief originator	HS2	Project design originator		HS2	
Project Manager	Alistair Webb	Project Supervisor		Matt Berry	
Sponsor or funding body	Balfour Beatty	Type of Sponsor		Client	

Project Archive and Bibliography:

Physical archive	N/A	Digital Archive	Geophysical survey and report	Paper Archive	N/A
Report title	Phase 2a Heritage Non-intrusive Surveys Report: Group 005 Site 215 Geophysics survey report			Date	31/10/2022
Author	Headland Archaeology	Description	PDF/A	Report ref.	