

HS2

Balfour Beatty

HS2 Phase 2a Early Environmental Works

Site 379 - Geophysics Magnetometer Survey Report Heritage Non-intrusive Survey Reports Group 025

Document no: 2EE02-BAF-EV-REP-WS07-000016

Revision	Author	Reviewed by	Approved by	Date approved	Reason for revision
C01	Matt Berry	Sam Harrison	Alistair Webb	31/10/2022	1 st Issue

Methodology	Project Plan Site Code
Gradiometer (Magnetometer) Survey	2a20DSTAMG

Security classification: OFFICIAL

HS2 Ltd - Code 1 - Accepted

Contents

1	Executive Summary	1
2	Introduction	2
2.1	Project Background	2
2.2	Scope of Document	2
2.3	The Site	2
3	Archaeological Background	4
3.1	Summary of the archaeological resource	4
4	Methodology	6
4.1	Magnetometry	6
4.2	Aims and Objectives	6
4.4	Fieldwork Methodology	7
4.5	Data processing	7
5	Geophysical Survey Results and Interpretation	8
5.1	Gradiometer survey results and interpretation	8
6	Discussion	9
	References	10
	Annex 1: Magnetometer survey	11
	Annex 2: Geophysical Interpretation	12
	Annex 3: OASIS Form	18

List of Figures

- Figure 1** Site location and GPS swaths
Figure 2 Processed greyscale magnetometer data
Figure 3 XY trace plot of minimally processed magnetometer data
Figure 4 Interpretation of magnetometer data

1 Executive Summary

- 1.1.1 This document comprises a Final Report for a non-intrusive geophysical survey on the route of the proposed Phase 2a of High Speed Two (HS2) covering land proposed for development or likely to be impacted during the scheme as part of the Early Environmental Works (EEW) package. This report contains the results of a magnetometer survey undertaken on 6th May 2022 at Site 379 within Group 025.
- 1.1.2 The aim of the survey is to establish the presence/absence, extent and character of detectable archaeological remains within the proposed route of HS2 Phase 2a. The scope of the surveys is dependent upon securing access to the land and for the areas to be suitable for survey.
- 1.1.3 EEW Group 025 is located within the vicinity of the village of Chorlton and to the south-west of Wychwood Park, Cheshire. Site 379 is located approximately 630m south-east of the village of Chorlton, and approximately 430m north-east of Gonsley Green Farm. The site is centred at NGR 373552 348896 and encompasses c.2.5ha. The area required for magnetometer survey consists of a single irregular shaped parcel spanning three adjoining fields totalling c.1.7ha.
- 1.1.4 The HS2 Ltd Phase 2a GWSI: HERDS document identifies that EEW Group 025 falls within two distinct Recognised Archaeological Zones (RAZ), specifically RAZ 31 and RAZ 32. These zones both lie outside site 379, however nearby site 380, approximately 500m to the west, is designated a RAZ for the preservation of buried remains and extant earthworks associated with the deserted medieval village (DMV) known as Godwynesleigh.
- 1.1.5 All suitable areas within the Site were surveyed with coverage amounting to 1.55ha. The survey recorded three linear anomalies with enhanced magnetic response identifying land drains. Other faint linear trend anomalies are likely agricultural in origin. Areas of magnetic disturbance at the field boundaries is caused by fencing. There is no evidence in the magnetic data of anomalies that could be associated with the nearby DMV of Godwynesleigh.

2 Introduction

2.1 Project Background

2.1.1 HS2 is a new railway network proposed by the Government to provide a new link between London, the West Midlands, the East Midlands, South Yorkshire, Leeds and Manchester. HS2 Phase 2a comprises approximately 36 miles of railway starting at Fradley at its southern end and connects with the West Coast Main Line (WCML), south of Crewe, to allow HS2 services to join the existing network and call at Crewe Station.

2.1.2 The overall framework within which archaeological work will be undertaken is set out in the draft Environmental Minimum Requirements (EMR) for HS2 Phase 2a. Accordingly, the nominated undertaker or any contractors will be required to implement certain control measures in relation to archaeology before construction work begins.

2.1.3 The works have been undertaken in accordance with Written Scheme of Investigation (WSI, HS2 2019) and conform with current best practice and guidance for geophysical surveys as outlined in the Chartered Institute for Archaeologists' (CIfA) Standard and Guidance for archaeological geophysical survey (CIfA 2014) and European Archaeologiae Consilium Guidelines for the use of Geophysics in Archaeology (EAC 2016).

2.1.4 The selection of areas required for geophysical survey included as part of this Early Environmental Works (EEW) package are set out in location specific Written Scheme of Investigations (WSIs) based on Groups containing individual sites. HS2 Ltd has provided each EEW site along the Phase 2a route with a unique identifier Site Code.

2.1.5 Within EEW Group 022 (HS2 2021) the Site Code for geophysical survey is:
• Site 2a20DCHOMG

2.2 Scope of Document

2.2.1 This report presents a brief description of the methodology followed by the detailed survey results and the archaeological interpretation of the geophysical data.

2.3 The Site

2.3.1 EEW Group 025 is located within the vicinity of the village of Chorlton and to the south-west of Wychwood Park, Cheshire, centred on NGR 372625 349790. Site 379 is located approximately 630m south-east of the village of Chorlton, and approximately 430m north-east of Gonsley Green Farm. The site is centred at NGR 373552 348896 and encompasses c.2.5ha. The area required for magnetometer survey consists of a single irregular shaped parcel spanning three adjoining fields totalling c.1.7ha.

2.3.2 The survey contained a mixture of cleared arable land in the northern half and rough pasture to the south at the time of survey. All suitable areas were surveyed within the site boundary. Overgrown patches along the southern boundary of the site were unsuitable for survey.

- 2.3.3 Site 379 is generally flat at approximately 75m above Ordnance Datum (aOD). A waterway, Mere Gutter, flows approximately 200m to the east and a pond lies at the northern boundary of the Site.
- 2.3.4 The solid geology across the Site is recorded as Wilkesley Halite Member halite-stone and mudstone, a sedimentary bedrock formed between 237 and 228.4 million years ago during the Triassic period. Quaternary period sedimentary superficial deposits of diamicton overlay the Site however the site resides at the boundary with sand and gravel superficial deposits immediately to the north (BGS 2021).
- 2.3.5 The soils covering the Site reside at the boundary of two different soil classifications. The site most likely is covered by soils classified in Soilscape 18 Association described as slowly permeable seasonally wet slightly acid but base-rich loamy and clayey soils however soils classified in Soilscape 6 Association as freely draining slightly acid loamy soils lay immediately to the east (Cranfield University 2020).
- 2.3.6 Magnetometer survey can generally be recommended over any sedimentary geologies however the average responses of surveys over mudstones are generally poor but results can be variable depending on the nature and depth of the overlying deposits if present (English Heritage 2008; Table 4). It remains that magnetometry was the most appropriate geophysical technique for evaluating the Site taking account of the limitations noted in Section 4.3 below.

3 Archaeological Background

3.1 Summary of the archaeological resource

- 3.1.1 The following archaeological background summarises details from the Location Specific Written Scheme of Investigation (LSWSI, HS2 2021) together with information from publicly available online resources and other in-house resources.
- 3.1.2 The Recognised Archaeological Zones (RAZ) represent a high-level indication of likely concentrations of archaeological remains across the Phase 2a route. The location and spatial extent of RAZs has been determined using HS2 Environmental Statement (ES) Cultural Heritage information and subsequent survey data.
- 3.1.3 The assessment and determination of the significance of archaeological assets is defined by Chapter 10 of the HS2 Ltd EIA Scope and Methodology Report (HS2 2017a). Additional information on the wider archaeological background can be found in the ES reports.
- 3.1.4 The HS2 Ltd Phase 2a GWSI: HERDS document identifies that EEW Group 025 falls within two distinct Recognised Archaeological Zones (RAZ), specifically RAZ 31 and RAZ 32. These zones both lie outside site 379, however site 380, approximately 500m to the west, is designated a RAZ for the preservation of buried remains and extant earthworks associated with the deserted medieval village (DMV) known as Godwynesleigh. Site 390 falls within RAZ 32, designated for the survival of earthworks and trackways that are evidence of dispersed post-medieval settlements, and may be indicative of possible medieval settlement but is located over 2.2km from site 379 to the north.
- 3.1.5 The Environmental Statement (ES, HS2 2017b) identified archaeological assets from the Cheshire Historic Environment Record (HER) within the immediate vicinity of the sites comprising EEW Group 025. However the Cheshire Historic Environment Record (HER) does not identify any archaeological assets within, or in the immediate vicinity of Site 379.
- 3.1.6 Heritage Asset data supplied from the HS2 CA5 Aerial Photograph Survey (APS) database identifies numerous features within EEW group 025, however this database does not cover the area of Site 379.
- 3.1.7 The CA 5: South Cheshire: Cultural heritage survey report (HS2 2017c) noted that geophysical survey work has not been undertaken within Site 379 however GPR survey immediately west of the railway approximately 250m to the west, identified a series of connected linear high amplitude reflections interpreted as possibly archaeological in origin and an extension of cropmarks associated with a DMV north of Gonsley Green Farm. Magnetometer survey in the same location identified one linear anomaly of possible archaeological origin which corresponds to a cropmark feature. Further possible archaeological anomalies were identified further west north of the farm in the location of greater concentrations of cropmarks identified from satellite imagery.

- 3.1.8 No features were identified in LiDAR/Remote sensing survey data for Site 379.
- 3.1.9 Burdett's 1777 county map of Cheshire depicted the site area as open land. The site remained in this configuration until the latter half of the 19th century. The site is not covered by the 1844 Tithe map of Chorlton; however, the map does indicate that the railway line situated to the west of the site had been constructed by this time. It is likely that the construction cut of the railway line extended into the western site area. Ordnance Survey mapping of 1889 indicates that quarrying or pitting was undertaken to extract sand and gravel. The current site configuration is relatively unaltered from 1889, however, the sand pits and quarries, within and immediately adjacent to, the site area are now pond features. No additional archaeological features are evident from available historic mapping.

4 Methodology

4.1 Magnetometry

Magnetic survey methods rely on the ability of a variety of instruments to measure very small magnetic fields associated with buried archaeological remains. A feature such as a ditch, pit or kiln can act like a small magnet, or series of magnets, that produce distortions (anomalies) in the earth's magnetic field. In mapping these slight variations, detailed plans of sites can be obtained as buried features often produce reasonably characteristic anomaly shapes and strengths (Gaffney and Gater 2003). Further information on soil magnetism and the interpretation of magnetic anomalies is provided in Annex 1 and Annex 2 respectively.

4.2 Aims and Objectives

4.2.1 The aims of the survey comprise the following:

- To determine, as far as is reasonably possible, the nature of the detectable archaeological resource within a specified area using appropriate methods and practices; and
- To inform either the scope and nature of any further archaeological work that may be required; or the formation of a mitigation strategy (to offset the impact of the development on the archaeological resource); or a management strategy.

4.2.2 In order to achieve the above aims, the objectives of the geophysical survey are:

- To conduct a geophysical survey covering as much of the specified area as possible, allowing for on-site obstructions;
- To clarify the presence/absence of anomalies of archaeological potential; and
- Where possible, to determine the general nature of any anomalies of archaeological potential.

4.3 Assumptions and limitations

Magnetometry is the most widely used geophysical survey technique in archaeology as it can quickly evaluate large areas and, under favourable conditions, identify a wide range of archaeological features including infilled cut features such as large pits, gullies and ditches, hearths, and areas of burning and kilns and brick structures. It is therefore good at locating settlements of all periods, prehistoric field systems and enclosures and areas of industrial or modern activity, amongst others. It is less successful in identifying smaller features such as post-holes and small pits (except when using a non-standard sampling interval), unenclosed (prehistoric) settlement sites and graves/burial grounds. Magnetometry has the potential to rapidly confirm the presence/absence of a wide range of potential archaeological remains within

the site and was thus chosen as the most appropriate technique in this instance.

4.4 Fieldwork Methodology

4.4.1 The survey was undertaken using four Bartington Grad601 sensors mounted at 1m intervals (1m traverse interval) onto a rigid carrying frame. The system was programmed to take readings at a frequency of 10Hz (allowing for a 10-15cm sample interval) on roaming traverses (swaths) 4m apart (Figure 1). These readings were stored on an external weatherproof laptop and later downloaded for processing and interpretation. The system was linked to a Trimble R8s Real Time Kinetic (RTK) differential Global Positioning System (dGPS) outputting in NMEA mode to ensure a high positional accuracy for each data point, in accordance with EAC guidelines (EAC 2016).

4.4.2 Unenclosed areas were surveyed using the co-ordinates of the pre-determined Site boundary visible as an outline on the MLGrad601 software during data collection.

4.4.3 MLGrad601 (Geomar Software Inc.) software was used to collect the data.

4.5 Data processing

4.5.1 Data collected using RTK GPS-based methods cannot be produced without minimal processing of the data. The minimally processed data has been interpolated to project the data onto a regular grid and de-striped to correct for slight variations in instrument calibration drift and any other artificial data.

4.5.2 A high pass filter has been applied to the greyscale plots to remove low frequency anomalies (relating to survey tracks and modern agricultural features) to maximise the clarity and interpretability of the archaeological anomalies.

4.5.3 The data has also been clipped to remove extreme values and to improve data contrast.

4.5.4 MultiGrad601 (Geomar Software Inc.) software was used to export the survey data files.

4.5.5 Terrasurveyor V3.0.37.0 (DWConsulting) software was used to process and export graphical plots the data.

5 Geophysical Survey Results and Interpretation

5.1 Gradiometer survey results and interpretation

- 5.1.1 The magnetometer survey was carried out on the 6th May 2022 and full coverage of the survey area was achieved totaling 1.55ha.
- 5.1.2 Fully processed (greyscale) data, minimally processed data (XY trace plot) and interpretative plans are presented at a scale of 1:1,500 in Figures 2 – 4 inclusive.
- 5.1.3 The magnetic background is homogenous containing few occasional low magnitude discrete anomalies deriving from the underlying mudstone bedrock geology and overlying glacial till, diamicton superficial deposits.
- 5.1.4 The only findings of the survey are three linear anomalies with enhanced magnetic response identifying land drains and faint linear trend anomalies likely agricultural in origin. Areas of magnetic disturbance at the field boundaries is caused by ferrous fencing.

6 Discussion

- 6.1 The survey has not identified any anomalies of archaeological or possible archaeological potential which may relate to medieval settlement activity identified from aerial imagery and potentially GPR data to the west of the railway associated with the DMV of Godwynesleigh.
- 6.2 The findings of the survey are limited to linear trend anomalies identifying drains or agricultural trends and areas of magnetic disturbance at field boundaries caused by ferrous fencing.

References

Bibliography

British Geological Survey (BGS) 2022 Geology of Britain 3D <http://www.bgs.ac.uk/> accessed 10th October 2022

Chartered Institute for Archaeologists (Cifa) 2014 Standard and guidance for archaeological geophysical survey (Reading)
https://www.archaeologists.net/sites/default/files/CifAS%26GGeophysics_3.pdf accessed 10th October 2022

Cranfield University 2020 Cranfield Soil and Agrifood Institute Soilscales
<http://www.landis.org.uk/soilscales/> accessed 10th October 2022

English Heritage 2008 Geophysical Survey in Archaeological Field Evaluation

Europae Archaeologia Consilium (EAC) 2016 EAC Guidelines for the Use of Geophysics in Archaeology: Question to Ask and Points to Consider (Namur, Belgium) <https://www.europae-archaeologiae-consilium.org/eac-guidlines> accessed 10th October 2022

Gaffney C & Gater J 2003 Revealing the Buried Past: Geophysics for Archaeologists Stroud

HS2 Ltd, 2017a High Speed Rail (West Midlands-Crewe). Environmental Statement. Volume 5: Technical appendices. Environment Impact Assessment Scope and Methodology Report (CT-001-001). Available at: <https://www.gov.uk/government/publications/scope-and-methodology-report-for-hs2-phase-2a>

HS2 Ltd, 2017b High Speed Rail (West Midlands-Crewe). Environmental Statement. Volume 5: Technical appendices. CA5: South Cheshire. Gazetteer of heritage assets. (CH-002-005). Available at: <https://www.gov.uk/government/collections/hs2-phase-2a-environmental-statement#volume-5:-environmental-reports-and-maps-by-community-area>

HS2 Ltd, 2017c High Speed Two Phase 2a (West Midlands-Crewe). Background Information and Data. CA5: South Cheshire Cultural Heritage survey reports.. (BID-CH-004-005). Available at: <https://www.gov.uk/government/collections/hs2-phase-2a-environmental-statement#volume-5:-environmental-reports-and-maps-by-community-area>

HS2 2019 HS2 Phase 2a Written Scheme of Investigation for EI-711 Surveys Package 1: Magnetometry (HS2-HS2-EV-MST-A000001)

HS2 Ltd, 2021, Phase 2a LS-WSI: EEW Group 025, EEW Sites 379, 380, 388, 389, & 390 (HS2 Document no: 2EE01-BAF-EV-PRO-A000-000039, Revision: 04)

Annex 1: Magnetometer survey

Magnetic susceptibility and soil magnetism

Iron makes up about 6% of the earth's crust and is mostly present in soils and rocks as minerals such as maghaemite and haematite. These minerals have a weak, measurable magnetic property termed magnetic susceptibility. Human activities can redistribute these minerals and change (enhance) others into more magnetic forms so that by measuring the magnetic susceptibility of the topsoil, areas where human occupation or settlement has occurred can be identified by virtue of the attendant increase (enhancement) in magnetic susceptibility. If the enhanced material subsequently comes to fill features, such as ditches or pits, localised isolated and linear magnetic anomalies can result whose presence can be detected by a magnetometer (fluxgate gradiometer).

In general, it is the contrast between the magnetic susceptibility of deposits filling cut features, such as ditches or pits, and the magnetic susceptibility of the topsoil, subsoil and rock, into which these features have been cut, which causes the most recognisable responses. This is primarily because there is a tendency for magnetic ferrous compounds to become concentrated in the topsoil, thereby making it more magnetic than the subsoil or the bedrock. Linear features cut into the subsoil or geology, such as ditches, that have been silted up or have been backfilled with topsoil will therefore usually produce a positive magnetic response relative to the background soil levels. Discrete feature, such as pits, can also be detected.

The magnetic susceptibility of a soil can also be enhanced by the application of heat. This effect can lead to the detection of features such as hearths, kilns, or areas of burning.

Annex 2: Geophysical Interpretation

Most anomalies are termed 'positive'. This means that they have a positive magnetic value relative to the magnetic background on any given site. However, some features can manifest themselves as 'negative' anomalies that, conversely, means that the response is negative relative to the mean magnetic background.

Where it is not possible to give a probable cause of an observed anomaly a '?' is appended. It should be noted that anomalies interpreted as modern in origin might be caused by features that are present in the topsoil or upper layers of the subsoil. Removal of soil to an archaeological or natural layer can therefore remove the feature causing the anomaly.

The types of response mentioned above can be divided into five main categories that are used in the graphical interpretation of the magnetic data:

Isolated dipolar anomalies (iron spikes)

These responses are typically caused by ferrous material either on the surface or in the topsoil. They cause a rapid variation in the magnetic response giving a characteristic 'spiky' trace. Although ferrous archaeological artefacts could produce this type of response, unless there is supporting evidence for an archaeological interpretation, little emphasis is normally given to such anomalies, as modern ferrous objects are common on rural sites, often being introduced into the soil during manuring.

Areas of magnetic disturbance

These responses can have several causes often being associated with burnt material, such as slag waste or brick rubble or other strongly magnetised/fired material. Ferrous structures such as pylons, mesh or barbed wire fencing and buried pipes can also cause the same disturbed response. A modern origin is usually assumed unless there is other supporting information.

Lightning-induced remnant magnetisation (LIRM)

LIRM anomalies are thought to be caused in the near surface soil horizons by the flow of an electrical current associated with lightning strikes. These observed anomalies have a strong bipolar signal which decreases with distance from the spike point and often appear as linear or radial in shape.

Linear trend

This is usually a weak or broad linear anomaly of unknown cause or date. These anomalies are often caused by agricultural activity, either ploughing or land drains being a common cause.


Areas of magnetic enhancement/positive isolated anomalies

Areas of enhanced response are characterised by a general increase in the magnetic background over a localised area whilst discrete anomalies are manifest by an increased response (sometimes only visible on an XY trace plot) on two or three successive traces. In neither instance is there the intense dipolar response characteristic exhibited by an area of magnetic disturbance or of an 'iron spike' anomaly (see above). These


anomalies can be caused by infilled discrete archaeological features such as pits or post-holes or by kilns. They can also be caused by pedological variations or by natural infilled features on certain geologies. Ferrous material in the subsoil can also give a similar response. It can often therefore be very difficult to establish an anthropogenic origin without intrusive investigation or other supporting information.

Linear and curvilinear anomalies


Such anomalies have a variety of origins. They may be caused by agricultural practice (recent ploughing trends, earlier ridge and furrow regimes or land drains), natural geomorphological features such as palaeochannels or by infilled archaeological ditches.




HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted



HS2 Ltd - Code 1 - Accepted

Annex 3: OASIS Form

Project Details:

Project name	Geophysical Survey, Magnetometry Survey at Phase 2a Heritage Non-intrusive Surveys Report: Group 025 Site 379 Geophysics survey report	
Type of project	Geophysical Survey, Magnetometry Survey, MAGNETOMETRY SURVEY	
Project description	<p>The survey was undertaken using four Bartington Grad601 sensors mounted at 1m intervals (1m traverse interval) onto a rigid carrying frame. The system was programmed to take readings at a frequency of 10Hz (allowing for a 10-15cm sample interval) on roaming traverses (swaths) 4m apart (Figure 1). These readings were stored on an external weatherproof laptop and later downloaded for processing and interpretation. The system was linked to a Trimble R8s Real Time Kinetic (RTK) differential Global Positioning System (dGPS) outputting in NMEA mode to ensure a high positional accuracy for each data point, in accordance with EAC guidelines (EAC 2016). Unenclosed areas were surveyed using the co-ordinates of the pre-determined Site boundary visible as an outline on the MLGrad601 software during data collection. MLGrad601 (Geomar Software Inc.) software was used to collect the data. The survey has not identified any anomalies of archaeological or possible archaeological potential which may relate to medieval settlement activity identified from aerial imagery and potentially GPR data to the west of the railway associated with the DMV of Godwynesleigh. The findings of the survey are limited to linear trend anomalies identifying drains or agricultural trends and areas of magnetic disturbance at field boundaries caused by ferrous fencing.</p>	
Project dates	Start: 06-May-2022	End: 06-May-2022
Previous work	N/A	
Future work	N/A	

HS2 Ltd - Code 1 - Accepted

Project Code:	Phase 2a Heritage Non-intrusive Surveys Report: Group 025 Site 379 Geophysics survey report	HER event no.			
----------------------	---	----------------------	--	--	--

		NMR no.		OASIS form ID:	hs2headl1-510534
		SM no.			
Planning Application Ref.					
Site Status		None			
Land use		Arable and pasture			
Monument type		N/A	Period	N/A	

Project Location:

Site Address	located approximately 630m south-east of the village of Chorlton, and approximately 430m north-east of Gonsley Green Farm.			Postcode	
County	Cheshire	District	Cheshire East	Parish	Blakenhall
Study Area	1.7ha	Height OD	75m Above Ordnance Datum	NGR	SJ 73569 48897

Project Creators:

Name of Organisation	HS2 Headland Archaeology (UK) Ltd			
Project brief originator	HS2	Project design originator	HS2	
Project Manager	Alistair Webb	Project Supervisor	Matt Berry	
Sponsor or funding body	Balfour Beatty	Type of Sponsor	Client	

Project Archive and Bibliography:

Physical archive	N/A	Digital Archive	Geophysical survey and report	Paper Archive	N/A
Report title	Phase 2a Heritage Non-intrusive Surveys Report: Group 020 Site 377 Geophysics survey report			Date	31/10/2022
Author	Headland Archaeology	Description	PDF/A	Report ref.	

