

**Bogany Road, Rothesay, Argyll & Bute:
Archaeological Watching Brief**

Data Structure Report

by Diane Gorman

issued 30th July 2010



Rathmell
Archaeology Ltd

Quality Assurance

This report covers works which have been undertaken in keeping with the issued brief as modified by the agreed programme of works. The report has been prepared in keeping with the guidance of Rathmell Archaeology Limited on the preparation of reports. All works reported on within this document have been undertaken in keeping with the Institute of Field Archaeology's Standards and Policy Statements and Code of Conduct.

Signed

Date

In keeping with the procedure of Rathmell Archaeology Limited this document and its findings have been reviewed and agreed by an appropriate colleague:

Checked

Date

Copyright Rathmell Archaeology Limited. All rights reserved.

No part of this report may be copied or reproduced by any means without prior written permission from Rathmell Archaeology Limited. If you have received this report in error, please destroy all copies in your possession or control – and notify Rathmell Archaeology Limited.

This report has been prepared for the exclusive use of the commissioning party and unless otherwise agreed in writing by Rathmell Archaeology Limited, no other party may use, make use of or rely on the contents of the report. No liability is accepted by Rathmell Archaeology Limited for any use of this report, other than the purposes for which it was originally prepared and provided.

Opinions and information provided in the report are on the basis of Rathmell Archaeology Limited using due skill, care and diligence in preparation of the same and no explicit warranty is provided as to their accuracy. It should be noted and it is expressly stated that no independent verification of any of the documents or information supplied to Rathmell Archaeology Limited has been made.

Contents

Introduction	3
Historical and Archaeological Background.....	3
Project Works.....	3
Findings.....	6
Discussion	9
Recommendations	12
Conclusion	13
References	13
Documentary	13
Cartographic.....	13
Appendix 1: Registers.....	14
Context Register	14
Photographic Register	14
Finds Register.....	18
Appendix 2: Discovery & Excavation in Scotland	19
Contact Details	20

Figure:

Figure 1a: Detail from Wood (1825) Plan of Rothesay	4
Figure 1b: Detail from 1 st edition Ordnance Survey (1869)	4
Figure 2: Dimensioned Site Plan (not to scale).....	5
Figure 3a: Pre-ex shot of site facing entrance from Bogany Road	7
Figure 3b: Mid-ex shot showing topsoil stripping	7
Figure 4a: Mid-ex shot showing partial stripping	8
Figure 4b: Northwest facing section of stripped area.....	8
Figure 5a: Shot of area immediately east of site entrance	10
Figure 5b: Shot of wall (007)	10
Figure 6a: Shot of (008) paving surface.....	11
Figure 6b: Shot of stone culvert (005) facing site entrance.....	11

Introduction

1. This Data Structure Report has been prepared for George Hanson (Building Contractors) Ltd in respect to the construction of a residential dwelling at Bogany Road, Rothesay, Argyll & Bute. The archaeological works were designed to mitigate the impact on the archaeological remains within their development area to the agreement of the West of Scotland Archaeology Service and Argyll & Bute Council.
2. Argyll & Bute Council conditioned the granted planning consent with an archaeological watching brief condition for archaeological works. The West of Scotland Archaeology Service who advises Argyll & Bute Council on archaeological matters has provided guidance on the structure of archaeological works required on this site during development works.
3. Rathmell Archaeology Limited was appointed by George Hanson (Building Contractors) Ltd to undertake the development and implementation of archaeological mitigation works at Bogany Road.

Historical and Archaeological Background

4. The development area is in the rear garden ground of Bogany House, shown on Woods' 1825 plan of Rothesay (Figure 1a). The development of Battery Drive, along to the shore to the east of Rothesay, is part of the suburban growth of the town which started in the early 19th century as prosperity grew.
5. Within the development area is the identified site of a building (WoSAS Id 62009). The upper storey of the building, which was shown on the 1st edition Ordnance Survey map (Figure 1b) was demolished in 1996, with the remainder cleared in 1997.
6. The Bute Natural History Society Deserted Settlement Survey (1991-9) linked this building to a farm recorded from 1620 (Proudfoot and Hannah 2000), although they do not depict the Wood survey (1825). Indeed a subsequent review by the RCAHMS in 2009 identified the building as outbuildings of Bogany House, an early Victorian villa, and they did not find it to relate to the farmstead of Bogany, which they believe stood some 170m to the ENE. During the 2009 RCAHMS survey the remains of the outbuildings were not noted in detail, but at least one building survived in the garden, its W side now forming part of the garden wall that runs along the E side of Bogany Road. A number of blocked openings, including windows, were visible in this wall.
7. Other than the recorded building, there are no additional known archaeological sites within the development area.

Project Works

8. The programme of works comprised the archaeological monitoring of the removal of topsoil in an area measuring approximately 10.0m x 8.9m. Topsoil removed measured approximately 0.3m from current ground level. Topsoil removal was carried out using a JCB mechanical excavator.
9. In compliance with the Method Statement (Rees 2010) all ground breaking works were monitored and any potential archaeological features were investigated and recorded, with the on-site works taking place on 28th July 2010.
10. All works were conducted in accordance with the Institute for Archaeologists' Standards and Policy Statements and Code of Conduct and Historic Scotland Policy Statement.




Figure 1a: Detail from Wood (1825) Plan of Rothesay



Figure 1b: Detail from 1st edition Ordnance Survey (1869)




Figure 2: Dimensioned Site Plan (not to scale)

Findings

11. The development site is located immediately east of Bogany Road on an area of disused ground. The area is bordered to the south and southeast by a fence with private housing directly behind this. The western side of the site is bordered by a stone wall, which runs along the eastern side of Bogany Road (see Figure 3a). A section of this wall has been identified by WoSAS (Id 62009) as the possible remains of an outbuilding relating to Bogany House previously situated to the north of the site. A gate already provided access to the site from Bogany Road prior to these works but it was necessary to widen the access by removing a small section of the northern part of this wall in order to provide access for the mechanical excavator. To the northeast is the site of a church and the church grounds (currently under renovation).
12. The site is situated approximately halfway up the reasonably steep incline which Bogany Road climbs. The land has lain disused for some time and appears to have been previously used as a way of disposing of general waste and debris from the surrounding area. Upon the archaeologists arrival the area had been mostly cleared of debris and the area to be reduced marked out by spray paint. Ground reduction was carried out in this area in addition to the area immediately north which was not originally marked out but which was deemed necessary for excavation. The stripped area was approximately 10.0m x 8.9m. The land is larger than the area stripped during these works but only those areas directly affected by construction were considered.
13. Topsoil in the area (001) was very dark brown/black silty sand. The topsoil was stripped from west to east across the site using a mechanical excavator (see Figures 3b & 4a). Due to the incline across the site the depth of topsoil varies according to location and ranges from approximately 0.3m to 0.4m (see Figure 4b).
14. Subsoil in the area (002) was orange/light brown silty clay with frequent root inclusions and frequent small stone and stone flecks in addition to charcoal flecks. Most material removed during these works was either topsoil or subsoil. In the area immediately east of the site entrance from Bogany Road deposits composed of general demolition debris (red brick fragments, glass shards, ceramic sherds, wood fragments etc) in a sandy matrix (009) was revealed, covering an area approximately 1.3m x 2.3m. Directly above this was an accumulation of general waste and debris (011) assumed to be from the surrounding area covering an area of around the same dimensions (see Figure 5a).
15. At approximately 2m east of (009) an area of sand (010) 2.0m x 2.4m was revealed. Deposits (009) and (010) were not excavated to their full depth but to the depth necessary for construction work to proceed. It was necessary to remove approximately 0.6m of material from the top of current ground level in the area of (009) and (010) in order to reach the depth necessary for construction. It was decided to reduce the ground level in the area of (010) to a deeper level than was necessary for the rest of the site. . A small test trench was excavated (to a depth of 1.6m from current ground level) through deposit (010) to confirm no archaeology obscured beneath the deposit would be affected by construction. The test trench revealed only further deposits of (010) below but was excavated to a depth ensuring any sensitive archaeology beneath would remain unaffected.
16. A small area of flat paving stones (008) was revealed in the area between (009 and 010) measuring 1.3m x 1.8m (see Figure 6a). These were removed, revealing a continuation of deposit (009) beneath.
17. The southwest corner of the excavated area revealed a stone culvert (003) which runs southeast to northwest. It is 0.63m wide and 0.6m deep from top of ground level, with 1.6m in length revealed during excavation. The structure consisted of two parallel courses of stones covered by two large stones and was located in the subsoil. . No evidence of mortar was visible and stones do not show obvious signs of working. The full extent remains unknown as it is bordered to the south by limits of excavation and to the north by a small area left unexcavated due to the presence of drainpipe (004). Structure (005) was also revealed, running west to east across the site. It is approximately 0.54m wide and 0.26m deep as excavated (see Figure 6b). The full extent is unknown as it is



Figure 3a: Pre-ex shot of site facing entrance from Bogany Road



Figure 3b: Mid-ex shot showing topsoil stripping



Figure 4a: Mid-ex shot showing partial stripping



Figure 4b: Northwest facing section of stripped area

bordered to the east by limits of excavation and to the west by the area obscured by (004). It is likely that these structures are a continuation of each other although this cannot be confirmed.

18. Service trench (004) contains a drainpipe running from the private housing located south of the site. The service trench is orientated southeast to northwest, 0.27m wide with 2.3m of its length identified as it crossed the excavation area. The presence of this service trench was not known prior to commencement of excavation and is assumed to be still functioning, as it is known to be a relatively recent installation. It was necessary to leave a small area (approximately 2.0m x 1.3m) of site unexcavated in order to protect the services as required by the client.
19. A linear deposit of light-mid brown gravel in a silty matrix (006) was revealed running west to east across the site and located parallel and immediately north of (005) (see Figure 6b). The deposit is approximately 0.83m wide but full extent is unknown as it is bordered to the east by limits of excavation and to the west by the area left unexcavated due to the presence of service trench (004).
20. A section of standing wall (007) was located immediately east of the entrance to the site from Bogany Road. Due to the presence of (011) the extent of wall remained largely obscured during the course of these works and only a small area was revealed prior to demolition (see Figure 5b). The extent visible was roughly L shaped in plan, running west to east and then north to south respectively. Approximately 1.5m of this structure west to east was revealed and 0.9m north to south. The structure is of stone, single skin and at least 2 courses high as excavated but it is likely more remains below ground level. Only the top course of stones appear well worked (into a rough brick shape) the lower stones remain roughly worked. A layer of sand similar to (010) surrounding (007) on the southern and eastern sides was removed by the archaeologist.
21. A stone structure was also noted located outside the limits of excavation in the north-western corner of the development area. As the structure remains outside the area of ground reduction, it remained undisturbed by these ground breaking works. The structure appears to be the remains of a building, and utilises the west boundary wall of the site as its western exterior wall. Remains of a mortared brick wall (of relatively modern date) protrude from the eastern side of the west boundary wall at 90° and extend approximately 1.5m east. It is likely this wall would have extended further east at some point but is now demolished so this cannot be established. In addition, remains of a stone wall can be seen extending from the northern adjacent property into the north-western corner of the development area (figure 5a). This wall can be seen continuing downhill from the development area (aligned northwest to southeast), running parallel to the west boundary wall. No evidence for the date of this wall was evident but looks to be of significant date, possibly early 19th century. Stones look to be partially worked, and the wall is mortar bonded. Ground level within the structure is unknown due to presence of debris remaining in the bottom but is at least 2.0m, below the level of the pavement of Bogany Road. This would suggest the structure is of relative antiquity and that the current ground level has been built up around it over time. It also indicates that the floor surface revealed east of the site entrance (008) relates to a later building due to the discrepancy in ground level.

Discussion

22. No significant archaeological features were uncovered during the archaeological monitoring works. Observation of the sediments on site suggests much of the area has remained undisturbed. Previous activity in the area appears to be the result of relatively modern activity.
23. The materials located in the area immediately east of the entrance to site appear related to previous construction work in the area. Deposit (009) is composed of an assortment of modern building debris (e.g. red and yellow brick fragments, pottery shards, animal bones and other modern debris) suggesting the deposit is the result of demolition. Given



Figure 5a: Shot of area immediately east of site entrance



Figure 5b: Shot of wall (007)



Figure 6a: Shot of (008) paving surface



Figure 6b: Shot of stone culvert (005) facing site entrance

the uneven nature of the ground and the steep incline of the site it is likely this material was laid at some point to regulate ground level.

24. The small area of flat paving stones (008) located immediately east of (009) appears to be a floor surface. The surface looks to be relatively modern and given the presence of (009) directly below this deposit containing modern material it can be assumed it is of relatively modern date. The surface is located immediately north of wall (007) so it can be assumed that this surface is related to the interior floor for the building that (007) are the foundations of (see Figure 1b).
25. Immediately east of (008) is (010) an area of yellow sand which looks to be related to building works. As was suggested before, the uneven ground level of the site would indicate that this deposit is artificial and has been purposefully laid in order to regulate the ground level in the area either for landscaping or for construction. Its location adjacent to other building and levelling materials would also indicate this.
26. The stone culverts revealed are unlikely to yield a date of antiquity. There is no obvious relationship between structures (003) and (005) to any other archaeological feature or structural feature on site.
27. The stone wall (007) located immediately east of the site entrance appears to stand independently of any other structure on site. The area of paving located to the north of (007) is likely to relate to the interior of the structure which it was once part of but this cannot be definitively stated.
28. The structure noted in the north western corner of the development area is likely to be the remains of the small building identified by WoSAS (id 62009) in the development area. The structure appears to form part of a sequence of similar structures which run downhill from southeast to northwest. These structures appear to use the west boundary wall of the site and the stone wall which runs parallel to it as their exterior walls. It has been noted in the SMR entry that blocked openings are apparent on the west boundary wall but these were not obvious to the archaeologist. The structures themselves are fairly small (approximately 4m x 3m so function is more likely to be as outhouse buildings rather than as formal private residences. It is likely these structures are the remains of outbuildings relating to Bogany House and the location (situated in the back garden area of Bogany House) would support this. Both the modern brick wall and the stone wall remain undisturbed by the ground-breaking works on this site.
29. No significant archaeological features were revealed during the course of these works. No artefacts of archaeological significance were found. An assortment of animal bones was found along with an assortment of modern white glaze pottery in addition to one clay pipe stem fragment. In most places throughout the site, subsoil was reached and in these areas we can say definitively that there is no further potential of significant archaeological remains within this area. Subsoil was not reached in the northern area of the site where deposits (009) (010) and (008) were located. However this area was excavated to the depth required for construction and no sensitive archaeological material was revealed.

Recommendations

30. The archaeological monitoring failed to identify any significant archaeological features or artefacts within the development area. Approximately 85% of the site was reduced to archaeological sterile drift geology and remainder was reduced to a significant depth to protect any archaeology, which may lie deeper but will remain *in situ*. Consequently, we recommend that no further archaeological works are appropriate with regard to this site.
31. The appropriateness and acceptability of our recommendations rest with Argyll and Bute Council and their advisors, West of Scotland Archaeology Service.

Conclusion

32. An archaeological watching brief was carried out during the groundbreaking works required for the construction of the proposed house at Bogany Road, Rothesay. The archaeological works were designed to mitigate the impact on the archaeological remains within the development area.
33. Approximately 85% of the development area was reduced by at least 280mm to natural drift geology and the remainder was reduced by 500mm through made ground. No significant archaeological material was observed during the course of the archaeological works. However, remains of some late nineteenth century or early twentieth century structures that were most likely outbuildings for Bogany House were identified.

References

Documentary

Rees, T, 2010, Bogany Road, Rothesay, Argyll & Bute2: *Archaeological Watching Brief, Method Statement*, Rathmell Archaeology Ltd

SOEnv, 1994, Planning Advice Note 42, Archaeology, Scottish Office Environmental Department.

Proudfoot & Hannah, E & A, 2000, 'Deserted Settlements on Bute', Transactions of the Buteshire Natural History Society, vol.XXV Rothesay, Bute Page(s):33

Cartographic

1825	Wood, John	Plan of Rothesay
1869	Ordnance Survey	1 st edition Ordnance Survey

Appendix 1: Registers

Within this appendix are all registers pertaining to works on-site regardless of the process by which that information was gathered (e.g. evaluation or strip, map & sample).

Context Register

Context No.	Area/Trench	Type	Description	Interpretation
001	1	Deposit	Very dark brown/black silty sand	Topsoil
002	1	Deposit	Orange/light brown clay	Subsoil
003	1	Deposit	Stone structure located in SW corner of trench 1	Stone drain
004	1	Deposit	Trench containing plastic drainpipe	Service trench
005	1	Deposit	Stone structure running west-east across trench 1	Stone drain
006	1	Deposit	Light-mid brown gravel deposit in silt matrix	Deposit possibly related to 005
007	1	Deposit	Worked stone structure 2 courses high located west side of trench 1	Remains of wall, possible foundations for building once located in this area, now demolished.
008	1	Deposit	Stone slab structure located immediately north of 007	Floor surface probably relating to outhouse used for Bogany House.
009	1	Deposit	Assortment of general building/demolition debris	Demolition/building debris
010	1	Deposit	Yellow/orange sand, located immediately east of 008	Make-up layer
011	1	Deposit	Building debris/general rubbish from surrounding area	General waste/debris build up

Photographic Register

Image No.	Print		Slide		Digital	Description	From	Date
	Film No.	Neg. No.	Film No.	Neg. No.				
001	-	-	-	-	559	Location shot showing western boundary wall of site	S	28/07/10
002	-	-	-	-	560	Location shot, showing entrance to site	S	28/07/10

Image No.	Print		Slide		Digital	Description	From	Date
	Film No.	Neg. No.	Film No.	Neg. No.				
003	-	-	-	-	561	Location shot, taken from Bogany Road	W	28/07/10
004	-	-	-	-	562	As above	W	28/07/10
005	-	-	-	-	563	Shot of site facing entrance & Bogany Road	NE	28/07/10
006	-	-	-	-	564	As above, close-up of wall 007	NE	28/07/10
007	-	-	-	-	565	Pre-ex shot of site	W	28/07/10
008	-	-	-	-	566	As above	NW	28/07/10
009	-	-	-	-	567	As above	NW	28/07/10
010	-	-	-	-	568	Working shot –topsoil stripping, also showing west boundary wall	N	28/07/10
011	-	-	-	-	569	As above	N	28/07/10
012	-	-	-	-	570	Shot of 003 (stone drain) no scales	-	28/07/10
013	-	-	-	-	571	As above close up, no scales	-	28/07/10
014	-	-	-	-	572	As above with scales	NE	28/07/10
015	-	-	-	-	573	As above, with scales	-	28/07/10
016	-	-	-	-	574	As above, with scales	-	28/07/10
017	-	-	-	-	575	As above, with scales	NE	28/07/10
018	-	-	-	-	576	Shot showing service trench 004	NW	28/07/10
019	-	-	-	-	577	Working shot	NW	28/07/10
020	-	-	-	-	578	Working shot topsoil stripping	NW	28/07/10
021	-	-	-	-	579	Working shot, also showing 004	NW	28/07/10
022	-	-	-	-	580	Showing first area of topsoil stripped & 004 in bottom right	W	28/07/10
023	-	-	-	-	581	As above	W	28/07/10
024	-	-	-	-	582	As above, showing west boundary wall in background	NE	28/07/10
025	-	-	-	-	583	Working shot	NW	28/07/10

Image No.	Print		Slide		Digital	Description	From	Date
	Film No.	Neg. No.	Film No.	Neg. No.				
026	-	-	-	-	584	Working shot	W	28/07/10
027	-	-	-	-	585	Working shot	W	28/07/10
028	-	-	-	-	586	Working shot taken from Bogany St entrance to site	W	28/07/10
029	-	-	-	-	587	As above	NW	28/07/10
030	-	-	-	-	588	Working shot	NW	28/07/10
031	-	-	-	-	591	Working shot s topsoil stripping	SW	28/07/10
032	-	-	-	-	592	As above	W	28/07/10
033	-	-	-	-	593	As above	SW	28/07/10
034	-	-	-	-	594	As above	SW	28/07/10
035	-	-	-	-	595	Shot of stone drain 005 (006 to left of this in photo)	W	28/07/10
036	-	-	-	-	596	As above	W	28/07/10
037	-	-	-	-	597	Showing 005, 006, 007 & 011	SE	28/07/10
038	-	-	-	-	598	As above	SE	28/07/10
039	-	-	-	-	599	Working shot topsoil stripping	S	28/07/10
040	-	-	-	-	600	As above	SW	28/07/10
041	-	-	-	-	601	As above	SW	28/07/10
042	-	-	-	-	602	As above	SE	28/07/10
043	-	-	-	-	603	As above	SE	28/07/10
044	-	-	-	-	604	As above	E	28/07/10
045	-	-	-	-	605	As above	W	28/07/10
046	-	-	-	-	606	As above	W	28/07/10
047	-	-	-	-	607	As above	SW	28/07/10
048	-	-	-	-	608	As above	SE	28/07/10

Image No.	Print		Slide		Digital	Description	From	Date
	Film No.	Neg. No.	Film No.	Neg. No.				
049	-	-	-	-	609	As above	W	28/07/10
050	-	-	-	-	610	Working shot also showing northern boundary of site	W	28/07/10
051	-	-	-	-	611	Working shot	NW	28/07/10
052	-	-	-	-	612	Working shot showing 007, 011 and Bogany Road in left of photo	S	28/07/10
053	-	-	-	-	613	Working shot showing 007& 011	S	28/07/10
054	-	-	-	-	614	As above, also showing Bogany Road to left of photo	S	28/07/10
055	-	-	-	-	615	Working shot	SW	28/07/10
056	-	-	-	-	616	As above	W	28/07/10
057	-	-	-	-	617	Shot showing 007 and west boundary wall of site	E	28/07/10
058	-	-	-	-	618	Showing profile of wall 007	SE	28/07/10
059	-	-	-	-	619	As above, zoomed in	-	28/07/10
060	-	-	-	-	620	Shot showing 011 with Bogany Road in left of photo & west boundary wall of site in rear of photo	SE	28/07/10
061	-	-	-	-	621	Working shot showing 011	S	28/07/10
062					622	As above	SE	
063					623	General shot	-	
064					624	Showing west boundary wall of site, taken from Bogany Road	W	
065					625	As above	W	
066					627	Shot of 008 (009 is to left of photo)	SE	
067					628	As above, also showing Bogany Road in left of photo	SE	
068					629	Shot of 008	SE	
069					630	Shot showing 010	SE	
070					631	As above	SE	

Image No.	Print		Slide		Digital	Description	From	Date
	Film No.	Neg. No.	Film No.	Neg. No.				
071					632	As above, also showing small test pit	SE	
072					633	NW facing section of trench 1	NW	
073					634	Shot of 005 (006 is to the right of this)	E	
074					635	As above	E	
075					636	As above, zoomed in	-	

Finds Register

Find No.	Area/ Trench	Context No.	Material Type	Description	Excavator	Date
001	1	002	Animal Bone	Assortment of animal bone fragments (1 piece bears butchers marks)	DG	28/07/10
002	1	002	Ceramics/glass	Assortment of ceramic fragments (1x clay pipe stem piece, 4 x modern white glaze pottery sherds, 1x modern glass shard)	DG	28/07/20

Appendix 2: Discovery & Excavation in Scotland

LOCAL AUTHORITY:	Argyll & Bute
PROJECT TITLE/SITE NAME:	Bogany Road, Rothesay, Argyll & Bute
PROJECT CODE:	RA10050
PARISH:	Rothesay
NAME OF CONTRIBUTOR:	Diane Gorman
NAME OF ORGANISATION:	Rathmell Archaeology Limited
TYPE(S) OF PROJECT:	Monitoring
NMRS NO(S):	None
SITE/MONUMENT TYPE(S):	None
SIGNIFICANT FINDS:	None
NGR (2 letters, 6 figures)	NS 097 652
START DATE (this season)	28 th July 2010
END DATE (this season)	28 th July 2010
PREVIOUS WORK (incl. DES ref.)	None
MAIN (NARRATIVE) DESCRIPTION: (may include information from other fields)	An archaeological watching brief was carried out during the groundbreaking works required for the construction of a house at Bogany Road, Rothesay, Argyll & Bute. The archaeological works were designed to mitigate the impact on the archaeological remains within the development area. Works involved ground reduction in an area approximately 10.0m x 8.9m to a depth ranging from 0.3m to 1.0m. No significant archaeological material was observed during the course of the archaeological works and the only anthropic material observed was that relating to late 19 th or 20 th century use of the site.
PROPOSED FUTURE WORK:	None
CAPTION(S) FOR ILLUSTRS:	None
SPONSOR OR FUNDING BODY:	George Hanson (Building Contractors) Ltd
ADDRESS OF MAIN CONTRIBUTOR:	Unit 8 Ashgrove Workshops, Kilwinning, Ayrshire KA13 6PU
E MAIL:	contact@rathmell-arch.co.uk
ARCHIVE LOCATION (intended/deposited)	Report to West of Scotland Archaeology Service and archive to National Monuments Record of Scotland.

Contact Details

34. Rathmell Archaeology can be contacted at our Registered Office or through the web:

Rathmell Archaeology Ltd	www.rathmell-arch.co.uk
Unit 8 Ashgrove Workshops	
Kilwinning	t.: 01294 542848
Ayrshire	f.: 01294 542849
KA13 6PU	e.: contact@rathmell-arch.co.uk

35. The West of Scotland Archaeology Service can be contacted at their office or through the web:

West of Scotland Archaeology Service	www.wosas.org.uk
Charing Cross Complex	
20 India Street	t.: 0141 287 8332/3
Glasgow	f.: 0141 287 9259
G2 4PF	e.: enquiries@wosas.glasgow.gov.uk

End of Document