

Context	Probable	Possible		A	B	C	D	C length
2	125-260	200-260	C				1	S
53	125-260	125-260	BCC			1	2	
223	125-260	200-260	BC			1	1	S
374	125-260	125-260	C				1	
1003	125-260	125-260	CC				2	SI
1006	125-260	125-260	C				1	
1140	125-260	200-260	C				1	S
1141	240+	240+	BCCCD			1	3	1 ML
1151	125-260	125-260	BCC			1	2	MI
1173	125-260	125-260	C				1	
1263	125-260	200-260	C				1	S
1390	240+	240+	D					1
1656	125-260	125-260	C				1	
1750	up to 110	up to 110	A		1			
1752	240+	240+	D					1
2310	125-260	200-260	C				1	S
2452	125-260	200-260	C				1	S
2579	240+	240+	BD			1		1
2639	240+	240+	D					1
3024	240+	240+	D					1
3101	240+	240+	DD					2
3175	125-260	200-260	C				1	S
3178	125-260	125-260	C				1	
3200	125-260	125-175	CC				2	L
3300	125-260	125-175	C				1	I
3375	100-180	100-180	B			1		
3407	125-260	125-260	C				1	M
3463	125-260	200-260	BC			1	1	S
3467	125-260	125-260	C				1	
3544	100-180	100-180	B			1		
3560	125-260	125-175	ABC		1	1	1	I
3595	125-260	125-175	C				1	I
3597	100-180	100-180	B			1		
3611	125-260	125-260	CC				2	MM
3663	125-260	125-175	C				1	I
3669	125-260	125-175	C				1	I
3688	125-260	125-260	C				1	
3693	125-260	125-175	C				1	I
3746	100-180	100-180	B			1		
3804	125-260	125-260	CC				2	MI
3821	240+	240+	BDDDDD			1		5
3827	125-260	125-260	C				1	
3849	125-260	125-260	BCCCC			1	4	SSI
3858	125-260	125-175	C				1	L
3911	125-260	125-260	C				1	
4020	125-260	125-175	ACC		1		2	I
4035	125-260	125-260	C				1	M
4098	125-260	125-260	C				1	
4151	125-260	125-175	C				1	L
4152	125-260	125-260	AC		1		1	M
4170	125-260	125-175	CCC				3	III
4197	125-260	125-260	BC			1	1	
4243	125-260	125-260	C				1	M
4265	125-260	125-175	13A42C		13		42	10M24IL
4275	100-180	100-180	B			1		

4281	125-260	125-175	ACC	1		2	II
4307	125-260	125-175	CC			2	I
4331	up to 110	up to 110	A	1			
4426	125-260	125-175	C			1	I
4454	125-260	125-175	AACCC	2		3	III
4459	125-260	125-175	AAC	2		1	I
4477	125-260	125-260	C			1	M
4514	125-260	125-260	C			1	M
4528	125-260	125-175	C			1	I
4549	125-260	200-260	C			1	S
4559	125-260	125-260	CC			2	M
4563	125-260	125-175	C			1	L
4592	125-260	200-260	C			1	S
4751	125-260	125-260	C			1	M
4758	125-260	125-175	4AB10C	4	1	10	5M5I
4803	125-260	125-175	CCCC			4	IIII
4819	125-260	125-175	C			1	I
4862	125-260	125-260	C			1	M
5003	125-260	125-175	C			1	I
5007	125-260	125-260	C			1	M
5040	125-260	125-260	C			1	M
5054	125-260	125-175	C			1	L
5071	125-260	125-175	C			1	I
5073	125-260	200-260	C			1	S
5087	125-260	175-260	CC			2	SM
5149	125-260	125-175	C			1	I
5222	125-260	125-175	C			1	I
5252	125-260	125-260	C			1	M
5340	up to 110	up to 110	A	1			
5501	125-260	125-175	C			1	I
5547	125-260	125-260	C			1	M
5654	125-260	125-260	CC			2	MI
5700	125-260	125-175	C			1	I
5723	125-260	125-260	C			1	
5790	125-260	125-260	C			1	
5816	125-260	125-175	C			1	I
5867	125-260	125-175	C			1	I
5915	125-260	125-260	AC	1		1	M
6020	125-260	125-260	CC			2	MM
6110	125-260	125-260	C			1	M
6156	125-260	125-175	CC			2	II
6213	125-260	125-175	C			1	I
6228	125-260	125-260	C			1	
6243	240+	240+	D				1
6368	125-260	125-260	CC			2	M
6370	125-260	125-175	CCC			3	III
6377	125-260	125-175	C			1	I
6436	125-260	200-260	C			1	S
6474	125-260	125-260	C			1	M
7062	125-260	125-260	CC			2	SI
7106	125-260	125-175	C			1	I
7125	125-260	200-260	C			1	S
7252	125-260	125-260	C			1	M
7256	125-260	125-260	C			1	M
7270	125-260	125-175	7C			7	4M3I
7318	125-260	125-260	C			1	M

7341	125-260	125-260	C	1	M
8119	125-260	125-175	C	1	I