



Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = SX



54
53
52
51
50



81 82 83 84 85

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013



Site centred on NGR **SX 828 521**

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title **GEOPHYSICAL SURVEY - BLACKAWTON, DEVON** Job No. **J5796**


Subject
LOCATION PLAN OF SURVEY AREA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO GROUP MEMBER
 ISO 9001 certified
 ISO 14001 certified

Scale **1:25000**
 0m 500 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

	Survey area
	Survey grid
	GPS referencing point
OS GRID REFERENCES	
A	282959.13,52384.97
B	283050.77,52229.89
C	282844.90,52244.48
D	282844.90,52064.48

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title Job No. J5796
**GEOPHYSICAL SURVEY -
BLACKAWTON, DEVON**


Subject
**LOCATION OF SURVEY GRIDS AND
REFERENCING**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
sumo SUMO GROUP MEMBER
ISO 9001 certified ISO 14001 certified

Scale **1:1500**
0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 02




Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters
 Maximum +100nT (red)
 Minimum -100nT (blue)



Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title Job No. J5796
**GEOPHYSICAL SURVEY -
 BLACKAWTON, DEVON**

Subject
**COLOUR PLOT OF GRADIOMETER DATA
 SHOWING EXTREME VALUES - WEST**

STRATASCAN™
**GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING**
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER



Scale **1:1250**
 0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 03

(c) Crown Copyright
 Dunkirk House



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +5nT (black)
Minimum -5nT (white)

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title **GEOPHYSICAL SURVEY - BLACKAWTON, DEVON** Job No. **J5796**

Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - WEST

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk


EUROPEAN GPR ASSOCIATION

SURVEY SUMO



SUMO GROUP MEMBER

Scale **1:1250** 0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 04



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2013		
KEY		
PROBABLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin	
	Linear anomaly - associated with former field boundaries shown on historic mapping from 1886	
	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow	
POSSIBLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin	
	Moderate strength discrete anomaly - possible thermoremanent feature	
	Weak positive anomaly - possible cut feature of either archaeological or geological origin	
OTHER ANOMALIES		
	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing	
	Linear anomaly - probably related to pipe, cable or other modern service	
	Linear anomaly - possibly related to land drain	
	Magnetic disturbance associated with nearby metal object such as service or field boundary	
	Magnetic spike - probable ferrous object	
	Scattered magnetic debris	
	Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin	
Client		
SOUTH WEST ARCHAEOLOGY LTD		
Project Title		Job No. J5796
GEOPHYSICAL SURVEY - BLACKAWTON, DEVON		
Subject		
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - WEST		
STRATASCAN™		
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING		
VINEYARD HOUSE		T: 01684 592266
UPTON UPON SEVERN		E: info@stratascan.co.uk
WR8 0SA		www.stratascan.co.uk
EUROPEAN GPR ASSOCIATION		
SUMO GROUP MEMBER		
Scale		
1:1250		
Plot	Checked by	Issue No.
A3	DGE	01
Survey date	Drawn by	Figure No.
SEP 2013	SSP	05



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title **GEOPHYSICAL SURVEY - BLACKAWTON, DEVON** Job No. J5796


Subject
COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES - EAST

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO SURVEYS SUMO GROUP MEMBER
 ISO 9001 certified UKAS ISO 14001 certified

Scale **1:1250**
 0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 06



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +5nT (black)
Minimum -5nT (white)

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title **GEOPHYSICAL SURVEY - BLACKAWTON, DEVON** Job No. J5796



Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - EAST

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
sumo SUMO GROUP MEMBER

Scale **1:1250**
 0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 07



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Linear anomaly - associated with former field boundaries shown on historic mapping from 1886
- Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - possible thermoremanent feature
- Weak positive anomaly - possible cut feature of either archaeological or geological origin

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Magnetic spike - probable ferrous object
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Client
SOUTH WEST ARCHAEOLOGY LTD
 Project Title Job No. J5796
GEOPHYSICAL SURVEY - BLACKAWTON, DEVON



Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - EAST

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO GROUP MEMBER
 ISO 9001 certified
 UKAS ISO 14001 certified

Scale **1:1250**
 0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 08



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Linear anomaly - associated with former field boundaries shown on historic mapping from 1886
- Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - possible thermoremanent feature
- Weak positive anomaly - possible cut feature of either archaeological or geological origin

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Magnetic spike - probable ferrous object
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Client
SOUTH WEST ARCHAEOLOGY LTD

Project Title Job No. J5796
**GEOPHYSICAL SURVEY -
 BLACKAWTON, DEVON**

Subject
**ABSTRACTION AND INTERPRETATION OF
 GRADIOMETER ANOMALIES - OVERVIEW**

STRATASCAN™
**GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING**

VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

Scale **1:1500**

Plot A3	Checked by DGE	Issue No. 01
Survey date SEP 2013	Drawn by SSP	Figure No. 09

(c) Crown Copyright 2013. All