

## 8 References

- Aaby, B. & Berglund, B.E. (1986). Characterization of peat and lake deposits. In B.E. Berglund (ed.), *Handbook of Holocene Palaeoecology and Palaeohydrology*. J. Wiley & Son, Chichester, 851-858.
- Alley, R.B., Meese, D.A., Shuman, C.A., Gow, A.J., Taylor, K.C., Grootes, P.M., White, J.W.C., Ram, M., Waddington, E.D., Mayewski, P. & Zielinski, G.A. (1993). Abrupt increase in the Greenland snow accumulation at the end of the Younger Dryas event. *Nature* **362**, 527-529.
- Andersen, T., Ligaard, S., Pedersen, T. & Soli, G.E.E. (1990). Pitfall catches of Carabidae and Staphylinidae (Coleoptera) in a temporary protected forest area on the Eidanger Peninsula, Telemark, SE Norway. *Fauna Norvegica* **B37**, 13-22.
- Andersen, J. (1993). Beetle remains as indicators of the climate in the Quaternary. *Journal of Biogeography* **20**, 557-562.
- Andersen, J. (1996). Do beetle remains reliably reflect the macroclimate in the past? - a reply to Coope & Lemdahl. *Journal of Biogeography* **23**, 120-121.
- Ashworth, A.C. (1972). A Late-glacial insect fauna from Red Moss, Lancashire, England. *Entomologica Scandinavica* **3**, 211-224.
- Ashworth, A.C. (2001). Chapter 8: Perspectives on Quaternary Beetles and Climate Change. In L.C. Gerhard, W.E. Harrison, and B.M. Hanson (eds.), *Geological Perspectives of Global Climate Change*. American Association of Petroleum Geologists Studies in Geology **47**, Tulsa, Oklahoma, 153-168.
- Ashworth, A.C., Buckland, P.C. & Sadler, J.P. (eds.) (1997) Studies in Quaternary Entomology - An Inordinate Fondness for Insects. *Quaternary Proceedings* **5**.
- Atkinson, T.C., Briffa, K.R., Coope, G.R., Joachim, J.M. & Perry, D.W. (1986). Climatic calibration of coleopteran data. In B. E. Berglund (ed.), *Handbook of Holocene Palaeoecology and Palaeohydrology*. J. Wiley & Son, Chichester, 851-858.
- Atkinson, T.C., Briffa, K.R. & Coope, G.R. (1987). Seasonal temperatures in Britain during the past 22,000 years, reconstructed using beetle remains. *Nature* **325**, 587-592.
- Barnekow, L. (1999a). *Holocene vegetation dynamics and climate changes in the Torneträsk area, northern Sweden*. PhD, Quaternary Geology, Lund, Sweden.
- Barnekow, L. (1999b). Holocene treeline dynamics and inferred climatic changes in the Abisko area, northern Sweden, based on macrofossil and pollen records. *The Holocene* **9**, 253-265.
- Battarbee, R.W., Gasse F. & Stickley, C.E. (eds.) (2004). *Past Climate Variability through Europe and Africa* **6**. Springer, Dordrecht.
- Beanlieu, J-L. de & Reille, M. (1992). The last climatic cycle at la Grande Pile (Vosges, France): a new pollen profile. *Quaternary Science Reviews* **11**, 431-438.
- Bell, M. & Walker M.J.C. (2005). *Late Quaternary Environmental Change - Physical and Human Perspectives* (2<sup>nd</sup> ed.). Longman, Essex.
- Bennett, K.D. (2002). Comment: the Greenland 8200 cal. yr BP event detected in loss-on-ignition profiles in Norwegian lacustrine sediment sequences, A. Nesje and S.O. Dahl (2001). *Journal of Quaternary Science* **17**, 97-99.
- Berglund, B.E. & Ralska-Jasiewiczowa, M. (1986). Pollen analysis and pollen diagrams. In B.E. Berglund (ed.), *Handbook of Holocene palaeoecology and palaeohydrology*. Wiley & Sons, Chichester, 455-484.
- Bergman, J., Hammarlund, D., Hannon, G., Barnekowa, L. & Wohlfarth, B. (2005). Deglacial vegetation succession and Holocene tree-limit dynamics in the Scandes Mountains, west-central Sweden: stratigraphic data compared to megafossil evidence. *Review of Palaeobotany and Palynology* **134**, 129-151.
- Bigler C., Larocque I., Peglar S.M., Birks H.J.B. & Hall R.I. (2002). Quantitative multiproxy assessment of long-term patterns of Holocene environmental change from a small lake near Abisko, northern Sweden. *The Holocene* **12**, 481-496.

- Bigler, C., Grahn, E., Larocque, I., Jeziorski, A. & Hall, R.I. (2003). Holocene environmental change at Lake Njulla (999 m a.s.l.), northern Sweden: a comparison with four nearby lakes along an altitudinal gradient. *Journal of Paleolimnology* **29**, 13-29.
- Birks, H.J.B. (1981). The use of pollen analysis in the reconstruction of past climates: a review. In T.M.L. Wigley, M.J. Ingram, & G. Farmer (eds.), *Climate and history*. Cambridge: Cambridge University Press, 1-38.
- Birks, H.J.B. (1995). Quantitative palaeoenvironmental reconstructions. In D. Maddy & J.S. Brew (eds.), *Statistical modelling of Quaternary science data*. Technical Guide **5**, Quaternary Research Association, Cambridge, UK, 161–254.
- Birks, H.J.B. (2003). Quantitative palaeoenvironmental reconstructions from Holocene biological data. In A. Mackay, R.W. Battarbee, H.J.B. Birks & F. Oldfield (eds.), *Global Change in the Holocene*. Arnold, London, 107-123.
- Birks, H.J.B. & Line, J.M. (1992). The use of rarefaction analysis for estimating palynological richness from Quaternary pollen-analytical data. *The Holocene* **2**, 1-10.
- Box, G.E.P. & Draper, N.R. (1987). *Empirical Model-Building and Response Surfaces*. Wiley.
- Bray, P.J., Blockley, S.P.E., Coope, G.R., Dadswell, L.F., Elias, S.A., Lowe, J.J. & Pollard, A.M. (2006). Refining mutual climatic range (MCR) quantitative estimates of palaeotemperature using ubiquity analysis. *Quaternary Science Reviews* **25**, 1865-1876.
- Bronk Ramsey, C. (1995). Radiocarbon calibration and analysis of stratigraphy: The OxCal program, *Radiocarbon* **37** (2), 425-430
- Broström, A. (2002). *Estimating source area of pollen and pollen productivity in cultural landscapes of southern Sweden - developing a palynological tool for quantifying past plant cover*. LUNDQUA Thesis **46**, Lund University, Lund.
- Buckland, P.C. (1975). Synanthropy and the deathwatch : a discussion. *Naturalist* **100** (933). Hull, 37-42.
- Buckland, P.C. (1981). Insect remains from beneath the Brigg 'Raft'. In S. McGrail (ed.), *The Brigg 'Raft' and her prehistoric environment*. British Archaeological Reports **89**. Oxford, 155-175.
- Buckland, P.C. (1982). The cover sands of North Lincolnshire and the Vale of York. In B.H. Adlam, C.R. Fenn & L. Morris (eds.), *Papers in Earth Studies*. Geobooks, Norwich, 143-178.
- Buckland, P.C. (1990). Granaries, Stores and Insects. The Archaeology of Insect Synanthropy. In D. Fournier & F. Sigaut (eds.), *La préparation alimentaire des céréales*, Rapports présentés à la Table ronde, Ravello au Centre Universitaire pour les Biens culturels, avril 1988. PACT, Rixensart, Belgium, 69-81.
- Buckland, P.C. [Assisted by Buckland, P.I. & Hughes, D.] (2005). Palaeoecological evidence for the Vera hypothesis? In K.H. Hodder, J.M. Bullock, P.C. Buckland & K.J. Kirby (eds.), *Large herbivores in the wildwood and modern naturalistic grazing systems*. English Nature Research Reports **648**, 62-116.
- Buckland, P.C., Amorosi, T., Barlow, L.K., Dugmore, A.J., Mayewski, P.A., McGovern, T.H., Ogilvie, A.E.J., Sadler, J.P. & Skidmore, P. (1996). Bioarchaeological and climatological evidence for the fate of Norse farmers in medieval Greenland. *Antiquity* **70**, 88-96.
- Buckland, P.C., Buckland, P.I. & Skidmore, P. (1998). Insect remains from GUS: an interim report. In J. Arneborg & H.C. Gulløv (eds.), *Man, Culture and Environment in Ancient Greenland*. Danish National Museum & Danish Polar Centre, Copenhagen, 74-79.
- Buckland, P.C., Sadler, J. P. & Smith, D. (1993). An Insect's Eye-view of the Norse Farm. In C.E. Batey, J. Jesch & C.D. Morris (eds.), *The Viking Age in Caithness, Orkney and the North Atlantic*. Edinburgh University Press, UK, 518-528.
- Buckland, P.I. (2000). *An introduction to palaeoentomology in archaeology and the BUGS database management system*. Magister paper, Archaeology and Sámi Studies, University of Umeå, Sweden. Available online:  
<http://www.umu.se/archaeology/publikation/uppsatser/cd/Buckland2000/Buckland2000.pdf>

- Buckland, P.I. & Buckland, P.C. (2002). How can a database full of Bugs help reconstruct the climate? In G. Burenhult & J. Arvidsson (eds.), *Archaeological informatics: pushing the envelope. CAA 2001. Computer applications and quantitative methods in archaeology. Proceedings of the 29<sup>th</sup> conference, Gotland, April 2001*, British Archaeological Reports International Series **1016**. Oxford, 453-462.
- Buckland, P.I., Buckland, P.C., Panagiotakopulu, E. & Sadler, J.P. (*in press*). A Database for Egyptian Entomology. *The Journal of Egyptian Entomology*.
- Buckland, P.I., Olofsson, J. & Engelmark, R. (2006). SEAD – Strategic Environmental Archaeology Database - Planning report. *MAL Reports 2006-31*. (Unpublished report).
- Buckland, P.I., Yuan Zhuo, D. & Buckland, P.C. (1997). Towards an expert system in Palaeoentomology. In A.C. Ashworth, P.C. Buckland & J.P. Sadler (eds.), *Studies in Quaternary Entomology - An Inordinate Fondness for Insects. Quaternary Proceedings 5*, 67-78.
- Böhme, J. (2005). *Die Käfer Mitteleuropas. K. Katalog (Faunistische Übersicht)* (2<sup>nd</sup> ed.). Spektrum Academic, Munich.
- Camilloni, I. & Barros, V. (1997). On the Urban Heat Island Effect Dependence on Temperature Trends. *Climatic Change* **37** (4), 665-681.
- Clarke, T.E., Levin, D.B., Kavanaugh, D.H., & Reimchen T.E. (2001). Rapid evolution in the *Nebria gregaria* group (Coleoptera: Carabidae) and the paleogeography of the Queen Charlotte Islands. *Evolution* **55**, 1408-1418.
- Codd, E.F. (1970). A relational model of data for large shared data banks. *Communications of the ACM* **13** (6), 377-387. Retrieved from ACM online, November 30, 2006: <http://www.acm.org/classics/nov95/toc.html>
- Colinvaux, P.A. (1973). *Introduction to ecology*. Wiley, New York.
- Cong, S. & Ashworth, A.C. (1997). The use of Correspondence Analysis in the analysis of fossil beetle assemblages. In A.C. Ashworth, P.C. Buckland & J.P. Sadler (eds.), *Studies in Quaternary Entomology - An Inordinate Fondness for Insects. Quaternary Proceedings 5*, 79-82.
- Coope, G.R. (1959). A Late Pleistocene insect fauna from Chelford, Cheshire. *Proceedings of the Royal Society of London* **B151**, 70-86.
- Coope, G.R. (1978). Constancy of insect species versus inconstancy of Quaternary environments. In L.A. Mound & N. Waloff (eds.), *Diversity of Insect Faunas. Symposia of the Royal Entomological Society of London* **9**. Blackwell, Oxford, 176-187.
- Coope, G.R. & Böcher, J. (2000). Coleoptera from the Late Weichselian deposits at Nørre Lyngby, Denmark and their bearing on palaeoecology, biogeography and palaeoclimate. *Boreas* **29**, 26-34.
- Coope, G.R. & Joachim, M.J. (1980). Lateglacial environmental changes interpreted from fossil Coleoptera from St. Bees, Cumbria, N.W. England. In J.J. Lowe, J.M. Gray & J.E. Robinson (eds.), *Studies in the Lateglacial of North-West Europe*. Pergamon, Oxford, 55-68.
- Coope, G.R. & Lemdahl, G. (1995). Regional differences in the Lateglacial climate of northern Europe based on coleopteran analysis. *Journal of Quaternary Science* **10**, 391-395.
- Coope, G.R. & Lemdahl, G. (1996). Validations for the use of beetle remains as reliable indicators of Quaternary climates: a reply to the criticisms by Johan Andersen. *Journal of Biogeography* **23**, 115-120.
- Coope, G.R., Lemdahl, G., Lowe, J.J. & Walkling, A. (1998). Temperature gradients in northern Europe during the last glacial-Holocene transition (14-9 <sup>14</sup>C kyr BP) interpreted from coleopteran assemblages. *Journal of Quaternary Science* **13**, 419-434.
- Coope, G.R., Shotton, F.W. & Strachan, I. (1961). A Late Pleistocene fauna and flora from Upton Warren, Worcestershire. *Philosophical Transactions of the Royal Society of London* **B244**, 379-421.

- Davis, A.L.V., Scholtz, C.H. & Philips, T.K. (2002). Historical biogeography of scarabaeine dung beetles. *Journal of Biogeography* **29**, 1217-1256.
- Davis, A.L.V., van Aarde, R.J., Scholtz, C.H. & Delpert, J.H. (2002). Increasing representation of localized dung beetles across a chronosequence of regenerating vegetation and natural dune forest in South Africa. *Global Ecology & Biogeography* **11**, 191-209.
- Dockerty, T. & Lovett, A. (2003). A Location-centred, GIS-based Methodology for Estimating the Potential Impacts of Climate Change on Nature Reserves. *Transactions in GIS* **7**, 345-370.
- Drotz, M.K. (2003). *Population genetics and phylogeography of the West Palearctic Agabus bipustulatus diving beetle complex*. PhD thesis, Molecular Biology, Umeå University, Sweden.
- Duff, A. (1993). *Beetles of Somerset: their status and distribution*. Somerset Archaeological & Natural History Society, Taunton.
- Edwards, K.J., Langdon, P.G. & Sugden, H. (2006). Separating climatic and possible human impacts in the early Holocene: biotic response around the time of the 8200 cal. yr BP event. *Journal of Quaternary Science* **22** (1), 77-84.
- Elias, S.A. (1994). *Quaternary Insects and Their Environments*. Smithsonian Institution Press, Washington.
- Eliasson, L. & Kishonti, I. (2003). *Rapport över arkeologiska slutundersökning: Öresundsförbindelsen, Lockarp 7B*. Rapport Nr 17, Malmö Kulturmiljö.
- Engelmark, R. (1996). North Sweden. In: B.E. Berglund, H.J.B. Birks & M. Ralska-Jasiewiczowa (eds), *Palaeoecological events during the last 15000 years: regional syntheses of palaeoecological studies of lakes and mires in Europe*. Wiley, Chichester, 266-276.
- Engelmark, R. & Linderholm, J. (*in prep.*). Människa och landskap – en komplicerad dynamik. Miljöarkeologi inom Öresundsförbindelsen.
- Eyre, M.D., Foster, G.N., Luff, M.L. & Rushton, S.P. (2006). The Definition of British Water Beetle Species Pools (Coleoptera) and their Relationship to Altitude, Temperature, Precipitation and Land Cover Variables. *Hydrobiologia* **560**, 121-131.
- Eyre, M.D. & Luff, M.L. (1990) A preliminary classification of European grassland habitats using carabid beetles. In N.E. Stork (ed.), *Ground Beetles: Their Role in Ecological and Environmental Studies*. Intercept, Andover, 227-236.
- Fauna Entomologica Scandinavica. Series (various publishers). ISSN: 0106-8377.
- Foster, G. (2000). *A review of the scarce and threatened Coleoptera of Great Britain. Part 3. Water Beetles*. UK Joint Nature Conservation Committee, Peterborough.
- Geiger, R., Aron R.H. & Todhunter, P. (2003). *The Climate near the ground* (6<sup>th</sup> ed.). Rowman & Littlefield Publishers, Lanham, MD, USA.
- Gifford D. (ed.) (1996). *Access 95 Unleashed*. Sams Publishing, Indianapolis.
- Good, J.A. & Giller, P.S. (1991). The diet of predatory Staphylinid beetles - a review of records. *Entomologist's Monthly Magazine* **127**, 77-89.
- Graham, C.H. & Hijmans, R.J. (2006). A comparison of methods for species ranges and species richness. *Global Ecology & Biogeography* **15**, 578-587.
- Greenwood, M.T., Agnew, M.D. & Wood, P.J. (2003). The use of caddisfly fauna (Insecta: Trichoptera) to characterise the Late-glacial River Trent, England. *Journal of Quaternary Science* **18**, 645-661.
- Greenwood, M.T., Wood, P.J. & Monk, W.A. (2006). The use of fossil caddisfly assemblages in the reconstruction of flow environments from floodplain paleochannels of the River Trent, England. *Journal of Paleolimnology* **35**, 747-761.
- Grimaldi, D. & Engel, M.S. (2005). *Evolution of the insects*. Cambridge University Press, Cambridge.
- Gustafsson, B. (2005). *Catalogus Coleopterorum Sueciae. Electronic form: CATCOL2004.XLS, revised 2005-02-01*. Swedish Museum of Natural History. Downloadable from: <http://www2.nrm.se/en/catalogus.html.se>

- Gärdenfors, U. (2000). *Hur rödlistas arter? Manualer och riktlinjer* [How to red-list species. Manual and guidelines]. ArtDatabanken, SLU, Uppsala [In Swedish, English Summary].
- Hall, A.R. & Kenward, H.K. (1990). *Environmental evidence from the Colonia*. Archaeology of York, **14/6**. Council for British Archaeology for York Archaeological Trust.
- Hall, A.R., Jones, A.K.G., Kenward, H.K. & O'Connor, T.P. (1992). The environmental evidence. In D. Tweddle (ed.), *The Anglian Helmet from Coppergate*. Archaeology of York **17/8**, Council for British Archaeology for York Archaeological Trust, 875-880; 903-907.
- Hammer, Ø. & Harper, D.A.T. (2006). *Paleontological data analysis*. Blackwell Publishing, Malden, MA.
- Hansen, M. (1987). *The Hydrophiloidea (Coleoptera) of Fennoscandia and Denmark*. Fauna Entomologica Scandinavica **18**. Scandinavian Science Press, Leiden.
- Harde, K.W. (1998). *A Field Guide in Colour to Beetles*. Octopus, London.
- Hellqvist, M. & Lemdahl, G. (1996). Insect Assemblages and Local Environment in the Mediaeval Town of Uppsala, Sweden. *Journal of Archaeological Science* **23**, 873-881.
- Henriksen, K.L. (1933). Undersøgelser over Danmark-Skånes kvartære Insekta fauna. *Videnskabelige Meddelelser fra Dansk naturhistorisk Forening*, **96**, 77-355.
- Hicks, S. (1993). Pollen evidence of localized impact on the vegetation of northernmost Finland by hunter-gatherers. *Vegetation History and Archaeobotany* **2**, 137-144.
- Hodder, K.H., Bullock, J.M., Buckland P.C. & Kirby, K.J. (2000). Large herbivores in the wildwood and modern naturalistic grazing systems. *English Nature Research Reports* **648**.
- Hodge, P.J. & Jones, R.A. (1995). *New British Beetles. Species not in Joy's practical handbook*. British Entomological and Natural History Society, Reading.
- Holm, L. (1991). *The Use of Stone and Hunting of Reindeer - A Study of Stone Tool Manufacture and Hunting of Large Mammals in the Central Scandes c. 6000-1 BC*. PhD thesis, Archaeology, University of Umeå, Sweden.
- Huppert, A. & Solow, A.R. (2004). Reconstructing climate from fossil beetle assemblages. *Proceedings of the Royal Society of London* **B271**, 1125-1128.
- Hyman, P.S. (1992). *A review of the scarce and threatened Coleoptera of Great Britain*, Part 1 (Revised & updated by M.S.Parsons). UK Joint Nature Conservation Committee, Peterborough.
- IUCN (2001). *IUCN Red List Categories and Criteria: Version 3.1*. IUCN Species Survival Commission. IUCN, Gland, Switzerland and Cambridge, UK.
- Iversen, J. (1944). *Viscum, Hedera and Ilex* as climatic indicators. A contribution to the study of post-glacial temperature climate. *Geologiske Föreningen Förhandlingen* **66**, 463-483.
- James, P.E. (1972). *All Possible Worlds, a history of geographical ideas*. The Odyssey Press, New York.
- Jaques, D., Kenward, H. & Johnstone, C. (2000). Assessment of biological remains from excavations at Hayton, East Riding of Yorkshire (site code KINCM1995.1020). *Reports from the Environmental Archaeology Unit, York*, **2000/35**. York.
- Jessop, L. (1986). *Coleoptera: Scarabaeidae. Handbooks for the Identification of British Insects* **5** (11). Royal Entomological Society of London.
- Joachim, M. (1978). *Late-glacial Coleopteran assemblages from the west coast of the Isle of Man*. Unpubl. Ph.D. thesis, University of Birmingham, UK.
- Jongman, R.H.G., ter Braak, C.J.F. & van Tongeren, O.F.R. (eds.) (1995). *Data analysis in community and landscape ecology*. Cambridge University Press, Cambridge.
- Kenward, H.K. (1975). Pitfalls in the environmental interpretation of insect death assemblages. *Journal of Archaeological Science* **2**, 85-94.
- Kenward, H.K. (1978). The Analysis of Archaeological Insect Assemblages: a New Approach. *Archaeology of York* **19/1**. Council for British Archaeology for York Archaeological Trust, London.

- Kenward, H.K. (1985). Outdoors-indoors? The outdoor component of archaeological insect assemblages. In N.R.J. Fieller, D.D. Gilbertson & N.G.A. Ralph (eds.), *Palaeobiological Investigations: Research Design, Methods and Data Analysis*. Association for Environmental Archaeology Symposium 5B, 97-104.
- Kenward, H.K. (1992). Rapid recording of archaeological insect remains - a reconsideration. *Circaeia, The Journal of the Association for Environmental Archaeology* **9**, 81-88.
- Kenward, H.K. (2001). Insect remains from the Romano-British ditch terminal at the Flodden Hill Rectilinear Enclosure. *Reports from the Environmental Archaeology Unit, York* **2001/49**. York.
- Kenward, H.K. & Hall, A.R. (1995). *Biological Evidence from 16-22 Coppergate*. Archaeology of York **14/7**. Council for British Archaeology for York Archaeological Trust, York.
- Kenward, H.K. & Carrott, J. (2001). Insect species associations characterise past occupation sites. *Journal of Archaeological Science* **33**, 1452-1473.
- Knapp, S (2000). What's in a name? *Nature* **408**, 33.
- Koch, K. (1989-92). *Die Käfer Mitteleuropas. Ökologie*, **1-3**. Goecke & Evers, Krefeld.
- Koivula, M., Hyryläinen, V. & Soininen, E. (2004). Carabid beetles (Coleoptera: Carabidae) at forest-farmland edges in southern Finland. *Journal of Insect Conservation* **8**, 297-309.
- Kovach, W.L. (1995). Multivariate Data Analysis. In D. Maddy & J.S. Brew (eds.), *Statistical Modelling of Quaternary Science Data*. Quaternary Research Association, Technical Guide **5**, 1-38.
- Krebs, C.J. (1999). *Ecological methodology* (2<sup>nd</sup> ed.). Benjamin/Cummings, Menlo Park, California.
- Kullman, L. (1992). Orbital forcing and tree-limit history: hypothesis and preliminary interpretation of evidence from Swedish Lapland. *The Holocene* **2**, 131–37.
- Kullman, L. (1999). Early Holocene tree growth at a high elevation site in northernmost Scandes of Sweden (Lapland): a palaeobiogeographical case study based on megafossil evidence. *Geografiska Annaler* **81A**, 63–74.
- Landin, B.O. (1961). Ecological Studies on Dung-Beetles. *Opuscula Entomologica, Suppl.* **19**.
- Lassau, S.A., Hochuli, D., Cassis, F.G. & Reid, C.A.M. (2005). Effects of habitat complexity on forest beetle diversity: do functional groups respond consistently? *Diversity and Distributions* **11**, 73-82.
- Lawrence, J.F. & Newton, A.F.Jr. (1995). Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). In J. Pakaluk & S.A. Slipinski (eds.), *Biology, Phylogeny, and Classification of Coleoptera* **2**. Museum & Institute of Zoology, Warsaw, 779-1008.
- Lemdahl, G. (1988). *Palaeoclimatic and Palaeoecological Studies based on Subfossil Insects from the Late Weichselian Sediments in Southern Sweden*. Lundqua Thesis **22**. Lund, Sweden.
- Lindroth, C.H. (1945). *Die Fennoskandischen Carabidae I-II*. Goteborgs K. Vetensk. o VitterhSamh. Handl.(6) B, 4. Goteborg. [Reprinted as English translation , 1992, Intercept, Andover].
- Lindroth, C.H. (1974). *Coleoptera: Carabidae. Handbooks for the Identification of British Insects IV*, **2**. Royal Entomological Society of London.
- Lindroth, C.H. (1985). *The Carabidae (Coleoptera) of Fennoscandia and Denmark*. Fauna Entomologica Scandinavica, **15** (1). E.J. Brill, Leiden.
- Lindroth, C.H. (1986). *The Carabidae (Coleoptera) of Fennoscandia and Denmark*. Fauna Entomologica Scandinavica **15** (2). E.J. Brill/Scandinavian Science Press Ltd, Leiden/Copenhagen.
- Brown, J.H. & Lomolino, M.V. (1998). *Biogeography* (2<sup>nd</sup> ed.). Sinauer Associates, Inc. Publishers, Sunderland, Massachusetts.
- Lucht, W.H. (1987). *Die Käfer Mitteleuropas, Katalog*. Goecke & Evers, Krefeld.
- Luff, M.L. (1998). *Provisional atlas of the ground beetles (Coleoptera, Carabidae) of Britain*. Centre for Ecology & Hydrology, Biological Records Centre, Abbots Ripton.

- Luff, M.L., Eyre, M.D. & Rushton, S.P. (1989). Classification and Ordination of Habitats of Ground Beetles (Coleoptera, Carabidae) in North-East England. *Journal of Biogeography* **16**, 121-130.
- Luff, M.L., Eyre, M.D. & Rushton, S.P. (1992). Classification and prediction of grassland habitats using ground beetles (Coleoptera, Carabidae). *Journal of Environmental Management* **35**, 301-315.
- Machatschke, J.M. (1969). Scarabaeidae. In H. Freude, K.W. Harde & G.A. Lohse (eds.), *Die Käfer Mitteleuropas* **8**. Goecke & Evers, Krefeld, 266-367.
- Majerus, M.E.N., Roy, H.E. & Mabbott, P. (2006). The harlequin ladybird, *Harmonia axyridis* (Pallas) (Col., Coccinellidae) arrives in Britain. *Entomologist's Monthly Magazine* **42**, 87-92.
- Mani, M.S. (1968). *Ecology and Biogeography of High Altitude Insects*. W. Junk, The Hague.
- Manly, B. (1997). *Randomization, Bootstrap, and Monte Carlo Methods in Biology* (2<sup>nd</sup> ed.). Chapman & Hall, London.
- Marra, M.J., Smith, E.G.C., Shulmeistera, J., & Leschenc, R. (2004). Late Quaternary climate change in the Awatere Valley, South Island, New Zealand using a sine model with a maximum likelihood envelope on fossil beetle data. *Quaternary Science Reviews* **23**, 1637-1650.
- Mittelbach, G.G., Schemske, D.W., Cornell, H.V., Allen, A.P., Brown, J.M., Bush, M.B., Harrison, S.P., Hurlbert, A.H., Knowlton, N., Lessios, H.A., McCain, C.M., McCune, A.R., McDade, L.A., McPeek, M.A., Near, T.J., Price, T.D., Ricklefs, R.E., Roy, K., Sax, D.F., Schlüter, D., Sobel, J.M. & Turelli, M. (2007). Evolution and the latitudinal diversity gradient: speciation, extinction and biogeography. *Ecology Letters* **10** (4), 315–331.
- Mjöberg, E. (1915). Über die Insektenreste der sogenannten "Härnöggytja" im nordlichen Schweden. *Sveriges geologiska undersökning. Afhandlingar och Uppsatser* **C268**, 1-14.
- Morgan, A. (1970). *Weichselian insect faunas of the English Midlands*. Unpublished PhD thesis, University of Birmingham, UK.
- Moseley, K.A. (1982). *Climatic changes in the Early Devensian cold stage interpreted from Coleopteran assemblages*. Unpublished PhD thesis, University of Birmingham, UK.
- Nilsson, A.N. (1983). *Ilybius vittiger* (Gyllenhal) n. comb. (Coleoptera: Dytiscidae), with description of its larval instars. *Entomologia scandinavica* **14**, 49-56.
- Nilsson, A.N. & Holmen, M. (1995). *The aquatic Adephaga (Coleoptera) of Fennoscandia and Denmark. II. Dytiscidae*. Fauna Entomologica Scandinavica **32**. E.J. Brill, Leiden.
- Nyman, M., Korhola, A. & Brooks, S.J. (2005). The distribution and diversity of Chironomidae (Insecta: Diptera) in western Finnish Lapland, with special emphasis on shallow lakes. *Global Ecology and Biogeography* **14**, 137-153.
- Odgaard, B.V. (1999). Fossil pollen as a record of past biodiversity. *Journal of Biogeography* **26**, 7-17.
- Osborne, P.J. (1969). An insect fauna of Late Bronze Age date from Wilsford, Wiltshire. *Journal of Animal Ecology*, **38**, 555-566.
- Osborne, P.J. (1972). Insect faunas of Late Devensian and Flandrian age from Church Stretton, Shropshire. *Philosophical Transactions of the Royal Society of London* **B263**, 327-367.
- Osborne, P.J. (1980). The Late Devensian-Flandrian transition depicted by serial insect faunas from West Bromwich, Staffordshire, England. *Boreas* **9**, 139-147.
- Osborne, P.J. (1989). Insects. In P. Ashbee, M. Bell & E. Proudfoot (eds.), *Wilsford Shaft. Excavations 1960-62*. English Heritage, London, 96-99 + fiche C1-7.
- Parmesan, C., Gaines, S., Gonzalez, L., Kaufman, D.M., Kingsolver, J., Peterson, A.T. & Sagarin, R. (2005). Empirical perspectives on species borders: from traditional biogeography to global change. *Oikos* **108**, 58-75.
- Perry, D.W. (1986). *The Analysis of sub-fossil insect assemblages: a Numerical Approach*. Unpublished PhD thesis, University of Birmingham, UK.

- Perry, D.W., Buckland, P.C. & Snæsdóttir, M. (1985). The Application of Numerical Techniques to Insect Assemblages from the Site of Stóraborg, Iceland. *Journal of Archaeological Science*, **12**, 335-345.
- Ponel, P. (1995). Rissian, Eemian and Würmian Coleoptera assemblages from La Grande Pile (Vosges, France). *Palaeogeography, Palaeoclimatology, Palaeoecology* **114**, 1-41.
- Porch, N.A. (2006). *A method of reconstructing the Quaternary climates of Australia using fossil beetles*. Unpublished PhD thesis, Geography and Environmental Science. Monash University, Victoria, Australia.
- Prentice, I.C. (1985). Pollen representation, source area, and basin size: toward a unified theory of pollen analysis. *Quaternary Research* **23**, 76-86.
- Pross, J. & Klotz, S. (2002). Paleotemperature calculations from the Prae-tiglian/Tiglian (Plio-Pleistocene) pollen sequence of Lieth, northern Germany: Implications for the climate evolution of northwestern Europe. *Global and Planetary Change* **34**, 253-267.
- Robinson, M.A. (2001). Insects as palaeoenvironmental indicators. In D.R. Brothwell & A.M. Pollard (eds.), *Handbook of archaeological sciences*. J. Wiley & sons, Chichester, 121-133.
- Rosén, P., Segerström, U., Eriksson, L., Renberg, I. & Birks, H.J.B. (2001). Holocene climate change reconstructed from diatoms, chironomids, pollen and near-infrared spectroscopy at an alpine lake (Sjödijaur) in northern Sweden. *The Holocene* **11**, 551-562.
- Rosenzwieg, M.L. (1995). *Species diversity in space and time*. Cambridge University Press.
- Sadler, J.P. (1987). *The analysis of insect remains from Norse sites in the former Western Settlement of Greenland*. Unpublished MSc thesis, University of Birmingham, UK.
- Sadler, J.P. (1991). *Archaeological and palaeoecological implications of palaeoentomological studies in Orkney and Iceland*. Unpublished PhD thesis, University of Sheffield, UK.
- Sadler, J.P., Buckland, P.C. & Rains, M. (1992). BUGS: an entomological database. *Antenna* **16**, 158-166.
- Schiffer, M.B. (1987). *Site Formation Processes of the Archaeological Record*. University of New Mexico Press, Albuquerque.
- Shotton, F.W., Osborne, P.J. & Grelg, J.R.A. (1977). The fossil content of a Flandrian deposit at Alcester. *Proceedings of the Coventry and District Natural History and Scientific Society* **5**, 19-32.
- Simmons, I.G. (1993). *Interpreting nature : cultural constructions of the environment*. Routledge, London.
- Sinka, K.J. & Atkinson, T.C. (1999). A mutual climatic range method for reconstructing palaeoclimate from plant remains. *Journal of the Geological Society of London* **156**, 381-396.
- Skidmore, P. (1991). *Insects of the British Cow-Dung Community*. Field Studies Council, Occasional Publications **21**.
- Skidmore, P. (unpubl.). *Keys to the British Beetle (Coleoptera) Fauna*. (Included in the BugsCEP database).
- Smith, D.N., Gaffney, V., Grossman, D., Howard, A.J., Milosevic, A., Ostir, K., Todobnikar, T., Smith, W., Tetlow, E., Tingle, M. & Tinsley, H. (2006). Assessing the later prehistoric environmental archaeology and landscape of the Cetina valley, Croatia. *Environmental Archaeology* **11**, 171-187.
- Southwood, T.R.E. (1978). *Ecological methods, with particular reference to the study of insect populations* (2<sup>nd</sup> ed.). John Wiley & Sons, New York.
- Southwood, T.R.E. & P.A. Henderson (2000). *Ecological methods* (3<sup>rd</sup> ed.). Blackwell Science, Malden, Massachusetts, USA.
- Stafford, F. (1971). Insects of a medieval burial. *Science and Archaeology* **7**, 6-10.
- Stern, N. (2006). *The Stern Review Report on the Economics of Climate Change*. UK Treasury, London.

- Stewart, J.R. (2003). Comment on “Buffered Tree Population Changes in a Quaternary Refugium: Evolutionary Implications”. *Science* **299**, 825.
- Sugita, S., Gaillard, M.J. & Broström, A. (1999). Landscape openness and pollen records: a simulation approach. *The Holocene* **9**, 409-421.
- Sundborg, P. (2006). *Ska postmodernismen ta över kulturarvssektorn?* Debatt artikel i DIK Forum **13**.
- Tegby, I. (2004). *Biostratigrafisk undersökning av en myr i Hemavan*. CD-dissertation, Archaeology, Umeå University, Sweden.
- Thomas, J.A., Telfer, M.G., Roy, D.B., Preston, C.D., Greenwood, J.J.D., Asher, J., Fox, R., Clarke, R.T., & Lawton, J.H. (2004). Comparative Losses of British Butterflies, Birds, and Plants and the Global Extinction Crisis. *Science* **303**, 1879-1881.
- Trigger, B. (1989). *A history of archaeological thought*. Cambridge University Press, Cambridge.
- Tzedakis, P.C., Lawson, I.T., Frogley, M.R., Hewitt, G.M. & Preece, R.C. (2002). Buffered Tree Population Changes in a Quaternary Refugium: Evolutionary Implications. *Science* **297**, 2044-2047.
- Tzedakis, P.C., Lawson, I.T., Frogley, M.R., Hewitt, G.M. & Preece, R.C. (2003). Response to Comment on “Buffered Tree Population Changes in a Quaternary Refugium: Evolutionary Implications”. *Science* **299**, 825b.
- Vera, F.W.M. (2000). *Grazing ecology and forest history*. CABI, Wallingford.
- Vetenskapsrådet (2005). Om forskningens infrastrukturer inom humaniora och samhällsvetenskap i Sverige. Report Dnr 131-2004-8236.
- Vickers, K.A. (2006). *The Palaeoentomology of the North Atlantic Islands*. PhD thesis, Archaeology and Prehistory, University of Sheffield, UK.
- Vickers, K.A. & Buckland, P.I. (*in prep.*). Predicting island beetle faunas by their climate ranges - tabula-rasa/refugia theory in the North Atlantic.
- Wagner, P.E. (1997). Human Impact or Cooling Climate? The "Little Ice Age" and the beetle fauna of the British Isles. In A.C. Ashworth, P.C. Buckland & J.P. Sadler (eds.), *Studies in Quaternary Entomology - An Inordinate Fondness for Insects*. *Quaternary Proceedings* **5**, 269-276.
- Webb, J.R. & Lott, D.A. (2006). The development of ISIS: a habitat-based invertebrate assemblage classification system for assessing conservation interest in England. *Journal of Insect Conservation* **10**, 179-188.
- Williams, J.W., Shuman, B.N. & Webb III, T. (2001). Dissimilarity analyses of late-quaternary vegetation and climate in eastern North America. *Ecology* **82**, 3346-3362.
- Witte, H.J.L., Coope, G.R., Lemdahl, G. & Lowe, J.J. (1998). Regression coefficients of thermal gradients in northwestern Europe during the last glacial - Holocene transition using beetle MCR data. *Journal of Quaternary Science* **13**, 435-446.
- Wolfe, A.P. (2003). Diatom community responses to late Holocene climatic variability, Baffin Island, Canada: a comparison of numerical methods. *The Holocene* **13**, 29-37.
- Yoffee, N. & Sherratt, A (1993). *Archaeological theory: who sets the agenda?* Cambridge University Press, Cambridge.
- Yuan Zhuo, D. (Unpubl.) Masters Thesis, Dept. Computer Science, University of Sheffield, UK.

### Online information sources

- ADS – Archaeological Data Service, Arts and Humanities Data Service, York. <http://ads.ahds.ac.uk>
- ArtPortalen (2006). The Species Gateway, Swedish Species Information Centre and Swedish Environmental Protection Agency. <http://www.artportalen.se/>
- Chi, P. & Russell, C.T. (1999). Statistical Methods for Data Analysis in Space Physics [Online content]. <http://www-ssc.igpp.ucla.edu/personnel/russell/ESS265/Ch9/autoreg/autoreg.html> [Accessed 2007-02-15].
- EUNIS (2006) <http://eunis.finsiel.ro/eunis/> European Environment Agency.

- Fauna Europaea Web Service (2004). Fauna Europaea version 1.1. <http://www.faunaeur.org>
- Finnish Meteorological Institute (FMI). [http://www.fmi.fi/weather/climate\\_6.html](http://www.fmi.fi/weather/climate_6.html) [Accessed 2006-12-08].
- GBIF (2006). Global Biodiversity Information Facility. <http://www.gbif.org/>
- Ground Beetles of Ireland (2006). National Museums, Northern Ireland.  
<http://www.habitas.org.uk/groundbeetles/>
- The Harlequin Ladybird Survey (and associated reports). <http://www.harlequin-survey.org/>
- Microsoft Knowledge Base article 242933. <http://support.microsoft.com/kb/242933/en-us>
- SMHI (2005). Sveriges meteorologiska och hydrologiska institut, downloadable and online data.  
<http://www.smhi.se/> [Accessed 2007-02-14].
- Wikipedia, Holocene extinction event. [http://en.wikipedia.org/wiki/Holocene\\_extinction\\_event](http://en.wikipedia.org/wiki/Holocene_extinction_event). [Accessed 2007-03-12].
- Wikipedia, Relational databases. [http://en.wikipedia.org/wiki/Relational\\_database](http://en.wikipedia.org/wiki/Relational_database). [Accessed 2007-02-14].

### Internet sites mentioned

- Bugs Coleopteran Ecology Package Website. <http://www.bugscep.com>
- Genesys, University of Sheffield, UK. <http://www.genesys.shef.ac.uk/>
- GEON, The Geosciences Network. <http://www.geongrid.org/>
- Google Maps. <http://maps.google.com/maps>
- Microsoft Developers Network, SQL-Server: <http://msdn2.microsoft.com/en-us/sql>
- MySQL: <http://www.mysql.com>
- PostgreSQL: <http://www.postgresql.org>
- World Data Center for Paleoclimatology (NOAA/NCDC). <http://www.ncdc.noaa.gov/paleo/paleo.html>

### Software and databases

- Bronk Ramsey, C. (1995). Radiocarbon calibration and analysis of stratigraphy: The OxCal program.  
*Radiocarbon* 37 (2), 425-430
- Hill, M.O. (1979). TWINSPLAN – a FORTRAN program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes. *Ecology and Systematics*, Cornell University, Ithaca, New York.
- Hood, G.M. (2003) PopTools version 2.5.9. Available on the internet. URL  
<http://www.cse.csiro.au/poptools>
- Köhler, F. & Klausnitzer, B. (eds) (1998). Verzeichnis der Käfer Deutschlands (Databanken) [The Coleoptera of Germany, database]. <http://www.koleopterologie.de/verzeichnis-der-kaefer-deutschlands/index.html>
- MapMate (2000). ©Teknica Ltd. <http://www.mapmate.co.uk/>
- Recorder 6 (2006). Built to NBN standards by Dorset Software Ltd., ©JNCC, 2006.  
<http://www.nbn.org.uk/recorder>

### BugsCEP version used for calculations in this thesis

- Buckland P.I. & Buckland P.C. (2006). *Bugs Coleopteran Ecology Package* (Versions: BugsCEP v7.62; Bugsdata v7.10; BugsMCR v2.02; BugStats v1.22).

# Archaeology and Environment

Published by the Department of Archaeology and Sami Studies, Umeå University

Series editor: Roger Engelmark & Thomas Larsson

1. Ramqvist, Per H: Gene. On the origin, function and development of sedentary Iron Age settlement in Northern Sweden. 1983.
2. Baudou, Evert. (ed): Papers in Northern Archaeology. 1984.
3. Zachrisson, Inger: De samiska metalldepåerna år 1000-1350 i ljuset av fyndet från Mörtrträsket, Lappland (The Saami Metal Deposits A.D.1000-1350 in the light of the find from Mörtrträsket, Lapland). 1984.
4. Backe, Margareta. et al. (eds) In Honorem Evert Baudou. 1985.
5. Forsberg, Lars: Site Variability and Settlement Patterns. An analysis of the hunter-gatherer settlement system in the Lule River Valley, 1500 B.C.- B.C./A.D. 1985.
6. Larsson, Thomas B: The Bronze Age Metalwork in Southern Sweden. Aspects of social and spatial organization 1800-500 B.C. 1986.
7. Segerström, Ulf: The Post-Glacial History of Vegetation and Agriculture in the Luleälv River Valley. 1990.
8. Hulthén, Birgitta: On Ceramic Ware in Northern Scandinavia During the Neolithic Bronze and Early Iron Age. A Ceramic-Ecological Study. 1991.
9. Nockert, Margareta: Högom. Part II. The Högom find and other Migration Period textiles and costumes in Scandinavia. 1991.
10. Aronsson, Kjell-Åke: Forest Reindeer Herding A.D. 1-1800. An archaeological and palaeoecological study in Northern Sweden. 1991.
11. Baudou, Evert (ed.): Nordic TAG. Report from the 2nd Nordic TAG conference, Umeå 1987. 1991.
12. Holm, Lena: The Use of Stone and Hunting of Reindeer. A study of stone tool manufacture and hunting of large mammals in the central Scandes c. 6000 - 1 BC. 1992.
13. Ramqvist, Per H: Högom. Part I. The excavations 1949-1984. 1992.
14. Viklund, Karin. Cerals, Weeds and Crop Processing in Iron Age Sweden. 1998.
15. Viklund, Karin (ed.). Nordic Archaeobotany - NAG 2000. 2002.
16. Olofsson, Anders. Pioneer Settlement in the Mesolithic of Northern Sweden. 2003.
17. Hulthén, Birgitta & Larsson, Thomas B: Vistad '88 Revisited. Ceramological Analyses and Lusatian Connections. 2004.
18. Loeffler, David: Contested landscapes/Contested Heritage. History and heritage in Sweden and their archaeological implications concerning the interpretation of the Norrlandian past. 2005.
19. Engelmark, Roger, Larsson, Thomas B & Rahtje, Lillian (redaktörer). en lång historia...festskrift till Evert Baudou på 80-årsdagen. 2005.
20. Rogersdotter, Elke. The Forgotten: an Approach on Harappan Toy Artefacts. 2006.
21. Roger Engelmark and Johan Linderholm (eds.). Proceedings from the VIII Nordic conference on the applications of Scientific Methods in Archaeology Umeå 2001. 2006.
22. Mulk, Inga-Maria & Bayliss-Smith, Tim. Rock Art and Sami Sacred Geography in Badjelánda, Laponia, Sweden. 2006.



ISBN 978-91-7264-298-0  
ISSN 0281-5877