

Appendix 2: Context descriptions

Levels are recorded as meters above Ordnance Datum (AOD), calculated from a spot height on the Boston Road, south of the proposed development site: 12.2m AOD.

Trench 1: Ground level 10.56m – 10.60m AOD

Context No.	Type	Description
100	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.42m thick.
101	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
102	Fill of 103	Dark brown-black sandy silt with occasional limestone gravels. Possible evidence of heating - discolouration. 1.38m long x > 0.6m wide x 0.2m deep.
103	Cut of pit	Shallow sided – shallow concave base, oval cut. 1.38m long x > 0.6m wide x 0.2m deep. Cuts 104.
104	Fill of 105	Dark brown sandy silt with occasional limestone gravels. Possible evidence of heating. 0.5m in diameter x 0.21m deep. Cut by 103.
105	Cut of pit	Moderate sided – shallow concave base, round cut. 0.5m in diameter x 0.21m deep.
106	Fill of 107	Dark brown sandy silt with occasional small limestone fragments. 1.5m long x >1.1m wide x 0.2m deep.
107	Cut of pit	Moderate sided – irregular concave base, oval cut. 1.5m long x >1.1m wide x 0.2m deep.
108	Fill of 109	Mid brown silty sand. > 1m long x 0.8m wide x 0.12m deep.
109	Cut of pit	Steep sided – flat base, sub-rectangular cut. > 1m long x 0.8m wide x 0.12m deep.
110	Fill of 111	Dark brown sandy silt with occasional small limestone fragments. Possible evidence of heating. 1.5m long x 1m wide x 0.18m deep. Cut by 113.
111	Cut of pit	Moderate sided – concave-flat base, oval cut. 1.5m long x 1m wide x 0.18m deep.
112	Fill of 113	Dark brown sandy silt. 0.35m in diameter x 0.27m deep.
113	Cut of posthole	Steep sided – narrow concave base, round cut. 0.35m in diameter x 0.27m deep. Cuts 110.
114	Fill of 115	Mid brown silty sand. > 1m long x 1m wide x 0.15m deep. Cut by 117.
115	Cut if pit	Moderate sided – concave-flat base, oval cut. > 1m long x 1m wide x 0.15m deep.
116	Fill of 117	Dark brown sandy silt. Possible evidence of heating. > 1.3m long x 1m wide x 0.24m deep.
117	Cut of pit	Moderate sided – concave-flat base, oval cut. > 1.3m long x 1m wide x 0.24m deep. Cuts 114.
118	Fill of 119	Mid brown silty sand. 1.1m long x 0.95m wide x 0.41m deep.
119	Cut of pit	Steep sided – concave base, oval cut. 1.1m long x 0.95m wide x 0.41m deep. Cuts 120.
120	Fill of 121	Mid brown silty sand with occasional small limestone fragment. 0.75m long x 0.72m wide x 0.18m deep. Cut by 119.
121	Cut of pit	Moderate sided – concave base, sub-rounded cut. 0.75m long x 0.72m wide x 0.18m deep.

Trench 2: Ground level 10.48m – 10.52m AOD

Context No.	Type	Description
200	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.36m thick.
201	Interface	Mid orange brown silt-sand-gravel. < 0.08m thick.
202	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
203	Cut of furrow	Shallow sided – shallow concave base, linear, aligned c. NNW-SSE. > 8m long x 0.88m wide x 0.18m deep.
204	Fill of 203	Light – mid brown sandy silt with frequent gravels. > 8m long x 0.88m wide x 0.18m deep.

Trench 3: Ground level 10.62m – 10.75m AOD

Context No.	Type	Description
300	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.5m thick.
301	Interface	Mid orange brown silt-sand-gravel. < 0.1m thick.
302	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
303	Cut of ditch	Moderate sloping sides – concave base, linear, aligned c. N-S. > 1.7m long x 0.8m wide x 0.18m deep.
304	Fill of 303	Mid – dark brown sandy silt with frequent gravels. > 1.7m long x 0.8m wide x 0.18m deep. Cut by 307.
305	Cut of ditch	Shallow – concave base, linear, aligned c. N-S. > 1.5m long x 0.9m wide x 0.14m deep.
306	Fill of 305	Mid – dark brown sandy silt with frequent gravels. > 1.5m long x 0.9m wide x 0.14m deep. Cut by 307.
307	Cut of ditch	Shallow – concave base, linear, aligned c. N-S. > 28m long x 0.6m wide x 0.12m deep. Cuts 304, 306 and 310.
308	Fill of 307	Mid – dark brown sandy silt with frequent gravels. > 28m long x 0.6m wide x 0.12m deep. > 0.5m long x 0.7m wide x 0.2m deep.
309	Cut of pit	Sub-rounded, moderate sloping sides – concave base. > 28m long x 0.6m wide x 0.12m deep.
310	Fill of 309	Dark brown sandy silt with frequent gravels. > 28m long x 0.6m wide x 0.12m deep. Cut by 307.
311	Cut of ditch	Steep sides – flat base, linear, aligned c. E-W. > 21m long x 0.94m wide x 0.28m deep. Cuts 314.
312	Fill of 311	Dark brown sandy silt with frequent gravels. > 21m long x 0.94m wide x 0.28m deep.
313	Cut of ditch	Moderate sloping sides – flat base, linear, aligned c. E-W. > 2m long x 0.74m wide x 0.24m deep.
314	Fill of 313	Mid brown sandy silt with frequent gravels. > 2m long x 0.74m wide x 0.24m deep. Cut by 311.

Trench 4: Ground level 10.48m – 10.49m AOD

Context No.	Type	Description
400	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.3m thick.
401	Interface	Mid orange brown silt-sand-gravel. < 0.08m thick.
402	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.

403	Cut of ditch	Shallow - concave base, linear, aligned <i>c.</i> E-W. > 2m long x 0.48m x 0.08m deep.
404	Fill of 403	Light - mid brown sandy silt with frequent gravels. > 2m long x 0.48m x 0.08m deep.
405	Cut of ditch	Steep sides – flat base, linear, aligned <i>c.</i> E-W. > 2m long x 0.7m wide x 0.22m deep. Cuts 408.
406	Fill of 405	Mid – dark brown sandy silt with frequent gravels. > 2m long x 0.7m wide x 0.22m deep.
407	Cut of pit	Irregular - sub-rounded, moderate sloping sides – slightly concave base. 1.1m long x > 0.68m wide x 0.12m deep.
408	Fill of 407	Dark brown – black sandy silt. 1.1m long x > 0.68m wide x 0.12m deep. Cut by 405.

Trench 5: Ground level 10.67m – 10.72m AOD

Context No.	Type	Description
500	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.4m thick.
501	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
502	Fill of 503	Dark brown – black sandy silt. > 2m long x 1.62m wide x 0.35m deep.
503	Cut of ditch	Moderate-irregular sided - concave base, linear, aligned <i>c.</i> NE-SW. > 2m long x 1.62m wide x 0.35m deep.
504	Fill of 505	Dark brown silty sand with occasional limestone gravels. > 2m long x 1.45m wide X 0.22m deep.
505	Cut of ditch	Moderate-irregular sided - concave base, linear, aligned <i>c.</i> NE-SW. > 2m long x 1.45m wide X 0.22m deep.
506	Fill of 507	Dark brown – black sandy silt with fragments of burnt clay. 1.15m in diameter x 0.45m deep.
507	Cut of pit	Moderate-even sided - concave base, round pit. 1.15m in diameter x 0.45m deep.
508	Fill of 509	Dark orange-brown silty sand. 0.27m in diameter x 0.36m deep.
509	Cut of posthole	Near vertical sided – flat based. 0.27m in diameter x 0.36m deep.
510	Fill of 511	Dark brown silty sand with occasional limestone gravels. > 2m long x 1.8m wide x 0.18m deep.
511	Cut of furrow	Shallow sided – shallow concave base, linear, aligned <i>c.</i> NNW-SSE. > 2m long x 1.8m wide x 0.18m deep.
512	Fill of 513	Dark brown sandy silt. 1.6m long x > 0.8m wide x 0.3m deep.
513	Cut of pit	Shallow sided – concave base, sub-rounded pit. 1.6m long x > 0.8m wide x 0.3m deep.
514	Fill of 515	Dark brown sandy silt with occasional limestone gravels. > 2.5m long x 0.98m wide x 0.39m deep. Cut by furrow.
515	Cut of ditch	Moderate-steep sided – shallow concave base, linear, aligned <i>c.</i> E-W. > 2.5m long x 0.98m wide x 0.39m deep.

Trench 6: Ground level 10.53m – 10.59m AOD

Context No.	Type	Description
600	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.38m thick.
601	Interface	Mid orange brown silt-sand-gravel. < 0.08m thick.
602	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of

		Excavation.
603	Cut of furrow	Shallow sided – shallow concave base, linear cut, aligned c. NNW-SSE. > 30m long x 1.8m wide x 0.12m deep.
604	Fill of 603	Light –mid brown sandy silt with occasional gravels. > 30m long x 1.8m wide x 0.12m deep.

Trench 7: Ground level 10.34m – 10.35m AOD

Context No.	Type	Description
700	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.31m thick.
701	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
702	Fill of 703	Mid grey brown sandy silt. > 1.8m long x 1.7m wide x 0.34m deep. Cut by 707.
703	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned c. E-W. > 1.8m long x 1.7m wide x 0.34m deep.
704	Fill of 705	Mid grey brown sandy silt. > 1m long x 1.38m wide x 0.34m deep. Cut by 707.
705	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned c. E-W. > 1m long x 1.38m wide x 0.34m deep.
706	Fill of 707	Mid brown sandy silt. > 21m long x 1.9m wide x 0.24m deep.
707	Cut of furrow	Shallow sided – shallow concave base, linear cut, aligned c. NNW-SSE. > 21m long x 1.9m wide x 0.24m deep. Cuts 702 and 704.

Trench 8: Ground level 10.56m – 10.64m AOD

Context No.	Type	Description
800	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.35m thick.
801	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
802	Fill of 803	Mid brown sandy silt with occasional small limestone gravels. > 4m long x 1m wide x 0.43m deep. Cut by 808 and 810.
803	Re-cut of ditch ?	Moderate sided – concave base, linear cut, aligned c. NW-SE. > 4m long x 1m wide x 0.43m deep.
804	1 st Fill of 806	Dark grey brown-black slightly sandy silt-clay. >0.5m long x > 0.4m wide x 0.2m deep.
805	2 nd Fill of 806	Mid grey brown sandy silt. >0.5m long x > 2m wide x 0.45m deep. Cut by 812.
806	Cut of ditch	Moderate sided – concave base, linear cut, aligned c. NW-SE. > 4m long x > 2m wide x 1.2m deep.
807	Fill of 808	Mid brown silty sand. 0.7m long x 0.68m wide x 0.2m deep.
808	Cut of pit	Sub-rounded, moderate sloping sides – concave-flat base. 0.7m long x 0.68m wide x 0.2m deep. Cuts 802.
809	Fill of 810	Mid brown silty sand. > 11m x 0.5m wide x 0.23m deep.
810	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned c. NNW-SSE. > 11m x 0.5m wide x 0.23m deep. Cut 802, 807 and 819.
811	Fill of 812	Mid brown silty sand. 0.7m long x 0.68m wide x 0.12m deep. Cut by 814.
812	Cut of pit	Sub-rounded, moderate sloping sides – concave base. 0.7m long x 0.68m wide x 0.12m deep.
813	Fill of 814	Mid brown silty sand. 0.72m long x 0.7m wide x 0.08m deep.
814	Cut of pit	Sub-rounded, shallow sloping sides – concave base. 0.72m long x 0.7m wide x 0.08m deep. Cuts 811.

815	Fill of 816	Mid brown sandy silt with occasional small limestone gravels. > 7m long x 0.4m wide x 0.13m deep.
816	Cut of gully	Moderate sided – shallow concave base, linear cut, aligned c. NW-SE. > 7m long x 0.4m wide x 0.13m deep.
817	Fill of 818	Dark grey brown silty sand with occasional small limestone gravels. 0.6m long x > 0.35m wide x 0.4m deep.
818	Cut of posthole	Sub-circular, steep sided – concave base. 0.6m long x > 0.35m wide x 0.4m deep.
819	Fill of 820	Mid brown sandy silt with occasional small limestone gravels. 1.12m long x 1.1m wide x 0.3m deep. Cut by 810.
820	Cut of pit	Sub-circular, moderate sided – concave base. 1.12m long x 1.1m wide x 0.3m deep.
821	Fill of 822	Mid grey brown sandy silt. 0.8m long x > 0.44m wide x 0.2m deep.
822	Cut of pit	Sub-rounded, moderate sided – concave base. 0.8m long x > 0.44m wide x 0.2m deep.
823	Fill of 824	Mid grey brown sandy silt. 0.79m long x 0.45m wide x 0.25m deep.
824	Cut of pit	Sub-rounded, moderate sided – concave base. 0.79m long x 0.45m wide x 0.25m deep.
825	Fill of 826	Mid grey brown sandy silt. > 0.8m x 0.67m wide x 0.3m deep.
826	Cut of pit	Sub-rounded, moderate sided – concave base. > 0.8m x 0.67m wide x 0.3m deep.

Trench 9: Ground level 10.49m – 10.50m AOD

Context No.	Type	Description
900	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.38m thick.
901	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
902	Fill of 903	Dark grey brown silty sand with occasional small limestone gravels and heat cracked stone. 1.8m long x > 0.63m wide x 0.33m deep.
903	Cut of pit	Sub-rounded, moderate sloping sides – concave-flat base. 1.8m long x > 0.63m wide x 0.33m deep. Cut 904.
904	Fill of 905	Dark grey brown silty sand with occasional small limestone gravels. Possible evidence of heating. 0.8m long x > 0.6m wide x 0.45m deep. Cut by 903.
905	Cut of pit	Sub-rounded, moderate sloping sides – concave-flat base. 0.8m long x > 0.6m wide x 0.45m deep. Cuts 942.
906	Fill of 907	Mid brown sandy silt with occasional small limestone gravels. 0.3m in diameter x 0.16m deep.
907	Cut of posthole	Circular, steep sided – concave base. 0.3m in diameter x 0.16m deep. Cuts 950.
908	Fill of 909	Dark grey brown silty sand. 0.8m long x > 0.61m wide x 0.3m deep.
909	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.8m long x > 0.61m wide x 0.3m deep.
910	Fill of 911	Dark grey brown silty sand. 1.12m long x 0.65m wide x 0.26m deep.
911	Cut of pit	Sub-rounded, moderate sloping sides – concave base. 1.12m long x 0.65m wide x 0.26m deep. Cuts 916.
912	Fill of 913	Mid-dark grey brown silty sand. 0.56m in diameter x 0.21m deep.
913	Cut of pit?	Circular, steep sided – concave base. 0.56m in diameter x 0.21m deep.
914	Fill of 915	Mid-dark grey brown silty sand with occasional small limestone gravels and fragments of burnt clay. 0.44m long x > 0.22m wide x 0.18m deep. Cut by furrow.
915	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.44m long x >

		0.22m wide x 0.18m deep.
916	Fill of 917	Mid-dark grey brown silty sand with occasional small limestone gravels. > 0.78m long x 0.62m wide x 0.23m deep. Cut by 911.
917	Cut of pit	Sub-rounded, moderate sloping sides – concave base. > 0.78m long x 0.62m wide x 0.23m deep. Cuts 936 and 938.
918	Fill of 919	Mid brown silty sand with occasional small limestone gravels. > 1.6m long x > 1.9m wide x 0.22m deep.
919	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned c. NNW-SSE. > 1.6m long x > 1.9m wide x 0.22m deep.
920	Fill of 921	Mid grey brown silty sand with occasional small limestone gravels. > 1.25m long x 1.08m wide x 0.25m deep.
921	Cut of ditch	Moderate sided – concave base, linear cut, aligned c. N-S. > 1.25m long x 1.08m wide x 0.25m deep.
922	Fill of 923	Mid brown silty sand. Possible evidence of heating. 0.58m long x 0.4m wide x 0.2m deep.
923	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.58m long x 0.4m wide x 0.2m deep.
924	Fill of 925	Mid brown silty sand with occasional small limestone gravels. 1.56m long 0.5m wide x 0.14m deep.
925	Cut of pit	Sub-rounded, shallow sloping sides – concave base. 1.56m long 0.5m wide x 0.14m deep.
926	Fill of 927	Mid brown silty sand. 0.58m long x 0.4m wide x 0.24m deep.
927	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.58m long x 0.4m wide x 0.24m deep.
928	Fill of 929	Mid grey brown silty sand with occasional small limestone gravels. < 0.95m in diameter x 0.24m deep.
929	Cut of pit	Sub-rounded, moderate sloping sides – concave base. < 0.95m in diameter x 0.24m deep. Cuts 946.
930	Fill of 931	Mid brown silty sand with occasional small limestone gravels. > 2m long x 2.3m wide x 0.23m deep.
931	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned c. NNW-SSE. > 2m long x 2.3m wide x 0.23m deep.
932	Fill of 933	Dark grey brown silty sand. Possible evidence of heating. 0.5m long x > 0.49m wide x 0.25m deep.
933	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.5m long x > 0.49m wide x 0.25m deep.
934	Fill of 935	Dark grey brown silty sand. Possible evidence of heating. 0.65m long x > 0.6m wide x 0.12m deep.
935	Cut of pit?	Sub-rounded, moderate sloping sides – concave base. 0.65m long x > 0.6m wide x 0.12m deep.
936	Fill of 937	Mid brown silty sand with occasional small limestone gravels. 0.5m long x > 0.2m deep x 0.15m deep. Cut by 917.
937	Cut of pit	Sub-rounded, moderate sloping sides – flat base. 0.5m long x > 0.2m deep x 0.15m deep.
938	Fill of 939	Dark grey brown silty sand. 0.1m in diameter x 0.11m deep. Cut by 917.
939	Cut of posthole	Circular, vertical sided – concave base. 0.1m in diameter x 0.11m deep.
940	Fill of 941	Mid brown silty sand. 0.1m in diameter x 0.12m deep.
941	Cut of posthole	Circular, steep sided – concave base. 0.1m in diameter x 0.12m deep.
942	Fill of pit	Dark grey brown silty sand. Possible evidence of heating. >0.85m long x 1m wide x 0.24m deep. Cut by 905.
943	Cut of pit	Sub-rounded, moderate sloping sides – concave base. >0.85m long x 1m wide x 0.24m deep.
944	Fill of 945	Mid brown silty sand with occasional small limestone gravels. >

		1.9m long x 1.5m wide x 0.2m deep.
945	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned <i>c.</i> NNW-SSE. > 1.9m long x 1.5m wide x 0.2m deep.
946	Fill of 947	Mid brown silty sand with occasional small limestone gravels. > 1.9m long x 1.94m wide x 0.14m deep. Cut by 929.
947	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned <i>c.</i> NNW-SSE. > 1.9m long x 1.94m wide x 0.14m deep.
948	1 st Fill of 911	Mid brown silty sand. > 0.65m long x 0.45m wide x 0.2m deep.
949	1 st Fill of 903	Mid brown silty sand with occasional small limestone gravels. 0.8m long x 0.6m wide x 0.3m deep.
950	Fill of 951	Mid brown silty sand with occasional small limestone gravels. 0.51m long x 0.37m wide x 0.16m deep. Cut by 907.
951	Cut of posthole	Sub-oval, moderate sloping sides – concave base. 0.51m long x 0.37m wide x 0.16m deep.

Trench 10: Ground level 10.49m – 10.50m AOD

Context No.	Type	Description
1000	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.38m thick.
1001	Fill of 1002	Mid brown sandy silt with occasional small limestone gravels. > 2m long x 1.55m wide x 0.12m deep.
1002	Cut of furrow	Shallow sided – shallow concave base, linear cut, aligned <i>c.</i> NNW-SSE. > 2m long x 1.55m wide x 0.12m deep.
1003	Fill of 1004	Mid brown sandy silt with occasional small limestone gravels. > 0.77m x 0.78m x 0.15m deep.
1004	Cut of pit/ ditch terminus?	Sub-rectangular, steep sided – flat base. > 0.77m x 0.78m x 0.15m deep. Cuts 1014.
1005	Fill of 1006	Mid brown sandy silt with occasional small limestone gravels. > 2m long x 0.86m wide x 0.19m deep.
1006	Cut of ditch	Shallow sided – shallow concave base, linear cut, aligned <i>c.</i> NE-SW. > 2m long x 0.86m wide x 0.19m deep.
1007	Fill of 1008	Mid greenish brown sandy silt with occasional small limestone gravels. > 2m long x 2.44m wide x 0.55m deep.
1008	Cut of ditch	Moderate sided – flat base, irregular linear cut, aligned <i>c.</i> NE-SW.
1009	Fill of 1010	Dark brown sandy silt with occasional small limestone gravels. 0.6m in diameter x 0.15m deep.
1010	Cut of pit	Moderate sloping sides – concave base. 0.6m in diameter x 0.15m deep.
1011	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1012	Fill of 1013	Mid brown sandy silt with occasional small limestone gravels. 0.14m in diameter x 0.2m deep.
1013	Cut of posthole	Circular, vertical sided – concave base. 0.1m in diameter x 0.18m deep.
1014	Fill of 1015	Mid brown sandy silt. 0.48m long x > 0.2m wide x 0.2m deep. Cut by 1004.
1015	Cut of posthole	Rounded, moderate sloping sides – concave-flat base. 0.48m long x > 0.2m wide x 0.2m deep.
1016	Fill of 1017	Dark brown sandy silt with occasional small limestone gravels. Possible evidence of heating. 0.74m long x 0.66m wide x 0.19m deep.
1017	Cut of pit	Sub-rounded, moderate sloping sides – concave-flat base. 0.74m long x 0.66m wide x 0.19m deep.

Trench 11: Ground level 10.59 – 10.69m AOD

Context No.	Type	Description
1100	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.38m thick.
1101	Interface	Mid orange brown silt-sand-gravel. < 0.1m thick.
1102	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1103	Cut of pit?	Shallow sloping sides – flat base. > 2m long x > 1.3m wide x 0.16m deep.
1104	Fill of 1103	Mid brown sandy silt with occasional small limestone gravels. > 2m long x > 1.3m wide x 0.16m deep. Cut by 1124.
1105	Cut of ditch	Steep sides – concave base, linear, aligned c. NW-SE. > 3m long x 0.8m wide x 0.16m deep.
1106	Fill of 1105	Mid – dark brown sandy silt with occasional gravels. > 3m long x 0.8m wide x 0.16m deep.
1107	(re) Cut of pit	Circular, steep sides – flat base. > 2m long x 2.44m wide x 0.45m deep. Cuts 1110.
1108	Fill of 1107	Dark brown black sandy silt with occasional gravels and rare small limestone slabs. > 2m long x 2.44m wide x 0.45m deep.
1109	Cut of pit	Sub-rounded, vertical sides – flat base. > 2m long x > 1.5m wide x 0.7m deep.
1110	Fill of 1109	Mid – dark brown sandy silt with moderate gravels. > 2m long x > 1.5m wide x 0.7m deep. Cut by 1107.
1111	Cut of ditch	Moderate sloping sides – narrow, concave base, linear, aligned c. NNW-SSE. > 2m long x 3.5m wide x 0.88m deep.
1112	1 st Fill of 1111	Waterlogged, dark grey-brown - black, silt-clay. > 0.75m long x 1.56m wide 0.28m deep.
1113	2 nd Fill of 1111	Re-deposited natural, light – mid orange brown, silt-sand-gravel. > 0.75m long x 2.5m wide x 0.14m deep.
1114	3 rd Fill of 1111	Mid – dark brown sandy silt with occasional gravels. > 0.75m long x 3.34m wide x 0.44m deep.
1115	4 th Fill of 1111	Mid brown sandy silt with occasional gravels. . > 2m long x 2.18m wide x 0.23m deep.
1116	Cut of pit?	Shallow, irregular plan – irregular-flat base. > 1m long x 0.32m x 0.18m deep.
1117	Fill of 1117	Dark brown sandy silt with occasional gravels. > 1m long x 0.32m x 0.18m deep.
1118	Cut of furrow	Shallow, moderate sloping sides – flat base, linear, aligned c. N-S. > 2m long x 1.6m wide x 0.15m deep.
1119	Fill of 1118	Mid brown sandy silt with frequent gravels. > 2m long x 1.6m wide x 0.15m deep.
1120	Cut of pit?	Shallow, irregular plan – irregular-flat base. 0.9m long x 0.74m wide x 0.1m deep.
1121	Fill of 1120	Mid brown sandy silt with frequent gravels. 0.9m long x 0.74m wide x 0.1m deep.
1122	Cut of gully	Shallow – flat base, linear, aligned c. E-W. > 3.4m long x 0.84m wide x 0.13m deep.
1123	Fill of 1122	Mid brown sandy silt with frequent gravels. > 3.4m long x 0.84m wide x 0.13m deep.
1124	Cut of ditch	Moderate sloping sides – flat base, linear, aligned c. N-S. > 2m long x 0.3m wide x 0.08m deep. Cuts 1104.
1125	Fill of 1124	Dark brown sandy silt with frequent gravels. > 2m long x 0.3m wide x 0.08m deep.

Trench 12: Ground level 10.55m – 10.56m AOD

Context No.	Type	Description
1200	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.4m thick.
1201	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1202	Fill of 1203	Dark brown sandy silt with occasional limestone gravels. 1.2m long x 1.04m wide x 0.17m deep.
1203	Cut of pit	Sub-rounded – oval, shallow sloping sides – concave base. 1.2m long x 1.04m wide x 0.17m deep. Cuts 1204.
1204	Fill of 1205	Dark brown sandy silt with occasional limestone gravels. > 1.65m long x 1.2m wide x 0.18m deep. Cut by 1203 and furrow.
1205	Cut of pit	Sub-rounded – oval, shallow sloping sides – concave base. > 1.65m long x 1.2m wide x 0.18m deep.
1206	Fill of 1207	Dark brown sandy silt. 0.8m long x 0.38m wide x 0.06m deep.
1207	Cut of pit	Elongated oval, shallow sloping sides – concave base. 0.8m long x 0.38m wide x 0.06m deep.
1208	Fill of 1209	Dark brown sandy silt with occasional limestone gravels. > 0.5m long x 0.19m wide x 0.11m deep.
1209	Cut of pit	Sub-rounded, shallow sloping sides – concave base. > 0.5m long x 0.19m wide x 0.11m deep.
1210	Fill of 1211	Dark brown sandy silt with occasional limestone gravels. 1.14m long x > 1.06m wide x 0.23m.
1211	Cut of pit	Sub-rounded, shallow-moderate sloping sides – concave base. 1.14m long x > 1.06m wide x 0.23m.
1212	Fill of 1213	Dark brown sandy silt with occasional limestone gravels. 1m long x > 0.92m wide x 0.08m deep.
1213	Cut of pit	Sub-rounded, shallow sloping sides – concave base. 1m long x > 0.92m wide x 0.08m deep. Cuts 1214.
1214	Fill of 1215	Dark brown sandy silt with occasional limestone gravels. > 0.85m long x > 0.77m wide x 0.08m deep. Cut by 1213.
1215	Cut of pit	Sub-rounded, shallow sloping sides – concave base. > 0.85m long x > 0.77m wide x 0.08m deep.
1216	Fill of 1217	Dark brown sandy silt with occasional limestone gravels. > 1.15m long x 0.9m wide x 0.08m deep.
1217	Cut of pit	Elongated sub-oval, shallow sloping sides – concave base. > 1.15m long x 0.9m wide x 0.08m deep.
1218	Fill of 1219	Dark brown sandy silt with occasional limestone gravels. > 5.2m long x > 1.7m wide x 0.41m deep. Cut by 1221.
1219	Cut of ditch	Straight sided – rounded end, shallow sloping sides – concave base. > 5.2m long x > 1.7m wide x 0.41m deep.
1220	Fill of 1221	Dark brown sandy silt with occasional limestone gravels. > 0.85m long x 0.85m wide x 0.14m deep.
1221	Cut of pit	Sub-rounded - oval, shallow sloping sides – concave base. > 0.85m long x 0.85m wide x 0.14m deep. Cuts 1218.
1222	Fill of 1223	Dark brown sandy silt with occasional limestone gravels. > 1.57m long x 1.42m wide x 0.12m deep. Cut by 1225.
1223	Cut of pit	Sub-rounded, shallow sloping sides – concave base. > 1.57m long x 1.42m wide x 0.12m deep.
1224	Fill of 1225	Dark brown sandy silt with occasional limestone gravels. 0.75m in diameter x 0.05m deep.
1225	Cut of pit	Circular, shallow sloping sides – concave base. 0.75m in diameter x 0.05m deep. Cuts 1222.
1226	Fill of 1227	Dark brown sandy silt with occasional limestone gravels. 1.52m long

		x > 0.7m wide x 0.23m deep.
1227	Cut of pit	Rounded, shallow sloping sides – concave base. 1.52m long x > 0.7m wide x 0.23m deep.

Trench 13: Ground level 10.50m – 10.52m AOD

Context No.	Type	Description
1300	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.42m thick.
1301	Interface	Mid orange brown silt-sand-gravel. < 0.08m thick.
1302	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1303	Cut of pit	Shallow, irregular plan, irregular flat base. 1.98m long x > 1.1m wide x 0.12m deep.
1304	Fill of 1303	Mid brown sandy silt with occasional gravels. 1.98m long x > 1.1m wide x 0.12m deep.
1305	Cut of pit	Irregular plan, moderate sloping sides – concave base. 1.85m long x 0.96m wide x 0.28m deep.
1306	Fill of 1305	Light - mid brown sandy silt with occasional gravels and rare limestone fragments. 1.85m long x 0.96m wide x 0.28m deep.
1307	Cut of ditch	Moderate sloping sides – concave base, linear, aligned c. E-W. > 2m long x 1.7m wide x 0.42m deep.
1308	Fill of 1307	Light - mid brown sandy silt with occasional gravels and rare limestone fragments. > 2m long x 1.7m wide x 0.42m deep.
1309	Cut of pit	Circular, steep sides – concave base. 1.42m long x > 0.6m wide x 0.24m deep.
1310	Fill of 1309	Mid brown sandy silt with occasional ash? and fired clay? 1.42m long x > 0.6m wide x 0.24m deep.
1311	Cut of ditch	Steep sloping sides – flat base, linear – narrowing to the west, aligned c. E-W. > 2m long x < 1.7m wide x 0.23m deep.
1312	Fill of 1311	Mid – dark brown sandy silt. > 2m long x < 1.7m wide x 0.23m deep.
1313	Cut of pit	Steep sides – irregular-flat base. > 2.5m long x > 2.5m wide x 0.38m deep.
1314	Fill of 1313	Dark brown sandy silt with occasional gravels. > 2.5m long x > 2.5m wide x 0.38m deep.
1315	Cut of pit	Sub-rounded, varying sides – flat base. > 2m long x 2m wide x 0.18m deep.
1316	Fill of 1315	Mid – dark brown sandy silt with moderate gravels. > 2m long x 2m wide x 0.18m deep.
1317	Cut of pit	Sub-rounded - rectangular, varying sides – flat base. > 2.5m long x 1.2m wide x 0.14m deep.
1318	Fill of 1317	Mid – dark brown sandy silt with moderate gravels. > 2.5m long x 1.2m wide x 0.14m deep.
1319	Cut of pit	Sub-rounded - rectangular, varying sides – flat base. > 2m long x 1.5m wide x 0.15m deep.
1320	Fill of 1319	Mid – dark brown sandy silt with moderate gravels. > 2m long x 1.5m wide x 0.15m deep.
1321	Cut of posthole	Shallow, circular, concave base. 0.46m in diameter x 0.1m deep.
1322	Fill of 1321	Light - mid brown silty sand with frequent gravels. 0.46m in diameter x 0.1m deep.
1323	Cut of pit	Shallow, circular, flat base. 1.48m long x > 0.46m wide x 0.08m deep.
1324	Fill of 1323	Mid brown sandy silt with occasional gravels. 1.48m long x > 0.46m wide x 0.08m deep.

Trench 14: Ground level 10.55 – 10.57m

Context No.	Type	Description
1400	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.38m thick.
1401	Interface	Mid orange brown silt-sand-gravel. < 0.1m thick.
1402	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1403	Cut of pit	Sub-rounded, steep sided – ‘stepped’ flat base. > 3m long x > 2.8m wide x > 0.5m deep – not fully excavated due to waterlogging.
1404	Fill of 1403	Dark brown sandy silt with rare limestone gravels and occasional limestone slabs. > 3m long x > 2.8m wide x > 0.5m deep – not fully excavated due to waterlogging. Cut by 1405?
1405	Cut of Grave A	Sub-rectangular, steep sided – flat base, aligned c. N-S. > 1.7m long x 1.02m wide x 0.24m deep. Cuts 1404?
1406	Fill of 1405	Mid-dark brown sandy silt with frequent flint and limestone gravels. > 1.7m long x 1.02m wide x 0.24m deep.
1407	Cut of pit	Sub-rounded, steep sided – flat base. > 2m long x 3.88m wide x 0.6m deep.
1408	Fill of 1407	Dark brown sandy silt with rare limestone gravels and occasional limestone slabs. > 2m long x 3.88m wide x 0.6m deep.
1409	Cut of posthole	Sub-rounded, vertical sided – concave base. < 0.48m in diameter x 0.14m deep.
1410	Fill of 1409	Mid-dark brown sandy silt with frequent flint and limestone gravels. < 0.48m in diameter x 0.14m deep.
1411	Cut of pit	Sub-rectangular, steep sided – concave base. > 1m long x 1.56m wide x 0.47m deep.
1412	Fill of 1411	Mid brown sandy silt. > 1m long x 1.56m wide x 0.47m deep.
1413	Cut of gully	Curvilinear, steep sided – concave base. > 2.1m long x 0.46m wide x 0.18m deep.
1414	Fill of 1413	Mid brown sandy silt. > 2.1m long x 0.46m wide x 0.18m deep.
1415	Cut of posthole	Circular, steep sided – concave base. 0.22m in diameter x 0.26m deep.
1416	Fill of 1415	Mid-dark brown sandy silt with frequent flint and limestone gravels. 0.22m in diameter x 0.26m deep.
1417	Cut of posthole	Circular, steep sided – concave base. 0.22m in diameter x 0.26m deep.
1418	Fill of 1417	Mid-dark brown sandy silt with frequent flint and limestone gravels. 0.22m in diameter x 0.26m deep. 0.22m in diameter x 0.26m deep.
1419	Cut of posthole	Circular, steep sided – concave base. 0.22m in diameter x 0.26m deep.
1420	Fill of 1419	Mid-dark brown sandy silt with frequent flint and limestone gravels. 0.22m in diameter x 0.26m deep.
1421	Cut of pit	Shallow, irregular oval, concave base. 1.1m long x 0.8m x 0.1m deep.
1422	Fill of 1421	Dark brown sandy silt with rare limestone gravels. 1.1m long x 0.8m x 0.1m deep.

Trench 15: Ground level 10.55m – 10.56m AOD

Context No.	Type	Description
1500	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.4m thick.
1501	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of

		Excavation.
1502	Cut of Grave B	Sub-rectangular, steep sides – flat base. 2.2m long x 1.05m wide x 0.17m deep.
1503	Fill of 1502	Mid – dark grey brown, silty sand with rare gravels. 2.2m long x 1.05m wide x 0.17m deep. Cut by 1504.
1504	Cut of ditch	Moderate sloping sides – concave base, linear, aligned <i>c.</i> N-S. > 2m long x 0.85m wide x 0.34m deep. Cuts 1503.
1505	Fill of 1504	Mid – dark grey brown, silty sand with rare gravels. > 2m long x 0.85m wide x 0.34m deep.
1506	Fill of 1533	Mid brown sandy silt with frequent gravels. > 2m long x 4.3m wide x 0.3m deep.
1507	Cut of ditch	Shallow, moderate sloping sides – concave base, linear, aligned <i>c.</i> E-W. > 3m long x 0.6m wide x 0.16m deep.
1508	Fill of 1507	Mid brown sandy silt with occasional gravels. > 3m long x 0.6m wide x 0.16m deep. Cut by 1517, 1519 and 1521.
1509	Cut of ditch	Shallow, moderate sloping sides – concave base, linear, aligned <i>c.</i> N-S. > 3m long x 1.94m wide x 0.24m.
1510	Fill of 1509	Mid brown sandy silt with occasional gravels. > 3m long x 1.94m wide x 0.24m.
1511	Cut of ditch	Shallow, moderate sloping sides – concave base, linear, aligned <i>c.</i> N-S. > 2.2m long x 0.85m wide x 0.12m deep.
1512	Fill of 1511	Mid brown sandy silt with occasional gravels. > 2.2m long x 0.85m wide x 0.12m deep.
1513	Cut of pit ?	Steep sloping sides – flat base, plan unclear. > 0.6m long x > 0.4m wide x 0.2m deep.
1514	Fill of 1513	Mid brown sandy silt with occasional gravels. > 0.6m long x > 0.4m wide x 0.2m deep. Cut by 1517.
1515	Cut of pit ?	Steep sides – concave base, sub-rounded. 0.8m long x 0.7m wide x 0.32m deep.
1516	Fill of 1515	Mid brown sandy silt with occasional gravels. 0.8m long x 0.7m wide x 0.32m deep. Cut by 1517.
1517	Cut of pit	Shallow, sub-rounded – concave base. 1.2m long x > 0.55m wide x 0.1m deep. Cuts 1508, 1514 and 1517.
1518	Fill of 1517	Mid brown sandy silt with frequent gravels and fragments of fired clay. 1.2m long x > 0.55m wide x 0.1m deep.
1519	Cut of pit	Sub-rounded, steep sided – concave base. 0.85m long x 0.6m wide x 0.15m deep. Cuts 1508.
1520	Fill of 1519	Mid - dark brown sandy silt with fragments of fired clay. 0.85m long x 0.6m wide x 0.15m deep.
1521	Cut of gully	Shallow – concave base, linear, aligned <i>c.</i> E-W. > 1m long x 0.22m wide x 0.08m deep. Cuts 1508.
1522	Fill of 1521	Mid brown sandy silt with occasional gravels. > 1m long x 0.22m wide x 0.08m deep.
1523	Cut of ditch	Shallow sloping sides – concave base, linear, aligned <i>c.</i> NE-SW. > 2m long x 1.4m wide x 0.18m deep. Cuts 1526.
1524	Fill of 1523	Light - mid grey brown sandy silt with moderate gravels. > 2m long x 1.4m wide x 0.18m deep. Cut by 1533.
1525	Cut of pit	Circular, moderate sloping sides – flat base. 0.5m long x > 0.15m wide x 0.12m deep.
1526	Fill of 1525	Mid brown sandy silt with occasional gravels. 0.5m long x > 0.15m wide x 0.12m deep. Cut by 1523.
1527	Cut of ditch	Shallow sloping sides – flat base, linear, aligned <i>c.</i> NE-SW. > 1.9m long x 1.25m wide x 0.1m deep.
1528	Fill of 1527	Mid brown sandy silt with occasional gravels. > 1.9m long x 1.25m wide x 0.1m deep. Cut by 1533.

1529	Cut of ditch	Moderate sloping sides – flat base, linear, aligned <i>c.</i> N-S. > 2.2m long x 0.52m wide x 0.22m deep.
1530	Fill of 1529	Mid brown sandy silt with occasional gravels. > 2.2m long x 0.52m wide x 0.22m deep.
1531	Cut of	Moderately sloping sides – flat base, linear, aligned <i>c.</i> NE-SW. > 1.9m long x > 0.85m wide x 0.2m deep.
1532	Fill of 1531	Mid brown sandy silt with occasional gravels. > 1.9m long x > 0.85m wide x 0.2m deep.
1533	Cut of pit	Large moderate sides – flat base. > 2m long x 4.3m wide x 0.3m deep. Cuts 1524 and 1528.

Trench 16: Ground level 10.50 – 10.57m AOD

Context No.	Type	Description
1600	Topsoil	Mid brown sandy silt with frequent small limestone gravels and occasional small flint gravels. < 0.48m thick.
1601	Interface	Mid orange brown silt-sand-gravel. < 0.12m thick.
1602	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1603	Cut of pit	Sides of varying steepness – irregular-flat base. > 2m long x 3m wide x 0.22m deep.
1604	Fill of 1603	Mid orange brown slightly sandy silt with occasional small gravels. > 2m long x 3m wide x 0.22m deep.
1605	Cut of gully	Narrow, shallow sided – concave base, linear, aligned <i>c.</i> NW – SE. > 4m long x 1m wide x 0.08m deep.
1606	Fill of 1605	Mid orange brown sandy silt/gravel (re-deposited natural). > 4m long x 1m wide x 0.08m deep.
1607	Cut of ditch	Shallow sided – shallow concave-flat base, linear, aligned <i>c.</i> ESE-WNW. > 2m long x 1.4m wide x 0.25m deep.
1608	Fill of 1607	Mid orange brown slightly sandy silt with occasional small gravels. > 2m long x 1.4m wide x 0.25m deep.
1609	Cut of posthole	Circular, steep sided – concave base. 0.4m in diameter x 0.18m deep.
1610	Fill of 1609	Mid orange brown slightly sandy silt with occasional small gravels. 0.4m in diameter x 0.18m deep.
1611	Cut of ditch	Moderately steep sided – narrow flat base, linear, aligned <i>c.</i> ESE-WNW. > 2m long x 1.46m wide x 0.46m deep.
1612	Fill of 1612	Mid orange brown slightly sandy silt with occasional small gravels. > 2m long x 1.46m wide x 0.46m deep.
1613	Root disturbance	Irregular plan – irregular sides – irregular base. 1.06m long x 0.8m wide x 0.18m deep.
1614	Fill of 1613	Mid orange brown slightly sandy silt with occasional small gravels. 1.06m long x 0.8m wide x 0.18m deep.
1615	Cut of furrow ?	Shallow sided – irregular flat base, linear, aligned <i>c.</i> E – W. >2m long x > 3m wide x 0.3m deep.
1616	Fill of 1615	Mid orange brown slightly sandy silt with occasional small gravels. >2m long x > 3m wide x 0.3m deep.
1617	Cut of posthole	Circular, shallow sided – concave base. 0.68m in diameter x 0.1m deep.
1618	Fill of 1617	Mid orange brown slightly sandy silt with occasional small gravels. 0.68m in diameter x 0.1m deep.

Trench 17: Ground level 10.56m – 10.74m AOD

Context No.	Type	Description
1700	Topsoil	Mid brown sandy silt with frequent small limestone gravels and

		occasional small flint gravels. < 0.5m thick.
1701	Natural	Light yellow brown sandy matrix with limestone gravels = Limit of Excavation.
1702	Fill of 1703	Dark brown silty clay. Not excavated. Cuts furrow.
1703	Cut of pit	Circular in plan. < 0.8m in diameter. Not excavated.
1704	Fill of 1705	Dark brown silty clay. Not excavated.
1705	Cut of pit	Sub rounded in plan. > 0.5m wide. Not excavated.
1706	Fill of 1707	Dark brown silty clay. Not excavated.
1707	Cut of pit	Oval in plan. > 1.5m long x 1m wide. Not excavated.
1708	Fill of 1709	Dark brown silty clay. Not excavated.
1709	Cut of pit	Circular in plan. < 1.6m wide. Not excavated.
1710	Fill of 1711	Mid brown sandy silt with frequent small limestone gravels. > 4m long x 1.75m wide. Not excavated.
1711	Cut of furrow	Linear in plan, aligned c. NNW-SSE. Not excavated.