

Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Site centred on NGR SP 636 992

OS REFERENCING INFORMATION

A	463246.11, 298915.30
B	463614.05, 299268.46
C	463415.78, 298911.82
D	463697.14, 299181.88

Job No.	J6087	Survey Date	NOV 2013
Client	NEXUS HERITAGE		

Project Title
 COTTAGE FARM, OADBY,
 LEICESTERSHIRE


Subject
 SITE LOCATION, SURVEY
 AREA & REFERENCING

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk




Scale 0m 10 20 30 40 50 60m
1:1000

Plot	A1	Checked by	PPB	Issue No.	01
Date	DEC 2013	Drawn by	JS	Figure No.	01



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013




Job No.	Survey Date
J6087	NOV 2013

Client
NEXUS HERITAGE


Project Title
**COTTAGE FARM, OADBY,
LEICESTERSHIRE**

Subject
**COLOUR PLOT OF MINIMALLY
PROCESSED GRADIOMETER
DATA SHOWING EXTREME
VALUES**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Plot	Checked by	Issue No.
A1	PPB	01
Date	Drawn by	Figure No.
DEC 2013	JS	02



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2013		

Plotting parameters

Maximum + 2nT (black)
Minimum -2nT (white)

-2nT +2nT

Job No. J6087 Survey Date NOV 2013

Client

NEXUS HERITAGE

Project Title

**COTTAGE FARM, OADBY,
LEICESTERSHIRE**

Subject

**PLOT OF MINIMALLY
PROCESSED GRADIOMETER
DATA**


STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION **SUMO GROUP MEMBER** **ISO 9001 certified** **ISO 14001 certified**

Scale 0m 10 20 30 40 50 60m
1: 1000

Plot A1	Checked by PPB	Issue No. 01
Date DEC 2013	Drawn by JS	Figure No. 03



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2013		

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - probable thermoremanent feature
- Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - possible thermoremanent feature
- + Magnetic spike - probable ferrous object

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Strong magnetic debris - possible disturbed or made ground
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.	J6087	Survey Date	NOV 2013
---------	-------	-------------	----------

Client

NEXUS HERITAGE

Project Title

**COTTAGE FARM, OADBY,
LEICESTERSHIRE**

Subject

INTERPRETATION

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION **SUMO GROUP MEMBER** **ISO 9001 certified** **ISO 14001 certified**

Scale 0m 10 20 30 40 50 60m
1: 1000

Plot	A1	Checked by	PPB	Issue No.	01
Date	DEC 2013	Drawn by	JS	Figure No.	04