


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
Licencee:
Stratascan Ltd.
Vineyard House
Upper Hook Road
Upton Upon Severn
WR8 0SA
OS 100km square = SP




71

70

69

68

67



73

74

75


76

77

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014




Site centred on NGR SP 749 693

Client
COTSWOLD ARCHAEOLOGY

Project Title Job No. 6400
NORTHAMPTON ROAD, BRIXWORTH

Subject
LOCATION PLAN OF SURVEY AREA



STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



GPR
ASSOCIATION



SUMO
GROUP
MEMBER




UKAS
ISO 9001
certified



UKAS
ISO 14001
certified

Scale 1:25000 0m 500 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 2014	Drawn by OJP	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

KEY

	Survey area
	Survey grid
	GPS referencing point

OS GRID REFERENCES

A	474901.48, 269345.19
B	474925.19, 269227.56

Client
COTSWOLD ARCHAEOLOGY

Project Title
NORTHAMPTON ROAD, BRIXWORTH

Job No. 6400

Subject
LOCATION OF SURVEY GRIDS AND
REFERENCING



STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk



GPR
ASSOCIATION



SUMO
GROUP
MEMBER



REGISTERED
ORGANISATION




UKAS
ISO 9001
certified

UKAS
ISO 14001
certified

Scale 1:1000
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 2014	Drawn by OJP	Figure No. 02




Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)



Client

COTSWOLD ARCHAEOLOGY

Project Title
NORTHAMPTON ROAD, BRIXWORTH

Job No. 6400

Subject
COLOUR PLOT OF GRADIOMETER
DATA SHOWING EXTREME VALUES

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA
T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

sumo
Survey Services

SUMO
GROUP
MEMBER





ims
ISO 9001
certified

ims
ISO 14001
certified

UKAS
MANUFACTURING
certified

Scale
1:1000
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 2014	Drawn by OJP	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

+2nT

-2nT

+2nT

-2nT

Client

COTSWOLD ARCHAEOLOGY

Project Title

NORTHAMPTON ROAD, BRIXWORTH

Job No.

6400

Subject

PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO
GROUP MEMBER

UKAS
ISO 9001
certified

UKAS
ISO 14001
certified






















Scale

1:1000

0m 10 20 30 40 50

Plot	A3	Checked by	DGE	Issue No.	01
Survey date	FEB 2014	Drawn by	OJP	Figure No.	04



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		
KEY		
PROBABLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin	
	Moderate strength discrete anomaly - probable thermoremanent feature	
	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow	
POSSIBLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin	
	Moderate strength discrete anomaly - possible thermoremanent feature	
	Magnetic spike - probable ferrous object	
OTHER ANOMALIES		
	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing	
	Linear anomaly - probably related to pipe, cable or other modern service	
	Linear anomaly - possibly related to land drain	
	Magnetic disturbance associated with nearby metal object such as service or field boundary	
	Strong magnetic debris - possible disturbed or made ground	
	Scattered magnetic debris	
	Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin	
Client		
COTSWOLD ARCHAEOLOGY		
Project Title		
NORTHAMPTON ROAD, BRIXWORTH		
Job No. 6400		
Subject		
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES		
		
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING		
VINEYARD HOUSE		
UPTON UPON SEVERN		
WR8 0SA		
T: 01684 592266		
E: info@stratascan.co.uk		
www.stratascan.co.uk		
		
		
SUMO GROUP MEMBER		
		
		
Scale		
1:1000		
		
Plot		Checked by
A3		DGE
Issue No.		01
Survey date		Figure No.
FEB 2014		05
Drawn by		OJP